

Claus Graff

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2227391/claus-graff-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

104
papers

1,677
citations

23
h-index

38
g-index

116
ext. papers

2,234
ext. citations

4.2
avg, IF

4.46
L-index

#	Paper	IF	Citations
104	The prognostic value of the Tpeak-Tend interval in patients undergoing primary percutaneous coronary intervention for ST-segment elevation myocardial infarction. <i>Journal of Electrocardiology</i> , 2009 , 42, 555-60	1.4	106
103	Assessing QT interval prolongation and its associated risks with antipsychotics. <i>CNS Drugs</i> , 2011 , 25, 473-90	6.7	100
102	P-wave duration and the risk of atrial fibrillation: Results from the Copenhagen ECG Study. <i>Heart Rhythm</i> , 2015 , 12, 1887-95	6.7	99
101	J-shaped association between QTc interval duration and the risk of atrial fibrillation: results from the Copenhagen ECG study. <i>Journal of the American College of Cardiology</i> , 2013 , 61, 2557-64	15.1	90
100	Risk of atrial fibrillation as a function of the electrocardiographic PR interval: results from the Copenhagen ECG Study. <i>Heart Rhythm</i> , 2013 , 10, 1249-56	6.7	79
99	Risk prediction of cardiovascular death based on the QTc interval: evaluating age and gender differences in a large primary care population. <i>European Heart Journal</i> , 2014 , 35, 1335-44	9.5	74
98	T(peak)T(end) interval in long QT syndrome. <i>Journal of Electrocardiology</i> , 2008 , 41, 603-8	1.4	48
97	Reference values of electrocardiogram repolarization variables in a healthy population. <i>Journal of Electrocardiology</i> , 2010 , 43, 31-9	1.4	47
96	Implantable loop recorder detection of atrial fibrillation to prevent stroke (The LOOP Study): a randomised controlled trial. <i>Lancet, The</i> , 2021 , 398, 1507-1516	40	47
95	New descriptors of T-wave morphology are independent of heart rate. <i>Journal of Electrocardiology</i> , 2008 , 41, 557-61	1.4	46
94	Identifying drug-induced repolarization abnormalities from distinct ECG patterns in congenital long QT syndrome: a study of sotalol effects on T-wave morphology. <i>Drug Safety</i> , 2009 , 32, 599-611	5.1	43
93	The cardiac safety of aripiprazole treatment in patients at high risk for torsade: a systematic review with a meta-analytic approach. <i>Psychopharmacology</i> , 2015 , 232, 3297-308	4.7	42
92	Natural History of Subclinical Atrial Fibrillation Detected by Implanted Loop Recorders. <i>Journal of the American College of Cardiology</i> , 2019 , 74, 2771-2781	15.1	40
91	Atrial fibrillation detected by continuous electrocardiographic monitoring using implantable loop recorder to prevent stroke in individuals at risk (the LOOP study): Rationale and design of a large randomized controlled trial. <i>American Heart Journal</i> , 2017 , 187, 122-132	4.9	39
90	Comprehensive Evaluation of Rhythm Monitoring Strategies in Screening for Atrial Fibrillation: Insights From Patients at Risk Monitored Long Term With an Implantable Loop Recorder. <i>Circulation</i> , 2020 , 141, 1510-1522	16.7	39
89	Echocardiographic abnormalities and predictors of mortality in hospitalized COVID-19 patients: the ECHOVID-19 study. <i>ESC Heart Failure</i> , 2020 , 7, 4189	3.7	39
88	Cardiovascular safety of antipsychotics: a clinical overview. <i>Expert Opinion on Drug Safety</i> , 2016 , 15, 679-88	4.8	38

87	Mortality rate trends in patients diagnosed with schizophrenia or bipolar disorder: a nationwide study with 20 years of follow-up. <i>International Journal of Bipolar Disorders</i> , 2019 , 7, 6	5.4	35
86	Sertindole causes distinct electrocardiographic T-wave morphology changes. <i>European Neuropsychopharmacology</i> , 2009 , 19, 702-7	1.2	33
85	Effects of bilastine on T-wave morphology and the QTc interval: a randomized, double-blind, placebo-controlled, thorough QTc study. <i>Clinical Drug Investigation</i> , 2012 , 32, 339-51	3.2	30
84	Quantitative analysis of T-wave morphology increases confidence in drug-induced cardiac repolarization abnormalities: evidence from the investigational IKr inhibitor Lu 35-138. <i>Journal of Clinical Pharmacology</i> , 2009 , 49, 1331-42	2.9	30
83	Electrocardiographic Tpeak-Tend interval and risk of cardiovascular morbidity and mortality: Results from the Copenhagen ECG study. <i>Heart Rhythm</i> , 2016 , 13, 915-24	6.7	25
82	Unrecognised myocardial infarction in patients with schizophrenia. <i>Acta Neuropsychiatrica</i> , 2015 , 27, 106-12	3.9	24
81	Vectorcardiographic QRS area is associated with long-term outcome after cardiac resynchronization therapy. <i>Heart Rhythm</i> , 2019 , 16, 213-219	6.7	23
80	Risk Prediction of Atrial Fibrillation Based on Electrocardiographic Interatrial Block. <i>Journal of the American Heart Association</i> , 2018 , 7,	6	21
79	Incidence and predictors of atrial fibrillation episodes as detected by implantable loop recorder in patients at risk: From the LOOP study. <i>American Heart Journal</i> , 2020 , 219, 117-127	4.9	20
78	The role of CAV3 in long-QT syndrome: clinical and functional assessment of a caveolin-3/Kv11.1 double heterozygote versus caveolin-3 single heterozygote. <i>Circulation: Cardiovascular Genetics</i> , 2013 , 6, 452-61		19
77	Left atrial volume and function assessed by cardiac magnetic resonance imaging are markers of subclinical atrial fibrillation as detected by continuous monitoring. <i>Europace</i> , 2020 , 22, 724-731	3.9	18
76	The phenotype characteristics of type 13 long QT syndrome with mutation in KCNJ5 (Kir3.4-G387R). <i>Heart Rhythm</i> , 2013 , 10, 1500-6	6.7	18
75	Electrocardiographic PR Interval Duration and Cardiovascular Risk: Results From the Copenhagen ECG Study. <i>Canadian Journal of Cardiology</i> , 2017 , 33, 674-681	3.8	17
74	Electrocardiographic Preexcitation and Risk of Cardiovascular Morbidity and Mortality: Results From the Copenhagen ECG Study. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2017 , 10,	6.4	15
73	Complications after implantation of a new-generation insertable cardiac monitor: Results from the LOOP study. <i>International Journal of Cardiology</i> , 2017 , 241, 229-234	3.2	15
72	Association Between Heart Rate at Rest and Incident Atrial Fibrillation (from the Copenhagen Electrocardiographic Study). <i>American Journal of Cardiology</i> , 2016 , 118, 708-13	3	13
71	The T-peak-T-end interval as a marker of repolarization abnormality: a comparison with the QT interval for five different drugs. <i>Clinical Drug Investigation</i> , 2015 , 35, 717-24	3.2	12
70	Effects of Calcium, Magnesium, and Potassium Concentrations on Ventricular Repolarization in Unselected Individuals. <i>Journal of the American College of Cardiology</i> , 2019 , 73, 3118-3131	15.1	12

69	Effect of nalmefene 20 and 80 mg on the corrected QT interval and T-wave morphology: a randomized, double-blind, parallel-group, placebo- and moxifloxacin-controlled, single-centre study. <i>Clinical Drug Investigation</i> , 2011 , 31, 799-811	3.2	12
68	Electrocardiographic precordial ST-segment deviations and the risk of cardiovascular death: results from the Copenhagen ECG Study. <i>Journal of the American Heart Association</i> , 2014 , 3, e000549	6	11
67	Cardiac effects of sertindole and quetiapine: analysis of ECGs from a randomized double-blind study in patients with schizophrenia. <i>European Neuropsychopharmacology</i> , 2015 , 25, 303-11	1.2	10
66	Left Atrial Late Gadolinium Enhancement is Associated With Incident Atrial Fibrillation as Detected by Continuous Monitoring With Implantable Loop Recorders. <i>JACC: Cardiovascular Imaging</i> , 2020 , 13, 1690-1700	8.4	10
65	Left anterior fascicular block and the risk of cardiovascular outcomes. <i>JAMA Internal Medicine</i> , 2014 , 174, 1001-3	11.5	10
64	Prevalence and risk factors of prolonged QT interval and electrocardiographic abnormalities in persons living with HIV. <i>Aids</i> , 2019 , 33, 2205-2210	3.5	10
63	Long QT syndrome genotyping by electrocardiography: fact, fiction, or something in between?. <i>Journal of Electrocardiology</i> , 2006 , 39, S119-22	1.4	9
62	Explaining deep neural networks for knowledge discovery in electrocardiogram analysis. <i>Scientific Reports</i> , 2021 , 11, 10949	4.9	9
61	Preoperative Electrocardiogram Score for Predicting New-Onset Postoperative Atrial Fibrillation in Patients Undergoing Cardiac Surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2017 , 31, 69-76	2.1	8
60	Thyroid dysfunction and electrocardiographic changes in subjects without arrhythmias: a cross-sectional study of primary healthcare subjects from Copenhagen. <i>BMJ Open</i> , 2019 , 9, e023854	3	8
59	Protection against severe hypokalemia but impaired cardiac repolarization after intense rowing exercise in healthy humans receiving salbutamol. <i>Journal of Applied Physiology</i> , 2018 , 125, 624-633	3.7	8
58	Glucose ingestion causes cardiac repolarization disturbances in type 1 long QT syndrome patients and healthy subjects. <i>Heart Rhythm</i> , 2017 , 14, 1165-1170	6.7	7
57	Electrocardiogram Characteristics and Their Association With Psychotropic Drugs Among Patients With Schizophrenia. <i>Schizophrenia Bulletin</i> , 2020 , 46, 354-362	1.3	7
56	QTc Interval and Risk of Cardiac Events in Adults With Anorexia Nervosa: A Long-Term Follow-Up Study. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2018 , 11, e005995	6.4	7
55	The QTc interval and risk of cardiac events in bulimia nervosa: A long-term follow-up study. <i>International Journal of Eating Disorders</i> , 2018 , 51, 1331-1338	6.3	7
54	Spatial QRS-T angle variants for prediction of all-cause mortality. <i>Journal of Electrocardiology</i> , 2018 , 51, 768-775	1.4	7
53	Clinical implications of electrocardiographic bundle branch block in primary care. <i>Heart</i> , 2019 , 105, 1160-1167	4.167	6
52	Ventricular ectopic burden in comatose survivors of out-of-hospital cardiac arrest treated with targeted temperature management at 33°C and 36°C. <i>Resuscitation</i> , 2016 , 102, 98-104	4	6

51	Major rapid weight loss induces changes in cardiac repolarization. <i>Journal of Electrocardiology</i> , 2016 , 49, 467-72	1.4	6
50	The relationship between serum potassium concentrations and electrocardiographic characteristics in 163,547 individuals from primary care. <i>Journal of Electrocardiology</i> , 2019 , 57, 104-111	1.4	6
49	Non-invasively quantified changes in left ventricular activation predict outcomes in patients undergoing cardiac resynchronization therapy. <i>Journal of Cardiovascular Electrophysiology</i> , 2019 , 30, 2475-2483	2.7	6
48	DeepFake electrocardiograms using generative adversarial networks are the beginning of the end for privacy issues in medicine. <i>Scientific Reports</i> , 2021 , 11, 21896	4.9	6
47	Left ventricular hypertrophy identified by cardiac computed tomography and ECG in hypertensive individuals: a population-based study. <i>Journal of Hypertension</i> , 2019 , 37, 739-746	1.9	6
46	Comparison of the three-level and the five-level versions of the EQ-5D. <i>European Journal of Health Economics</i> , 2021 , 22, 621-628	3.6	6
45	Association Between ECG Abnormalities and Fatal Cardiovascular Disease Among Patients With and Without Severe Mental Illness. <i>Journal of the American Heart Association</i> , 2021 , 10, e019416	6	6
44	New strict left bundle branch block criteria reflect left ventricular activation differences. <i>Journal of Electrocardiology</i> , 2015 , 48, 758-62	1.4	5
43	QT dynamics during treatment with sertindole. <i>Therapeutic Advances in Psychopharmacology</i> , 2015 , 5, 26-31	4.9	5
42	Osborn waves following out-of-hospital cardiac arrest-Effect of level of temperature management and risk of arrhythmia and death. <i>Resuscitation</i> , 2018 , 128, 119-125	4	5
41	Associations between common ECG abnormalities and out-of-hospital cardiac arrest. <i>Open Heart</i> , 2019 , 6, e000905	3	5
40	Myocardial Impairment and Acute Respiratory Distress Syndrome in Hospitalized Patients With COVID-19: The ECHOVID-19 Study. <i>JACC: Cardiovascular Imaging</i> , 2020 , 13, 2474-2476	8.4	5
39	The Cardiovascular Effects of a Meal: J-T and T-T Assessment and Further Insights Into the Physiological Effects. <i>Journal of Clinical Pharmacology</i> , 2019 , 59, 799-810	2.9	5
38	Diagnostic accuracy of pace spikes in the electrocardiogram to diagnose paced rhythm. <i>Journal of Electrocardiology</i> , 2015 , 48, 834-9	1.4	4
37	Influence of type of sport on cardiac repolarization assessed by electrocardiographic T-wave morphology combination score. <i>Journal of Electrocardiology</i> , 2018 , 51, 296-302	1.4	4
36	Assessing common classification methods for the identification of abnormal repolarization using indicators of T-wave morphology and QT interval. <i>Computers in Biology and Medicine</i> , 2012 , 42, 485-91	7	4
35	PR Prolongation predicts inadequate resynchronization with biventricular pacing in left bundle branch block. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2019 , 42, 1477-1485	1.6	3
34	The Association of a classical left bundle Branch Block Contraction Pattern by vendor-independent strain echocardiography and outcome after cardiac resynchronization therapy. <i>Cardiovascular Ultrasound</i> , 2019 , 17, 10	2.4	3

33	Type 1 diabetes is associated with T-wave morphology changes. The Thousand & 1 Study. <i>Journal of Electrocardiology</i> , 2018 , 51, S72-S77	1.4	3
32	Algorithm for the automatic computation of the modified Anderson-Wilkins acuteness score of ischemia from the pre-hospital ECG in ST-segment elevation myocardial infarction. <i>Journal of Electrocardiology</i> , 2017 , 50, 97-101	1.4	3
31	Electrocardiographic T-wave morphology and risk of mortality. <i>International Journal of Cardiology</i> , 2021 , 328, 199-205	3.2	3
30	Long QT syndrome type 1 and 2 patients respond differently to arrhythmic triggers: The TriQarr in vivo study. <i>Heart Rhythm</i> , 2021 , 18, 241-249	6.7	3
29	Day-to-day measurement of physical activity and risk of atrial fibrillation. <i>European Heart Journal</i> , 2021 , 42, 3979-3988	9.5	3
28	Minimal T-wave representation and its use in the assessment of drug arrhythmogenicity. <i>Annals of Noninvasive Electrocardiology</i> , 2017 , 22,	1.5	2
27	A History of Drug-Induced Torsades de Pointes Is Associated With T-wave Morphological Abnormalities. <i>Clinical Pharmacology and Therapeutics</i> , 2018 , 103, 1100-1106	6.1	2
26	Long-Term Prognostic Value of Less-Stringent Electrocardiographic Q Waves and Fourth Universal Definition of Myocardial Infarction Q Waves. <i>American Journal of Medicine</i> , 2020 , 133, 582-589.e7	2.4	2
25	Comparing the consistency of electrocardiogram interval measurements by resting ECG versus 12-lead Holter. <i>Annals of Noninvasive Electrocardiology</i> , 2021 , 26, e12851	1.5	2
24	Association between T-wave discordance and the development of heart failure in left bundle branch block patients: Results from the Copenhagen ECG study. <i>Journal of Electrocardiology</i> , 2019 , 52, 39-45	1.4	2
23	Explaining Deep Neural Networks for Knowledge Discovery in Electrocardiogram Analysis		2
22	Choice of baseline in parallel thorough QT studies. <i>Drug Safety</i> , 2013 , 36, 389-92	5.1	1
21	Sex differences in left ventricular electrical dyssynchrony and outcomes with cardiac resynchronization therapy. <i>Heart Rhythm O2</i> , 2020 , 1, 243-249	1.5	1
20	Chloroquine, but not hydroxychloroquine, prolongs the QT interval in a primary care population		1
19	Effect of hydroxychloroquine on the cardiac ventricular repolarization: A randomized clinical trial. <i>British Journal of Clinical Pharmacology</i> , 2021 ,	3.8	1
18	Effect of moderate potassium-elevating treatment in long QT syndrome: the TriQarr Potassium Study. <i>Open Heart</i> , 2021 , 8,	3	1
17	Repolarization and ventricular arrhythmia during targeted temperature management post cardiac arrest. <i>Resuscitation</i> , 2021 , 166, 74-82	4	1
16	Clinical Heart Failure Among Patients With and Without Severe Mental Illness and the Association With Long-Term Outcomes. <i>Circulation: Heart Failure</i> , 2021 , 14, e008364	7.6	1

15	Atrial fibrillation burden and cognitive decline in elderly patients undergoing continuous monitoring. <i>American Heart Journal</i> , 2021 , 242, 15-23	4.9	1
14	Automatic electrocardiographic algorithm for assessing severity of ischemia in ST-segment elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2018 , 268, 18-22	3.2	0
13	Plasma potassium concentration and cardiac repolarisation markers, T-T and T-T/QT, during and after exercise in healthy participants and in end-stage renal disease.. <i>European Journal of Applied Physiology</i> , 2022 , 122, 691	3.4	0
12	Accuracy, analysis time, and reproducibility of dedicated 4D echocardiographic left atrial volume quantification software.. <i>International Journal of Cardiovascular Imaging</i> , 2022 , 1	2.5	0
11	De novo electrocardiographic abnormalities in persons living with HIV. <i>Scientific Reports</i> , 2021 , 11, 20750	4.9	0
10	Hepatic steatosis in patients with schizophrenia: a clinical cross-sectional study. <i>Nordic Journal of Psychiatry</i> , 2021 , 1-6	2.3	0
9	Association between vectorcardiographic QRS area and incident heart failure diagnosis and mortality among patients with left bundle branch block: A register-based cohort study. <i>Journal of Electrocardiology</i> , 2021 , 69, 30-35	1.4	0
8	Potential role of conventional and speckle-tracking echocardiography in the screening of structural and functional cardiac abnormalities in elderly individuals: Baseline echocardiographic findings from the LOOP study. <i>PLoS ONE</i> , 2022 , 17, e0269475	3.7	0
7	The CardioSynchroGram: A method to visualize and quantify ventricular dyssynchrony. <i>Journal of Electrocardiology</i> , 2019 , 57S, S45-S50	1.4	
6	Relationship Between Electrical and Mechanical Dyssynchrony and Outcomes Among Patients Undergoing Cardiac Resynchronization Therapy. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2021 , CIRCEP121010217	6.4	
5	Concomitant changes in ventricular depolarization and repolarization and long-term outcomes of biventricular pacing. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2020 , 43, 1333-1343	1.6	
4	The Authors Reply. <i>JACC: Cardiovascular Imaging</i> , 2021 , 14, 704-705	8.4	
3	A Phase 1 Study to Investigate the Effects of Cortexolone 17-Propionate, Also Known as Clascoterone, on the QT Interval Using the Meal Effect to Demonstrate ECG Assay Sensitivity. <i>Clinical Pharmacology in Drug Development</i> , 2021 , 10, 572-581	2.3	
2	Reply to the Editor--Regarding the Role of Advanced Interatrial Block Pattern as a Predictor of Atrial Fibrillation. <i>Heart Rhythm</i> , 2016 , 13, e87-8	6.7	
1	Lead one ratio in left bundle branch block predicts poor cardiac resynchronization therapy response. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2020 , 43, 503-510	1.6	