

Sung Kwan Shin

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/222782/sung-kwan-shin-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

131
papers

2,465
citations

29
h-index

40
g-index

132
ext. papers

2,910
ext. citations

3.7
avg, IF

4.58
L-index

#	Paper	IF	Citations
131	Long-Term Outcomes and Prognostic Factors of Superficial Esophageal Cancer in Patients Aged \geq 65 Years.. <i>Frontiers in Medicine</i> , 2021 , 8, 722141	4.9	0
130	Comparison of the Efficacy of Polaprezinc Plus Proton Pump Inhibitor and Rebamipide Plus Proton Pump Inhibitor Treatments for Endoscopic Submucosal Dissection-induced Ulcers. <i>Journal of Clinical Gastroenterology</i> , 2021 , 55, 233-238	3	4
129	Prediction model for bleeding after endoscopic submucosal dissection of gastric neoplasms from a high-volume center. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021 , 36, 2217-2223	4	3
128	A Systematic Review and Meta-analysis of Randomized Control Trials: Combination Treatment With Proton Pump Inhibitor Plus Prokinetic for Gastroesophageal Reflux Disease. <i>Journal of Neurogastroenterology and Motility</i> , 2021 , 27, 165-175	4.4	5
127	Long-Term Outcomes and Prognostic Factors of Endoscopic Submucosal Dissection for Early Gastric Cancer in Patients Aged \geq 5 Years. <i>Cancers</i> , 2020 , 12,	6.6	5
126	Efficacy of Endoscopic Vacuum-Assisted Closure Treatment for Postoperative Anastomotic Leak in Gastric Cancer. <i>Gut and Liver</i> , 2020 , 14, 746-754	4.8	5
125	A potential simple endoscopic antireflux method, "the Ripple Procedure" to reduce distensibility at the esophagogastric junction in a porcine model. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2020 , 34, 5017-5022	5.2	0
124	Prospective comparative study of endoscopic ultrasonography-guided fine-needle biopsy and unroofing biopsy. <i>Digestive and Liver Disease</i> , 2019 , 51, 831-836	3.3	4
123	Noninvasive prediction model for diagnosing gastrointestinal stromal tumors using contrast-enhanced harmonic endoscopic ultrasound. <i>Digestive and Liver Disease</i> , 2019 , 51, 985-992	3.3	8
122	Prospective comparative study of endoscopic ultrasonography-guided fine-needle biopsy and unroofing biopsy.. <i>Journal of Clinical Oncology</i> , 2019 , 37, 38-38	2.2	1
121	The Clinical Efficacy of a Pure Alginate Formulation (Lamina G) for Controlling Symptoms in Individuals with Reflux Symptoms: A Randomized Clinical Study. <i>Gut and Liver</i> , 2019 , 13, 642-648	4.8	4
120	High CD3 and ICOS and low TIM-3 expression predict favourable survival in resected oesophageal squamous cell carcinoma. <i>Scientific Reports</i> , 2019 , 9, 20197	4.9	9
119	Comparison of long-term clinical outcomes between endoscopic and surgical resection for early-stage adenocarcinoma of the esophagogastric junction. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2018 , 32, 3540-3547	5.2	8
118	Effectiveness of the polysaccharide hemostatic powder in non-variceal upper gastrointestinal bleeding: Using propensity score matching. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018 , 33, 1500-1506	4	11
117	Comparative study between endoscopic submucosal dissection and surgery in patients with early gastric cancer. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2018 , 32, 73-86	5.2	44
116	Effect of the midazolam added with propofol-based sedation in esophagogastroduodenoscopy: A randomized trial. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018 , 33, 894-899	4	8
115	Long-term outcomes of endoscopic submucosal dissection in comparison to surgery in undifferentiated-type intramucosal gastric cancer using propensity score analysis. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2018 , 32, 2046-2057	5.2	22

114	Long-term outcomes after noncurative endoscopic resection of early gastric cancer: the optimal time for additional endoscopic treatment. <i>Gastrointestinal Endoscopy</i> , 2018 , 87, 1003-1013.e2	5.2	30
113	Efficacy of hemostatic powder in preventing bleeding after gastric endoscopic submucosal dissection in high-risk patients. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018 , 33, 656-663	4	8
112	Hemostatic powder application for control of acute upper gastrointestinal bleeding in patients with gastric malignancy. <i>Endoscopy International Open</i> , 2018 , 6, E700-E705	3	12
111	Additive endoscopic resection may be sufficient for patients with a positive lateral margin after endoscopic resection of early gastric cancer. <i>Gastrointestinal Endoscopy</i> , 2017 , 86, 849-856	5.2	14
110	Clinical Outcomes of Endoscopic Hemostasis for Bleeding in Patients with Unresectable Advanced Gastric Cancer. <i>Journal of Gastric Cancer</i> , 2017 , 17, 374-383	3.2	10
109	Prediction model for non-curative resection of endoscopic submucosal dissection in patients with early gastric cancer. <i>Gastrointestinal Endoscopy</i> , 2017 , 85, 976-983	5.2	23
108	Additive treatment improves survival in elderly patients after non-curative endoscopic resection for early gastric cancer. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2017 , 31, 1376-1382	5.2	12
107	Probe-based confocal laser endomicroscopy in the margin delineation of early gastric cancer for endoscopic submucosal dissection. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017 , 32, 1046-1054	4	12
106	Complementary utility of targeted next-generation sequencing and immunohistochemistry panels as a screening platform to select targeted therapy for advanced gastric cancer. <i>Oncotarget</i> , 2017 , 8, 38389-38398	3.3	7
105	Analysis of the Clinicopathological Characteristics of Gastric Cancer in Extremely Old Patients. <i>Cancer Research and Treatment</i> , 2017 , 49, 204-212	5.2	8
104	Dose-Response Relationship between Radiation Dose and Loco-regional Control in Patients with Stage II-III Esophageal Cancer Treated with Definitive Chemoradiotherapy. <i>Cancer Research and Treatment</i> , 2017 , 49, 669-677	5.2	30
103	Postoperative Infection as a Prognostic Factor for Gastric Cancer Patients after Curative Resection. <i>Gut and Liver</i> , 2017 , 11, 635-641	4.8	5
102	Efficacy of Albis for the Prevention of Gastric Mucosal Injury Concomitant with the Use of Low-Dose Aspirin: A Prospective, Randomized, Placebo-Controlled Study. <i>Clinical Endoscopy</i> , 2017 , 50, 179-184	2.5	1
101	Endoscopic Management of Gastrointestinal Leaks and Perforation with Polyglycolic Acid Sheets. <i>Clinical Endoscopy</i> , 2017 , 50, 293-296	2.5	6
100	Education and Training Guidelines for the Board of the Korean Society of Gastrointestinal Endoscopy. <i>Clinical Endoscopy</i> , 2017 , 50, 345-356	2.5	17
99	Oxyntic Gland Adenoma Treated by Endoscopic Mucosal Resection. <i>The Korean Journal of Helicobacter and Upper Gastrointestinal Research</i> , 2017 , 17, 94	0.4	
98	Is the recent WHO histological classification for gastric cancer helpful for application to endoscopic resection?. <i>Gastric Cancer</i> , 2016 , 19, 869-75	7.6	17
97	Polyglycolic acid sheet application to prevent esophageal stricture after endoscopic submucosal dissection for recurrent esophageal cancer. <i>Endoscopy</i> , 2016 , 48, E319-E320	3.4	7

96	The new modified ABCD method for gastric neoplasm screening. <i>Gastric Cancer</i> , 2016 , 19, 128-35	7.6	15
95	A specific role of endoscopic ultrasonography for therapeutic decision-making in patients with gastric cardia cancer. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2016 , 30, 4193-9	5.2	6
94	Clinical outcomes of and management strategy for perforations associated with endoscopic submucosal dissection of an upper gastrointestinal epithelial neoplasm. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2016 , 30, 5059-5067	5.2	10
93	Incidence and impact of scheduled endoscopic surveillance on recurrence after curative endoscopic resection for early gastric cancer. <i>Gastrointestinal Endoscopy</i> , 2016 , 84, 628-638.e1	5.2	31
92	Impact of the Surveillance Interval on the Survival of Patients Who Undergo Curative Surgery for Gastric Cancer. <i>Annals of Surgical Oncology</i> , 2016 , 23, 539-45	3.1	11
91	Periodic Endoscopies Might Not Increase the Detection of Early Gastric Cancer in a Young Population. <i>PLoS ONE</i> , 2016 , 11, e0159759	3.7	3
90	PIK3CA amplification is associated with poor prognosis among patients with curatively resected esophageal squamous cell carcinoma. <i>Oncotarget</i> , 2016 , 7, 30691-701	3.3	15
89	Antral or Pyloric Deformity Is a Risk Factor for the Development of Postendoscopic Submucosal Dissection Pyloric Strictures. <i>Gut and Liver</i> , 2016 , 10, 757-63	4.8	2
88	A proposal for the management guideline of superficial esophageal squamous cell carcinoma: After endoscopic resection.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 145-145	2.2	
87	Comprehensive expression profiles of gastric cancer molecular subtypes by immunohistochemistry: implications for individualized therapy. <i>Oncotarget</i> , 2016 , 7, 44608-44620	3.3	31
86	Low Incidence of Synchronous or Metachronous Tumors after Endoscopic Submucosal Dissection for Early Gastric Cancer with Undifferentiated Histology. <i>PLoS ONE</i> , 2016 , 11, e0147874	3.7	10
85	Endoscopic quality indicators for esophagogastroduodenoscopy in gastric cancer screening. <i>Digestive Diseases and Sciences</i> , 2015 , 60, 38-46	4	19
84	Early gastric cancer with mixed histology predominantly of differentiated type is a distinct subtype with different therapeutic outcomes of endoscopic resection. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2015 , 29, 1787-94	5.2	14
83	What are the risk factors for residual tumor cells after endoscopic complete resection in gastric epithelial neoplasia?. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2015 , 29, 487-92	5.2	9
82	Safety and feasibility of simultaneous endoscopic submucosal dissection for multiple gastric neoplasias. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2015 , 29, 3690-7	5.2	7
81	Impact of periodic endoscopy on incidentally diagnosed gastric gastrointestinal stromal tumors: findings in surgically resected and confirmed lesions. <i>Annals of Surgical Oncology</i> , 2015 , 22, 2933-9	3.1	16
80	Treatment Strategy after Endoscopic Resection of Superficial Esophageal Squamous Cell Carcinoma: A Single Institution Experience. <i>Gut and Liver</i> , 2015 , 9, 714-9	4.8	6
79	Learning curve for EUS in gastric cancer T staging by using cumulative sum analysis. <i>Gastrointestinal Endoscopy</i> , 2015 , 81, 898-905.e1	5.2	12

78	Clinical predictors associated with proton pump inhibitor-induced hypomagnesemia. <i>American Journal of Therapeutics</i> , 2015 , 22, 14-21	1	22
77	The optimal serum pepsinogen cut-off value for predicting histologically confirmed atrophic gastritis. <i>Digestive and Liver Disease</i> , 2015 , 47, 663-8	3.3	16
76	Preventing metachronous gastric lesions after endoscopic submucosal dissection through Helicobacter pylori eradication. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015 , 30, 75-81	4	20
75	Does Sedation Affect Examination of Esophagogastric Junction during Upper Endoscopy?. <i>Yonsei Medical Journal</i> , 2015 , 56, 1566-71	3	4
74	Helicobacter pylori Eradication Reduces the Metachronous Recurrence of Gastric Neoplasms by Attenuating the Precancerous Process. <i>Journal of Gastric Cancer</i> , 2015 , 15, 246-55	3.2	12
73	Helicobacter pylori Eradication on the Prevention of Metachronous Lesions after Endoscopic Resection of Gastric Neoplasm: A Meta-Analysis. <i>PLoS ONE</i> , 2015 , 10, e0124725	3.7	27
72	Factors that affect visibility during endoscopic hemostasis for upper GI bleeding: a prospective study. <i>Gastrointestinal Endoscopy</i> , 2015 , 81, 1392-400	5.2	1
71	Impact of carcinomatosis and ascites status on long-term outcomes of palliative treatment for patients with gastric outlet obstruction caused by unresectable gastric cancer: stent placement versus palliative gastrojejunostomy. <i>Gastrointestinal Endoscopy</i> , 2015 , 81, 321-32	5.2	33
70	Helicobacter pylori Eradication Prevents Metachronous Gastric Neoplasms after Endoscopic Resection of Gastric Dysplasia. <i>PLoS ONE</i> , 2015 , 10, e0143257	3.7	23
69	Fibroblast growth factor receptor 1 gene amplification is associated with poor survival in patients with resected esophageal squamous cell carcinoma. <i>Oncotarget</i> , 2015 , 6, 2562-72	3.3	27
68	Phase II clinical and exploratory biomarker study of dacomitinib in recurrent and/or metastatic esophageal squamous cell carcinoma. <i>Oncotarget</i> , 2015 , 6, 44971-84	3.3	10
67	Second-look endoscopy after gastric endoscopic submucosal dissection for reducing delayed postoperative bleeding. <i>Gut and Liver</i> , 2015 , 9, 43-51	4.8	10
66	Clinicopathologic characteristics of interval gastric cancer in Korea. <i>Gut and Liver</i> , 2015 , 9, 166-73	4.8	11
65	The efficacy of single-dose postoperative intravenous dexamethasone for pain relief after endoscopic submucosal dissection for gastric neoplasm. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2014 , 28, 2334-41	5.2	11
64	Carcinomatosis matters: clinical outcomes and prognostic factors for clinical success of stent placement in malignant gastric outlet obstruction. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2014 , 28, 988-95	5.2	21
63	Self-expanding metal stents or nonstent endoscopic therapy: which is better for anastomotic leaks after total gastrectomy?. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2014 , 28, 833-40	5.2	19
62	A prospective phase II trial of S-1 and cisplatin-based chemoradiotherapy for locoregionally advanced esophageal cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2014 , 73, 665-71	3.5	21
61	Size discrepancy between endoscopic size and pathologic size is not negligible in endoscopic resection for early gastric cancer. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2014 , 28, 2199-207	5.2	17

60	Clinicopathologic factors and outcomes of histologic discrepancy between differentiated and undifferentiated types after endoscopic resection of early gastric cancer. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2014 , 28, 2097-105	5.2	18
59	Can we apply the same indication of endoscopic submucosal dissection for primary gastric cancer to remnant gastric cancer?. <i>Gastric Cancer</i> , 2014 , 17, 310-5	7.6	6
58	Tumour size is related to the curability of signet ring cell early gastric cancer with endoscopic submucosal dissection: a retrospective single centre study. <i>Digestive and Liver Disease</i> , 2014 , 46, 898-902 ³	2.3	12
57	Follow-up outcomes of endoscopic resection for early gastric cancer with undifferentiated histology. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2014 , 28, 2627-33	5.2	39
56	Clinical safety of endoscopic submucosal dissection compared with surgery in elderly patients with early gastric cancer: a propensity-matched analysis. <i>Gastrointestinal Endoscopy</i> , 2014 , 80, 599-609	5.2	68
55	Prognostic value of neutrophil-to-lymphocyte ratio in patients treated with concurrent chemoradiotherapy for locally advanced oesophageal cancer. <i>Digestive and Liver Disease</i> , 2014 , 46, 846-53 ³	3.3	35
54	Impact of metabolic syndrome on oncologic outcome after radical gastrectomy for gastric cancer. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2014 , 38, 372-8	2.4	15
53	Stricture occurring after endoscopic submucosal dissection for esophageal and gastric tumors. <i>Clinical Endoscopy</i> , 2014 , 47, 516-22	2.5	12
52	Endoscopic hemostasis using a gauze-ball compression method. <i>Endoscopy</i> , 2014 , 46 Suppl 1 UCTN, E395-6	3.4	1
51	Endoscopic pyloromyotomy for postesophagectomy gastric outlet obstruction. <i>Endoscopy</i> , 2014 , 46 Suppl 1 UCTN, E345-6	3.4	32
50	Prediction of survival by tumor area on endosonography after definitive chemoradiotherapy for locally advanced squamous cell carcinoma of the esophagus. <i>Digestion</i> , 2014 , 90, 98-107	3.6	4
49	The optimal endoscopic screening interval for detecting early gastric neoplasms. <i>Gastrointestinal Endoscopy</i> , 2014 , 80, 253-9	5.2	17
48	Pre-treatment neutrophil to lymphocyte ratio as a prognostic marker to predict chemotherapeutic response and survival outcomes in metastatic advanced gastric cancer. <i>Gastric Cancer</i> , 2014 , 17, 703-10	7.6	81
47	Safety and patient satisfaction of early diet after endoscopic submucosal dissection for gastric epithelial neoplasia: a prospective, randomized study. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2014 , 28, 1321-9	5.2	12
46	Impact of tumor location on clinical outcomes of gastric endoscopic submucosal dissection. <i>World Journal of Gastroenterology</i> , 2014 , 20, 8631-7	5.6	18
45	Endoscopy-guided balloon dilation of benign anastomotic strictures after radical gastrectomy for gastric cancer. <i>Gut and Liver</i> , 2014 , 8, 394-9	4.8	9
44	Lymph Node Metastases in Esophageal Carcinoma: An Endoscopist's View. <i>Clinical Endoscopy</i> , 2014 , 47, 523-9	2.5	58
43	Sedation methods can determine performance of endoscopic submucosal dissection in patients with gastric neoplasia. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2013 , 27, 2760-7	5.2	40

42	Impact of cumulative time on the clinical outcomes of endoscopic submucosal dissection in gastric neoplasm. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2013 , 27, 1397-403	5.2	21
41	Prognostic value of early postoperative tumor marker response in gastric cancer. <i>Annals of Surgical Oncology</i> , 2013 , 20, 3905-11	3.1	32
40	Risk factors and prognosis of pulmonary complications after endoscopic submucosal dissection for gastric neoplasia. <i>Digestive Diseases and Sciences</i> , 2013 , 58, 540-6	4	42
39	Endoscopic management of anastomotic leakage after gastrectomy for gastric cancer: how efficacious is it?. <i>Scandinavian Journal of Gastroenterology</i> , 2013 , 48, 111-8	2.4	33
38	Effect of acid swallowing on esophageal contraction in patients with heartburn related to hypersensitivity. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2013 , 28, 84-9	4	7
37	Long-term outcome of early gastric cancer after endoscopic submucosal dissection: expanded indication is comparable to absolute indication. <i>Digestive and Liver Disease</i> , 2013 , 45, 651-6	3.3	68
36	High level of preoperative carbohydrate antigen 19-9 is a poor survival predictor in gastric cancer. <i>World Journal of Gastroenterology</i> , 2013 , 19, 5302-8	5.6	23
35	Transition zone defect associated with the response to proton pump inhibitor treatment in patients with globus sensation. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2013 , 28, 954-62	4	4
34	Low-dose amitriptyline combined with proton pump inhibitor for functional chest pain. <i>World Journal of Gastroenterology</i> , 2013 , 19, 4958-65	5.6	18
33	Segmental changes in smooth muscle contraction as a predictive factor of the response to high-dose proton pump inhibitor treatment in patients with functional chest pain. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2012 , 27, 1192-9	4	2
32	Preliminary study of enteroscopy-guided, self-expandable metal stent placement for malignant small bowel obstruction. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2012 , 27, 1181-6	4	20
31	Clinical features and predictive factors of coagulation syndrome after endoscopic submucosal dissection for early gastric neoplasm. <i>Gastric Cancer</i> , 2012 , 15, 83-90	7.6	35
30	Metabolic syndrome is an independent risk factor for synchronous colorectal neoplasm in patients with gastric neoplasm. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2012 , 27, 1490-7	4	8
29	Clinical outcomes of secondary stent-in-stent self-expanding metal stent placement for primary stent malfunction in malignant gastric outlet obstruction. <i>Digestive and Liver Disease</i> , 2012 , 44, 999-1005	3.3	17
28	Participation and conflict in the decision-making process for endoscopic resection or surgical gastrectomy for early gastric cancer. <i>Journal of Surgical Oncology</i> , 2012 , 106, 101-6	2.8	4
27	Predictive value of pretreatment metabolic activity measured by fluorodeoxyglucose positron emission tomography in patients with metastatic advanced gastric cancer: the maximal SUV of the stomach is a prognostic factor. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2012 , 39, 1107-16	8.8	29
26	The diagnostic role of endoscopic submucosal dissection for gastric lesions with indefinite pathology. <i>Scandinavian Journal of Gastroenterology</i> , 2012 , 47, 1101-7	2.4	8
25	Increased incidence of endoscopic erosive esophagitis in solid organ transplant recipients. <i>Gut and Liver</i> , 2012 , 6, 349-54	4.8	4

24	A case of synchronous squamous cell carcinoma in the esophagus and stomach. <i>Gut and Liver</i> , 2012 , 6, 118-21	4.8	4
23	Recurrent Esophageal Stricture Caused by Candidiasis in an HIV-Infected Patient. <i>Korean Journal of Medicine</i> , 2012 , 82, 247	0.5	
22	A prospective phase II trial of a S-1/cisplatin-based chemoradiotherapy for locoregionally advanced esophageal cancer.. <i>Journal of Clinical Oncology</i> , 2012 , 30, e14559-e14559	2.2	
21	How to manage pyloric tumours that are difficult to resect completely with endoscopic resection: comparison of the retroflexion vs. forward view technique. <i>Digestive and Liver Disease</i> , 2011 , 43, 958-64	3.3	7
20	Gastroduodenal complications after concurrent chemoradiation therapy in patients with hepatocellular carcinoma: endoscopic findings and risk factors. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011 , 81, 1343-51	4	34
19	High microsatellite instability predicts good prognosis in intestinal-type gastric cancers. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2011 , 26, 585-92	4	67
18	A case of esophageal intramural pseudodiverticulosis. <i>Gut and Liver</i> , 2011 , 5, 93-5	4.8	21
17	Undifferentiated histology after endoscopic resection may predict synchronous and metachronous occurrence of early gastric cancer. <i>Digestion</i> , 2010 , 81, 35-42	3.6	34
16	Clinicopathological features and prognostic factors of proximal gastric carcinoma in a population with high Helicobacter pylori prevalence: a single-center, large-volume study in Korea. <i>Annals of Surgical Oncology</i> , 2010 , 17, 829-37	3.1	30
15	Predictive factors for local recurrence after endoscopic resection for early gastric cancer: long-term clinical outcome in a single-center experience. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2010 , 24, 2842-9	5.2	67
14	A Pilot Study of Sequential Capsule Endoscopy Using MiroCam and PillCam SB Devices with Different Transmission Technologies. <i>Gut and Liver</i> , 2010 , 4, 192-200	4.8	31
13	The Importance of the Simple Chest X-ray Tend to Make Careless Interpretation: with a Case of Mediastinal Tumor. <i>Tuberculosis and Respiratory Diseases</i> , 2009 , 66, 482	3.2	
12	Promoter methylation in the genesis of gastrointestinal cancer. <i>Yonsei Medical Journal</i> , 2009 , 50, 309-21	3	19
11	JC virus mediates invasion and migration in colorectal metastasis. <i>PLoS ONE</i> , 2009 , 4, e8146	3.7	33
10	Achalasia combined with esophageal cancer treated by concurrent chemoradiation therapy. <i>Gut and Liver</i> , 2009 , 3, 329-33	4.8	1
9	Mutations in both KRAS and BRAF may contribute to the methylator phenotype in colon cancer. <i>Gastroenterology</i> , 2008 , 134, 1950-60, 1960.e1	13.3	102
8	Comparison of the clinicopathologic features between flat and polypoid adenoma. <i>Scandinavian Journal of Gastroenterology</i> , 2008 , 43, 1116-21	2.4	19
7	CpG Island methylator phenotype in colorectal cancer: A current perspective. <i>Current Colorectal Cancer Reports</i> , 2008 , 4, 77-83	1	3

6	Epigenetic and genetic alterations in Netrin-1 receptors UNC5C and DCC in human colon cancer. <i>Gastroenterology</i> , 2007 , 133, 1849-57	13.3	82
5	Oncogenic T-antigen of JC virus is present frequently in human gastric cancers. <i>Cancer</i> , 2006 , 107, 481-86.4		56
4	Association of JC virus T-antigen expression with the methylator phenotype in sporadic colorectal cancers. <i>Gastroenterology</i> , 2006 , 130, 1950-61	13.3	85
3	Endoscopic Management in Juvenile Polyposis, Peutz-Jeghers Syndrome, and Other Hamartomatous Polyposis Syndromes. <i>Techniques in Gastrointestinal Endoscopy</i> , 2006 , 8, 119-125	0.8	2
2	Colorectal flat neoplasia. <i>Digestive and Liver Disease</i> , 2003 , 35, 165-71	3.3	12
1	The role of mitogen-activated protein kinases and their relationship with NF-kappaB and PPARgamma in indomethacin-Induced apoptosis of colon cancer cells. <i>Annals of the New York Academy of Sciences</i> , 2002 , 973, 241-5	6.5	13