

Jean Claude Mbanya

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2227824/jean-claude-mbanya-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

136
papers

13,299
citations

35
h-index

115
g-index

147
ext. papers

17,297
ext. citations

8.6
avg, IF

7.27
L-index

#	Paper	IF	Citations
136	Worldwide trends in body-mass index, underweight, overweight, and obesity from 1975 to 2016: a pooled analysis of 2416 population-based measurement studies in 128.9 million children, adolescents, and adults. <i>Lancet, The</i> , 2017 , 390, 2627-2642	40	2980
135	Trends in adult body-mass index in 200 countries from 1975 to 2014: a pooled analysis of 1698 population-based measurement studies with 19.2 million participants. <i>Lancet, The</i> , 2016 , 387, 1377-1396	40	2787
134	Worldwide trends in diabetes since 1980: a pooled analysis of 751 population-based studies with 4.4 million participants. <i>Lancet, The</i> , 2016 , 387, 1513-1530	40	2039
133	Worldwide trends in blood pressure from 1975 to 2015: a pooled analysis of 1479 population-based measurement studies with 19.1 million participants. <i>Lancet, The</i> , 2017 , 389, 37-55	40	1100
132	Diabetes in sub-Saharan Africa. <i>Lancet, The</i> , 2010 , 375, 2254-66	40	451
131	UN High-Level Meeting on Non-Communicable Diseases: addressing four questions. <i>Lancet, The</i> , 2011 , 378, 449-55	40	268
130	Research capacity. Enabling the genomic revolution in Africa. <i>Science</i> , 2014 , 344, 1346-8	33.3	256
129	IDF diabetes Atlas: Global, regional and country-level diabetes prevalence estimates for 2021 and projections for 2045. <i>Diabetes Research and Clinical Practice</i> , 2021 , 109119	7.4	211
128	Peer support for self-management of diabetes improved outcomes in international settings. <i>Health Affairs</i> , 2012 , 31, 130-9	7	180
127	Trends in obesity and diabetes across Africa from 1980 to 2014: an analysis of pooled population-based studies. <i>International Journal of Epidemiology</i> , 2017 , 46, 1421-1432	7.8	127
126	Urbanization, physical activity, and metabolic health in sub-Saharan Africa. <i>Diabetes Care</i> , 2011 , 34, 491-6	4.6	121
125	Universal health coverage and intersectoral action for health: key messages from Disease Control Priorities, 3rd edition. <i>Lancet, The</i> , 2018 , 391, 1108-1120	40	115
124	Diabetes in the Africa Region: an update. <i>Diabetes Research and Clinical Practice</i> , 2014 , 103, 197-205	7.4	113
123	Effects of diabetes definition on global surveillance of diabetes prevalence and diagnosis: a pooled analysis of 96 population-based studies with 331,288 participants. <i>Lancet Diabetes and Endocrinology, the</i> , 2015 , 3, 624-37	18.1	109
122	Prevalence of NIDDM and impaired glucose tolerance in a rural and an urban population in Cameroon. <i>Diabetologia</i> , 1997 , 40, 824-9	10.3	109
121	Accuracy and validity of a combined heart rate and motion sensor for the measurement of free-living physical activity energy expenditure in adults in Cameroon. <i>International Journal of Epidemiology</i> , 2011 , 40, 112-20	7.8	95
120	Standardized comparison of glucose intolerance in west African-origin populations of rural and urban Cameroon, Jamaica, and Caribbean migrants to Britain. <i>Diabetes Care</i> , 1999 , 22, 434-40	14.6	89

119	The prevalence of hypertension in rural and urban Cameroon. <i>International Journal of Epidemiology</i> , 1998 , 27, 181-5	7.8	88
118	Increase in glomerular filtration rate in patients with insulin-dependent diabetes and elevated erythrocyte sodium-lithium countertransport. <i>New England Journal of Medicine</i> , 1990 , 322, 500-5	59.2	85
117	Hypertension in four African-origin populations: current \mathcal{R} ule of Halves quality of blood pressure control and attributable risk of cardiovascular disease. <i>Journal of Hypertension</i> , 2001 , 19, 41-6	1.9	83
116	Ten-year change in blood pressure levels and prevalence of hypertension in urban and rural Cameroon. <i>Journal of Epidemiology and Community Health</i> , 2010 , 64, 360-5	5.1	71
115	Sick genes, sick individuals or sick populations with chronic disease? The emergence of diabetes and high blood pressure in African-origin populations. <i>International Journal of Epidemiology</i> , 2001 , 30, 111-7	7.8	71
114	Diabetes in Africans. Part 1: epidemiology and clinical specificities. <i>Diabetes and Metabolism</i> , 2001 , 27, 628-34	5.4	63
113	Cardiovascular, respiratory, and related disorders: key messages from Disease Control Priorities, 3rd edition. <i>Lancet, The</i> , 2018 , 391, 1224-1236	4.0	61
112	Diabetes in Africans. Part 2: Ketosis-prone atypical diabetes mellitus. <i>Diabetes and Metabolism</i> , 2002 , 28, 5-12	5.4	57
111	The habitual diet in rural and urban Cameroon. <i>European Journal of Clinical Nutrition</i> , 2000 , 54, 150-4	5.2	55
110	Metabolic and immunogenetic prediction of long-term insulin remission in African patients with atypical diabetes. <i>Diabetic Medicine</i> , 2002 , 19, 832-5	3.5	53
109	Development and validation of a questionnaire for the assessment of physical activity in epidemiological studies in Sub-Saharan Africa. <i>International Journal of Epidemiology</i> , 2001 , 30, 1361-8	7.8	52
108	Microalbuminuria and retinopathy in a diabetic population of Cameroon. <i>Diabetes Research and Clinical Practice</i> , 1999 , 44, 191-6	7.4	51
107	Knowledge, attitudes, and behavior relating to diabetes and its main risk factors among urban residents in Cameroon: a qualitative survey. <i>Ethnicity and Disease</i> , 2006 , 16, 503-9	1.8	50
106	Diabetes care in Africa. <i>Lancet, The</i> , 2006 , 368, 1628-9	4.0	42
105	Structure-oriented UHPLC-LTQ Orbitrap-based approach as a dereplication strategy for the identification of isoflavonoids from <i>Amphimas pterocarpoides</i> crude extract. <i>Journal of Mass Spectrometry</i> , 2013 , 48, 561-75	2.2	39
104	Hypertension in people with diabetes in sub-Saharan Africa: revealing the hidden face of the iceberg. <i>Diabetes Research and Clinical Practice</i> , 2007 , 77, 293-9	7.4	39
103	Underreporting of energy intake in four populations of African origin. <i>International Journal of Obesity</i> , 2000 , 24, 882-7	5.5	37
102	Association of serum leptin and adiponectin with anthropomorphic indices of obesity, blood lipids and insulin resistance in a Sub-Saharan African population. <i>Lipids in Health and Disease</i> , 2016 , 15, 96	4.4	35

101	Bariatric surgery for diabetes: the International Diabetes Federation takes a position. <i>Journal of Diabetes</i> , 2011 , 3, 261-4	3.8	34
100	Obesity and type 2 diabetes in Sub-Sahara Africa. <i>Current Diabetes Reports</i> , 2014 , 14, 501	5.6	33
99	COVID-19 and metabolic disease: mechanisms and clinical management. <i>Lancet Diabetes and Endocrinology</i> , 2021 , 9, 786-798	18.1	33
98	Persistent poor glycaemic control in individuals with type 2 diabetes in developing countries: 12 years of real-world evidence of the International Diabetes Management Practices Study (IDMPS). <i>Diabetologia</i> , 2020 , 63, 711-721	10.3	33
97	Application of the new ADA criteria for the diagnosis of diabetes to population studies in sub-Saharan Africa. American diabetes association. <i>Diabetic Medicine</i> , 2000 , 17, 381-5	3.5	32
96	Increased proximal tubular sodium reabsorption in hypertensive patients with type 2 diabetes. <i>Diabetic Medicine</i> , 1989 , 6, 614-20	3.5	31
95	Nurse-led care for epilepsy at primary level in a rural health district in Cameroon. <i>Epilepsia</i> , 2008 , 49, 1639-42	6.4	30
94	Community-based peer support significantly improves metabolic control in people with Type 2 diabetes in Yaoundé-Cameroon. <i>Diabetic Medicine</i> , 2015 , 32, 886-9	3.5	29
93	Consensus Recommendations on Sulfonylurea and Sulfonylurea Combinations in the Management of Type 2 Diabetes Mellitus - International Task Force. <i>Indian Journal of Endocrinology and Metabolism</i> , 2018 , 22, 132-157	1.7	29
92	Body mass index, waist circumference, hip circumference, waist-hip-ratio and waist-height-ratio: which is the better discriminator of prevalent screen-detected diabetes in a Cameroonian population?. <i>Diabetes Research and Clinical Practice</i> , 2015 , 108, 23-30	7.4	28
91	A global perspective on the issue of access to insulin. <i>Diabetologia</i> , 2021 , 64, 954-962	10.3	26
90	Habitual diet in four populations of African origin: a descriptive paper on nutrient intakes in rural and urban Cameroon, Jamaica and Caribbean migrants in Britain. <i>Public Health Nutrition</i> , 2001 , 4, 765-72 ³⁻³		25
89	Patterns and correlates of objectively measured free-living physical activity in adults in rural and urban Cameroon. <i>Journal of Epidemiology and Community Health</i> , 2015 , 69, 700-7	5.1	24
88	Reduced insulin secretion in offspring of African type 2 diabetic parents. <i>Diabetes Care</i> , 2000 , 23, 1761-5 ^{14.6}		22
87	Accelerating progress on non-communicable diseases. <i>Lancet, The</i> , 2013 , 382, e4-5	40	21
86	Nurse-led care for asthma at primary level in rural sub-Saharan Africa: the experience of Bafut in Cameroon. <i>Journal of Asthma</i> , 2008 , 45, 437-43	1.9	21
85	Nutritional composition of commonly consumed composite dishes from the Central Province of Cameroon. <i>International Journal of Food Sciences and Nutrition</i> , 2007 , 58, 475-85	3.7	21
84	Incidence of hypoglycemia in patients with type 2 diabetes treated with gliclazide versus DPP-4 inhibitors during Ramadan: A meta-analytical approach. <i>Diabetes Research and Clinical Practice</i> , 2015 , 109, 226-32	7.4	19

83	Safety assessment of the methanol extract of the stem bark of Harms: Acute and subchronic oral toxicity studies in Wistar rats. <i>Toxicology Reports</i> , 2014 , 1, 877-884	4.8	18
82	Continuous interstitial glucose monitoring in non-diabetic subjects with end-stage renal disease undergoing maintenance haemodialysis. <i>Diabetes Research and Clinical Practice</i> , 2010 , 90, 22-5	7.4	18
81	Overweight and obesity in children aged 3-13 years in urban Cameroon: a cross-sectional study of prevalence and association with socio-economic status. <i>BMC Obesity</i> , 2017 , 4, 7	3.6	17
80	Contribution of the TCF7L2 rs7903146 (C/T) gene polymorphism to the susceptibility to type 2 diabetes mellitus in Cameroon. <i>Journal of Diabetes and Metabolic Disorders</i> , 2015 , 14, 26	2.5	17
79	Association between the TCF7L2 rs12255372 (G/T) gene polymorphism and type 2 diabetes mellitus in a Cameroonian population: a pilot study. <i>Clinical and Translational Medicine</i> , 2015 , 4, 17	5.7	17
78	Eriosema laurentii De Wild (Leguminosae) methanol extract has estrogenic properties and prevents menopausal symptoms in ovariectomized Wistar rats. <i>Journal of Ethnopharmacology</i> , 2013 , 150, 298-307 ⁵		17
77	Influence of migration on characteristics of type 2 diabetes in sub-Saharan Africans. <i>Diabetes and Metabolism</i> , 2014 , 40, 56-60	5.4	17
76	Free-living physical activity energy expenditure is strongly related to glucose intolerance in Cameroonian adults independently of obesity. <i>Diabetes Care</i> , 2009 , 32, 367-9	14.6	17
75	HLA-DRB1, -DQA1, -DQB1 and DPB1 susceptibility alleles in Cameroonian type 1 diabetes patients and controls. <i>International Journal of Immunogenetics</i> , 2001 , 28, 459-62		17
74	Consequences of the COVID-19 pandemic for patients with metabolic diseases. <i>Nature Metabolism</i> , 2021 , 3, 289-292	14.6	17
73	Economic Impact of Diabetes in Africa. <i>Current Diabetes Reports</i> , 2019 , 19, 5	5.6	15
72	Risk factors of impaired fasting glucose and type 2 diabetes in Yaoundé Cameroon: a cross sectional study. <i>BMC Public Health</i> , 2015 , 15, 59	4.1	15
71	Mobilising the world for chronic NCDs. <i>Lancet, The</i> , 2011 , 377, 536-7	4.0	15
70	Limb-threatening and life-threatening diabetic extremities: clinical patterns and outcomes in 56 patients. <i>Journal of Foot and Ankle Surgery</i> , 2010 , 49, 43-6	1.6	15
69	Frequency of diabetes and thyroid autoantibodies in patients with autoimmune endocrine disease from Cameroon. <i>Clinical Immunology</i> , 2006 , 118, 229-32	9	15
68	Reproducibility of the 75 g oral glucose tolerance test for the diagnosis of gestational diabetes mellitus in a sub-Saharan African population. <i>BMC Research Notes</i> , 2017 , 10, 622	2.3	14
67	Safety profile and gender specific differences of a methanol extract of Eriosema laurentii (Leguminosae) in acute and subchronic (28 days) oral toxicity studies in Wistar rats. <i>Food and Chemical Toxicology</i> , 2014 , 65, 27-32	4.7	14
66	Four-year trends in adiposity and its association with hypertension in serial groups of young adult university students in urban Cameroon: a time-series study. <i>BMC Public Health</i> , 2017 , 17, 499	4.1	14

65	Ketosis-prone atypical diabetes in Cameroonian people with hyperglycaemic crisis: frequency, clinical and metabolic phenotypes. <i>Diabetic Medicine</i> , 2017 , 34, 426-431	3.5	14
64	Blood pressure and burden of hypertension in Cameroon, a microcosm of Africa: a systematic review and meta-analysis of population-based studies. <i>Journal of Hypertension</i> , 2019 , 37, 2190-2199	1.9	14
63	Expert Opinion: Patient Selection for Premixed Insulin Formulations in Diabetes Care. <i>Diabetes Therapy</i> , 2018 , 9, 2185-2199	3.6	14
62	Effect of low-dose spironolactone on resistant hypertension in type 2 diabetes mellitus: a randomized controlled trial in a sub-Saharan African population. <i>BMC Research Notes</i> , 2016 , 9, 187	2.3	13
61	Impact of diabetes education and self-management on the quality of care for people with type 1 diabetes mellitus in the Middle East (the International Diabetes Mellitus Practices Study, IDMPS). <i>Diabetes Research and Clinical Practice</i> , 2019 , 147, 29-36	7.4	13
60	Association of the leptin-to-adiponectin ratio with metabolic syndrome in a sub-Saharan African population. <i>Diabetology and Metabolic Syndrome</i> , 2017 , 9, 66	5.6	12
59	Self-monitoring of blood glucose (SMBG) and glycaemic control in Cameroon: Results of the International Diabetes Management Practices Study (IDMPS). <i>Diabetes Research and Clinical Practice</i> , 2017 , 126, 198-201	7.4	10
58	Impact of a pioneer diabetes camp experience on glycemic control among children and adolescents living with type 1 diabetes in sub-Saharan Africa. <i>BMC Endocrine Disorders</i> , 2016 , 16, 5	3.3	10
57	Diabetic foot ulcers in Cameroon: can microflora prevalence inform probabilistic antibiotic treatment?. <i>Journal of Wound Care</i> , 2006 , 15, 363-6	2.2	10
56	The Pro12Ala polymorphism in the PPAR- α gene is not associated to obesity and type 2 diabetes mellitus in a Cameroonian population. <i>BMC Obesity</i> , 2016 , 3, 26	3.6	10
55	Distribution and patterning of non-communicable disease risk factors in indigenous Mbororo and non-autochthonous populations in Cameroon: cross sectional study. <i>BMC Public Health</i> , 2016 , 16, 1188	4.1	9
54	Association between the rs12255372 variant of the TCF7L2 gene and obesity in a Cameroonian population. <i>BMC Research Notes</i> , 2015 , 8, 717	2.3	9
53	Performance of three glomerular filtration rate estimation equations in a population of sub-Saharan Africans with Type 2 diabetes. <i>Diabetic Medicine</i> , 2016 , 33, 1291-8	3.5	9
52	Glycemic control and correlates in a group of sub Saharan type 1 diabetes adolescents. <i>BMC Research Notes</i> , 2019 , 12, 50	2.3	8
51	Prevalence and determinants of electrocardiographic abnormalities in sub-Saharan African individuals with type 2 diabetes. <i>Cardiovascular Journal of Africa</i> , 2012 , 23, 533-7	0.7	8
50	The global diet and activity research (GDAR) network: a global public health partnership to address upstream NCD risk factors in urban low and middle-income contexts. <i>Globalization and Health</i> , 2020 , 16, 100	10	8
49	H3Africa multi-centre study of the prevalence and environmental and genetic determinants of type 2 diabetes in sub-Saharan Africa: study protocol. <i>Global Health, Epidemiology and Genomics</i> , 2016 , 1, e5	2.9	8
48	Epidemiology of hypertension in Fulani indigenous populations-age, gender and drivers. <i>Journal of Health, Population and Nutrition</i> , 2017 , 36, 35	2.5	7

47	Recombinant Human Insulin in Global Diabetes Management - Focus on Clinical Efficacy. <i>European Endocrinology</i> , 2017 , 13, 21-25	3.4	7
46	Unexpectedly high rates of obesity and dysglycemia among villagers in Cameroon. <i>Diabetes/Metabolism Research and Reviews</i> , 2010 , 26, 10-2	7.5	7
45	Preventive Effects of an Extract of <i>Erythrina lysistemon</i> (Fabaceae) on Some Menopausal Problems: Studies on the Rat. <i>Journal of Complementary and Integrative Medicine</i> , 2007 , 4,	1.5	7
44	The need for an integrated approach for chronic disease research and care in Africa. <i>Global Health, Epidemiology and Genomics</i> , 2016 , 1, e19	2.9	7
43	Diabetes-related foot disorders among adult Ghanaians. <i>Diabetic Foot & Ankle</i> , 2018 , 9, 1511678	6.5	7
42	Estrogenic activity of isoflavonoids from the stem bark of the tropical tree <i>Amphimas pterocarpoides</i> , a source of traditional medicines. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2016 , 158, 138-148	5.1	6
41	Translating diabetes research into global communities. <i>Diabetes Research and Clinical Practice</i> , 2011 , 93, 443-5	7.4	6
40	The spectrum of coma among people with diabetes in Cameroon: an appraisal of the implications and challenges at the Yaounde Central Hospital. <i>Annals of Tropical Medicine and Parasitology</i> , 2008 , 102, 73-8		6
39	Impact of secondary foot complications on the inpatient department of the diabetes unit of Yaounde Central Hospital. <i>International Journal of Lower Extremity Wounds</i> , 2006 , 5, 64-8	1.6	6
38	The Relationship between Adiposity and Insulin Sensitivity in African Women Living with the Polycystic Ovarian Syndrome: A Clamp Study. <i>International Journal of Endocrinology</i> , 2016 , 2016, 9201701	2.7	6
37	The effect of free diabetes care on metabolic control and on health-related quality of life among youths with type 1 diabetes in Cameroon. <i>BMJ Open Diabetes Research and Care</i> , 2017 , 5, e000397	4.5	5
36	Validation of an enzyme-linked immunosorbent assay for C-peptide analysis in Cameroon. <i>Diabetes Research and Clinical Practice</i> , 2012 , 98, 459-64	7.4	5
35	Evaluation of a simple management protocol for hyperglycaemic crises using intramuscular insulin in a resource-limited setting. <i>Diabetes and Metabolism</i> , 2009 , 35, 404-9	5.4	5
34	Diagnosis, Prevalence, Awareness, Treatment, Prevention, and Control of Hypertension in Cameroon: Protocol for a Systematic Review and Meta-Analysis of Clinic-Based and Community-Based Studies. <i>JMIR Research Protocols</i> , 2017 , 6, e102	2	5
33	Diabetes in Sub-Saharan Africa 2017 , 33-48		5
32	Two decades of tobacco use prevention and control policies in Cameroon: results from the analysis of non-communicable disease prevention policies in Africa. <i>BMC Public Health</i> , 2018 , 18, 958	4.1	5
31	Diabetes education and health insurance: How they affect the quality of care provided to people with type 1 diabetes in Latin America. Data from the International Diabetes Mellitus Practices Study (IDMPS). <i>Diabetes Research and Clinical Practice</i> , 2019 , 147, 47-54	7.4	4
30	From yesterday to tomorrow: making a difference to global diabetes. <i>Diabetes Research and Clinical Practice</i> , 2010 , 87, 132-5	7.4	4

29	High Prevalence of Depressive Symptoms in Patients With Type 1 and Type 2 Diabetes in Developing Countries: Results From the International Diabetes Management Practices Study. <i>Diabetes Care</i> , 2021 , 44, 1100-1107	14.6	4
28	Short term optimization of glycaemic control using insulin improves sympatho-vagal tone activities in patients with type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2019 , 157, 107875	7.4	3
27	Determinants of active convulsive epilepsy in rural Cameroon: a population based case-control study. <i>Neurological Research</i> , 2012 , 34, 159-62	2.7	3
26	Global accessibility of therapeutics for diabetes mellitus.. <i>Nature Reviews Endocrinology</i> , 2022 ,	15.2	3
25	One in Seven Insulin-Treated Patients in Developing Countries Reported Poor Persistence with Insulin Therapy: Real World Evidence from the Cross-Sectional International Diabetes Management Practices Study (IDMPS). <i>Advances in Therapy</i> , 2021 , 38, 3281-3298	4.1	3
24	Adverse drug reactions to anti-diabetic drugs are commonest in patients whose treatment do not adhere to diabetes management clinical guidelines: cross-sectional study in a tertiary care service in sub-Saharan Africa. <i>European Journal of Clinical Pharmacology</i> , 2020 , 76, 1601-1605	2.8	2
23	Management of adult patients with type 1 diabetes mellitus in Africa: A post-hoc cohort analysis of 12 African countries participating in the International Diabetes Management Practices Study (Wave 7). <i>Medicine (United States)</i> , 2020 , 99, e20553	1.8	2
22	Diabetes mellitus and tuberculosis, a systematic review and meta-analysis with sensitivity analysis for studies comparable for confounders. <i>PLoS ONE</i> , 2021 , 16, e0261246	3.7	2
21	Type 2 diabetes mellitus in sub-Saharan Africa: challenges and opportunities.. <i>Nature Reviews Endocrinology</i> , 2022 ,	15.2	2
20	Screening, prevalence, treatment and control of kidney disease in patients with type 1 and type 2 diabetes in low-to-middle-income countries (2005-2017): the International Diabetes Management Practices Study (IDMPS). <i>Diabetologia</i> , 2021 , 64, 1246-1255	10.3	2
19	Heart rate variability in hyperthyroidism on sub Saharan African patients: a case-control study. <i>BMC Research Notes</i> , 2018 , 11, 814	2.3	2
18	Acute phase ketosis-prone atypical diabetes is associated with a pro-inflammatory profile: a case-control study in a sub-Saharan African population. <i>Journal of Diabetes and Metabolic Disorders</i> , 2018 , 17, 37-43	2.5	1
17	Diabetes Academy Africa: training the next generation of researchers in sub-Saharan Africa. <i>The Lancet Global Health</i> , 2018 , 6, e371-e372	13.6	1
16	Diabetes Management in Africa 2019 , 273-288		1
15	Metabolic syndrome for sub-Saharan Africans diabetes with peripheral arterial disease: a case-control study. <i>BMC Research Notes</i> , 2014 , 7, 104	2.3	1
14	Use of medical services and medicines attributable to type 2 diabetes care in Yaoundé, Cameroon: a cross-sectional study. <i>BMC Health Services Research</i> , 2017 , 17, 262	2.9	1
13	Investigation of the association between the TCF7L2 rs7903146 (C/T) gene polymorphism and obesity in a Cameroonian population: a pilot study. <i>Journal of Health, Population and Nutrition</i> , 2017 , 36, 12	2.5	1
12	Estrogenic effects of a methanol extract of the fruit of <i>Brenania brieyi</i> de Wild (Rubiaceae). <i>Journal of Natural Medicines</i> , 2006 , 61, 86-89	3.3	1

11	Global Health and Governmental Policies in Diabetes Prevention 2014 , 143-157		1
10	Cardiovascular Risk Reduction in Diabetes in Sub-Saharan Africa: What should the Priorities be in the Absence of Global Risk Evaluation Tools?. <i>Clinical Medicine Cardiology</i> , 2008 , 2, CMC.S576		1
9	Clinical profile and early therapeutic response to cabergoline of patients with hyperprolactinemia in a Cameroonian population. <i>Pan African Medical Journal</i> , 2020 , 35, 2	1.2	1
8	Adolescent Levers for a Diet and Physical Activity Intervention Across Socioecological Levels in Kenya, South Africa, Cameroon, and Jamaica: Mixed Methods Study Protocol. <i>JMIR Research Protocols</i> , 2021 , 10, e26739	2	1
7	Models of Diabetes Care across Different Resource Settings 984-998		1
6	Centenary of the discovery of insulin: People with diabetes in Africa still have poor access to insulin. <i>EClinicalMedicine</i> , 2021 , 34, 100809	11.3	0
5	African Cuisine-Centered Insulin Therapy: Expert Opinion on the Management of Hyperglycaemia in Adult Patients with Type 2 Diabetes Mellitus. <i>Diabetes Therapy</i> , 2021 , 12, 37-54	3.6	0
4	The clinical and psychological profiles of patients with hypogonadism, followed in 3 reference hospitals of Cameroon: an observational study. <i>Pan African Medical Journal</i> , 2019 , 33, 47	1.2	
3	Diabetes care in Africa: health or wealth?. <i>Practical Diabetes International: the International Journal for Diabetes Care Teams Worldwide</i> , 1997 , 14, 69-69		
2	Challenges and Economic Burden of Diabetes in Africa 2020 , 21-34		
1	Total testosterone level may have no influence on the occurrence and severity of erectile dysfunction in males aged between 30 and 60 years living with type 2 diabetes. <i>Journal of Endocrinology Metabolism and Diabetes of South Africa</i> , 1-5	0.5	