

Jean Claude Mbanya

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2227824/jean-claude-mbanya-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

136
papers

13,299
citations

35
h-index

115
g-index

147
ext. papers

17,297
ext. citations

8.6
avg, IF

7.27
L-index

#	Paper	IF	Citations
136	Global accessibility of therapeutics for diabetes mellitus.. <i>Nature Reviews Endocrinology</i> , 2022 ,	15.2	3
135	Type 2 diabetes mellitus in sub-Saharan Africa: challenges and opportunities.. <i>Nature Reviews Endocrinology</i> , 2022 ,	15.2	2
134	Diabetes mellitus and tuberculosis, a systematic review and meta-analysis with sensitivity analysis for studies comparable for confounders. <i>PLoS ONE</i> , 2021 , 16, e0261246	3.7	2
133	IDF diabetes Atlas: Global, regional and country-level diabetes prevalence estimates for 2021 and projections for 2045. <i>Diabetes Research and Clinical Practice</i> , 2021 , 109119	7.4	211
132	COVID-19 and metabolic disease: mechanisms and clinical management. <i>Lancet Diabetes and Endocrinology</i> , 2021 , 9, 786-798	18.1	33
131	Centenary of the discovery of insulin: People with diabetes in Africa still have poor access to insulin. <i>EClinicalMedicine</i> , 2021 , 34, 100809	11.3	0
130	High Prevalence of Depressive Symptoms in Patients With Type 1 and Type 2 Diabetes in Developing Countries: Results From the International Diabetes Management Practices Study. <i>Diabetes Care</i> , 2021 , 44, 1100-1107	14.6	4
129	One in Seven Insulin-Treated Patients in Developing Countries Reported Poor Persistence with Insulin Therapy: Real World Evidence from the Cross-Sectional International Diabetes Management Practices Study (IDMPS). <i>Advances in Therapy</i> , 2021 , 38, 3281-3298	4.1	3
128	Adolescent Levers for a Diet and Physical Activity Intervention Across Socioecological Levels in Kenya, South Africa, Cameroon, and Jamaica: Mixed Methods Study Protocol. <i>JMIR Research Protocols</i> , 2021 , 10, e26739	2	1
127	African Cuisine-Centered Insulin Therapy: Expert Opinion on the Management of Hyperglycaemia in Adult Patients with Type 2 Diabetes Mellitus. <i>Diabetes Therapy</i> , 2021 , 12, 37-54	3.6	0
126	A global perspective on the issue of access to insulin. <i>Diabetologia</i> , 2021 , 64, 954-962	10.3	26
125	Screening, prevalence, treatment and control of kidney disease in patients with type 1 and type 2 diabetes in low-to-middle-income countries (2005-2017): the International Diabetes Management Practices Study (IDMPS). <i>Diabetologia</i> , 2021 , 64, 1246-1255	10.3	2
124	Consequences of the COVID-19 pandemic for patients with metabolic diseases. <i>Nature Metabolism</i> , 2021 , 3, 289-292	14.6	17
123	Adverse drug reactions to anti-diabetic drugs are commonest in patients whose treatment do not adhere to diabetes management clinical guidelines: cross-sectional study in a tertiary care service in sub-Saharan Africa. <i>European Journal of Clinical Pharmacology</i> , 2020 , 76, 1601-1605	2.8	2
122	Management of adult patients with type 1 diabetes mellitus in Africa: A post-hoc cohort analysis of 12 African countries participating in the International Diabetes Management Practices Study (Wave 7). <i>Medicine (United States)</i> , 2020 , 99, e20553	1.8	2
121	Clinical profile and early therapeutic response to cabergoline of patients with hyperprolactinemia in a Cameroonian population. <i>Pan African Medical Journal</i> , 2020 , 35, 2	1.2	1
120	Challenges and Economic Burden of Diabetes in Africa 2020 , 21-34		

119	Persistent poor glycaemic control in individuals with type 2 diabetes in developing countries: 12 years of real-world evidence of the International Diabetes Management Practices Study (IDMPS). <i>Diabetologia</i> , 2020 , 63, 711-721	10.3	33
118	The global diet and activity research (GDAR) network: a global public health partnership to address upstream NCD risk factors in urban low and middle-income contexts. <i>Globalization and Health</i> , 2020 , 16, 100	10	8
117	The clinical and psychological profiles of patients with hypogonadism, followed in 3 reference hospitals of Cameroon: an observational study. <i>Pan African Medical Journal</i> , 2019 , 33, 47	1.2	
116	Glycemic control and correlates in a group of sub Saharan type 1 diabetes adolescents. <i>BMC Research Notes</i> , 2019 , 12, 50	2.3	8
115	Economic Impact of Diabetes in Africa. <i>Current Diabetes Reports</i> , 2019 , 19, 5	5.6	15
114	Diabetes education and health insurance: How they affect the quality of care provided to people with type 1 diabetes in Latin America. Data from the International Diabetes Mellitus Practices Study (IDMPS). <i>Diabetes Research and Clinical Practice</i> , 2019 , 147, 47-54	7.4	4
113	Diabetes Management in Africa 2019 , 273-288		1
112	Short term optimization of glycaemic control using insulin improves sympatho-vagal tone activities in patients with type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2019 , 157, 107875	7.4	3
111	Blood pressure and burden of hypertension in Cameroon, a microcosm of Africa: a systematic review and meta-analysis of population-based studies. <i>Journal of Hypertension</i> , 2019 , 37, 2190-2199	1.9	14
110	Impact of diabetes education and self-management on the quality of care for people with type 1 diabetes mellitus in the Middle East (the International Diabetes Mellitus Practices Study, IDMPS). <i>Diabetes Research and Clinical Practice</i> , 2019 , 147, 29-36	7.4	13
109	Acute phase ketosis-prone atypical diabetes is associated with a pro-inflammatory profile: a case-control study in a sub-Saharan African population. <i>Journal of Diabetes and Metabolic Disorders</i> , 2018 , 17, 37-43	2.5	1
108	Cardiovascular, respiratory, and related disorders: key messages from Disease Control Priorities, 3rd edition. <i>Lancet, The</i> , 2018 , 391, 1224-1236	40	61
107	Diabetes Academy Africa: training the next generation of researchers in sub-Saharan Africa. <i>The Lancet Global Health</i> , 2018 , 6, e371-e372	13.6	1
106	Consensus Recommendations on Sulfonylurea and Sulfonylurea Combinations in the Management of Type 2 Diabetes Mellitus - International Task Force. <i>Indian Journal of Endocrinology and Metabolism</i> , 2018 , 22, 132-157	1.7	29
105	Universal health coverage and intersectoral action for health: key messages from Disease Control Priorities, 3rd edition. <i>Lancet, The</i> , 2018 , 391, 1108-1120	40	115
104	Expert Opinion: Patient Selection for Premixed Insulin Formulations in Diabetes Care. <i>Diabetes Therapy</i> , 2018 , 9, 2185-2199	3.6	14
103	Heart rate variability in hyperthyroidism on sub Saharan African patients: a case-control study. <i>BMC Research Notes</i> , 2018 , 11, 814	2.3	2
102	Two decades of tobacco use prevention and control policies in Cameroon: results from the analysis of non-communicable disease prevention policies in Africa. <i>BMC Public Health</i> , 2018 , 18, 958	4.1	5

101	Diabetes-related foot disorders among adult Ghanaians. <i>Diabetic Foot & Ankle</i> , 2018 , 9, 1511678	6.5	7
100	Self-monitoring of blood glucose (SMBG) and glycaemic control in Cameroon: Results of the International Diabetes Management Practices Study (IDMPS). <i>Diabetes Research and Clinical Practice</i> , 2017 , 126, 198-201	7.4	10
99	Overweight and obesity in children aged 3-13 years in urban Cameroon: a cross-sectional study of prevalence and association with socio-economic status. <i>BMC Obesity</i> , 2017 , 4, 7	3.6	17
98	Worldwide trends in body-mass index, underweight, overweight, and obesity from 1975 to 2016: a pooled analysis of 2416 population-based measurement studies in 1289 million children, adolescents, and adults. <i>Lancet, The</i> , 2017 , 390, 2627-2642	40	2980
97	Association of the leptin-to-adiponectin ratio with metabolic syndrome in a sub-Saharan African population. <i>Diabetology and Metabolic Syndrome</i> , 2017 , 9, 66	5.6	12
96	Reproducibility of the 75 g oral glucose tolerance test for the diagnosis of gestational diabetes mellitus in a sub-Saharan African population. <i>BMC Research Notes</i> , 2017 , 10, 622	2.3	14
95	Epidemiology of hypertension in Fulani indigenous populations-age, gender and drivers. <i>Journal of Health, Population and Nutrition</i> , 2017 , 36, 35	2.5	7
94	Recombinant Human Insulin in Global Diabetes Management - Focus on Clinical Efficacy. <i>European Endocrinology</i> , 2017 , 13, 21-25	3.4	7
93	The effect of free diabetes care on metabolic control and on health-related quality of life among youths with type 1 diabetes in Cameroon. <i>BMJ Open Diabetes Research and Care</i> , 2017 , 5, e000397	4.5	5
92	Four-year trends in adiposity and its association with hypertension in serial groups of young adult university students in urban Cameroon: a time-series study. <i>BMC Public Health</i> , 2017 , 17, 499	4.1	14
91	Use of medical services and medicines attributable to type 2 diabetes care in Yaoundé-Cameroon: a cross-sectional study. <i>BMC Health Services Research</i> , 2017 , 17, 262	2.9	1
90	Investigation of the association between the TCF7L2 rs7903146 (C/T) gene polymorphism and obesity in a Cameroonian population: a pilot study. <i>Journal of Health, Population and Nutrition</i> , 2017 , 36, 12	2.5	1
89	Worldwide trends in blood pressure from 1975 to 2015: a pooled analysis of 1479 population-based measurement studies with 191 million participants. <i>Lancet, The</i> , 2017 , 389, 37-55	40	1100
88	Ketosis-prone atypical diabetes in Cameroonian people with hyperglycaemic crisis: frequency, clinical and metabolic phenotypes. <i>Diabetic Medicine</i> , 2017 , 34, 426-431	3.5	14
87	Trends in obesity and diabetes across Africa from 1980 to 2014: an analysis of pooled population-based studies. <i>International Journal of Epidemiology</i> , 2017 , 46, 1421-1432	7.8	127
86	Diagnosis, Prevalence, Awareness, Treatment, Prevention, and Control of Hypertension in Cameroon: Protocol for a Systematic Review and Meta-Analysis of Clinic-Based and Community-Based Studies. <i>JMIR Research Protocols</i> , 2017 , 6, e102	2	5
85	Diabetes in Sub-Saharan Africa 2017 , 33-48		5
84	Distribution and patterning of non-communicable disease risk factors in indigenous Mbororo and non-autochthonous populations in Cameroon: cross sectional study. <i>BMC Public Health</i> , 2016 , 16, 1188	4.1	9

83	Effect of low-dose spironolactone on resistant hypertension in type 2 diabetes mellitus: a randomized controlled trial in a sub-Saharan African population. <i>BMC Research Notes</i> , 2016 , 9, 187	2.3	13
82	Impact of a pioneer diabetes camp experience on glycemic control among children and adolescents living with type 1 diabetes in sub-Saharan Africa. <i>BMC Endocrine Disorders</i> , 2016 , 16, 5	3.3	10
81	Association of serum leptin and adiponectin with anthropomorphic indices of obesity, blood lipids and insulin resistance in a Sub-Saharan African population. <i>Lipids in Health and Disease</i> , 2016 , 15, 96	4.4	35
80	Estrogenic activity of isoflavonoids from the stem bark of the tropical tree <i>Amphimas pterocarpoides</i> , a source of traditional medicines. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2016 , 158, 138-148	5.1	6
79	The need for an integrated approach for chronic disease research and care in Africa. <i>Global Health, Epidemiology and Genomics</i> , 2016 , 1, e19	2.9	7
78	The Relationship between Adiposity and Insulin Sensitivity in African Women Living with the Polycystic Ovarian Syndrome: A Clamp Study. <i>International Journal of Endocrinology</i> , 2016 , 2016, 9201701	2.7	6
77	Performance of three glomerular filtration rate estimation equations in a population of sub-Saharan Africans with Type 2 diabetes. <i>Diabetic Medicine</i> , 2016 , 33, 1291-8	3.5	9
76	H3Africa multi-centre study of the prevalence and environmental and genetic determinants of type 2 diabetes in sub-Saharan Africa: study protocol. <i>Global Health, Epidemiology and Genomics</i> , 2016 , 1, e5	2.9	8
75	Worldwide trends in diabetes since 1980: a pooled analysis of 751 population-based studies with 4.4 million participants. <i>Lancet, The</i> , 2016 , 387, 1513-1530	4.0	2039
74	Trends in adult body-mass index in 200 countries from 1975 to 2014: a pooled analysis of 1698 population-based measurement studies with 192 million participants. <i>Lancet, The</i> , 2016 , 387, 1377-1396	4.0	2787
73	The Pro12Ala polymorphism in the PPAR- α gene is not associated to obesity and type 2 diabetes mellitus in a Cameroonian population. <i>BMC Obesity</i> , 2016 , 3, 26	3.6	10
72	Body mass index, waist circumference, hip circumference, waist-hip-ratio and waist-height-ratio: which is the better discriminator of prevalent screen-detected diabetes in a Cameroonian population?. <i>Diabetes Research and Clinical Practice</i> , 2015 , 108, 23-30	7.4	28
71	Community-based peer support significantly improves metabolic control in people with Type 2 diabetes in Yaoundé/Cameroon. <i>Diabetic Medicine</i> , 2015 , 32, 886-9	3.5	29
70	Effects of diabetes definition on global surveillance of diabetes prevalence and diagnosis: a pooled analysis of 96 population-based studies with 331,288 participants. <i>Lancet Diabetes and Endocrinology, the</i> , 2015 , 3, 624-37	18.1	109
69	Risk factors of impaired fasting glucose and type 2 diabetes in Yaoundé/Cameroon: a cross sectional study. <i>BMC Public Health</i> , 2015 , 15, 59	4.1	15
68	Contribution of the TCF7L2 rs7903146 (C/T) gene polymorphism to the susceptibility to type 2 diabetes mellitus in Cameroon. <i>Journal of Diabetes and Metabolic Disorders</i> , 2015 , 14, 26	2.5	17
67	Association between the TCF7L2 rs12255372 (G/T) gene polymorphism and type 2 diabetes mellitus in a Cameroonian population: a pilot study. <i>Clinical and Translational Medicine</i> , 2015 , 4, 17	5.7	17
66	Incidence of hypoglycemia in patients with type 2 diabetes treated with gliclazide versus DPP-4 inhibitors during Ramadan: A meta-analytical approach. <i>Diabetes Research and Clinical Practice</i> , 2015 , 109, 226-32	7.4	19

65	Patterns and correlates of objectively measured free-living physical activity in adults in rural and urban Cameroon. <i>Journal of Epidemiology and Community Health</i> , 2015 , 69, 700-7	5.1	24
64	Association between the rs12255372 variant of the TCF7L2 gene and obesity in a Cameroonian population. <i>BMC Research Notes</i> , 2015 , 8, 717	2.3	9
63	Safety profile and gender specific differences of a methanol extract of <i>Eriosema laurentii</i> (Leguminosae) in acute and subchronic (28 days) oral toxicity studies in Wistar rats. <i>Food and Chemical Toxicology</i> , 2014 , 65, 27-32	4.7	14
62	Safety assessment of the methanol extract of the stem bark of <i>Harms</i> : Acute and subchronic oral toxicity studies in Wistar rats. <i>Toxicology Reports</i> , 2014 , 1, 877-884	4.8	18
61	Research capacity. Enabling the genomic revolution in Africa. <i>Science</i> , 2014 , 344, 1346-8	33.3	256
60	Diabetes in the Africa Region: an update. <i>Diabetes Research and Clinical Practice</i> , 2014 , 103, 197-205	7.4	113
59	Obesity and type 2 diabetes in Sub-Sahara Africa. <i>Current Diabetes Reports</i> , 2014 , 14, 501	5.6	33
58	Metabolic syndrome for sub-Saharan Africans diabetes with peripheral arterial disease: a case-control study. <i>BMC Research Notes</i> , 2014 , 7, 104	2.3	1
57	Influence of migration on characteristics of type 2 diabetes in sub-Saharan Africans. <i>Diabetes and Metabolism</i> , 2014 , 40, 56-60	5.4	17
56	Global Health and Governmental Policies in Diabetes Prevention 2014 , 143-157		1
55	Accelerating progress on non-communicable diseases. <i>Lancet, The</i> , 2013 , 382, e4-5	40	21
54	<i>Eriosema laurentii</i> De Wild (Leguminosae) methanol extract has estrogenic properties and prevents menopausal symptoms in ovariectomized Wistar rats. <i>Journal of Ethnopharmacology</i> , 2013 , 150, 298-307 ⁵		17
53	Structure-oriented UHPLC-LTQ Orbitrap-based approach as a dereplication strategy for the identification of isoflavonoids from <i>Amphimas pterocarpoides</i> crude extract. <i>Journal of Mass Spectrometry</i> , 2013 , 48, 561-75	2.2	39
52	Validation of an enzyme-linked immunosorbent assay for C-peptide analysis in Cameroon. <i>Diabetes Research and Clinical Practice</i> , 2012 , 98, 459-64	7.4	5
51	Peer support for self-management of diabetes improved outcomes in international settings. <i>Health Affairs</i> , 2012 , 31, 130-9	7	180
50	Determinants of active convulsive epilepsy in rural Cameroon: a population based case-control study. <i>Neurological Research</i> , 2012 , 34, 159-62	2.7	3
49	Prevalence and determinants of electrocardiographic abnormalities in sub-Saharan African individuals with type 2 diabetes. <i>Cardiovascular Journal of Africa</i> , 2012 , 23, 533-7	0.7	8
48	Translating diabetes research into global communities. <i>Diabetes Research and Clinical Practice</i> , 2011 , 93, 443-5	7.4	6

47	Mobilising the world for chronic NCDs. <i>Lancet, The</i> , 2011 , 377, 536-7	4.0	15
46	UN High-Level Meeting on Non-Communicable Diseases: addressing four questions. <i>Lancet, The</i> , 2011 , 378, 449-55	4.0	268
45	Bariatric surgery for diabetes: the International Diabetes Federation takes a position. <i>Journal of Diabetes</i> , 2011 , 3, 261-4	3.8	34
44	Accuracy and validity of a combined heart rate and motion sensor for the measurement of free-living physical activity energy expenditure in adults in Cameroon. <i>International Journal of Epidemiology</i> , 2011 , 40, 112-20	7.8	95
43	Urbanization, physical activity, and metabolic health in sub-Saharan Africa. <i>Diabetes Care</i> , 2011 , 34, 491-6	4.6	121
42	Ten-year change in blood pressure levels and prevalence of hypertension in urban and rural Cameroon. <i>Journal of Epidemiology and Community Health</i> , 2010 , 64, 360-5	5.1	71
41	From yesterday to tomorrow: making a difference to global diabetes. <i>Diabetes Research and Clinical Practice</i> , 2010 , 87, 132-5	7.4	4
40	Continuous interstitial glucose monitoring in non-diabetic subjects with end-stage renal disease undergoing maintenance haemodialysis. <i>Diabetes Research and Clinical Practice</i> , 2010 , 90, 22-5	7.4	18
39	Diabetes in sub-Saharan Africa. <i>Lancet, The</i> , 2010 , 375, 2254-66	4.0	451
38	Limb-threatening and life-threatening diabetic extremities: clinical patterns and outcomes in 56 patients. <i>Journal of Foot and Ankle Surgery</i> , 2010 , 49, 43-6	1.6	15
37	Unexpectedly high rates of obesity and dysglycemia among villagers in Cameroon. <i>Diabetes/Metabolism Research and Reviews</i> , 2010 , 26, 10-2	7.5	7
36	Free-living physical activity energy expenditure is strongly related to glucose intolerance in Cameroonian adults independently of obesity. <i>Diabetes Care</i> , 2009 , 32, 367-9	14.6	17
35	Evaluation of a simple management protocol for hyperglycaemic crises using intramuscular insulin in a resource-limited setting. <i>Diabetes and Metabolism</i> , 2009 , 35, 404-9	5.4	5
34	Nurse-led care for epilepsy at primary level in a rural health district in Cameroon. <i>Epilepsia</i> , 2008 , 49, 1639-42	6.4	30
33	Nurse-led care for asthma at primary level in rural sub-Saharan Africa: the experience of Bafut in Cameroon. <i>Journal of Asthma</i> , 2008 , 45, 437-43	1.9	21
32	The spectrum of coma among people with diabetes in Cameroon: an appraisal of the implications and challenges at the Yaounde Central Hospital. <i>Annals of Tropical Medicine and Parasitology</i> , 2008 , 102, 73-8		6
31	Cardiovascular Risk Reduction in Diabetes in Sub-Saharan Africa: What should the Priorities be in the Absence of Global Risk Evaluation Tools?. <i>Clinical Medicine Cardiology</i> , 2008 , 2, CMC.S576		1
30	Preventive Effects of an Extract of <i>Erythrina lysistemon</i> (Fabaceae) on Some Menopausal Problems: Studies on the Rat. <i>Journal of Complementary and Integrative Medicine</i> , 2007 , 4,	1.5	7

29	Nutritional composition of commonly consumed composite dishes from the Central Province of Cameroon. <i>International Journal of Food Sciences and Nutrition</i> , 2007 , 58, 475-85	3.7	21
28	Hypertension in people with diabetes in sub-Saharan Africa: revealing the hidden face of the iceberg. <i>Diabetes Research and Clinical Practice</i> , 2007 , 77, 293-9	7.4	39
27	Estrogenic effects of a methanol extract of the fruit of <i>Brenania brieyi</i> de Wild (Rubiaceae). <i>Journal of Natural Medicines</i> , 2006 , 61, 86-89	3.3	1
26	Impact of secondary foot complications on the inpatient department of the diabetes unit of Yaounde Central Hospital. <i>International Journal of Lower Extremity Wounds</i> , 2006 , 5, 64-8	1.6	6
25	Diabetic foot ulcers in Cameroon: can microflora prevalence inform probabilistic antibiotic treatment?. <i>Journal of Wound Care</i> , 2006 , 15, 363-6	2.2	10
24	Diabetes care in Africa. <i>Lancet, The</i> , 2006 , 368, 1628-9	4.0	42
23	Frequency of diabetes and thyroid autoantibodies in patients with autoimmune endocrine disease from Cameroon. <i>Clinical Immunology</i> , 2006 , 118, 229-32	9	15
22	Knowledge, attitudes, and behavior relating to diabetes and its main risk factors among urban residents in Cameroon: a qualitative survey. <i>Ethnicity and Disease</i> , 2006 , 16, 503-9	1.8	50
21	Metabolic and immunogenetic prediction of long-term insulin remission in African patients with atypical diabetes. <i>Diabetic Medicine</i> , 2002 , 19, 832-5	3.5	53
20	Diabetes in Africans. Part 2: Ketosis-prone atypical diabetes mellitus. <i>Diabetes and Metabolism</i> , 2002 , 28, 5-12	5.4	57
19	HLA-DRB1, -DQA1, -DQB1 and DPB1 susceptibility alleles in Cameroonian type 1 diabetes patients and controls. <i>International Journal of Immunogenetics</i> , 2001 , 28, 459-62		17
18	Sick genes, sick individuals or sick populations with chronic disease? The emergence of diabetes and high blood pressure in African-origin populations. <i>International Journal of Epidemiology</i> , 2001 , 30, 111-7	7.8	71
17	Development and validation of a questionnaire for the assessment of physical activity in epidemiological studies in Sub-Saharan Africa. <i>International Journal of Epidemiology</i> , 2001 , 30, 1361-8	7.8	52
16	Habitual diet in four populations of African origin: a descriptive paper on nutrient intakes in rural and urban Cameroon, Jamaica and Caribbean migrants in Britain. <i>Public Health Nutrition</i> , 2001 , 4, 765-72 ^{3.3}		25
15	Hypertension in four African-origin populations: current Rule of Halves quality of blood pressure control and attributable risk of cardiovascular disease. <i>Journal of Hypertension</i> , 2001 , 19, 41-6	1.9	83
14	Diabetes in Africans. Part 1: epidemiology and clinical specificities. <i>Diabetes and Metabolism</i> , 2001 , 27, 628-34	5.4	63
13	Application of the new ADA criteria for the diagnosis of diabetes to population studies in sub-Saharan Africa. American diabetes association. <i>Diabetic Medicine</i> , 2000 , 17, 381-5	3.5	32
12	The habitual diet in rural and urban Cameroon. <i>European Journal of Clinical Nutrition</i> , 2000 , 54, 150-4	5.2	55

11	Underreporting of energy intake in four populations of African origin. <i>International Journal of Obesity</i> , 2000 , 24, 882-7	5.5	37
10	Reduced insulin secretion in offspring of African type 2 diabetic parents. <i>Diabetes Care</i> , 2000 , 23, 1761-5	14.6	22
9	Standardized comparison of glucose intolerance in west African-origin populations of rural and urban Cameroon, Jamaica, and Caribbean migrants to Britain. <i>Diabetes Care</i> , 1999 , 22, 434-40	14.6	89
8	Microalbuminuria and retinopathy in a diabetic population of Cameroon. <i>Diabetes Research and Clinical Practice</i> , 1999 , 44, 191-6	7.4	51
7	The prevalence of hypertension in rural and urban Cameroon. <i>International Journal of Epidemiology</i> , 1998 , 27, 181-5	7.8	88
6	Prevalence of NIDDM and impaired glucose tolerance in a rural and an urban population in Cameroon. <i>Diabetologia</i> , 1997 , 40, 824-9	10.3	109
5	Diabetes care in Africa: health or wealth?. <i>Practical Diabetes International: the International Journal for Diabetes Care Teams Worldwide</i> , 1997 , 14, 69-69		
4	Increase in glomerular filtration rate in patients with insulin-dependent diabetes and elevated erythrocyte sodium-lithium countertransport. <i>New England Journal of Medicine</i> , 1990 , 322, 500-5	59.2	85
3	Increased proximal tubular sodium reabsorption in hypertensive patients with type 2 diabetes. <i>Diabetic Medicine</i> , 1989 , 6, 614-20	3.5	31
2	Models of Diabetes Care across Different Resource Settings	984-998	1
1	Total testosterone level may have no influence on the occurrence and severity of erectile dysfunction in males aged between 30 and 60 years living with type 2 diabetes. <i>Journal of Endocrinology Metabolism and Diabetes of South Africa</i> , 1-5	0.5	