

Maria Moriondo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2228731/publications.pdf>

Version: 2024-02-01

65
papers

2,371
citations

249298

26
h-index

232693

48
g-index

67
all docs

67
docs citations

67
times ranked

2627
citing authors

#	ARTICLE	IF	CITATIONS
1	Real-time polymerase chain reaction on filter paper spotted samples: a gateway to molecular diagnosis of invasive bacterial diseases for rural areas in low-income countries. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2022, 116, 233-241.	0.7	2
2	Adverse reactions to BNT162B2 vaccine in health care workers from an Italian Tertiary Care Hospital. <i>Clinical and Experimental Allergy</i> , 2022, 52, 911-915.	1.4	2
3	How home anterior self-collected nasal swab simplifies SARS-CoV-2 testing: new surveillance horizons in public health and beyond. <i>Virology Journal</i> , 2021, 18, 59.	1.4	10
4	Molecular typing of group B <i>Neisseria meningitidis</i> ™ subcapsular antigens directly on biological samples demonstrates epidemiological congruence between culture-positive and -negative cases: A surveillance study of invasive disease over a 13-year period. <i>Journal of Infection</i> , 2021, 82, 28-36.	1.7	6
5	Bactericidal antibodies against hypervirulent <i>Neisseria meningitidis</i> C field strains following MenC-CRM or MenACWY-CRM priming and MenACWY-CRM booster in children. <i>Human Vaccines and Immunotherapeutics</i> , 2021, 17, 1442-1449.	1.4	1
6	Molecular surveillance of pneumococcal carriage following completion of immunization with the 13-valent pneumococcal conjugate vaccine administered in a 3+1 schedule. <i>Scientific Reports</i> , 2021, 11, 1.6 24534.		5
7	Effectiveness and Impact of the 4CMenB Vaccine against Group B Meningococcal Disease in Two Italian Regions Using Different Vaccination Schedules: A Five-Year Retrospective Observational Study (2014–2018). <i>Vaccines</i> , 2020, 8, 469.	2.1	48
8	Epidemiology of Respiratory Syncytial Virus-Related Hospitalization Over a 5-Year Period in Italy: Evaluation of Seasonality and Age Distribution Before Vaccine Introduction. <i>Vaccines</i> , 2020, 8, 15.	2.1	26
9	<i>Neisseria meningitidis</i> with H52Y substitution on <i>rpoB</i> gene shows attenuated behavior <i>in vivo</i> : report of a rifampicin-resistant case following chemoprophylaxis. <i>Journal of Chemotherapy</i> , 2020, 32, 98-102.	0.7	4
10	Invasive <i>Haemophilus influenzae</i> Type b Disease in the Post Hexavalent Era. <i>Pediatric Infectious Disease Journal</i> , 2020, 39, 294-297.	1.1	3
11	Impact of the 13-Valent Pneumococcal Conjugate Vaccine on Severe Invasive Disease Caused by Serotype 3 <i>Streptococcus Pneumoniae</i> in Italian Children. <i>Vaccines</i> , 2019, 7, 128.	2.1	7
12	Culture and Real-time Polymerase Chain reaction sensitivity in the diagnosis of invasive meningococcal disease: Does culture miss less severe cases?. <i>PLoS ONE</i> , 2019, 14, e0212922.	1.1	24
13	Significant impact of pneumococcal conjugate vaccination on pediatric parapneumonic effusion: Italy 2006–2018. <i>Vaccine</i> , 2019, 37, 2704-2711.	1.7	27
14	Carriage rates and risk factors during an outbreak of invasive meningococcal disease due to <i>Neisseria meningitidis</i> serogroup C ST-11 (cc11) in Tuscany, Italy: a cross-sectional study. <i>BMC Infectious Diseases</i> , 2019, 19, 29.	1.3	15
15	2703. Pneumococcal Carriage of 13-Valent Pneumococcal Conjugate Vaccine (PCV13) and Non-PCV13 Serotypes among Greek Children Vaccinated with PCV13 in a 3 + 1 Schedule During the First 6 years after the Fourth Dose of PCV13. <i>Open Forum Infectious Diseases</i> , 2019, 6, S950-S951.	0.4	0
16	Interconnected clusters of invasive meningococcal disease due to <i>Neisseria meningitidis</i> serogroup C ST-11 (cc11), involving bisexuals and men who have sex with men, with discos and gay-venues hotspots of transmission, Tuscany, Italy, 2015 to 2016. <i>Eurosurveillance</i> , 2018, 23, .	3.9	21
17	PCV13 serotype decrease in Italian adolescents and adults in the post-PCV13 era: Herd protection from children or secular trend?. <i>Vaccine</i> , 2017, 35, 1544-1550.	1.7	9
18	Clinical presentation and outcome of twenty cases of Invasive Meningococcal Disease due to Serogroup C – Clonal complex 11 in the Florence province, Italy, 2015–2016. <i>Journal of Infection</i> , 2017, 74, 210-213.	1.7	2

#	ARTICLE	IF	CITATIONS
19	Role of <i>Streptococcus pneumoniae</i> infection in chronic obstructive pulmonary disease patients in Italy. <i>Therapeutic Advances in Respiratory Disease</i> , 2017, 11, 403-407.	1.0	12
20	Serotypes and antibiotic susceptibility of <i>Streptococcus pneumoniae</i> isolated from hospitalized patients with community-acquired pneumonia in Italy. <i>SAGE Open Medicine</i> , 2017, 5, 205031211772005.	0.7	7
21	Mannose-Binding Lectin: Biologic Characteristics and Role in the Susceptibility to Infections and Ischemia-Reperfusion Related Injury in Critically Ill Neonates. <i>Journal of Immunology Research</i> , 2017, 2017, 1-11.	0.9	37
22	Underestimation of Invasive Meningococcal Disease in Italy. <i>Emerging Infectious Diseases</i> , 2016, 22, 469-475.	2.0	40
23	The role of DNA amplification and cultural growth in complicated acute appendicitis. <i>Mental Illness</i> , 2016, 8, 6487.	0.8	4
24	Genome-based study of a spatio-temporal cluster of invasive meningococcal disease due to <i>Neisseria meningitidis</i> serogroup C, clonal complex 11. <i>Journal of Infection</i> , 2016, 73, 136-144.	1.7	24
25	Hepatitis C viraemia after apparent spontaneous clearance in a vertically infected child. <i>Lancet</i> , The, 2016, 387, 1967-1968.	6.3	24
26	Altered natural killer cells subsets distribution in children with hepatitis C following vertical transmission. <i>Alimentary Pharmacology and Therapeutics</i> , 2016, 43, 125-133.	1.9	9
27	Pneumococcal serotype distribution in adults with invasive disease and in carrier children in Italy: Should we expect herd protection of adults through infants' vaccination?. <i>Human Vaccines and Immunotherapeutics</i> , 2016, 12, 344-350.	1.4	25
28	The burden of bacteremia and invasive diseases in children aged less than five years with fever in Italy. <i>Italian Journal of Pediatrics</i> , 2015, 41, 92.	1.0	8
29	First Human Case of Meningitis and Sepsis in a Child Caused by <i>Actinobacillus suis</i> or <i>Actinobacillus equuli</i> . <i>Journal of Clinical Microbiology</i> , 2015, 53, 1990-1992.	1.8	4
30	Absence of human cytomegalovirus infection in childhood brain tumors. <i>American Journal of Cancer Research</i> , 2015, 5, 2476-83.	1.4	8
31	Diagnosis of immunodeficiency caused by a purine nucleoside phosphorylase defect by using tandem mass spectrometry on dried blood spots. <i>Journal of Allergy and Clinical Immunology</i> , 2014, 134, 155-159.e3.	1.5	56
32	Distribution of invasive meningococcal B disease in Italian pediatric population: Implications for vaccination timing. <i>Vaccine</i> , 2014, 32, 1187-1191.	1.7	38
33	Comparative Analysis of rs12979860 SNP of the IFNL3 Gene in Children with Hepatitis C and Ethnic Matched Controls Using 1000 Genomes Project Data. <i>PLoS ONE</i> , 2014, 9, e85899.	1.1	31
34	Tandem mass spectrometry, but not T-cell receptor excision circle analysis, identifies newborns with late-onset adenosine deaminase deficiency. <i>Journal of Allergy and Clinical Immunology</i> , 2013, 131, 1604-1610.	1.5	65
35	Association Between Mannose-binding Lectin Gene Polymorphisms and Necrotizing Enterocolitis in Preterm Infants. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2012, 55, 160-165.	0.9	25
36	Potential serotype coverage of three pneumococcal conjugate vaccines against invasive pneumococcal infection in Italian children. <i>Vaccine</i> , 2012, 30, 2701-2705.	1.7	18

#	ARTICLE	IF	CITATIONS
37	Pneumococcal DNA is not detectable in the blood of healthy carrier children by real-time PCR targeting the <i>lytA</i> gene. <i>Journal of Medical Microbiology</i> , 2011, 60, 710-714.	0.7	38
38	Genetic variation in interleukin-28B locus is associated with spontaneous clearance of HCV in children with non-1 viral genotype infection. <i>Hepatology</i> , 2011, 54, 1490-1491.	3.6	14
39	VP7 and VP4 Sequence Analyses of Rotavirus Strains From Italian Children With Viraemia and Acute Diarrhoea. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2010, 50, 114-116.	0.9	4
40	Community-Acquired Bacteremic Pneumococcal Pneumonia in Children: Diagnosis and Serotyping by Real-Time Polymerase Chain Reaction Using Blood Samples. <i>Clinical Infectious Diseases</i> , 2010, 51, 1042-1049.	2.9	124
41	Realtime PCR Is More Sensitive than Multiplex PCR for Diagnosis and Serotyping in Children with Culture Negative Pneumococcal Invasive Disease. <i>PLoS ONE</i> , 2010, 5, e9282.	1.1	129
42	Th17 Transcription Factor RORC2 Is Inversely Correlated with FOXP3 Expression in the Joints of Children with Juvenile Idiopathic Arthritis. <i>Journal of Rheumatology</i> , 2009, 36, 2017-2024.	1.0	33
43	Comparison of the effect of antibiotic treatment on the possibility of diagnosing invasive pneumococcal disease by culture or molecular methods: A prospective, observational study of children and adolescents with proven pneumococcal infection. <i>Clinical Therapeutics</i> , 2009, 31, 1266-1273.	1.1	46
44	Interferon-Gamma Release Assay Improves the Diagnosis of Tuberculosis in Children. <i>Pediatric Infectious Disease Journal</i> , 2009, 28, 510-514.	1.1	137
45	Higher risk of hepatitis C virus perinatal transmission from drug user mothers is mediated by peripheral blood mononuclear cell infection. <i>Journal of Medical Virology</i> , 2008, 80, 65-71.	2.5	45
46	Intrafamilial transmission of hepatitis C virus: Infection of the father predicts the risk of perinatal transmission. <i>Journal of Medical Virology</i> , 2008, 80, 1907-1911.	2.5	12
47	Analytic investigations on protein content in refined seed oils: Implications in food allergy. <i>Food and Chemical Toxicology</i> , 2008, 46, 3383-3388.	1.8	29
48	Molecular detection methods and serotyping performed directly on clinical samples improve diagnostic sensitivity and reveal increased incidence of invasive disease by <i>Streptococcus pneumoniae</i> in Italian children. <i>Journal of Medical Microbiology</i> , 2008, 57, 1205-1212.	0.7	87
49	Mother-to-infant transmission of multiple blood-borne viral infections from multi-infected mothers. <i>Journal of Medical Virology</i> , 2007, 79, 743-747.	2.5	9
50	SEN virus co-infection among HCV-RNA-positive mothers, risk of transmission to the offspring and outcome of child infection during a 1-year follow-up. <i>Journal of Viral Hepatitis</i> , 2007, 14, 355-359.	1.0	6
51	Chronic hepatitis B in children after e antigen seroclearance: Final report of a 29-year longitudinal study. <i>Hepatology</i> , 2006, 43, 556-562.	3.6	216
52	Alanine transaminase levels in the year before pregnancy predict the risk of hepatitis C virus vertical transmission. <i>Journal of Medical Virology</i> , 2006, 78, 911-914.	2.5	31
53	Viraemia is a common finding in immunocompetent children with rotavirus infection. <i>Journal of Medical Virology</i> , 2005, 76, 265-267.	2.5	68
54	Safety and immunogenicity of measles-mumps-rubella vaccine in children with congenital immunodeficiency (DiGeorge syndrome). <i>Vaccine</i> , 2005, 23, 1668-1671.	1.7	41

#	ARTICLE	IF	CITATIONS
55	Injection Drug Use Facilitates Hepatitis C Virus Infection of Peripheral Blood Mononuclear Cells. <i>Clinical Infectious Diseases</i> , 2002, 35, 236-239.	2.9	18
56	Maternal Drug Use Is a Preeminent Risk Factor for Mother-to-Child Hepatitis C Virus Transmission: Results from a Multicenter Study of 1372 Mother-Infant Pairs. <i>Journal of Infectious Diseases</i> , 2002, 185, 567-572.	1.9	134
57	Restored Antioxidant Capacity Parallels the Immunologic and Virologic Improvement in Children with Perinatal Human Immunodeficiency Virus Infection Receiving Highly Active Antiretroviral Therapy. <i>Clinical Immunology</i> , 2001, 100, 82-86.	1.4	21
58	Lack of transmission of TT virus through immunoglobulins. <i>Transfusion</i> , 2001, 41, 1505-1508.	0.8	7
59	TT virus infection in human immunodeficiency virus type 1 infected mothers and their infants. <i>Journal of Medical Virology</i> , 2000, 61, 347-351.	2.5	12
60	Vertical transmission of HCV is related to maternal peripheral blood mononuclear cell infection. <i>Blood</i> , 2000, 96, 2045-2048.	0.6	81
61	Lupin allergy in a child. <i>Journal of Allergy and Clinical Immunology</i> , 1999, 103, 1214-1216.	1.5	50
62	Differing Patterns of Transforming Growth Factor- β Expression in Normal Intestinal Mucosa and in Active Celiac Disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 1999, 29, 308-313.	0.9	32
63	Serum Levels of Hepatitis C Virus RNA in Infants and Children with Chronic Hepatitis C. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 1999, 29, 314-317.	0.9	10
64	Hepatitis G Virus Infection in Human Immunodeficiency Virus Type 1-Infected Mothers and Their Children. <i>Journal of Infectious Diseases</i> , 1998, 178, 862-865.	1.9	26
65	Mother to child transmission of hepatitis C virus: prospective study of risk factors and timing of infection in children born to women seronegative for HIV-1. <i>BMJ: British Medical Journal</i> , 1998, 317, 437-441.	2.4	260