Hideki Abe

List of Publications by Citations

Source: https://exaly.com/author-pdf/2228739/hideki-abe-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

160 7,963 46 85 h-index g-index citations papers 8,467 164 5.8 5.2 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
160	Synthesis, structure and properties of polyhydroxyalkanoates: biological polyesters. <i>Progress in Polymer Science</i> , 2000 , 25, 1503-1555	29.6	1591
159	Microbial Synthesis and Characterization of Poly(3-hydroxybutyrate-co-3-hydroxyhexanoate). <i>Macromolecules</i> , 1995 , 28, 4822-4828	5.5	622
158	Solid-state microstructures, thermal properties, and crystallization of biodegradable poly(butylene succinate) (PBS) and its copolyesters. <i>Biomacromolecules</i> , 2001 , 2, 605-13	6.9	203
157	Miscibility and solid-state structures for blends of poly[(S)-lactide] with atactic poly[(R,S)-3-hydroxybutyrate]. <i>Polymer</i> , 2000 , 41, 5985-5992	3.9	171
156	Solid-State Structures and Enzymatic Degradabilities for Melt-Crystallized Films of Copolymers of (R)-3-Hydroxybutyric Acid with Different Hydroxyalkanoic Acids. <i>Macromolecules</i> , 1998 , 31, 1791-1797	5.5	164
155	Biosynthesis and properties of poly(3-hydroxybutyrate-co-3-hydroxyalkanoates) by recombinant strains of Pseudomonas sp. 61-3. <i>Biomacromolecules</i> , 2000 , 1, 17-22	6.9	159
154	Morphological and kinetic analyses of regime transition for poly[(S)-lactide] crystal growth. <i>Biomacromolecules</i> , 2001 , 2, 1007-14	6.9	158
153	Physical Properties and Enzymic Degradability of Polymer Blends of Bacterial Poly[(R)-3-hydroxybutyrate] and Poly[(R,S)-3-hydroxybutyrate] Stereoisomers. <i>Macromolecules</i> , 1995 , 28, 844-853	5.5	155
152	Metastability and transformation of polymorphic crystals in biodegradable poly(butylene adipate). <i>Biomacromolecules</i> , 2004 , 5, 371-8	6.9	142
151	Solid-state structures and thermal properties of aliphatic from a tic poly (butylene adipate-co-butylene terephthalate) copolyesters. <i>Polymer Degradation and Stability</i> , 2004 , 83, 289-300	4.7	135
150	Biodegradable poly(ethylene succinate) (PES). 1. Crystal growth kinetics and morphology. <i>Biomacromolecules</i> , 2000 , 1, 704-12	6.9	124
149	Branched poly(lactide) synthesized by enzymatic polymerization: effects of molecular branches and stereochemistry on enzymatic degradation and alkaline hydrolysis. <i>Biomacromolecules</i> , 2007 , 8, 3115-25	6.9	120
148	Temperature-Induced Polymorphic Crystals of Poly(butylene adipate). <i>Macromolecular Chemistry and Physics</i> , 2002 , 203, 2369-2374	2.6	120
147	Crystallization, melting, and enzymatic degradation of biodegradable poly(butylene succinate-co-14 mol % ethylene succinate) copolyester. <i>Biomacromolecules</i> , 2001 , 2, 313-21	6.9	117
146	Crystallization, stability, and enzymatic degradation of poly(L-lactide) thin film. <i>Biomacromolecules</i> , 2002 , 3, 350-6	6.9	100
145	The role of polymorphic crystal structure and morphology in enzymatic degradation of melt-crystallized poly(butylene adipate) films. <i>Polymer Degradation and Stability</i> , 2005 , 87, 191-199	4.7	97
144	Stereocomplex Formation through Reorganization of Poly(l-lactic acid) and Poly(d-lactic acid) Crystals. <i>Macromolecules</i> , 2008 , 41, 2852-2858	5.5	91

143	Physical Properties and Enzymic Degradability of Poly(3-hydroxybutyrate) Stereoisomers with Different Stereoregularities. <i>Macromolecules</i> , 1994 , 27, 6018-6025	5.5	91	
142	Thermal degradation of environmentally degradable poly(hydroxyalkanoic acid)s. <i>Macromolecular Bioscience</i> , 2006 , 6, 469-86	5.5	88	
141	Structural effects on enzymatic degradabilities for poly[(R)-3-hydroxybutyric acid] and its copolymers. <i>International Journal of Biological Macromolecules</i> , 1999 , 25, 185-92	7.9	85	
140	Evaluation of biodegradabilities of biosynthetic and chemosynthetic polyesters in river water. <i>Polymer Degradation and Stability</i> , 1996 , 51, 281-286	4.7	85	
139	Thermal degradation processes of end-capped poly(L-lactide)s in the presence and absence of residual zinc catalyst. <i>Biomacromolecules</i> , 2004 , 5, 1606-14	6.9	82	
138	Biosynthesis from gluconate of a random copolyester consisting of 3-hydroxybutyrate and medium-chain-length 3-hydroxyalkanoates by Pseudomonas sp. 61-3. <i>International Journal of Biological Macromolecules</i> , 1994 , 16, 115-9	7.9	79	
137	Miscibility and morphology of blends of isotactic and atactic poly(3-hydroxybutyrate). <i>Macromolecules</i> , 1994 , 27, 50-54	5.5	72	
136	Biodegradable poly(ethylene succinate) (PES). 2. Crystal morphology of melt-crystallized ultrathin film and its change after enzymatic degradation. <i>Biomacromolecules</i> , 2000 , 1, 713-20	6.9	69	
135	Crystalline/amorphous phase structure and molecular mobility of biodegradable poly(butylene adipate-co-butylene terephthalate) and related polyesters. <i>Biomacromolecules</i> , 2002 , 3, 390-6	6.9	68	
134	Physical Properties and Enzymic Degradability of Copolymers of (R)-3-Hydroxybutyric and 6-Hydroxyhexanoic Acids. <i>Macromolecules</i> , 1995 , 28, 7630-7637	5.5	67	
133	Effects of residual metal compounds and chain-end structure on thermal degradation of poly(3-hydroxybutyric acid). <i>Polymer Degradation and Stability</i> , 2006 , 91, 769-777	4.7	65	
132	Physical properties and enzymatic degradability of copolymers of (R)-3-hydroxybutyric acid and (S,S)-lactide. <i>Polymer</i> , 1998 , 39, 59-67	3.9	64	
131	Engineering of Ralstonia eutropha for production of poly(3-hydroxybutyrate-co-3-hydroxyhexanoate) from fructose and solid-state properties of the copolymer. <i>Biomacromolecules</i> , 2002 , 3, 618-24	6.9	64	
130	Effect of low molecular weight additives on enzymatic degradation of poly(3-hydroxybutyrate). <i>Polymer</i> , 2000 , 41, 3227-3234	3.9	62	
129	Crystal Growth in Poly(L-lactide) Thin Film Revealed by in situ Atomic Force Microscopy. <i>Macromolecular Chemistry and Physics</i> , 2003 , 204, 1822-1831	2.6	60	
128	Side-chain effect of second monomer units on crystalline morphology, thermal properties, and enzymatic degradability for random copolyesters of (R)-3-hydroxybutyric acid with (R)-3-hydroxyalkanoic acids. <i>Biomacromolecules</i> , 2002 , 3, 133-8	6.9	59	
127	Combination of N149S and D171G mutations in Aeromonas caviae polyhydroxyalkanoate synthase and impact on polyhydroxyalkanoate biosynthesis. <i>FEMS Microbiology Letters</i> , 2007 , 277, 217-22	2.9	58	
126	Synthesis and Characterization of Poly[(R,S)-3-hydroxybutyrate-b-6-hydroxyhexanoate] as a Compatibilizer for a Biodegradable Blend of Poly[(R)-3-hydroxybutyrate] and Poly(6-hydroxyhexanoate). Macromolecules 1994, 27, 6012-6017	5.5	57	

125	In situ observation of crystal growth for poly[(S)-lactide] by temperature-controlled atomic force microscopy. <i>Biomacromolecules</i> , 2001 , 2, 940-5	6.9	56
124	Effective enhancement of short-chain-length-medium-chain-length polyhydroxyalkanoate copolymer production by coexpression of genetically engineered 3-ketoacyl-acyl-carrier-protein synthase III (fabH) and polyhydroxyalkanoate synthesis genes. <i>Biomacromolecules</i> , 2004 , 5, 1457-64	6.9	55
123	Molecular weight characterization of poly[(R)-3-hydroxybutyrate] synthesized by genetically engineered strains of Escherichia coli. <i>Polymer Degradation and Stability</i> , 2006 , 91, 1138-1146	4.7	53
122	Identification, biosynthesis, and characterization of polyhydroxyalkanoate copolymer consisting of 3-hydroxybutyrate and 3-hydroxy-4-methylvalerate. <i>Biomacromolecules</i> , 2009 , 10, 2866-74	6.9	52
121	Microscopic visualization on crystalline morphologies of thin films for poly[(R)-3-hydroxybutyric acid] and its copolymer. <i>Polymer</i> , 2000 , 41, 867-874	3.9	52
120	Biodegradability of Poly(hydroxyalkanoate) Materials. <i>Materials</i> , 2009 , 2, 1104-1126	3.5	50
119	Studies on comonomer compositional distribution of the bacterial poly(3-hydroxybutyric acid-co-3-hydroxypropionic acid)s and crystal and thermal characteristics of their fractionated component copolyesters. <i>Polymer</i> , 1998 , 39, 4801-4816	3.9	50
118	Biosynthesis of polyhydroxyalkanoate (PHA) copolymer from fructose using wild-type and laboratory-evolved PHA synthases. <i>Macromolecular Bioscience</i> , 2005 , 5, 112-7	5.5	50
117	Effects of residual zinc compounds and chain-end structure on thermal degradation of poly(epsilon-caprolactone). <i>Biomacromolecules</i> , 2004 , 5, 1480-8	6.9	48
116	Lactate fraction dependent mechanical properties of semitransparent poly(lactate-co-3-hydroxybutyrate)s produced by control of lactyl-CoA monomer fluxes in recombinant Escherichia coli. <i>Journal of Biotechnology</i> , 2011 , 154, 255-60	3.7	47
115	Microbial degradation of poly(aspartic acid) by two isolated strains of Pedobacter sp. and Sphingomonas sp. <i>Biomacromolecules</i> , 2000 , 1, 157-61	6.9	46
114	Improved synthesis of P(3HB-co-3HV-co-3HHx) terpolymers by mutant Cupriavidus necator using the PHA synthase gene of Chromobacterium sp. USM2 with high affinity towards 3HV. <i>Polymer Degradation and Stability</i> , 2010 , 95, 1436-1442	4.7	43
113	Crystal growth and solid-state structure of poly(lactide) Stereocopolymers. <i>Biomacromolecules</i> , 2005 , 6, 457-67	6.9	43
112	Enzymatic and Environmental Degradation of Racemic Poly(3-hydroxybutyric acid)s with Different Stereoregularities. <i>Macromolecules</i> , 1996 , 29, 8683-8688	5.5	43
111	Molecular weight change of polyhydroxyalkanoate (PHA) caused by the PhaC subunit of PHA synthase from Bacillus cereus YB-4 in recombinant Escherichia coli. <i>Biomacromolecules</i> , 2011 , 12, 2660-	6 ^{6.9}	42
110	Poly(aspartic acid) degradation by a Sphingomonas sp. isolated from freshwater. <i>Applied and Environmental Microbiology</i> , 1999 , 65, 4268-70	4.8	42
109	Enzymatic degradation processes of poly[(R)-3-hydroxybutyric acid] and poly[(R)-3-hydroxybutyric acid-co-(R)-3-hydroxyvaleric acid] single crystals revealed by atomic force microscopy: effects of molecular weight and second-monomer composition on erosion rates. <i>Biomacromolecules</i> , 2005 , 6, 200	6.9 8-16	41
108	Enzymatic degradation processes of lamellar crystals in thin films for poly[(R)-3-hydroxybutyric acid] and its copolymers revealed by real-time atomic force microscopy. <i>Biomacromolecules</i> , 2004 , 5, 2186-94	6.9	41

(2009-2007)

10	07	Variation in copolymer composition and molecular weight of polyhydroxyalkanoate generated by saturation mutagenesis of Aeromonas caviae PHA synthase. <i>Macromolecular Bioscience</i> , 2007 , 7, 846-54	5.5	40	
10	06	Effect of metal compounds on thermal degradation behavior of aliphatic poly(hydroxyalkanoic acid)s. <i>Polymer Degradation and Stability</i> , 2008 , 93, 776-785	4.7	40	
10	05	Characterization and properties of G4X mutants of Ralstonia eutropha PHA synthase for poly(3-hydroxybutyrate) biosynthesis in Escherichia coli. <i>Macromolecular Bioscience</i> , 2005 , 5, 197-206	5.5	40	
10	04	Enzymatic degradation of monolayer for poly(lactide) revealed by real-time atomic force microscopy: effects of stereochemical structure, molecular weight, and molecular branches on hydrolysis rates. <i>Biomacromolecules</i> , 2008 , 9, 2180-5	6.9	38	
10	03	Analysis of adsorption function of polyhydroxybutyrate depolymerase from Alcaligenes faecalis T1 by using a quartz crystal microbalance. <i>Biomacromolecules</i> , 2001 , 2, 25-8	6.9	37	
10	02	Thermal properties and crystallization behaviors of medium-chain-length poly(3-hydroxyalkanoate)s. <i>Polymer</i> , 2012 , 53, 3026-3034	3.9	34	
10	01	Utilization of 2-alkenoic acids for biosynthesis of medium-chain-length polyhydroxyalkanoates in metabolically engineered Escherichia coli to construct a novel chemical recycling system. <i>Polymer Degradation and Stability</i> , 2012 , 97, 329-336	4.7	33	
10	00	Molecular mobility and phase structure of biodegradable poly(butylene succinate) and poly(butylene succinate-co-butylene adipate). <i>Biomacromolecules</i> , 2002 , 3, 1095-100	6.9	33	
9!	9	Effect of water on the surface molecular mobility of poly(lactide) thin films: an atomic force microscopy study. <i>Biomacromolecules</i> , 2004 , 5, 1187-93	6.9	32	
98	8	Purification and characterization of poly(aspartic acid) hydrolase from Sphingomonas sp. KT-1. <i>Biomacromolecules</i> , 2001 , 2, 1155-60	6.9	32	
97	7	Chain transfer reaction catalyzed by various polyhydroxyalkanoate synthases with poly(ethylene glycol) as an exogenous chain transfer agent. <i>Applied Microbiology and Biotechnology</i> , 2010 , 87, 1427-35	; 5.7	31	
91	6	Phase structure and enzymatic degradation of poly(L-lactide)/atactic poly(3-hydroxybutyrate) blends: an atomic force microscopy study. <i>Biomacromolecules</i> , 2006 , 7, 1921-8	6.9	30	
9.	5	Adsorption of biopolyester depolymerase on silicon wafer and poly[(R)-3-hydroxybutyric acid] single crystal revealed by real-time AFM. <i>Macromolecular Bioscience</i> , 2006 , 6, 41-50	5.5	29	
9.	4	Effect of phase structure on enzymatic degradation in poly(L-lactide)/atactic poly(3-hydroxybutyrate) blends with different miscibility. <i>Biomacromolecules</i> , 2009 , 10, 1013-8	6.9	28	
93	3	Structural effects of terminal groups on nonenzymatic and enzymatic degradations of end-capped poly(L-lactide). <i>Biomacromolecules</i> , 2008 , 9, 1071-8	6.9	28	
92	2	Synthesis and Thermal Properties of Novel Periodic Poly(esterlimide)s Derived from Adipate, Butane-1,4-diamine, and Linear Aliphatic Diols. <i>Macromolecules</i> , 2006 , 39, 2875-2885	5.5	28	
9:	1	Composition Fractionation and Thermal Characterization of Poly(3-hydroxybutyrate-co-3-hydroxypropionate). <i>Polymer Journal</i> , 1996 , 28, 1096-1102	2.7	28	
9	0	Evaluating the ability of polyhydroxyalkanoate synthase mutants to produce P(3HB-co-3HA) from soybean oil. <i>Macromolecular Bioscience</i> , 2009 , 9, 71-8	5.5	27	

89	Synthesis, solid-state structure, and surface properties of end-capped poly(L-lactide). <i>Biomacromolecules</i> , 2004 , 5, 530-6	6.9	27
88	Uniformity of Monomer Composition and Material Properties of Medium-Chain-Length Polyhydroxyalkanoates Biosynthesized from Pure and Crude Fatty Acids. <i>ACS Sustainable Chemistry and Engineering</i> , 2016 , 4, 6905-6911	8.3	26
87	Effect of monomer composition and composition distribution on enzymatic degradation of poly(3-hydroxybutyrate-co-3-hydroxyvalerate). <i>Macromolecular Chemistry and Physics</i> , 1999 , 200, 977-9	82 ^{.6}	26
86	Comonomer compositional distribution, physical properties, and enzymatic degradability of bacterial poly(3-hydroxybutyrate-co-3-hydroxy-4-methylvalerate) copolyesters. <i>Biomacromolecules</i> , 2010 , 11, 1615-22	6.9	25
85	Synthesis and Properties of Alternating Copolymers of 3-Hydroxybutyrate and Lactate Units with Different Stereocompositions. <i>Macromolecules</i> , 2014 , 47, 7354-7361	5.5	24
84	Real-Time Synchrotron SAXS and WAXD Studies on Annealing Behavior of Poly[(R)-3-hydroxybutyrate] Single Crystals. <i>Macromolecules</i> , 2006 , 39, 2201-2208	5.5	24
83	Development and validation of an HPLC-based screening method to acquire polyhydroxyalkanoate synthase mutants with altered substrate specificity. <i>Journal of Bioscience and Bioengineering</i> , 2012 , 113, 286-92	3.3	23
82	Degradation and adsorption characteristics of PHB depolymerase as revealed by kinetics of mutant enzymes with amino acid substitution in substrate-binding domain. <i>Biomacromolecules</i> , 2010 , 11, 113-9	6.9	23
81	Alcoholytic cleavage of polyhydroxyalkanoate chains by class IV synthases induced by endogenous and exogenous ethanol. <i>Applied and Environmental Microbiology</i> , 2014 , 80, 1421-9	4.8	22
80	Unusual change in molecular weight of polyhydroxyalkanoate (PHA) during cultivation of PHA-accumulating Escherichia coli. <i>Polymer Degradation and Stability</i> , 2010 , 95, 2250-2254	4.7	22
79	Polyhydroxyalkanoate film formation and synthase activity during in vitro and in situ polymerization on hydrophobic surfaces. <i>Biomacromolecules</i> , 2008 , 9, 2811-8	6.9	22
78	Synchrotron SAXS and WAXS Studies on Changes in Structural and Thermal Properties of Poly[(R)-3-hydroxybutyrate] Single Crystals during Heating. <i>Macromolecular Rapid Communications</i> , 2005 , 26, 678-683	4.8	22
77	Studies on the Enzymatic Degradation of Solution-Grown Lamellar Crystals of Poly[(R)-3-hydroxybutyrate]: Defects in Crystals. <i>Macromolecules</i> , 2000 , 33, 9535-9541	5.5	22
76	Poly[(R)-3-hydroxybutyrate] formation in Escherichia coli from glucose through an enoyl-CoA hydratase-mediated pathway. <i>Journal of Bioscience and Bioengineering</i> , 2007 , 103, 38-44	3.3	21
75	Altered expression of polyhydroxyalkanoate synthase gene and its effect on poly[(R)-3-hydroxybutyrate] synthesis in recombinant Escherichia coli. <i>Polymer Degradation and Stability</i> , 2006 , 91, 1645-1650	4.7	21
74	Adsorption and hydrolysis reactions of poly(hydroxybutyric acid) depolymerases secreted from Ralstonia pickettii T1 and Penicillium funiculosum onto poly[(R)-3-hydroxybutyric acid]. <i>Biomacromolecules</i> , 2007 , 8, 2276-81	6.9	20
73	Interaction between poly[(R)-3-hydroxybutyrate] depolymerase and biodegradable polyesters evaluated by atomic force microscopy. <i>Langmuir</i> , 2005 , 21, 11829-35	4	20
72	Enzymatic processes for biodegradation of poly(hydroxyalkanoate)s crystals. <i>Canadian Journal of Chemistry</i> , 2008 , 86, 471-483	0.9	19

(2018-2006)

71	Surface properties and enzymatic degradation of end-capped poly(l-lactide). <i>Polymer Degradation and Stability</i> , 2006 , 91, 1300-1310	4.7	19
70	Biochemical and molecular characterization of poly(aspartic acid) hydrolase-2 from sphingomonas sp. KT-1. <i>Biomacromolecules</i> , 2003 , 4, 1285-92	6.9	19
69	Structural effects on biodegradation of aliphatic polyesters. <i>Macromolecular Symposia</i> , 1997 , 118, 725-7	'3o1 8	18
68	Molecular Weight of Poly(3-Hydroxybutyrate) during Biological Polymerization in Alcaligenes Eutrophus. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 1995 , 32, 759-774	2.2	18
67	Enhanced incorporation of 3-hydroxy-4-methylvalerate unit into biosynthetic polyhydroxyalkanoate using leucine as a precursor. <i>AMB Express</i> , 2011 , 1, 6	4.1	17
66	Structural Transition of Poly[(R)-3-hydroxybutyrate-co-(R)-3- hydroxyvalerate] Single Crystals on Heating As Revealed by Synchrotron Radiation SAXS and WAXD. <i>Macromolecules</i> , 2007 , 40, 2392-2399	5.5	17
65	Thermal degradation behavior of poly(4-hydroxybutyric acid). <i>Polymer Degradation and Stability</i> , 2006 , 91, 2333-2341	4.7	16
64	In-situ atomic force microscopy observation of enzymatic degradation in poly(hydroxyalkanoic acid) thin films: normal and constrained conditions. <i>Macromolecular Bioscience</i> , 2004 , 4, 276-85	5.5	16
63	Novel Biodegradable Copolymers with a Periodic Sequence Structure Derived from Succinate Butan-1,4-diol, and Butan-1,4-diamine. <i>Macromolecular Rapid Communications</i> , 2004 , 25, 1303-1308	4.8	16
62	Fractionation and thermal characteristics of biosynthesized polyhydoxyalkanoates bearing aromatic groups as side chains. <i>Polymer Journal</i> , 2017 , 49, 557-565	2.7	15
61	Biosynthesis and characterization of novel poly(3-hydroxybutyrate-co-3-hydroxy-2-methylbutyrate): thermal behavior associated with Earbon methylation. <i>RSC Advances</i> , 2015 , 5, 58679-58685	3.7	14
60	Temperature dependence of the molecular motion in the crystalline region of biodegradable poly(butylene adipate), poly(ethylene succinate), and poly(butylene succinate). <i>Polymer Degradation and Stability</i> , 2004 , 84, 105-114	4.7	14
59	Crystal morphologies and enzymatic degradation of melt-crystallized thin films of random copolyesters of (R)-3-hydroxybutyric acid with (R)-3-hydroxyalkanoic acids. <i>Polymer Degradation and Stability</i> , 2002 , 76, 467-478	4.7	14
58	Development of a H3PW12O40/CeO2 catalyst for bulk ring-opening polymerization of a cyclic carbonate. <i>Green Chemistry</i> , 2018 , 20, 4995-5006	10	14
57	Carboxy-terminal modification of polyhydroxyalkanoate (PHA) via lalcoholysis reaction catalyzed by Class IV PHA synthase. <i>Polymer Degradation and Stability</i> , 2015 , 117, 90-96	4.7	13
56	Effect of glycerol and its analogs on polyhydroxyalkanoate biosynthesis by recombinant Ralstonia eutropha: A quantitative structurelictivity relationship study of chain transfer agents. <i>Polymer Degradation and Stability</i> , 2013 , 98, 1586-1590	4.7	13
55	Crystallization behavior and thermal properties of melt-crystallized poly[(R)-3-hydroxybutyric acid-co-6-hydroxyhexanoic acid] films. <i>International Journal of Biological Macromolecules</i> , 1999 , 25, 177-	83 9	13
54	A novel and wide substrate specific polyhydroxyalkanoate (PHA) synthase from unculturable bacteria found in mangrove soil. <i>Journal of Polymer Research</i> , 2018 , 25, 1	2.7	12

53	Miscibility and morphology study on crystalline/crystalline partially miscible polymer blends of 6-arm Poly(l-lactide) and Poly(3-hydroxybutyrate- co-3-hydroxyvalerate). <i>Polymer</i> , 2015 , 60, 260-266	3.9	12
52	Real-time enzymatic degradation study of poly[(R)-3-hydroxybutyric acid] copolymer thin film by atomic force microscopy in buffer solution. <i>Macromolecular Bioscience</i> , 2002 , 2, 189	5.5	12
51	Group-Transfer Polymerization of Various Crotonates Using Organic Acid Catalysts. <i>Macromolecules</i> , 2019 , 52, 4052-4058	5.5	11
50	Adsorption effects of poly(hydroxybutyric acid) depolymerase on chain-folding surface of polyester single crystals revealed by mutant enzyme and frictional force microscopy. <i>Polymer Degradation and Stability</i> , 2007 , 92, 176-183	4.7	11
49	In situ observation of lamellar growth in thin films for poly[(R)-3-hydroxybutyric acid-co-6-hydroxyhexanoic acid] at a high crystallization temperature of 110°LC by atomic force microscopy. <i>Polymer</i> , 2001 , 42, 2707-2710	3.9	11
48	Unique acrylic resins with aromatic side chains by homopolymerization of cinnamic monomers. <i>Communications Chemistry</i> , 2019 , 2,	6.3	10
47	In vitro evidence of chain transfer to tetraethylene glycols in enzymatic polymerization of polyhydroxyalkanoate. <i>Applied Microbiology and Biotechnology</i> , 2013 , 97, 4821-9	5.7	10
46	In vitro synthesis of polyhydroxyalkanoate catalyzed by class II and III PHA synthases: a useful technique for surface coatings of a hydrophobic support with PHA. <i>Journal of Chemical Technology and Biotechnology</i> , 2009 , 85, 779-782	3.5	10
45	Adsorption characteristics of P(3HB) depolymerase as evaluated by surface plasmon resonance and atomic force microscopy. <i>Biomacromolecules</i> , 2008 , 9, 3201-7	6.9	10
44	Molecular weight-dependent degradation of D-lactate-containing polyesters by polyhydroxyalkanoate depolymerases from Variovorax sp. C34 and Alcaligenes faecalis T1. <i>Applied Microbiology and Biotechnology</i> , 2015 , 99, 9555-63	5.7	9
43	Cloning of poly(aspartic acid) (PAA) hydrolase-1 gene from Pedobacter sp. KP-2 and hydrolysis of thermally synthesized PAA by its gene product. <i>Macromolecular Bioscience</i> , 2009 , 9, 10-9	5.5	9
42	Surface Patterning of Poly(Etaprolactone): Epitaxial Crystallization and Enzymatic Degradation. <i>Macromolecular Chemistry and Physics</i> , 2010 , 211, 2480-2483	2.6	9
41	Studies on thermo-mechanical and thermal degradation properties of bio-based polyurethanes synthesized from vanillin-derived diol and lysine diisocyanate. <i>Polymer Degradation and Stability</i> , 2019 , 167, 283-291	4.7	8
40	Morphological changes in poly(l-lactide)/poly(3-hydroxybutyrate-co-3-hydroxyvalerate) blends induced by different miscibility. <i>Polymer</i> , 2015 , 66, 259-267	3.9	8
39	Novel Periodic Copolymers Consisting of Ester and Amide Units with the Same Carbon Numbers: Effects of Comonomeric and Sequential Structures on Crystalline Structures and Physical Properties. <i>Macromolecules</i> , 2006 , 39, 9071-9079	5.5	8
38	Synthesis and Characterization of Biobased Polyesters Containing Anthraquinones Derived from Gallic Acid. <i>Biomacromolecules</i> , 2019 , 20, 318-325	6.9	8
37	Real-Time Observation of Enzymatic Polyhydroxyalkanoate Polymerization Using High-Speed Scanning Atomic Force Microscopy. <i>ACS Omega</i> , 2017 , 2, 181-185	3.9	7
36	Biosynthesis of novel lactate-based polymers containing medium-chain-length 3-hydroxyalkanoates by recombinant Escherichia coli strains from glucose. <i>Journal of Bioscience and Bioengineering</i> , 2019 , 128, 191-197	3.3	7

(2021-2015)

35	A common active site of polyhydroxyalkanoate synthase from Bacillus cereus YB-4 is involved in polymerization and alcoholysis reactions. <i>Applied Microbiology and Biotechnology</i> , 2015 , 99, 4701-11	5.7	7
34	Biosynthesis and characterization of novel polyhydroxyalkanoate copolymers consisting of 3-hydroxy-2-methylbutyrate and 3-hydroxyhexanoate. <i>Journal of Polymer Research</i> , 2017 , 24, 1	2.7	6
33	Crystallization and mechanical behavior of covalent functionalized carbon nanotube/poly(3-hydroxybutyrate-co-3-hydroxyvalerate) nanocomposites. <i>Journal of Applied Polymer Science</i> , 2015 , 132, n/a-n/a	2.9	6
32	Preparation of Poly(3-hydroxybutyrate)Microspheres Containing Lastet of an Anticancer Drug and Its Application to Drug Delivery System <i>Kobunshi Ronbunshu</i> , 1992 , 49, 61-67	O	6
31	Morphology and enzymatic degradation of poly[(R)-3-hydroxybutyrate] plasticized with acylglycerols. <i>Studies in Polymer Science</i> , 1994 , 12, 591-595		6
30	Improving thermal and mechanical properties of biomass-based polymers using structurally ordered polyesters from ricinoleic acid and 4-hydroxycinnamic acids <i>RSC Advances</i> , 2020 , 10, 36562-36	577	6
29	Effects of composition and sequential structure on thermal properties for copolymer of 3-hydroxybutyrate and lactate units. <i>Polymer Degradation and Stability</i> , 2013 , 98, 1796-1803	4.7	5
28	Enzymatic synthesis of poly(\text{\textitle} thyl \text{\text{\text{B}}} spartate) by poly(ethylene glycol) modified poly(aspartate) hydrolase-1. <i>Macromolecular Bioscience</i> , 2011 , 11, 187-91	5.5	5
27	Solvent-induced morphological diversification in poly(l-lactide-b-e-caprolactone) block copolymer thin films. <i>Polymer Degradation and Stability</i> , 2010 , 95, 1414-1420	4.7	5
26	Characterization of biosynthesized P(3HB-co-3HA)s swellable in organic solvents. <i>Polymer Degradation and Stability</i> , 2010 , 95, 1345-1348	4.7	5
25	Enhanced expression of a recombinant multicopper oxidase, CueO, from Escherichia coli and its laccase activity towards aromatic substrates. <i>Polymer Degradation and Stability</i> , 2019 , 164, 1-8	4.7	4
24	Biosynthesis and characterization of co and ter-polyesters of polyhydroxyalkanoates containing high monomeric fractions of 4-hydroxybutyrate and 5-hydroxyvalerate via a novel PHA synthase. <i>Polymer Degradation and Stability</i> , 2019 , 163, 122-135	4.7	4
23	Display of functionally active PHB depolymerase on Escherichia coli cell surface. <i>Macromolecular Bioscience</i> , 2012 , 12, 218-24	5.5	4
22	Polymorphic crystallization of poly(butylene adipate) and its copolymer: Effect of poly(vinyl alcohol). <i>Journal of Applied Polymer Science</i> , 2014 , 131, n/a-n/a	2.9	4
21	Molecular mobility and crystalline phase structure of biodegradable poly[(R)-3-hydroxybutylic acid-co-(R)-3-hydroxyhexanoic acid]. <i>Polymer Degradation and Stability</i> , 2004 , 84, 135-141	4.7	4
20	Controlled Release of Lastet, an Anticancer Drug, From Poly(3-Hydroxybutyrate) Microspheres Containing Acylglycerols. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 1992 , 29, 229-	2335	4
19	Kinetic modeling study of the group-transfer polymerization of alkyl crotonates using a silicon Lewis acid catalyst. <i>Polymer Chemistry</i> , 2020 , 11, 5981-5991	4.9	4
18	Superior thermal stability and fast crystallization behavior of a novel, biodegradable Emethylated bacterial polyester. NPG Asia Materials, 2021 , 13,	10.3	4

17	Thermal degradation behavior of poly[(R)-3-hydroxybutyrate-co-4-hydroxybutyrate]. <i>Polymer Degradation and Stability</i> , 2021 , 183, 109460	4.7	4
16	Molecular and Material Design of Biodegradable Polyhydroxyalkanoates (PHAs) 2002,		4
15	Effect of atactic poly(3-hydroxybutyrate) block on the crystallization and degradation behavior of 6-arm poly(l-lactide)-b-atactic poly(3-hydroxybutyrate). <i>Polymer Degradation and Stability</i> , 2015 , 114, 8-15	4.7	3
14	Enzymatic Degradation 2010 , 383-399		3
13	Morphologies and enzymatic degradability of melt-crystallized poly(3-hydroxybutyric acid-Co-6-hydroxyhexanoic acid). <i>Macromolecular Symposia</i> , 1998 , 130, 81-89	0.8	3
12	Effect of Disyndiotacticity on the Glass Transition Temperature of Poly(ethyl crotonate)s Synthesized by Group-Transfer Polymerization Catalyzed by Organic Acids. <i>Macromolecules</i> , 2020 , 53, 7759-7766	5.5	3
11	Copolymers incorporated with Bubstituted acrylate synthesized by organo-catalyzed group-transfer polymerization. <i>Polymer Journal</i> , 2021 , 53, 989-999	2.7	2
10	Thermal properties of poly(3-hydroxy-2-methylbutyrate-co-3-hydroxybutyrate) copolymers with narrow comonomer-unit compositional distributions. <i>Polymer Journal</i> ,	2.7	2
9	Miscibility and enzymatic degradability of poly(3-hydroxybutyrate-co-3-hydroxyhexanoate)-based polyester blends by PHB depolymerase and lipase. <i>Polymer Degradation and Stability</i> , 2021 , 192, 1096	92 ^{4.7}	2
8	The Solid-State Structure, Thermal and Crystalline Properties of Bacterial Copolyesters of (R)-3-Hydroxybutyric Acid with (R)-3-Hydroxyhexanoic Acid 2003 , 167-184		2
7	Substrate stereoselectivity of poly(Asp) hydrolase-1 capable of cleaving Elmide bonds as revealed by investigation of enzymatic hydrolysis of stereoisomeric Etri(Asp)s. <i>AMB Express</i> , 2015 , 5, 118	4.1	1
6	Crystallization and melting behavior of partially miscible six-armed poly(l-lactic acid)/poly(3-hydroxybutyrate-co-3-hydroxyvalerate) blends. <i>Journal of Applied Polymer Science</i> , 2015 , 132, n/a-n/a	2.9	1
5	Crystalline morphology and thermal properties for random copolyesters of (R)-3-hydroxybutyric acid with different hydroxyalkanoic groups. <i>Macromolecular Symposia</i> , 2001 , 174, 43-50	0.8	1
5	Crystalline morphology and thermal properties for random copolyesters of (R)-3-hydroxybutyric	o.8 4·7	0
	Crystalline morphology and thermal properties for random copolyesters of (R)-3-hydroxybutyric acid with different hydroxyalkanoic groups. <i>Macromolecular Symposia</i> , 2001 , 174, 43-50 Purification and characterization of an enzyme that degrades polyamide 4 into gamma-aminobutyric acid oligomers from Pseudoxanthomonas sp. TN-N1. <i>Polymer Degradation and</i>		

ENZYMATIC DEGRADATION **2022**, 517-540