
## **Richard Harding**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2228746/publications.pdf Version: 2024-02-01



| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | Preferences for place of death if faced with advanced cancer: a population survey in England,<br>Flanders, Germany, Italy, the Netherlands, Portugal and Spain. Annals of Oncology, 2012, 23, 2006-2015.  | 1.2  | 430       |
| 2  | Redefining Palliative Care—A New Consensus-Based Definition. Journal of Pain and Symptom<br>Management, 2020, 60, 754-764.  | 1.2  | 423       |
| 3  | The escalating global burden of serious health-related suffering: projections to 2060 by world regions, age groups, and health conditions. The Lancet Global Health, 2019, 7, e883-e892.  | 6.3  | 395       |
| 4  | What is the best way to help caregivers in cancer and palliative care? A systematic literature review of interventions and their effectiveness. Palliative Medicine, 2003, 17, 63-74.   | 3.1  | 343       |
| 5  | Are There Differences in the Prevalence of Palliative Care-Related Problems in People Living With<br>Advanced Cancer and Eight Non-Cancer Conditions? A Systematic Review. Journal of Pain and Symptom<br>Management, 2014, 48, 660-677.  | 1.2  | 322       |
| 6  | Implementing patient-reported outcome measures in palliative care clinical practice: A systematic review of facilitators and barriers. Palliative Medicine, 2014, 28, 158-175.  | 3.1  | 266       |
| 7  | Evaluating complex interventions in End of Life Care: the MORECare Statement on good practice generated by a synthesis of transparent expert consultations and systematic reviews. BMC Medicine, 2013, 11, 111.   | 5.5  | 256       |
| 8  | HIV and Depression – a systematic review of interventions. Psychology, Health and Medicine, 2011, 16, 493-527.  | 2.4  | 241       |
| 9  | Short-form Zarit Caregiver Burden Interviews were valid in advanced conditions. Journal of Clinical Epidemiology, 2010, 63, 535-542.  | 5.0  | 230       |
| 10 | Palliative care in sub-Saharan Africa. Lancet, The, 2005, 365, 1971-1977.   | 13.7 | 186       |
| 11 | Improving end-of-life care for patients with chronic heart failure: "Let's hope it'll get better, when I<br>know in my heart of hearts it won't". Heart, 2007, 93, 963-967.   | 2.9  | 153       |
| 12 | EAPC White Paper on outcome measurement in palliative care: Improving practice, attaining outcomes and delivering quality services – Recommendations from the European Association for Palliative Care (EAPC) Task Force on Outcome Measurement. Palliative Medicine, 2016, 30, 6-22. | 3.1  | 149       |
| 13 | Experience of persistent psychological symptoms and perceived stigma among people with HIV on antiretroviral therapy (ART): A systematic review. International Journal of Nursing Studies, 2014, 51, 1171-1189.   | 5.6  | 146       |
| 14 | Validation of a core outcome measure for palliative care in Africa: the APCA African Palliative<br>Outcome Scale. Health and Quality of Life Outcomes, 2010, 8, 10.   | 2.4  | 143       |
| 15 | How can informal caregivers in cancer and palliative care be supported? An updated systematic literature review of interventions and their effectiveness. Palliative Medicine, 2012, 26, 7-22.  | 3.1  | 135       |
| 16 | Benzodiazepines for the relief of breathlessness in advanced malignant and non-malignant diseases in adults. The Cochrane Library, 2016, 2016, CD007354.  | 2.8  | 133       |
| 17 | Meeting the Communication and Information Needs of Chronic Heart Failure Patients. Journal of Pain and Symptom Management, 2008, 36, 149-156.   | 1.2  | 131       |
| 18 | Measuring quality of life among people living with HIV: a systematic review of reviews. Health and<br>Quality of Life Outcomes, 2017, 15, 220.  | 2.4  | 130       |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | Advancing Palliative Care as a Human Right. Journal of Pain and Symptom Management, 2009, 38, 767-774.  | 1.2  | 128       |
| 20 | HIV infection associated post-traumatic stress disorder and post-traumatic growth – A systematic review. Psychology, Health and Medicine, 2011, 16, 612-629.  | 2.4  | 117       |
| 21 | Research into palliative care in sub-Saharan Africa. Lancet Oncology, The, 2013, 14, e183-e188.   | 10.7 | 113       |
| 22 | Does palliative care improve outcomes for patients with HIV/AIDS? A systematic review of the evidence.<br>Sexually Transmitted Infections, 2005, 81, 5-14.  | 1.9  | 112       |
| 23 | The Measurement of Spirituality in Palliative Care and the Content of Tools Validated<br>Cross-Culturally: A Systematic Review. Journal of Pain and Symptom Management, 2011, 41, 728-753.            | 1.2  | 111       |
| 24 | Benzodiazepines for the relief of breathlessness in advanced malignant and non-malignant diseases in adults. , 2010, , CD007354.  |      | 105       |
| 25 | Implementing patient reported outcome measures (PROMs) in palliative care - users' cry for help.<br>Health and Quality of Life Outcomes, 2011, 9, 27.   | 2.4  | 104       |
| 26 | Needs, Experiences, and Preferences of Sexual Minorities for End-of-Life Care and Palliative Care: A<br>Systematic Review. Journal of Palliative Medicine, 2012, 15, 602-611.                         | 1.1  | 101       |
| 27 | Culture and End of Life Care: A Scoping Exercise in Seven European Countries. PLoS ONE, 2012, 7, e34188.  | 2.5  | 97        |
| 28 | Working with ambivalence: informal caregivers of patients at the end of life. Supportive Care in Cancer, 2001, 9, 642-645.  | 2.2  | 96        |
| 29 | The prevalence and burden of symptoms amongst cancer patients attending palliative care in two<br>African countries. European Journal of Cancer, 2011, 47, 51-56.                                     | 2.8  | 95        |
| 30 | Recommendations to reduce inequalities for LGBT people facing advanced illness: ACCESSCare national qualitative interview study. Palliative Medicine, 2018, 32, 23-35.                                | 3.1  | 88        |
| 31 | Suicidal ideation in UK HIV clinic attenders. Aids, 2008, 22, 1651-1658.  | 2.2  | 86        |
| 32 | Priorities for treatment, care and information if faced with serious illness: A comparative population-based survey in seven European countries. Palliative Medicine, 2014, 28, 101-110.              | 3.1  | 86        |
| 33 | Symptoms are highly prevalent among HIV outpatients and associated with poor adherence and unprotected sexual intercourse. Sexually Transmitted Infections, 2010, 86, 520-524.                        | 1.9  | 81        |
| 34 | End-of-life care across Southern Europe: A critical review of cultural similarities and differences<br>between Italy, Spain and Portugal. Critical Reviews in Oncology/Hematology, 2012, 82, 387-401. | 4.4  | 80        |
| 35 | Comparative Analysis of Informal Caregiver Burden in Advanced Cancer, Dementia, and Acquired Brain<br>Injury. Journal of Pain and Symptom Management, 2015, 50, 445-452.                              | 1.2  | 79        |
| 36 | Patient-reported outcomes to enhance person-centred HIV care. Lancet HIV,the, 2020, 7, e59-e68.   | 4.7  | 79        |

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 37 | ls antiretroviral therapy associated with symptom prevalence and burden?. International Journal of STD and AIDS, 2006, 17, 400-405.  | 1.1  | 78        |
| 38 | The bereavement experiences of lesbian, gay, bisexual and/or trans* people who have lost a partner: A<br>systematic review, thematic synthesis and modelling of the literature. Palliative Medicine, 2016, 30,<br>730-744.           | 3.1  | 77        |
| 39 | What are the perceived needs and challenges of informal caregivers in home cancer palliative care?<br>Qualitative data to construct a feasible psycho-educational intervention. Supportive Care in Cancer,<br>2012, 20, 1975-1982.   | 2.2  | 73        |
| 40 | â€~Best practice' in developing and evaluating palliative and end-of-life care services: A meta-synthesis of<br>research methods for the MORECare project. Palliative Medicine, 2013, 27, 885-898.                                   | 3.1  | 73        |
| 41 | Evaluation of a short-term group intervention for informal carers of patients attending a home palliative care service. Journal of Pain and Symptom Management, 2004, 27, 396-408.   | 1.2  | 69        |
| 42 | Current HIV/AIDS end-of-life care in sub-Saharan Africa: a survey of models, services, challenges and priorities. BMC Public Health, 2003, 3, 33.  | 2.9  | 68        |
| 43 | Development of the APCA African Palliative Outcome Scale. Journal of Pain and Symptom Management, 2007, 33, 229-232.   | 1.2  | 67        |
| 44 | Consensus statement on the role of health systems in advancing the long-term well-being of people living with HIV. Nature Communications, 2021, 12, 4450.  | 12.8 | 67        |
| 45 | â€~My body's falling apart.' Understanding the experiences of patients with advanced multimorbidity to<br>improve care: serial interviews with patients and carers. BMJ Supportive and Palliative Care, 2016, 6,<br>60-65.           | 1.6  | 66        |
| 46 | Generating an African Palliative Care Evidence Base: The Context, Need, Challenges, and Strategies.<br>Journal of Pain and Symptom Management, 2008, 36, 304-309.  | 1.2  | 65        |
| 47 | Adherence to antiretroviral treatment in patients with HIV in the UK: a study of complexity. AIDS Care -<br>Psychological and Socio-Medical Aspects of AIDS/HIV, 2008, 20, 442-448.  | 1.2  | 64        |
| 48 | Quality of life among patients receiving palliative care in South Africa and Uganda: a multi-centred study. Health and Quality of Life Outcomes, 2011, 9, 21.  | 2.4  | 64        |
| 49 | A critical review of advance directives in Germany: Attitudes, use and healthcare professionals'<br>compliance. Patient Education and Counseling, 2012, 87, 277-288.   | 2.2  | 64        |
| 50 | The relationship between patient characteristics and carer psychological status in home palliative cancer care. Supportive Care in Cancer, 2003, 11, 638-643.  | 2.2  | 62        |
| 51 | An evaluation of a morphine public health programme for cancer and AIDS pain relief in Sub-Saharan<br>Africa. BMC Public Health, 2005, 5, 82.  | 2.9  | 62        |
| 52 | Meeting information needs of patients with incurable progressive disease and their families in South<br>Africa and Uganda: multicentre qualitative study. BMJ: British Medical Journal, 2009, 338, b1326-b1326.                      | 2.3  | 62        |
| 53 | Prevalence, Burden, and Correlates of Physical and Psychological Symptoms Among HIV Palliative Care<br>Patients in Sub-Saharan Africa: An International Multicenter Study. Journal of Pain and Symptom<br>Management, 2012, 44, 1-9. | 1.2  | 62        |
| 54 | A systematic review of Interventions for anxiety in people with HIV. Psychology, Health and Medicine, 2011, 16, 528-547.   | 2.4  | 59        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Needs Assessments in Palliative Care: An Appraisal of Definitions and Approaches Used. Journal of Pain<br>and Symptom Management, 2007, 33, 500-505.  | 1.2 | 57        |
| 56 | Systematic Review of the Primary Research on Minority Ethnic Groups and End-of-Life Care From the United Kingdom. Journal of Pain and Symptom Management, 2012, 43, 261-286.  | 1.2 | 57        |
| 57 | Provision of Pain- and Symptom-Relieving Drugs for HIV/AIDS in Sub-Saharan Africa. Journal of Pain and<br>Symptom Management, 2010, 40, 405-415.  | 1.2 | 56        |
| 58 | Pain Control in the African Context: the Ugandan introduction of affordable morphine to relieve suffering at the end of life. Philosophy, Ethics, and Humanities in Medicine, 2010, 5, 10.  | 1.5 | 56        |
| 59 | Service Delivery Models to Maximize Quality of Life for Older People at the End of Life: A Rapid Review.<br>Milbank Quarterly, 2019, 97, 113-175.   | 4.4 | 55        |
| 60 | PRISMA: A pan-European co-ordinating action to advance the science in end-of-life cancer care.<br>European Journal of Cancer, 2010, 46, 1493-1501.  | 2.8 | 54        |
| 61 | Symptom Burden in HIV-Infected Adults at Time of HIV Diagnosis in Rural Uganda. Journal of Palliative<br>Medicine, 2010, 13, 375-380.   | 1.1 | 53        |
| 62 | End-of-life care in general practice: A cross-sectional, retrospective survey of â€~cancer', â€~organ failure'<br>and â€~old-age/dementia' patients. Palliative Medicine, 2014, 28, 965-975.  | 3.1 | 53        |
| 63 | Towards personâ€centred care for people living with <scp>HIV</scp> : what core outcomes matter, and how might we assess them? A crossâ€national multiâ€centre qualitative study with key stakeholders. HIV Medicine, 2019, 20, 542-554. | 2.2 | 52        |
| 64 | Multidimensional Problems Among Advanced Cancer Patients in Cuba: Awareness of Diagnosis Is<br>Associated with Better Patient Status. Journal of Pain and Symptom Management, 2009, 37, 325-330.  | 1.2 | 51        |
| 65 | Coordination of care for individuals with advanced progressive conditions: a multi-site ethnographic and serial interview study. British Journal of General Practice, 2013, 63, e580-e588.  | 1.4 | 51        |
| 66 | The conceptual models and mechanisms of action that underpin advance care planning for cancer patients: A systematic review of randomised controlled trials. Palliative Medicine, 2019, 33, 5-23.                                       | 3.1 | 51        |
| 67 | Psychological, social and spiritual distress at the end of life in heart failure patients. Current<br>Opinion in Supportive and Palliative Care, 2007, 1, 260-266.  | 1.3 | 50        |
| 68 | Symptoms and Concerns Among Children and Young People with Life-Limiting and Life-Threatening<br>Conditions: A Systematic Review Highlighting Meaningful Health Outcomes. Patient, 2019, 12, 15-55.                                     | 2.7 | 50        |
| 69 | Integration of palliative care throughout HIV disease. Lancet Infectious Diseases, The, 2012, 12, 571-575.  | 9.1 | 49        |
| 70 | A Hospital-Based Palliative Care Service for Patients With Advanced Organ Failure in Sub-Saharan<br>Africa Reduces Admissions and Increases Home Death Rates. Journal of Pain and Symptom Management,<br>2014, 47, 786-792.             | 1.2 | 47        |
| 71 | Pain in people living with HIV and its association with healthcare resource use, well being and functional status. Aids, 2018, 32, 2697-2706.   | 2.2 | 47        |
| 72 | Brief Report: The Association of Chronic Pain and Long-Term Opioid Therapy With HIV Treatment<br>Outcomes. Journal of Acquired Immune Deficiency Syndromes (1999), 2018, 79, 77-82.   | 2.1 | 47        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | What Palliative Care-Related Problems Do Patients Experience at HIV Diagnosis? A Systematic Review of the Evidence. Journal of Pain and Symptom Management, 2011, 42, 734-753.  | 1.2 | 46        |
| 74 | Pediatric Palliative Care in Sub-Saharan Africa: A Systematic Review of the Evidence for Care Models,<br>Interventions, and Outcomes. Journal of Pain and Symptom Management, 2014, 47, 642-651.  | 1.2 | 46        |
| 75 | Children's palliative care in low- and middle-income countries. Archives of Disease in Childhood, 2016, 101, 85-90.   | 1.9 | 46        |
| 76 | Enhancing validity, reliability and participation in self-reported health outcome measurement for children and young people: a systematic review of recall period, response scale format, and administration modality. Quality of Life Research, 2021, 30, 1803-1832. | 3.1 | 46        |
| 77 | Improving HIV management in sub-Saharan Africa: How much palliative care is needed?. AIDS Care -<br>Psychological and Socio-Medical Aspects of AIDS/HIV, 2007, 19, 1304-1306.   | 1.2 | 45        |
| 78 | Physical and Psychological Symptoms and Risk of Virologic Rebound Among Patients With Virologic<br>Suppression on Antiretroviral Therapy. Journal of Acquired Immune Deficiency Syndromes (1999), 2010,<br>54, 500-505.   | 2.1 | 45        |
| 79 | What factors are associated with patient self-reported health status among HIV outpatients? A<br>multi-centre UK study of biomedical and psychosocial factors. AIDS Care - Psychological and<br>Socio-Medical Aspects of AIDS/HIV, 2012, 24, 963-971.                 | 1.2 | 45        |
| 80 | Nurse-led palliative care for HIV-positive patients taking antiretroviral therapy in Kenya: a randomised controlled trial. Lancet HIV,the, 2015, 2, e328-e334.  | 4.7 | 45        |
| 81 | The PRISMA Symposium 1: Outcome Tool Use. Disharmony in European Outcomes Research for Palliative and Advanced Disease Care: Too Many Tools in Practice. Journal of Pain and Symptom Management, 2011, 42, 493-500.   | 1.2 | 43        |
| 82 | Pain Among Ambulatory HIV/AIDS Patients: Multicenter Study of Prevalence, Intensity, Associated<br>Factors, and Effect. Journal of Pain, 2012, 13, 704-713.   | 1.4 | 43        |
| 83 | Availability of essential drugs for managing HIV-related pain and symptoms within 120 PEPFAR-funded health facilities in East Africa: A cross-sectional survey with onsite verification. Palliative Medicine, 2014, 28, 293-301.                                      | 3.1 | 43        |
| 84 | Modelling services to meet the palliative care needs of chronic heart failure patients and their families: current practice in the UK. Palliative Medicine, 2007, 21, 385-390.  | 3.1 | 42        |
| 85 | To be involved or not to be involved: A survey of public preferences for self-involvement in decision-making involving mental capacity (competency) within Europe. Palliative Medicine, 2013, 27, 418-427.  | 3.1 | 41        |
| 86 | Public preferences and priorities for end-of-life care in Kenya: a population-based street survey. BMC<br>Palliative Care, 2014, 13, 4.   | 1.8 | 41        |
| 87 | Targeting smoking cessation to high prevalence communities: outcomes from a pilot intervention for gay men. BMC Public Health, 2004, 4, 43.   | 2.9 | 40        |
| 88 | A Phase II randomised controlled trial assessing the feasibility, acceptability and potential<br>effectiveness of Dignity Therapy for older people in care homes: Study protocol. BMC Geriatrics, 2009,<br>9, 9.  | 2.7 | 39        |
| 89 | Appraisal of literature reviews on end-of-life care for minority ethnic groups in the UK and a critical comparison with policy recommendations from the UK end-of-life care strategy. BMC Health Services Research, 2011, 11, 141.                                    | 2.2 | 39        |
| 90 | Outcomes 'out of africa': the selection and implementation of outcome measures for palliative care in Africa. BMC Palliative Care, 2012, 11, 1.   | 1.8 | 38        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Coordination of end-of-life care for patients with lung cancer and those with advanced COPD: are<br>there transferable lessons? A longitudinal qualitative study. Primary Care Respiratory Journal:<br>Journal of the General Practice Airways Group, 2014, 23, 46-51.    | 2.3 | 38        |
| 92  | Place of death of people living with Parkinson's disease: a population-level study in 11 countries. BMC<br>Palliative Care, 2015, 14, 28.   | 1.8 | 38        |
| 93  | Access and equity in HIV/AIDS palliative care: a review of the evidence and responses. Palliative Medicine, 2005, 19, 251-258.  | 3.1 | 37        |
| 94  | Clinical priorities, barriers and solutions in end-of-life cancer care research across Europe. Report from a workshop. European Journal of Cancer, 2010, 46, 1815-1822.   | 2.8 | 37        |
| 95  | â€~Peace' and â€~life worthwhile' as measures of spiritual well-being in African palliative care: a<br>mixed-methods study. Health and Quality of Life Outcomes, 2013, 11, 94.  | 2.4 | 37        |
| 96  | If you had less than a year to live, would you want to know? A sevenâ€country European population survey of public preferences for disclosure of poor prognosis. Psycho-Oncology, 2013, 22, 2298-2305.  | 2.3 | 37        |
| 97  | The Real-World Problem of Care Coordination: A Longitudinal Qualitative Study with Patients Living with Advanced Progressive Illness and Their Unpaid Caregivers. PLoS ONE, 2014, 9, e95523.  | 2.5 | 37        |
| 98  | Palliative care in South Asia: a systematic review of the evidence for care models, interventions, and outcomes. BMC Research Notes, 2015, 8, 172.  | 1.4 | 37        |
| 99  | What influences patients' decisions regarding palliative care in advance care planning discussions?<br>Perspectives from a qualitative study conducted with advanced cancer patients, families and<br>healthcare professionals. Palliative Medicine, 2019, 33, 1299-1309. | 3.1 | 37        |
| 100 | The empirical evidence underpinning the concept and practice of person-centred care for serious illness: a systematic review. BMJ Global Health, 2020, 5, e003330.  | 4.7 | 37        |
| 101 | A Psychometric Evaluation of Measures of Spirituality Validated in Culturally Diverse Palliative Care<br>Populations. Journal of Pain and Symptom Management, 2011, 42, 604-622.  | 1.2 | 36        |
| 102 | Assessing the feasibility, acceptability and potential effectiveness of Dignity Therapy for people with advanced cancer referred to a hospital-based palliative care team: Study protocol. BMC Palliative Care, 2009, 8, 5.   | 1.8 | 35        |
| 103 | â€~Burden to others' as a public concern in advanced cancer: a comparative survey in seven European<br>countries. BMC Cancer, 2013, 13, 105.  | 2.6 | 35        |
| 104 | What are the supportive and palliative care needs of patients with cutaneous T-cell lymphoma and their caregivers? A systematic review of the evidence. British Journal of Dermatology, 2014, 170, 599-608.   | 1.5 | 35        |
| 105 | Palliative Care Research in Africa: Consensus Building for a Prioritized Agenda. Journal of Pain and<br>Symptom Management, 2014, 47, 315-324.  | 1.2 | 35        |
| 106 | Home care by general practitioners for cancer patients in the last 3 months of life: An epidemiological study of quality and associated factors. Palliative Medicine, 2016, 30, 64-74.  | 3.1 | 35        |
| 107 | Doctor-patient concordance during HIV treatment switching decision-making. HIV Medicine, 2011, 12, 87-96.   | 2.2 | 34        |
| 108 | Stressors and Resources of Caregivers of Patients With Incurable Progressive Illness in Sub-Saharan<br>Africa. Qualitative Health Research, 2014, 24, 317-328.  | 2.1 | 34        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | How should we manage information needs, family anxiety, depression, and breathlessness for those<br>affected by advanced disease: development of a Clinical Decision Support Tool using a Delphi design.<br>BMC Medicine, 2015, 13, 263.         | 5.5 | 34        |
| 110 | Factors Associated with Transition from Community Settings to Hospital as Place of Death for Adults<br>Aged 75 and Older: A Populationâ€Based Mortality Followâ€Back Survey. Journal of the American<br>Geriatrics Society, 2016, 64, 2210-2217. | 2.6 | 34        |
| 111 | The burden of serious health-related suffering among cancer decedents: Global projections study to 2060. Palliative Medicine, 2021, 35, 231-235.   | 3.1 | 34        |
| 112 | 'My dreams are shuttered down and it hurts lots'–a qualitative study of palliative care needs and their management by HIV outpatient services in Kenya and Uganda. BMC Palliative Care, 2013, 12, 35.  | 1.8 | 33        |
| 113 | The needs, models of care, interventions and outcomes of palliative care in the Caribbean: a systematic review of the evidence. BMC Palliative Care, 2016, 15, 9.  | 1.8 | 33        |
| 114 | â€~They will be afraid to touch you': LGBTI people and sex workers' experiences of accessing healthcare<br>in Zimbabwe—an in-depth qualitative study. BMJ Global Health, 2017, 2, e000168.   | 4.7 | 33        |
| 115 | Successive switching of antiretroviral therapy is associated with high psychological and physical burden. International Journal of STD and AIDS, 2007, 18, 700-704.  | 1.1 | 32        |
| 116 | Advancing research and practice in HIV and rehabilitation: a framework of research priorities in HIV, disability and rehabilitation. BMC Infectious Diseases, 2014, 14, 724.   | 2.9 | 32        |
| 117 | †We're all carrying a burden that we're not sharing': a qualitative study of the impact of cutaneous<br>T-cell lymphoma on the family. British Journal of Dermatology, 2015, 172, 1581-1592.   | 1.5 | 32        |
| 118 | Positive futures? The impact of HIV infection on achieving health, wealth and future planning. AIDS<br>Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2008, 20, 565-570.  | 1.2 | 31        |
| 119 | Cultural Competence in End-of-Life Care: Terms, Definitions, and Conceptual Models from the British<br>Literature. Journal of Palliative Medicine, 2012, 15, 812-820.  | 1.1 | 31        |
| 120 | â€~We had to change to single beds because I itch in the night': a qualitative study of the experiences,<br>attitudes and approaches to coping of patients with cutaneous T-cell lymphoma. British Journal of<br>Dermatology, 2015, 173, 83-92.  | 1.5 | 31        |
| 121 | Diversity in Defining End of Life Care: An Obstacle or the Way Forward?. PLoS ONE, 2013, 8, e68002.  | 2.5 | 30        |
| 122 | Use of the Palliative Outcome Scale in Argentina: A Cross-Cultural Adaptation and Validation Study.<br>Journal of Pain and Symptom Management, 2008, 35, 188-202.  | 1.2 | 29        |
| 123 | Enhancing patient-reported outcome measurement in research and practice of palliative and end-of-life care. Supportive Care in Cancer, 2012, 20, 1573-1578.  | 2.2 | 29        |
| 124 | Evaluation of a physiotherapy-led group rehabilitation intervention for adults living with HIV:<br>referrals, adherence and outcomes. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV,<br>2016, 28, 1495-1505.                   | 1.2 | 29        |
| 125 | Provision of palliative care for life-limiting disease in a low income country national hospital setting: how much is needed?. BMJ Supportive and Palliative Care, 2012, 2, 140-144.   | 1.6 | 28        |
| 126 | The Prevalence and Associated Distress of Physical and Psychological Symptoms in Patients With<br>Advanced Heart Failure Attending a South African Medical Center. Journal of Cardiovascular Nursing,<br>2016, 31, 313-322.                      | 1.1 | 28        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | Are we heading in the same direction? European and African doctors' and nurses' views and experiences regarding outcome measurement in palliative care. Palliative Medicine, 2012, 26, 242-249.                                       | 3.1 | 27        |
| 128 | Culture Is a Priority for Research in End-of-Life Care in Europe: A Research Agenda. Journal of Pain and<br>Symptom Management, 2012, 44, 285-294.  | 1.2 | 27        |
| 129 | The "Spirit 8―successfully captured spiritual well-being in African palliative care: factor and Rasch<br>analysis. Journal of Clinical Epidemiology, 2012, 65, 434-443.   | 5.0 | 27        |
| 130 | Inclusion of end-of-life care in the global health agenda. The Lancet Global Health, 2014, 2, e375-e376.  | 6.3 | 27        |
| 131 | Palliative Care in the Greater China Region: A Systematic Review of Needs, Models, and Outcomes.<br>Journal of Pain and Symptom Management, 2021, 61, 585-612.  | 1.2 | 27        |
| 132 | Palliative and end-of-life care in the global response to multidrug-resistant tuberculosis. Lancet<br>Infectious Diseases, The, 2012, 12, 643-646.  | 9.1 | 26        |
| 133 | Choosing care homes as the least preferred place to die: a cross-national survey of public preferences in seven European countries. BMC Palliative Care, 2014, 13, 48.  | 1.8 | 26        |
| 134 | What will it really take to end the HIV epidemic?. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2018, 30, 1-4.  | 1.2 | 26        |
| 135 | Cost of Medical Care of Patients with Advanced Serious Illness in Singapore (COMPASS): prospective cohort study protocol. BMC Cancer, 2018, 18, 459.  | 2.6 | 26        |
| 136 | Multilevel model of stigma and barriers to cancer palliative care in India: a qualitative study. BMJ<br>Open, 2019, 9, e024248.   | 1.9 | 26        |
| 137 | A Multi-Professional Short-Term Group Intervention for Informal Caregivers of Patients Using a Home Palliative Care Service. Journal of Palliative Care, 2002, 18, 275-281.   | 1.0 | 25        |
| 138 | How to Analyze Palliative Care Outcome Data for Patients in Sub-Saharan Africa: An International,<br>Multicenter, Factor Analytic Examination of the APCA African POS. Journal of Pain and Symptom<br>Management, 2013, 45, 746-752.  | 1.2 | 25        |
| 139 | Traditional Healers' Views of the Required Processes for a "Good Death―Among Xhosa Patients Pre-<br>and Post-Death. Journal of Pain and Symptom Management, 2013, 46, 386-394.  | 1.2 | 25        |
| 140 | Palliative care as an essential component of the HIV care continuum. Lancet HIV,the, 2018, 5, e524-e530.  | 4.7 | 25        |
| 141 | The Role of Palliative Care in Burns: A Scoping Review. Journal of Pain and Symptom Management, 2020, 59, 1089-1108.  | 1.2 | 25        |
| 142 | Financial difficulties are associated with greater total pain and suffering among patients with advanced cancer: results from the COMPASS study. Supportive Care in Cancer, 2020, 28, 3781-3789.                                      | 2.2 | 25        |
| 143 | Preferences and Experiences of Muslim Patients and Their Families in Muslim-Majority Countries for<br>End-of-Life Care: A Systematic Review and Thematic Analysis. Journal of Pain and Symptom Management,<br>2020, 60, 1223-1238.e4. | 1.2 | 25        |
| 144 | Outcome measurement in paediatric palliative care: lessons from the past and future developments.<br>Annals of Palliative Medicine, 2018, 7, S151-S163.   | 1.2 | 25        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | What is the evidence for effectiveness of interventions to enhance coping among people living with HIV disease? A systematic review. Psychology, Health and Medicine, 2011, 16, 564-587.   | 2.4 | 24        |
| 146 | Adjusting to the caregiving role: the importance of coping and support. International Journal of Palliative Nursing, 2012, 18, 541-545.  | 0.5 | 24        |
| 147 | Public Priorities and Preferences for End-of-Life Care in Namibia. Journal of Pain and Symptom<br>Management, 2014, 47, 620-630.   | 1.2 | 24        |
| 148 | Behavioral Surveillance Study: Sexual Risk Taking Behaviour in UK HIV Outpatient Attendees. AIDS and Behavior, 2012, 16, 1708-1715.  | 2.7 | 23        |
| 149 | Models of delivering palliative and end-of-life care in sub-Saharan Africa. Current Opinion in Supportive and Palliative Care, 2013, 7, 223-228.   | 1.3 | 23        |
| 150 | Can palliative care integrated within HIV outpatient settings improve pain and symptom control in a<br>low-income country? A prospective, longitudinal, controlled intervention evaluation. AIDS Care -<br>Psychological and Socio-Medical Aspects of AIDS/HIV, 2013, 25, 795-804.   | 1.2 | 23        |
| 151 | Out of the shadows: non-communicable diseases and palliative care in Africa. BMJ Supportive and Palliative Care, 2017, 7, 128-132.   | 1.6 | 23        |
| 152 | Evaluation of the psychometric properties of the HIV Disability Questionnaire among adults living<br>with HIV in the United Kingdom: A cross-sectional self-report measurement study. PLoS ONE, 2019, 14,<br>e0213222.   | 2.5 | 22        |
| 153 | Treatment outcomes in palliative care: the TOPCare study. A mixed methods phase III randomised controlled trial to assess the effectiveness of a nurse-led palliative care intervention for HIV positive patients on antiretroviral therapy. BMC Infectious Diseases, 2012, 12, 288. | 2.9 | 21        |
| 154 | A pan-European survey of research in end-of-life cancer care. Supportive Care in Cancer, 2012, 20, 39-48.  | 2.2 | 21        |
| 155 | Research priorities for rehabilitation and aging with HIV: a framework from the Canada-International HIV and Rehabilitation Research Collaborative (CIHRRC). AIDS Research and Therapy, 2020, 17, 21.  | 1.7 | 21        |
| 156 | The development and cognitive testing of the positive outcomes HIV PROM: a brief novel patient-reported outcome measure for adults living with HIV. Health and Quality of Life Outcomes, 2020, 18, 214.  | 2.4 | 21        |
| 157 | Pain and Symptom Control in HIV Disease: Under-Researched and Poorly Managed. Clinical Infectious Diseases, 2005, 40, 491-492.   | 5.8 | 20        |
| 158 | Research Priorities in Health Economics And Funding for Palliative Care: Views of an International Think Tank. Journal of Pain and Symptom Management, 2009, 38, 11-14.  | 1.2 | 20        |
| 159 | The MVQOLI successfully captured quality of life in African palliative care: a factor analysis. Journal of Clinical Epidemiology, 2011, 64, 913-924.   | 5.0 | 20        |
| 160 | Self-report measurement of pain & symptoms in palliative care patients: a comparison of verbal,<br>visual and hand scoring methods in Sub-Saharan Africa. Health and Quality of Life Outcomes, 2014, 12,<br>118.   | 2.4 | 20        |
| 161 | Conversations Worth Having: The Perceived Relevance of Advance Care Planning among Teachers,<br>Hospice Staff, and Pastors in Knysna, South Africa. Journal of Palliative Medicine, 2013, 16, 762-767.   | 1.1 | 19        |
| 162 | Understanding data and information needs for palliative cancer care to inform digital health<br>intervention development in Nigeria, Uganda and Zimbabwe: protocol for a multicountry qualitative<br>study. BMJ Open, 2019, 9, e032166.  | 1.9 | 19        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 163 | The perspectives of children and young people affected by parental life-limiting illness: An integrative review and thematic synthesis. Palliative Medicine, 2021, 35, 246-260.  | 3.1 | 19        |
| 164 | Advancing palliative care research in Sub-Saharan Africa: from the Venice declaration, to Nairobi and beyond. Palliative Medicine, 2008, 22, 885-887.  | 3.1 | 18        |
| 165 | The use of morphine to control pain in advanced cancer: an investigation of clinical usage in Bangladesh. Palliative Medicine, 2010, 24, 707-714.  | 3.1 | 18        |
| 166 | Constructing Understandings of End-of-Life Care in Europe: A Qualitative Study Involving Cognitive<br>Interviewing with Implications for Cross-National Surveys. Journal of Palliative Medicine, 2011, 14,<br>343-349.   | 1.1 | 18        |
| 167 | Learning from the public: citizens describe the need to improve end-of-life care access, provision and recognition across Europe. European Journal of Public Health, 2014, 24, 521-527.  | 0.3 | 18        |
| 168 | Towards person-centred quality care for children with life-limiting and life-threatening illness:<br>Self-reported symptoms, concerns and priority outcomes from a multi-country qualitative study.<br>Palliative Medicine, 2020, 34, 319-335.   | 3.1 | 18        |
| 169 | Feasibility and acceptability of a culturally adapted advance care planning intervention for people<br>living with advanced cancer and their families: A mixed methods study. Palliative Medicine, 2020, 34,<br>651-666.   | 3.1 | 18        |
| 170 | Design and Evaluation of a Novel Mobile Phone Application to Improve Palliative Home-Care in Resource-Limited Settings. Journal of Pain and Symptom Management, 2021, 62, 1-9.   | 1.2 | 18        |
| 171 | Priorities and opportunities for palliative and end of life care in United Kingdom health policies: a national documentary analysis. BMC Palliative Care, 2021, 20, 108.   | 1.8 | 18        |
| 172 | Community-based short-term integrated palliative and supportive care reduces symptom distress for older people with chronic noncancer conditions compared with usual care: A randomised controlled single-blind mixed method trial. International Journal of Nursing Studies, 2021, 120, 103978. | 5.6 | 18        |
| 173 | Provision of palliative care for chronic heart failure inpatients: how much do we need?. BMC<br>Palliative Care, 2009, 8, 8.   | 1.8 | 17        |
| 174 | Which questions of two commonly used multidimensional palliative care patient reported outcome<br>measures are most useful? Results from the European and African PRISMA survey. BMJ Supportive and<br>Palliative Care, 2012, 2, 36-42.  | 1.6 | 17        |
| 175 | The prevalence and burden of pain and other symptoms among South Africans attending highly active antiretroviral therapy (HAART) clinics. South African Medical Journal, 2012, 102, 499.   | 0.6 | 17        |
| 176 | A novel symptom cluster analysis among ambulatory HIV/AIDS patients in Uganda. AIDS Care -<br>Psychological and Socio-Medical Aspects of AIDS/HIV, 2015, 27, 954-963.  | 1.2 | 17        |
| 177 | What Is the Preparedness and Capacity of Palliative Care Services in Middle-Eastern and North African<br>Countries to Respond to COVID-19? A Rapid Survey. Journal of Pain and Symptom Management, 2021, 61,<br>e13-e50.   | 1.2 | 17        |
| 178 | Multi-centred mixed-methods PEPFAR HIV care & support public health evaluation: study protocol.<br>BMC Public Health, 2010, 10, 584.   | 2.9 | 16        |
| 179 | Postgraduate palliative care education: Evaluation of a South African programme. South African Medical Journal, 2011, 101, 42.   | 0.6 | 16        |
| 180 | Palliative care development in Africa: how can we provide enough quality care?. BMJ Supportive and<br>Palliative Care, 2011, 1, 113-114.   | 1.6 | 16        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 181 | Informal caregivers in home palliative care. Progress in Palliative Care, 2013, 21, 229-231.  | 1.2 | 16        |
| 182 | Quality of life and wellbeing among HIV outpatients in East Africa: a multicentre observational study.<br>BMC Infectious Diseases, 2014, 14, 613.   | 2.9 | 16        |
| 183 | Conducting experimental research in marginalised populations: clinical and methodological implications from a mixed-methods randomised controlled trial in Kenya. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2016, 28, 60-63. | 1.2 | 16        |
| 184 | â€~So isolation comes in, discrimination and you find many people dying quietly without any family<br>support': Accessing palliative care for key populations – an in-depth qualitative study. Palliative<br>Medicine, 2019, 33, 685-692.           | 3.1 | 16        |
| 185 | COVID-19—Impact on DNR Orders in the Largest Cancer Center in Jordan. Journal of Pain and Symptom<br>Management, 2020, 60, e87-e89.   | 1.2 | 16        |
| 186 | AIDSImpact special issue – broadening the lens: recommendations from rehabilitation in chronic<br>disease to advance healthy ageing with HIV. AIDS Care - Psychological and Socio-Medical Aspects of<br>AIDS/HIV, 2020, 32, 65-73.                  | 1.2 | 16        |
| 187 | Stakeholder perspectives and requirements to guide the development of digital technology for palliative cancer services: a multi-country, cross-sectional, qualitative study in Nigeria, Uganda and Zimbabwe. BMC Palliative Care, 2021, 20, 4.     | 1.8 | 16        |
| 188 | Symptom Clusters in People Living with HIV Attending Five Palliative Care Facilities in Two Sub-Saharan<br>African Countries: A Hierarchical Cluster Analysis. PLoS ONE, 2015, 10, e0126554.  | 2.5 | 16        |
| 189 | How Can We Improve Palliative Care Patient Outcomes in Low- and Middle-Income Countries?<br>Successful Outcomes Research inÂSub-Saharan Africa. Journal of Pain and Symptom Management, 2010,<br>40, 23-26.   | 1.2 | 15        |
| 190 | Republished: Which questions of two commonly used multidimensional palliative care patient<br>reported outcome measures are most useful? Results from the European and African PRISMA survey.<br>Postgraduate Medical Journal, 2012, 88, 451-457.   | 1.8 | 15        |
| 191 | Palliative care-related self-report problems among cancer patients in East Africa: a two-country study.<br>Supportive Care in Cancer, 2014, 22, 3185-3192.  | 2.2 | 15        |
| 192 | How Are Patient Populations Characterized in Studies Investigating Depression in Advanced Cancer?<br>Results From a Systematic Literature Review. Journal of Pain and Symptom Management, 2014, 48,<br>678-698.                                     | 1.2 | 15        |
| 193 | Outcome Measurement for Children and Young People. Journal of Palliative Medicine, 2017, 20, 313-313.   | 1.1 | 15        |
| 194 | Self-management Interventions for Pain and Physical Symptoms Among People Living With HIV: A<br>Systematic Review of the Evidence. Journal of Acquired Immune Deficiency Syndromes (1999), 2018, 79,<br>206-225.                                    | 2.1 | 15        |
| 195 | Associations Between Widespread Pain and Sleep Quality in People With HIV. Journal of Acquired<br>Immune Deficiency Syndromes (1999), 2020, 85, 106-112.  | 2.1 | 15        |
| 196 | Six Lessons for COVID-19 Rehabilitation From HIV Rehabilitation. Physical Therapy, 2020, 100, 1906-1909.  | 2.4 | 15        |
| 197 | Evolution of an International Research Collaborative in HIV and Rehabilitation: Community Engaged Process, Lessons Learned, and Recommendations. Progress in Community Health Partnerships: Research, Education, and Action, 2018, 12, 395-408.     | 0.3 | 15        |
| 198 | Intensity and correlates of multidimensional problems in HIV patients receiving integrated palliative care in sub-Saharan Africa. Sexually Transmitted Infections, 2012, 88, 607-611.   | 1.9 | 14        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 199 | Social-cultural factors in end-of-life care in Belgium: A scoping of the research literature. Palliative<br>Medicine, 2013, 27, 131-143.  | 3.1 | 14        |
| 200 | A Psychometric Evaluation of the Functional Assessment of Chronic Illness Therapy-Palliative Care<br>(FACIT-Pal) Scale With Palliative Care Samples in Three African Countries. Journal of Pain and Symptom<br>Management, 2014, 48, 983-991.                 | 1.2 | 14        |
| 201 | Screening for Depression in Advanced Disease: Psychometric Properties, Sensitivity, and Specificity of<br>Two Items of the Palliative Care Outcome Scale (POS). Journal of Pain and Symptom Management, 2015,<br>49, 277-288.                                 | 1.2 | 14        |
| 202 | Multidimensional Patient-Reported Problems within Two Weeks of HIV Diagnosis in East Africa: A<br>Multicentre Observational Study. PLoS ONE, 2013, 8, e57203.   | 2.5 | 14        |
| 203 | Maintaining wellbeing for South Africans receiving ART: The burden of pain and symptoms is greater with longer ART exposure. South African Medical Journal, 2014, 104, 119.   | 0.6 | 14        |
| 204 | The PRISMA Symposium 4: How Should Europe Progress End-of-Life and Palliative Clinical Care<br>Research? Recommendations From the Proceedings. Journal of Pain and Symptom Management, 2011, 42,<br>511-516.  | 1.2 | 13        |
| 205 | †They patiently heard what we had to say†¦ this felt different to me': the palliative care needs and care<br>experiences of advanced cancer patients and their families in Bangladesh. BMJ Supportive and<br>Palliative Care, 2012, 2, 145-149.               | 1.6 | 13        |
| 206 | An evaluation of a public health advocacy strategy to enhance palliative care provision in Zambia. BMJ<br>Supportive and Palliative Care, 2012, 2, 264-269.   | 1.6 | 13        |
| 207 | â€~It's a traumatic illness, traumatic to witness': a qualitative study of the experiences of bereaved<br>family caregivers of patients with cutaneous T-cell lymphoma. British Journal of Dermatology, 2018,<br>179, 882-888.                                | 1.5 | 13        |
| 208 | Empowering Better Endâ€ofâ€Life Dementia Care (EMBEDâ€Care): A mixed methods protocol to achieve<br>integrated personâ€centred care across settings. International Journal of Geriatric Psychiatry, 2020, 35,<br>820-832.                                     | 2.7 | 13        |
| 209 | "Hanging in a balance†A qualitative study exploring clinicians' experiences of providing care at the<br>end of life in the burn unit. Palliative Medicine, 2021, 35, 417-425.   | 3.1 | 13        |
| 210 | Long COVID and episodic disability: advancing the conceptualisation, measurement and knowledge of<br>episodic disability among people living with Long COVID – protocol for a mixed-methods study. BMJ<br>Open, 2022, 12, e060826.                            | 1.9 | 13        |
| 211 | Holistic models for end of life care: Establishing the place of culture. Progress in Palliative Care, 2014, 22, 80-87.  | 1.2 | 12        |
| 212 | What are the communication skills and needs of doctors when communicating a poor prognosis to patients and their families? A qualitative study from South Africa. South African Medical Journal, 2016, 106, 940.  | 0.6 | 12        |
| 213 | Effect of participation in a randomised controlled trial of an integrated palliative care intervention on HIV-associated stigma. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2018, 30, 1180-1188.  | 1.2 | 12        |
| 214 | Investigation of the Practices, Legislation, Supply Chain, and Regulation of Opioids for Clinical Pain<br>Management in Southern Africa: A Multi-sectoral, Cross-National, Mixed Methods Study. Journal of<br>Pain and Symptom Management, 2018, 55, 851-863. | 1.2 | 12        |
| 215 | Active ingredients of a person-centred intervention for people on HIV treatment: analysis of mixed methods trial data. BMC Infectious Diseases, 2018, 18, 27.   | 2.9 | 12        |
| 216 | Place of death for people with HIV: a population-level comparison of eleven countries across three continents using death certificate data. BMC Infectious Diseases, 2018, 18, 55.  | 2.9 | 12        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 217 | Improving psychological outcomes for orphans living with HIV in Tanzania through a novel intervention to improve resilience: findings from a pilot RCT. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2019, 31, 340-348.                          | 1.2 | 12        |
| 218 | Preparedness of African Palliative Care Services to Respond to the COVID-19 Pandemic: A Rapid Assessment. Journal of Pain and Symptom Management, 2020, 60, e10-e26.   | 1.2 | 12        |
| 219 | COVIDâ€19 mortality among people with diagnosed HIV compared to those without during the first wave of the COVIDâ€19 pandemic in England. HIV Medicine, 2022, 23, 90-102.  | 2.2 | 12        |
| 220 | How can we achieve person-centred care for people living with HIV/AIDS? A qualitative interview study<br>with healthcare professionals and patients in Ghana. AIDS Care - Psychological and Socio-Medical<br>Aspects of AIDS/HIV, 2020, 32, 1479-1488.               | 1.2 | 12        |
| 221 | The views of patients with advanced cancer regarding participation in serial questionnaire studies.<br>Palliative Medicine, 2008, 22, 913-920.   | 3.1 | 11        |
| 222 | Spiritual wellbeing in sub-Saharan Africa: the meaning and prevalence of 'feeling at peace'. BMJ Supportive and Palliative Care, 2011, 1, A22-A22.   | 1.6 | 11        |
| 223 | What is the methodological rigour of palliative care research in long-term care facilities in Europe? A systematic review. Palliative Medicine, 2012, 26, 722-733.   | 3.1 | 11        |
| 224 | Declaration on palliative care and MDR/XDR-TB [Editorial]. International Journal of Tuberculosis and Lung Disease, 2012, 16, 712-713.  | 1.2 | 11        |
| 225 | Cause of death among HIV patients in London in 2016. HIV Medicine, 2019, 20, 628-633.  | 2.2 | 11        |
| 226 | Face and Content Validity, Acceptability, and Feasibility of the Adapted Version of the Children's<br>Palliative Outcome Scale: A Qualitative Pilot Study. Journal of Palliative Medicine, 2021, 24, 181-188.  | 1.1 | 11        |
| 227 | HeAlth System StrEngThening in four sub-Saharan African countries (ASSET) to achieve high-quality,<br>evidence-informed surgical, maternal and newborn, and primary care: protocol for<br>pre-implementation phase studies. Global Health Action, 2022, 15, 1987044. | 1.9 | 11        |
| 228 | A multi-professional short-term group intervention for informal caregivers of patients using a home palliative care service. Journal of Palliative Care, 2002, 18, 275-81.   | 1.0 | 11        |
| 229 | Treating HIV/AIDS Patients Until the End of Life. Journal of Acquired Immune Deficiency Syndromes (1999), 2007, 44, 364.   | 2.1 | 10        |
| 230 | Measuring and improving palliative care in South Africa: multiprofessional clinical perspectives on development and application of appropriate outcome tools. Progress in Palliative Care, 2007, 15, 55-59.  | 1.2 | 10        |
| 231 | Paediatric antiretroviral therapy outcomes under HIV hospice care in South Africa. International<br>Journal of Palliative Nursing, 2009, 15, 142-145.  | 0.5 | 10        |
| 232 | Is Symptom Burden Associated with Treatment Status and Disease Stage among Adult HIV Outpatients in East Africa?. Journal of Palliative Medicine, 2014, 17, 304-312.   | 1.1 | 10        |
| 233 | The impact of antiretroviral therapy on symptom burden among HIV outpatients with low CD4 count in rural Uganda: nested longitudinal cohort study. BMC Palliative Care, 2018, 17, 8.   | 1.8 | 10        |
| 234 | Validity and reliability of the English and translated Chinese versions of the Integrated Palliative care<br>Outcome Scale (IPOS) in Singapore. BMC Palliative Care, 2021, 20, 40.   | 1.8 | 10        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 235 | Compounded trauma: A qualitative study of the challenges for refugees living with advanced cancer.<br>Palliative Medicine, 2021, 35, 916-926.  | 3.1 | 10        |
| 236 | How can we improve outcomes for patients and families under palliative care? implementing clinical<br>audit for quality improvement in resource limited settings. Indian Journal of Palliative Care, 2010, 16,<br>8.                                     | 1.0 | 10        |
| 237 | Clinical notes for informal carers in palliative care: recommendations from a random patient file audit. Palliative Medicine, 2005, 19, 639-642.   | 3.1 | 9         |
| 238 | Measuring the Net Benefits of Hospice and Palliative Care: A Composite Measure for Multiple<br>Audiences—Palliative Net Benefit. Journal of Palliative Medicine, 2011, 14, 264-265.  | 1.1 | 9         |
| 239 | Quality HIV Care to the End of life. Clinical Infectious Diseases, 2011, 52, 553-554.  | 5.8 | 9         |
| 240 | A randomised controlled trial to assess the effectiveness of a nurse-led palliative care intervention<br>for HIV positive patients on antiretroviral therapy: recruitment, refusal, randomisation and missing<br>data. BMC Research Notes, 2014, 7, 600. | 1.4 | 9         |
| 241 | Avoid â€~prognostic paralysis'—just get ahead and plan and co-ordinate care. Npj Primary Care<br>Respiratory Medicine, 2014, 24, 14085.  | 2.6 | 9         |
| 242 | The prevalence of life-limiting illness at a Ugandan National Referral Hospital: a 1-day census of all admitted patients: TableÂ1. BMJ Supportive and Palliative Care, 2015, 5, 196-199.   | 1.6 | 9         |
| 243 | The 2017 Taipei Declaration for Health-Promoting Palliative Care. Journal of Palliative Medicine, 2018, 21, 581-582.   | 1.1 | 9         |
| 244 | Occupational justice and social inclusion in mental illness and HIV: a scoping review protocol. BMJ<br>Open, 2019, 9, e024049.   | 1.9 | 9         |
| 245 | Developing a short-form version of the HIV Disability Questionnaire (SF-HDQ) for use in clinical practice: a Rasch analysis. Health and Quality of Life Outcomes, 2021, 19, 6.   | 2.4 | 9         |
| 246 | "Managing uncertainty― Experiences of family members of burn patients from injury occurrence to<br>the end-of-life period. Burns, 2021, 47, 1647-1655.   | 1.9 | 9         |
| 247 | What constitutes a palliative care need in people with serious illnesses across Africa? A mixed-methods systematic review of the concept and evidence. Palliative Medicine, 2021, 35, 1052-1070.   | 3.1 | 9         |
| 248 | The presence of CD4 counts for the management of HIV patients in East Africa: A multicentred study.<br>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2014, 26, 613-618.   | 1.2 | 8         |
| 249 | Wellbeing among sub-Saharan African patients with advanced HIV and/or cancer: an international multicentred comparison study of two outcome measures. Health and Quality of Life Outcomes, 2014, 12, 80.   | 2.4 | 8         |
| 250 | Living with AIDS in Uganda: a qualitative study of patients' and families' experiences following referral to hospice. BMC Palliative Care, 2015, 14, 67.   | 1.8 | 8         |
| 251 | Palliative and supportive care needs of heart failure patients in Africa. Current Opinion in Supportive and Palliative Care, 2015, 9, 20-25.   | 1.3 | 8         |
| 252 | What palliative care–related problems do patients with drug-resistant or drug-susceptible<br>tuberculosis experience on admission to hospital? A cross-sectional self-report study. Palliative<br>Medicine, 2016, 30, 862-868.                           | 3.1 | 8         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 253 | Validity, Reliability, and Responsiveness of the Thai Palliative Care Outcome Scale Staff and Patient<br>Versions Among Cancer Patients. Journal of Pain and Symptom Management, 2018, 56, 414-420.  | 1.2 | 8         |
| 254 | Implementation science protocol for a participatory, theory-informed implementation research<br>programme in the context of health system strengthening in sub-Saharan Africa (ASSET-ImplementER).<br>BMJ Open, 2021, 11, e048742.   | 1.9 | 8         |
| 255 | Outcomes and lessons from a pilot RCT of a community-based HIV prevention multi-session group intervention for gay men. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2004, 16, 581-585.  | 1.2 | 7         |
| 256 | Palliative Care in Resource-Poor Settings: Fallacies and Misapprehensions. Journal of Pain and Symptom Management, 2008, 36, 515-517.  | 1.2 | 7         |
| 257 | Effectiveness of a nurse-delivered (FOCUS+) and a web-based (iFOCUS) psychoeducational intervention for people with advanced cancer and their family caregivers (DIAdIC): study protocol for an international randomized controlled trial. BMC Palliative Care, 2021, 20, 193. | 1.8 | 7         |
| 258 | â€~It's not just all about the fancy words and the adults': Recommendations for practice from a qualitative interview study with children and young people with a parent with a life-limiting illness. Palliative Medicine, 2022, 36, 1263-1272.                               | 3.1 | 7         |
| 259 | Developing a global practice-based framework of person-centred care from primary data: a<br>cross-national qualitative study with patients, caregivers and healthcare professionals. BMJ Global<br>Health, 2022, 7, e008843.   | 4.7 | 7         |
| 260 | A systematic review of impact of person-centred interventions for serious physical illness in terms of outcomes and costs. BMJ Open, 2022, 12, e054386.  | 1.9 | 7         |
| 261 | Validity of measures of pain and symptoms in HIV/AIDS infected households in resources poor settings:<br>results from the Dominican Republic and Cambodia. BMC Palliative Care, 2006, 5, 3.  | 1.8 | 6         |
| 262 | The â€~lost' HIV population: time to refocus our clinical and research efforts. Aids, 2009, 23, 145-146.   | 2.2 | 6         |
| 263 | Caregivers of people at the end of life. Current Opinion in Supportive and Palliative Care, 2014, 8, 391-393.  | 1.3 | 6         |
| 264 | How to Establish Successful Research Partnerships in Global Health Palliative Care. Journal of Pain and Symptom Management, 2017, 53, e3-e4.   | 1.2 | 6         |
| 265 | Palliative care needs of heart failure patients in China: putting people first. Current Opinion in Supportive and Palliative Care, 2018, 12, 10-15.  | 1.3 | 6         |
| 266 | Is symptom prevalence and burden associated with HIV treatment status and disease stage among adult<br>HIV outpatients in Kenya? A cross-sectional self-report study. AIDS Care - Psychological and<br>Socio-Medical Aspects of AIDS/HIV, 2019, 31, 1461-1470.                 | 1.2 | 6         |
| 267 | Occupational justice and social inclusion among people living with HIV and people with mental illness: a scoping review. BMJ Open, 2020, 10, e036916.  | 1.9 | 6         |
| 268 | Quality of life among advanced cancer patients in Vietnam: a multicenter cross-sectional study.<br>Supportive Care in Cancer, 2021, 29, 4791-4798.   | 2.2 | 6         |
| 269 | Outcome measurement. , 2007, , 99-114.   |     | 6         |
| 270 | Does being on TB treatment predict a higher burden of problems and concerns among HIV outpatients<br>in Kenya? a cross-sectional self-report study. AIDS Care - Psychological and Socio-Medical Aspects of<br>AIDS/HIV, 2018, 30, 28-32.                                       | 1.2 | 5         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 271 | Improving bereavement outcomes in Zimbabwe: protocol for a feasibility cluster trial of the 9-cell bereavement tool. Pilot and Feasibility Studies, 2019, 5, 66.  | 1.2 | 5         |
| 272 | Advancing the science of outcome measurement in paediatric palliative care. International Journal of Palliative Nursing, 2019, 25, 72-79.   | 0.5 | 5         |
| 273 | Measuring empowerment among people living with HIV: a systematic review of available measures and their properties. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2019, 31, 798-802.   | 1.2 | 5         |
| 274 | Phase II mixed methods' feasibility cluster randomised controlled trial of a novel community-based enhanced care intervention to improve person-centred outcomes for people living with HIV in Ghana. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2020, 32, 107-118. | 1.2 | 5         |
| 275 | Preparedness and capacity of indian palliative care services to respond to the COVID-19 pandemic: An online rapid assessment survey. Indian Journal of Palliative Care, 2021, 27, 152.  | 1.0 | 5         |
| 276 | The Global Task Force for Chronic Pain in People with HIV (PWH): Developing a research agenda in an emerging field. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2023, 35, 1215-1223.   | 1.2 | 5         |
| 277 | Disability and self-care living strategies among adults living with HIV during the COVID-19 pandemic.<br>AIDS Research and Therapy, 2021, 18, 87.   | 1.7 | 5         |
| 278 | Common elements of service delivery models that optimise quality of life and health service use<br>among older people with advanced progressive conditions: a tertiary systematic review. BMJ Open,<br>2021, 11, e048417.   | 1.9 | 5         |
| 279 | COVID-19: Impact on Pediatric Palliative Care. Journal of Pain and Symptom Management, 2022, 64, e1-e5.   | 1.2 | 5         |
| 280 | Face and content validity, acceptability, feasibility, and implementability of a novel outcome measure<br>for children with life-limiting or life-threatening illness in three sub-Saharan African countries.<br>Palliative Medicine, 2022, 36, 1140-1153.                                | 3.1 | 5         |
| 281 | The most important components of out-of-hours community care for patients at the end of life: A<br>Delphi study of healthcare professionals' and patient and family carers' perspectives. Palliative<br>Medicine, 2022, 36, 1296-1304.  | 3.1 | 5         |
| 282 | Comment on "Pain in people living with HIV/AIDS: a systematic review (Parker <i>et al</i> . 2014)―<br>Journal of the International AIDS Society, 2014, 17, 19096.   | 3.0 | 4         |
| 283 | Palliative care: When and how, and what are the implications for global cancer policy?. Journal of<br>Cancer Policy, 2016, 10, 16-20.   | 1.4 | 4         |
| 284 | Response to â€~Place of death in the population dying from diseases indicative of palliative care need: a<br>cross-national population-level study in 14 countries'. Journal of Epidemiology and Community Health,<br>2016, 70, 9-9.  | 3.7 | 4         |
| 285 | "l Wish I Could Die So I Would Not Be in Pain†A Qualitative Study of Palliative Care Needs Among<br>People With Cancer or HIV/AIDS in Vietnam and Their Caregivers. Journal of Pain and Symptom<br>Management, 2020, 62, 364-372.   | 1.2 | 4         |
| 286 | COVID-19 and palliative care capacity, African Region. Bulletin of the World Health Organization, 2021, 99, 542-542A.   | 3.3 | 4         |
| 287 | Health literacy in communication, decisionâ€making and outcomes among cancer patients, their families and clinicians in India: A multicentre crossâ€sectional qualitative study. Psycho-Oncology, 2022, 31, 532-540.  | 2.3 | 4         |
| 288 | Why does palliative care need to consider access and care for LGBTQ people?. Palliative Medicine, 2021, 35, 1730-1732.  | 3.1 | 4         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 289 | Cancer research in the 57 Organisation of Islamic Cooperation (OIC) countries, 2008–17.<br>Ecancermedicalscience, 2020, 14, 1094.  | 1.1 | 4         |
| 290 | Progress in palliative care for cancer in Turkey: a review of the literature. Ecancermedicalscience, 2021, 15, 1321.   | 1.1 | 4         |
| 291 | Symptom prevalence and burden, and the risk of depression among patients with advanced cancer attending two South African oncology units. Ecancermedicalscience, 2022, 16, 1349.   | 1.1 | 4         |
| 292 | Access to hospice care: multi-professional specialist perspectives in South Africa. International<br>Journal of Palliative Nursing, 2008, 14, 169-174.   | 0.5 | 3         |
| 293 | Public opinion on preferences and priorities for end-of-life care in sub-Saharan Africa: piloting a novel method of street surveying: Table 1. BMJ Supportive and Palliative Care, 2012, 2, 72-74.   | 1.6 | 3         |
| 294 | Sexual risk-taking behaviour among HIV outpatients in Argentina. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2013, 25, 1077-1082.   | 1.2 | 3         |
| 295 | "l have failed to separate my HIV from this pain†the challenge of managing chronic pain among people<br>with HIV. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2021, , 1-9.  | 1.2 | 3         |
| 296 | Changing Mortality and Place of Death in Response to Refugee Influx: A Population-Based<br>Cross-Sectional Study in Jordan, 2005–2016. Journal of Palliative Medicine, 2021, 24, 1616-1625.  | 1.1 | 3         |
| 297 | A theme issue by, for, and about Africa. BMJ: British Medical Journal, 2005, 331, 778.3-779.   | 2.3 | 3         |
| 298 | AIDSImpact 2019 special issue – Promises to keep and miles to go …. AIDS Care - Psychological and<br>Socio-Medical Aspects of AIDS/HIV, 2020, 32, 1-4.   | 1.2 | 3         |
| 299 | Positive Outcomes: Validity, reliability and responsiveness of a novel personâ€centred outcome measure for people with HIV. HIV Medicine, 2022, 23, 673-683.   | 2.2 | 3         |
| 300 | Mechanisms and contextual influences on the implementation of advance care planning for older<br>people in long-term care facilities: A realist review. International Journal of Nursing Studies, 2022, 133,<br>104277.                              | 5.6 | 3         |
| 301 | Does the impact of bereavement vary between same and different gender partnerships? A representative national, cross-sectional study. Psychological Medicine, 0, , 1-9.  | 4.5 | 3         |
| 302 | Integrated Primary Palliative Care in Nigeria- Perspectives of Patients, Families and Providers. Journal of Pain and Symptom Management, 2022, 64, 319-329.  | 1.2 | 3         |
| 303 | The HIV basic care package: where is it available and who receives it? Findings from a mixed methods<br>evaluation in Kenya and Uganda. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2014,<br>26, 1155-1163.                     | 1.2 | 2         |
| 304 | Does sexual behaviour of people with HIV reflect antiretroviral therapy as a preventive strategy? A cross-sectional study among outpatients in Kenya. BMC Public Health, 2019, 19, 1254.   | 2.9 | 2         |
| 305 | Do the Clinical Management Guidelines for Covid-19 in African Countries Reflect the African Quality<br>Palliative Care Standards? A Review of Current Guidelines. Journal of Pain and Symptom Management,<br>2021, 61, e17-e23.                      | 1.2 | 2         |
| 306 | Stakeholders' perspectives and requirements on pain self-management for adolescents living with<br>HIV/AIDS in Malawi: a cross-sectional qualitative study. AIDS Care - Psychological and Socio-Medical<br>Aspects of AIDS/HIV, 2023, 35, 1125-1138. | 1.2 | 2         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 307 | Do Web-Based and Clinic Samples of Gay Men Living With HIV Differ on Self-Reported Physical and<br>Psychological Symptoms? A Comparative Analysis. Journal of Medical Internet Research, 2015, 17, e57.  | 4.3 | 2         |
| 308 | In reply to â€~Declaration on palliative care for MDR/XDR-TB' [Correspondence]. International Journal of<br>Tuberculosis and Lung Disease, 2012, 16, 1419-1420.  | 1.2 | 1         |
| 309 | CREATING GUIDANCE FOR THE USE OF PATIENT REPORTED OUTCOME MEASURES (PROMS) IN CLINICAL PALLIATIVE CARE. BMJ Supportive and Palliative Care, 2014, 4, 113.1-113.  | 1.6 | 1         |
| 310 | Evidence-Based Programming of HIV Care and Support. Journal of Acquired Immune Deficiency<br>Syndromes (1999), 2015, 70, e176-e177.  | 2.1 | 1         |
| 311 | Implementing Outcome Measures in Palliative Care. Journal of Palliative Medicine, 2018, 21, 414-414.   | 1.1 | 1         |
| 312 | Development and validation of a tool to measure patient experience in chronic disease care. African<br>Journal of Primary Health Care and Family Medicine, 2018, 10, e1-e7.  | 0.8 | 1         |
| 313 | A Public Health Approach to Integrate Palliative Care into a Country's Health-Care System: Guidance as<br>Provided by the WHO. , 2019, , 1749-1768.  |     | 1         |
| 314 | Change in multidimensional problems and quality of life over three months after HIV diagnosis: a multicentre longitudinal study in Kenya and Uganda. BMC Infectious Diseases, 2019, 19, 248.   | 2.9 | 1         |
| 315 | Cost-efficiency of specialist inpatient rehabilitation for adults with multiple sclerosis: A multicentre prospective cohort analysis of the UK Rehabilitation Outcomes Collaborative national clinical dataset for rehabilitation centres in England. Multiple Sclerosis Journal - Experimental, Translational and Clinical. 2020. 6. 205521732091278. | 1.0 | 1         |
| 316 | Symptom prevalence, burden and correlates among people living with HIV in Vietnam: a two-centre self-report study. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2021, , 1-7.   | 1.2 | 1         |
| 317 | Policies on Palliative Care in Different Parts of the World. , 2018, , 1-16.   |     | 1         |
| 318 | Prevalence, severity, and risk factors of disability among adults living with HIV accessing routine<br>outpatient HIV care in London, United Kingdom (UK): A cross-sectional self-report study. PLoS ONE,<br>2022, 17, e0267271.   | 2.5 | 1         |
| 319 | Are specialist heart failure nurses currently able to provide palliative care to their patients?.<br>Progress in Palliative Care, 2011, 19, 165-171.   | 1.2 | 0         |
| 320 | Foreword. Journal of Pain and Symptom Management, 2011, 42, 491-492.   | 1.2 | 0         |
| 321 | IMPROVING THE DELIVERY OF HIV OUTPATIENT SERVICES IN SUB-SAHARAN AFRICA. BMJ Supportive and Palliative Care, 2013, 3, 134.1-134.   | 1.6 | 0         |
| 322 | Do we have adequate tools and skills to manage uncertainty among patients and families in ICU?.<br>Intensive Care Medicine, 2017, 43, 463-464.   | 8.2 | 0         |
| 323 | A Public Health Approach to Integrate Palliative Care into a Country's Health-Care System: Guidance as<br>Provided by the WHO. , 2018, , 1-20.   |     | 0         |
| 324 | Policies on Palliative Care in Different Parts of the World. , 2019, , 89-104.   |     | 0         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 325 | The ethical imperative to relieve suffering for people with tuberculosis by ensuring access to palliative care. International Journal of Tuberculosis and Lung Disease, 2020, 24, 3-8.   | 1.2 | Ο         |
| 326 | Are patient outcomes improved by models of professionally-led community HIV management which aim<br>to be person-centred? A systematic review of the evidence. AIDS Care - Psychological and Socio-Medical<br>Aspects of AIDS/HIV, 2020, 33, 1-11. | 1.2 | 0         |
| 327 | Prevalence of Life-Limiting and Life-Threatening Illness and Associated Palliative Care Needs Among<br>Hospital Inpatients in Sudan. Journal of Pain and Symptom Management, 2021, , .   | 1.2 | Ο         |
| 328 | Conceptual Models and Mechanisms of Action that Underpin End-of-Life Care Interventions to Improve Spiritual Well-Being. Journal of Palliative Medicine, 2022, 25, 106-118.  | 1.1 | 0         |
| 329 | Developing a decision support tool for responding to patients' reported levels of information needs, family anxiety, depression, and breathlessness Journal of Clinical Oncology, 2014, 32, 173-173.   | 1.6 | Ο         |
| 330 | Palliative Care for People with Haematological Cancers. , 2015, , 557-562.   |     | 0         |
| 331 | A longitudinal cohort study of symptoms and other concerns among Nigerian people with stages 3–5 chronic kidney diseases: study protocol. Annals of Palliative Medicine, 2019, 8, 190-198.   | 1.2 | Ο         |
| 332 | A Systematic Review and Narrative Synthesis of the Evidence Underpinning Theoretical Perspectives and Cultural Influences on Forgiveness in Palliative Care. Journal of Palliative Medicine, 0, , .  | 1.1 | 0         |