

# Hua-Chuan Zheng

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/2229613/hua-chuan-zheng-publications-by-citations.pdf>

**Version:** 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

101  
papers

2,126  
citations

27  
h-index

41  
g-index

102  
ext. papers

2,373  
ext. citations

3.4  
avg, IF

4.39  
L-index

#	Paper	IF	Citations
101	Expressions of MMP-2, MMP-9 and VEGF are closely linked to growth, invasion, metastasis and angiogenesis of gastric carcinoma. <i>Anticancer Research</i> , <b>2006</b> , 26, 3579-83	2.3	196
100	Overexpression of GRP78 and GRP94 are markers for aggressive behavior and poor prognosis in gastric carcinomas. <i>Human Pathology</i> , <b>2008</b> , 39, 1042-9	3.7	150
99	Pathobiological characteristics of intestinal and diffuse-type gastric carcinoma in Japan: an immunostaining study on the tissue microarray. <i>Journal of Clinical Pathology</i> , <b>2007</b> , 60, 273-7	3.9	104
98	Mixed-type gastric carcinomas exhibit more aggressive features and indicate the histogenesis of carcinomas. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , <b>2008</b> , 452, 525-34	5.1	101
97	Aberrant Pim-3 expression is involved in gastric adenoma-adenocarcinoma sequence and cancer progression. <i>Journal of Cancer Research and Clinical Oncology</i> , <b>2008</b> , 134, 481-8	4.9	51
96	Expression of Fas ligand and caspase-3 contributes to formation of immune escape in gastric cancer. <i>World Journal of Gastroenterology</i> , <b>2003</b> , 9, 1415-20	5.6	50
95	Phosphorylated GSK3beta-ser9 and EGFR are good prognostic factors for lung carcinomas. <i>Anticancer Research</i> , <b>2007</b> , 27, 3561-9	2.3	49
94	SIRT1 expression is associated with a poor prognosis, whereas DBC1 is associated with favorable outcomes in gastric cancer. <i>Cancer Medicine</i> , <b>2014</b> , 3, 1553-61	4.8	48
93	PTEN encoding product: a marker for tumorigenesis and progression of gastric carcinoma. <i>World Journal of Gastroenterology</i> , <b>2003</b> , 9, 35-9	5.6	45
92	The altered expression of ING5 protein is involved in gastric carcinogenesis and subsequent progression. <i>Human Pathology</i> , <b>2011</b> , 42, 25-35	3.7	40
91	High JC virus load in gastric cancer and adjacent non-cancerous mucosa. <i>Cancer Science</i> , <b>2007</b> , 98, 25-31	6.9	39
90	MUC6 down-regulation correlates with gastric carcinoma progression and a poor prognosis: an immunohistochemical study with tissue microarrays. <i>Journal of Cancer Research and Clinical Oncology</i> , <b>2006</b> , 132, 817-23	4.9	37
89	Beclin 1 expression is an independent prognostic factor for gastric carcinomas. <i>Tumor Biology</i> , <b>2013</b> , 34, 1071-83	2.9	35
88	ING5 suppresses proliferation, apoptosis, migration and invasion, and induces autophagy and differentiation of gastric cancer cells: a good marker for carcinogenesis and subsequent progression. <i>Oncotarget</i> , <b>2015</b> , 6, 19552-79	3.3	35
87	Role of PTEN and MMP-7 expression in growth, invasion, metastasis and angiogenesis of gastric carcinoma. <i>Pathology International</i> , <b>2003</b> , 53, 659-66	1.8	35
86	Downregulated parafibromin expression is a promising marker for pathogenesis, invasion, metastasis and prognosis of gastric carcinomas. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , <b>2008</b> , 452, 147-55	5.1	34
85	Clinicopathological and prognostic significance of Ki-67, caspase-3 and p53 expression in gastric carcinomas. <i>Oncology Letters</i> , <b>2013</b> , 6, 1277-1284	2.6	33

84	The nuclear to cytoplasmic shift of ING5 protein during colorectal carcinogenesis with their distinct links to pathologic behaviors of carcinomas. <i>Human Pathology</i> , <b>2011</b> , 42, 424-33	3.7	33
83	The anti-tumor effects and molecular mechanisms of suberoylanilide hydroxamic acid (SAHA) on the aggressive phenotypes of ovarian carcinoma cells. <i>PLoS ONE</i> , <b>2013</b> , 8, e79781	3.7	32
82	Arp2/3 overexpression contributed to pathogenesis, growth and invasion of gastric carcinoma. <i>Anticancer Research</i> , <b>2008</b> , 28, 2225-32	2.3	32
81	PTEN expression and mutation in colorectal carcinomas. <i>Oncology Reports</i> , <b>2009</b> , 22, 757-64	3.5	31
80	Aberrant Beclin 1 expression is closely linked to carcinogenesis, differentiation, progression, and prognosis of ovarian epithelial carcinoma. <i>Tumor Biology</i> , <b>2014</b> , 35, 1955-64	2.9	30
79	The role of RhoC in epithelial-to-mesenchymal transition of ovarian carcinoma cells. <i>BMC Cancer</i> , <b>2014</b> , 14, 477	4.8	29
78	COL4A3 expression correlates with pathogenesis, pathologic behaviors, and prognosis of gastric carcinomas. <i>Human Pathology</i> , <b>2013</b> , 44, 77-86	3.7	29
77	BTG1 expression correlates with pathogenesis, aggressive behaviors and prognosis of gastric cancer: a potential target for gene therapy. <i>Oncotarget</i> , <b>2015</b> , 6, 19685-705	3.3	29
76	Targeted disruption of the galectin-3 gene results in decreased susceptibility to NNK-induced lung tumorigenesis: an oligonucleotide microarray study. <i>Journal of Cancer Research and Clinical Oncology</i> , <b>2008</b> , 134, 777-88	4.9	28
75	Beclin 1 expression is closely linked to colorectal carcinogenesis and distant metastasis of colorectal carcinoma. <i>International Journal of Molecular Sciences</i> , <b>2014</b> , 15, 14372-85	6.3	27
74	Expression profile of the REG gene family in colorectal carcinoma. <i>Journal of Histochemistry and Cytochemistry</i> , <b>2011</b> , 59, 106-15	3.4	27
73	The pathobiological behaviors and prognosis associated with Japanese gastric adenocarcinomas of pure WHO histological subtypes. <i>Histology and Histopathology</i> , <b>2010</b> , 25, 445-52	1.4	26
72	Mapping the history and current situation of research on John Cunningham virus - a bibliometric analysis. <i>BMC Infectious Diseases</i> , <b>2009</b> , 9, 28	4	25
71	The roles of BTG3 expression in gastric cancer: a potential marker for carcinogenesis and a target molecule for gene therapy. <i>Oncotarget</i> , <b>2015</b> , 6, 19841-67	3.3	24
70	The role of EMMPRIN expression in ovarian epithelial carcinomas. <i>Cell Cycle</i> , <b>2013</b> , 12, 2899-913	4.7	24
69	The role of Reg IV gene and its encoding product in gastric carcinogenesis. <i>Human Pathology</i> , <b>2010</b> , 41, 59-69	3.7	21
68	Maspin expression was involved in colorectal adenoma-adenocarcinoma sequence and liver metastasis of tumors. <i>Anticancer Research</i> , <b>2007</b> , 27, 259-65	2.3	21
67	Paradoxical expression of maspin in gastric carcinomas: correlation with carcinogenesis and progression. <i>Human Pathology</i> , <b>2007</b> , 38, 1248-55	3.7	20

66	The pathobiological features of gastrointestinal cancers (Review). <i>Oncology Letters</i> , <b>2012</b> , 3, 961-969	2.6	19
65	The roles of REIC gene and its encoding product in gastric carcinoma. <i>Cell Cycle</i> , <b>2012</b> , 11, 1414-31	4.7	19
64	Growth, invasion, metastasis, differentiation, angiogenesis and apoptosis of gastric cancer regulated by expression of PTEN encoding products. <i>World Journal of Gastroenterology</i> , <b>2003</b> , 9, 1662-6	5.6	19
63	The role of RhoC in ovarian epithelial carcinoma: a marker for carcinogenesis, progression, prognosis, and target therapy. <i>Gynecologic Oncology</i> , <b>2013</b> , 130, 570-8	4.9	18
62	Role and clinicopathologic significance of CXC chemokine ligand 16 and chemokine (C-X-C motif) receptor 6 expression in gastric carcinomas. <i>Human Pathology</i> , <b>2012</b> , 43, 2299-307	3.7	18
61	Parafibromin expression is an independent prognostic factor for colorectal carcinomas. <i>Human Pathology</i> , <b>2011</b> , 42, 1089-102	3.7	18
60	Involvement of inactive GSK3beta overexpression in tumorigenesis and progression of gastric carcinomas. <i>Human Pathology</i> , <b>2010</b> , 41, 1255-64	3.7	18
59	High JC virus load in tongue carcinomas may be a risk factor for tongue tumorigenesis. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , <b>2008</b> , 452, 405-10	5.1	18
58	The screening of viral risk factors in tongue and pharyngolaryngeal squamous carcinoma. <i>Anticancer Research</i> , <b>2010</b> , 30, 1233-8	2.3	18
57	Up-regulated EMMPRIN/CD147 protein expression might play a role in colorectal carcinogenesis and its subsequent progression without an alteration of its glycosylation and mRNA level. <i>Journal of Cancer Research and Clinical Oncology</i> , <b>2011</b> , 137, 585-96	4.9	17
56	SV40 T antigen disrupted the cell metabolism and the balance between proliferation and apoptosis in lens tumors of transgenic mice. <i>Journal of Cancer Research and Clinical Oncology</i> , <b>2009</b> , 135, 1521-32	4.9	14
55	Expression of KAI1 and tenascin, and microvessel density are closely correlated with liver metastasis of gastrointestinal adenocarcinoma. <i>Journal of Clinical Pathology</i> , <b>2007</b> , 60, 50-6	3.9	14
54	The down-regulated ING5 expression in lung cancer: a potential target of gene therapy. <i>Oncotarget</i> , <b>2016</b> , 7, 54596-54615	3.3	14
53	An immunohistochemical study of P53 and Ki-67 in gastrointestinal adenoma and adenocarcinoma using tissue microarray. <i>Anticancer Research</i> , <b>2006</b> , 26, 2353-60	2.3	14
52	Cytoplasmic and nuclear maspin expression in lung carcinomas: an immunohistochemical study using tissue microarrays. <i>Applied Immunohistochemistry and Molecular Morphology</i> , <b>2008</b> , 16, 459-65	1.9	13
51	Low expression of FHIT and PTEN correlates with malignancy of gastric carcinomas: tissue-array findings. <i>Applied Immunohistochemistry and Molecular Morphology</i> , <b>2007</b> , 15, 432-40	1.9	13
50	Aberrant SERCA3 expression is closely linked to pathogenesis, invasion, metastasis, and prognosis of gastric carcinomas. <i>Tumor Biology</i> , <b>2012</b> , 33, 1845-54	2.9	12
49	SAHA and/or MG132 reverse the aggressive phenotypes of glioma cells: An in vitro and vivo study. <i>Oncotarget</i> , <b>2017</b> , 8, 3156-3169	3.3	11

48	The nucleocytoplasmic translocation and up-regulation of ING5 protein in breast cancer: a potential target for gene therapy. <i>Oncotarget</i> , <b>2017</b> , 8, 81953-81966	3.3	11
47	The in vitro and vivo anti-tumor effects and molecular mechanisms of suberoylanilide hydroxamic acid (SAHA) and MG132 on the aggressive phenotypes of gastric cancer cells. <i>Oncotarget</i> , <b>2016</b> , 7, 56508-56525 <sup>11</sup>	3.3	11
46	Aberrant SERCA3 expression during the colorectal adenoma-adenocarcinoma sequence. <i>Oncology Reports</i> , <b>2014</b> , 31, 232-40	3.5	10
45	Anacardic acid enhances the proliferation of human ovarian cancer cells. <i>PLoS ONE</i> , <b>2014</b> , 9, e99361	3.7	10
44	Nuclear or cytoplasmic localization of Bag-1 distinctly correlates with pathologic behavior and outcome of gastric carcinomas. <i>Human Pathology</i> , <b>2010</b> , 41, 724-36	3.7	10
43	Downregulated inhibitor of growth 3 (ING3) expression during colorectal carcinogenesis. <i>Indian Journal of Medical Research</i> , <b>2014</b> , 139, 561-7	2.9	10
42	Effects of Beclin 1 overexpression on aggressive phenotypes of colon cancer cells. <i>Oncology Letters</i> , <b>2019</b> , 17, 2441-2450	2.6	10
41	Paxillin expression is closely linked to the pathogenesis, progression and prognosis of gastric carcinomas. <i>Oncology Letters</i> , <b>2014</b> , 7, 189-194	2.6	9
40	JC [corrected] virus detection in human tissue specimens. <i>Journal of Clinical Pathology</i> , <b>2007</b> , 60, 787-93	3.9	9
39	Clinicopathological and prognostic significance of MUC-2, MUC-4 and MUC-5AC expression in Japanese gastric carcinomas. <i>Asian Pacific Journal of Cancer Prevention</i> , <b>2012</b> , 13, 6447-53	1.7	9
38	The upregulated E-cadherin expression was involved in head-neck squamous cell carcinogenesis by promoting proliferation, migration, invasion, and epithelial to mesenchymal transition. <i>Tumor Biology</i> , <b>2016</b> , 37, 1671-81	2.9	8
37	The roles of parafibromin expression in ovarian epithelial carcinomas: a marker for differentiation and prognosis and a target for gene therapy. <i>Tumor Biology</i> , <b>2016</b> , 37, 2909-24	2.9	8
36	ING5-mediated antineuroblastoma effects of suberoylanilide hydroxamic acid. <i>Cancer Medicine</i> , <b>2018</b> , 7, 4554-4569	4.8	8
35	Cytotoxic Activities, SAR and Anti-Invasion Effects of Butylphthalide Derivatives on Human Hepatocellular Carcinoma SMMC7721 Cells. <i>Molecules</i> , <b>2015</b> , 20, 20312-9	4.8	8
34	Expression of maspin and kai1 and their clinicopathological significance in carcinogenesis and progression of gastric cancer. <i>Chinese Medical Sciences Journal</i> , <b>2004</b> , 19, 193-8	1.3	8
33	REG IV overexpression in an early stage of colorectal carcinogenesis: an immunohistochemical study. <i>Histology and Histopathology</i> , <b>2010</b> , 25, 473-84	1.4	8
32	The clinicopathological significances and biological functions of parafibromin expression in head and neck squamous cell carcinomas. <i>Tumor Biology</i> , <b>2015</b> , 36, 9487-97	2.9	7
31	CD147 expression was positively linked to aggressiveness and worse prognosis of gastric cancer: a meta and bioinformatics analysis. <i>Oncotarget</i> , <b>2017</b> , 8, 90358-90370	3.3	7

30	The roles of maspin expression in gastric cancer: a meta- and bioinformatics analysis. <i>Oncotarget</i> , <b>2017</b> , 8, 66476-66490	3.3	7
29	The roles of ING5 expression in ovarian carcinogenesis and subsequent progression: a target of gene therapy. <i>Oncotarget</i> , <b>2017</b> , 8, 103449-103464	3.3	7
28	The clinicopathological and prognostic significance of MUC-1 expression in Japanese gastric carcinomas: an immunohistochemical study of tissue microarrays. <i>Anticancer Research</i> , <b>2008</b> , 28, 1061-7	2.3	7
27	Parafibromin expression in lung normal tissue and carcinoma: its comparison with clinicopathological parameters of carcinoma. <i>Histology and Histopathology</i> , <b>2011</b> , 26, 1039-47	1.4	7
26	The role of the REG4 gene and its encoding product in ovarian epithelial carcinoma. <i>BMC Cancer</i> , <b>2015</b> , 15, 471	4.8	6
25	The Roles of Beclin 1 Expression in Gastric Cancer: A Marker for Carcinogenesis, Aggressive Behaviors and Favorable Prognosis, and a Target of Gene Therapy. <i>Frontiers in Oncology</i> , <b>2020</b> , 10, 613679	5.3	6
24	Gene expression profiling of lens tumors, liver and spleen in Crystallin/SV40 T antigen transgenic mice treated with Juzen-taiho-to. <i>Molecular Medicine Reports</i> , <b>2014</b> , 9, 547-52	2.9	6
23	Expression of PTEN and FHIT is involved in regulating the balance between apoptosis and proliferation in lung carcinomas. <i>Anticancer Research</i> , <b>2007</b> , 27, 575-81	2.3	6
22	The Suppressing Effects of Dkk3 Expression on Aggressiveness and Tumorigenesis of Colorectal Cancer. <i>Frontiers in Oncology</i> , <b>2020</b> , 10, 600322	5.3	5
21	The clinicopathological and prognostic significances of Dkk3 expression in cancers: A bioinformatics analysis. <i>Cancer Biomarkers</i> , <b>2018</b> , 23, 323-331	3.8	5
20	The meta and bioinformatics analysis of GRP78 expression in gastric cancer. <i>Oncotarget</i> , <b>2017</b> , 8, 73017-73028	3.3	5
19	JC virus existence in Chinese gastrointestinal carcinomas. <i>Oncology Letters</i> , <b>2012</b> , 3, 1073-1078	2.6	5
18	Cytokeratin 19 promoter directs the expression of Cre recombinase in various epithelia of transgenic mice. <i>Oncotarget</i> , <b>2017</b> , 8, 18303-18311	3.3	5
17	The roles of ING5 in gliomas: a good marker for tumorigenesis and a potential target for gene therapy. <i>Oncotarget</i> , <b>2017</b> , 8, 56558-56568	3.3	5
16	The oncogenic role of JC virus T antigen in lens tumors without cell specificity of alternative splicing of its intron. <i>Oncotarget</i> , <b>2015</b> , 6, 8036-45	3.3	4
15	Effects of parafibromin expression on the phenotypes and relevant mechanisms in the DLD-1 colon carcinoma cell line. <i>Asian Pacific Journal of Cancer Prevention</i> , <b>2013</b> , 14, 4249-54	1.7	4
14	Aberrant expression of Kiss-1 and matrix metalloproteinase-9 are closely linked to lymph node metastasis of gastric cancer. <i>Chinese Medical Sciences Journal</i> , <b>2008</b> , 23, 63-4	1.3	3
13	mRNA expression of PTEN and VEGF genes in epithelial ovarian cancer. <i>Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research</i> , <b>2003</b> , 15, 252-256	3.8	3

12	The clinicopathological and prognostic significances of expression in cancers: a bioinformatics analysis. <i>Oncotarget</i> , <b>2017</b> , 8, 95270-95279	3.3	3
11	BTG1 Overexpression Might Promote Invasion and Metastasis of Colorectal Cancer Decreasing Adhesion and Inducing Epithelial-Mesenchymal Transition. <i>Frontiers in Oncology</i> , <b>2020</b> , 10, 598192	5.3	3
10	Expression pattern and level of ING5 protein in normal and cancer tissues. <i>Oncology Letters</i> , <b>2019</b> , 17, 63-68	2.6	3
9	Down-regulated REIC expression in lung carcinogenesis: a molecular target for gene therapy. <i>Histology and Histopathology</i> , <b>2018</b> , 33, 691-704	1.4	2
8	The in vitro and vivo effects of nuclear and cytosolic parafibromin expression on the aggressive phenotypes of colorectal cancer cells: a search of potential gene therapy target. <i>Oncotarget</i> , <b>2017</b> , 8, 23603-23612	3.3	1
7	The Oncogenic Roles of JC Virus T Antigen in Breast Carcinogenesis. <i>Frontiers in Molecular Biosciences</i> , <b>2021</b> , 8, 687444	5.6	0
6	The Oncogenic Effects, Pathways, and Target Molecules of JC Polyoma Virus T Antigen in Cancer Cells.. <i>Frontiers in Oncology</i> , <b>2022</b> , 12, 744886	5.3	0
5	A case of benign metastasizing leiomyoma: Pathobiological behavior showing a low-grade malignant potential. <i>Chinese Journal of Clinical Oncology</i> , <b>2008</b> , 5, 154-156		
4	Pulmonary large cell carcinoma displays high expression of EMMPRIN and VEGF. <i>Chinese Journal of Clinical Oncology</i> , <b>2008</b> , 5, 333-338		
3	Expression of matrix metalloproteinase-7 and fas ligand: Their apoptosis-inducing effect on gastric cancer cells. <i>Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research</i> , <b>2003</b> , 15, 195-201	3.8	
2	FHIT down-regulation was inversely linked to aggressive behaviors and adverse prognosis of gastric cancer: a meta- and bioinformatics analysis. <i>Oncotarget</i> , <b>2017</b> , 8, 108261-108273	3.3	
1	The clinicopathological and prognostic significances of LATS1 expression in breast cancer.. <i>Histology and Histopathology</i> , <b>2022</b> , 18433	1.4	