

Manuel Aguilar-Diosdado

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2230497/manuel-aguilar-diosdado-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

97
papers

2,558
citations

23
h-index

48
g-index

117
ext. papers

2,982
ext. citations

4.4
avg, IF

4.96
L-index

#	Paper	IF	Citations
97	Temporal trends in hospitalizations due to diabetes complications during COVID-19 pandemic in Andalusia, Spain.. <i>BMJ Open Diabetes Research and Care</i> , 2022 , 10,	4.5	1
96	Adult kidney explants is a physiologic model for studying diabetic nephropathy.. <i>Life Sciences</i> , 2022 , 120575	5.75	0
95	Specific model for the coordination of primary and hospital care for patients with diabetes mellitus. Evaluation of two-year results (2015-2017). <i>Endocrinología, Diabetes Y Nutrición</i> , 2021 , 68, 175-183	1.3	
94	Anti-Inflammatory (M2) Response Is Induced by a sp-Iminosugar Glycolipid Sulfoxide in Diabetic Retinopathy. <i>Frontiers in Immunology</i> , 2021 , 12, 632132	8.4	3
93	Diabetes mellitus and oral cancer/oral potentially malignant disorders: A systematic review and meta-analysis. <i>Oral Diseases</i> , 2021 , 27, 404-421	3.5	17
92	The metabesity factor HMG20A potentiates astrocyte survival and reactive astrogliosis preserving neuronal integrity. <i>Theranostics</i> , 2021 , 11, 6983-7004	12.1	5
91	Specific model for the coordination of primary and hospital care for patients with diabetes mellitus. Evaluation of two-year results (2015-2017). <i>Endocrinología Diabetes Y Nutrición (English Ed)</i> , 2021 , 68, 175-183	0.1	
90	Randomized Study to Evaluate the Impact of Telemedicine Care in Patients With Type 1 Diabetes With Multiple Doses of Insulin and Suboptimal HbA in Andalusia (Spain): PLATEDIAN Study. <i>Diabetes Care</i> , 2020 , 43, 337-342	14.6	16
89	Socioeconomic deprivation and development of diabetic retinopathy in patients with type 1 diabetes mellitus. <i>BMJ Open Diabetes Research and Care</i> , 2020 , 8,	4.5	2
88	Continuous Glucose Monitoring and Glycemic Patterns in Pregnant Women with Gestational Diabetes Mellitus. <i>Diabetes Technology and Therapeutics</i> , 2020 , 22, 271-277	8.1	9
87	Andalusian program for early detection of diabetic retinopathy: implementation and 15-year follow-up of a population-based screening program in Andalusia, Southern Spain. <i>BMJ Open Diabetes Research and Care</i> , 2020 , 8,	4.5	2
86	Synthesis of polyfluoroalkyl sp-iminosugar glycolipids and evaluation of their immunomodulatory properties towards anti-tumor, anti-leishmanial and anti-inflammatory therapies. <i>European Journal of Medicinal Chemistry</i> , 2019 , 182, 111604	6.8	10
85	Effect of Different Insulin Therapies on Obstetric-Fetal Outcomes. <i>Scientific Reports</i> , 2019 , 9, 17650	4.9	2
84	Usefulness of blood pressure monitoring in patients with gestational diabetes mellitus. <i>Endocrinología, Diabetes Y Nutrición</i> , 2018 , 65, 394-401	1.3	2
83	The type 2 diabetes-associated HMG20A gene is mandatory for islet beta cell functional maturity. <i>Cell Death and Disease</i> , 2018 , 9, 279	9.8	24
82	The effect of marital status on social and gender inequalities in diabetes mortality in Andalusia. <i>Endocrinología, Diabetes Y Nutrición</i> , 2018 , 65, 21-29	1.3	6
81	Impact of positive thyroid autoimmunity on pregnant women with subclinical hypothyroidism. <i>Endocrinología, Diabetes Y Nutrición</i> , 2018 , 65, 150-155	1.3	3

80	IGF-1, Inflammation and Retinal Degeneration: A Close Network. <i>Frontiers in Aging Neuroscience</i> , 2018 , 10, 203	5.3	33
79	Unfavorable cytokine and adhesion molecule profiles during and after pregnancy, in women with gestational diabetes mellitus. <i>Endocrinología, Diabetes Y Nutrición</i> , 2017 , 64, 18-25	1.3	9
78	Unfavorable cytokine and adhesion molecule profiles during and after pregnancy, in women with gestational diabetes mellitus. <i>Endocrinología Diabetes Y Nutrición (English Ed)</i> , 2017 , 64, 18-25	0.1	
77	Experiencia del empleo sistemático de la dieta de muy bajo valor calórico para la optimización en el preoperatorio de cirugía bariátrica. <i>Revista Chilena De Cirugía</i> , 2017 , 69, 472-478	0.1	
76	Ghrelin mitigates β cell mass loss during insulinitis in an animal model of autoimmune diabetes mellitus, the BioBreeding/Worcester rat. <i>Diabetes/Metabolism Research and Reviews</i> , 2017 , 33, e2813	7.5	5
75	Early blood pressure alterations are associated with pro-inflammatory markers in type 1 diabetes mellitus. <i>Journal of Human Hypertension</i> , 2017 , 31, 151-156	2.6	3
74	Characterization of NO-Induced Nitrosative Status in Human Placenta from Pregnant Women with Gestational Diabetes Mellitus. <i>Oxidative Medicine and Cellular Longevity</i> , 2017 , 2017, 5629341	6.7	9
73	Bariatric surgery influences β cell turnover in non obese rats. <i>Histology and Histopathology</i> , 2017 , 32, 1341-1350	1.4	5
72	Nocturnal blood pressure is associated with the progression of microvascular complications and hypertension in patients with type 1 diabetes mellitus. <i>Journal of Diabetes and Its Complications</i> , 2016 , 30, 1326-32	3.2	11
71	Pituitary apoplexy as presentation of atypical teratoid/rhabdoid tumor in an adult. <i>Endocrinología Y Nutrición (English Edition)</i> , 2016 , 63, 364-365		3
70	Pituitary apoplexy as presentation of atypical teratoid/rhabdoid tumor in an adult. <i>Endocrinología Y Nutrición: Organo De La Sociedad Espanola De Endocrinología Y Nutrición</i> , 2016 , 63, 364-5		9
69	Claves para avanzar hacia un rol más activo por parte del paciente con diabetes mellitus tipo 2 en España. <i>Avances En Diabetología</i> , 2015 , 31, 128-135		1
68	Implementation of subcutaneous insulin protocol for non-critically ill hospitalized patients in andalusian tertiary care hospitals. <i>Endocrinología Y Nutrición: Organo De La Sociedad Espanola De Endocrinología Y Nutrición</i> , 2015 , 62, 64-71		2
67	Should the diagnostic and therapeutic protocols for adrenal incidentalomas be changed?. <i>Cirugía Española</i> , 2015 , 93, 30-3	0.7	
66	Clinical significance of the new cardiovascular risk markers in diabetes mellitus. <i>Current Diabetes Reviews</i> , 2015 , 11, 273-80	2.7	1
65	A surgical model of short bowel syndrome induces a long-lasting increase in pancreatic beta-cell mass. <i>Histology and Histopathology</i> , 2015 , 30, 479-87	1.4	5
64	Postpartum development of endothelial dysfunction and oxidative stress markers in women with previous gestational diabetes mellitus. <i>Journal of Endocrinological Investigation</i> , 2014 , 37, 503-9	5.2	24
63	High prevalence of inactivity among young patients with type 1 diabetes in south Spain. <i>Nutrición Hospitalaria</i> , 2014 , 29, 922-8	1	4

62	Oxidative stress and antioxidant status in patients with late-onset gestational diabetes mellitus. <i>Acta Diabetologica</i> , 2013 , 50, 201-8	3.9	53
61	¿Qué variables se asocian con un buen control metabólico en pacientes con diabetes tipo 1?. <i>Avances En Diabetología</i> , 2013 , 29, 68-73		1
60	Intense physical activity is associated with better metabolic control in patients with type 1 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2013 , 101, 45-9	7.4	11
59	Nitric oxide is a mediator of antiproliferative effects induced by proinflammatory cytokines on pancreatic beta cells. <i>Mediators of Inflammation</i> , 2013 , 2013, 905175	4.3	18
58	Efectividad y seguridad de un modelo protocolizado de control glucémico en el medio hospitalario. <i>Avances En Diabetología</i> , 2012 , 28, 136-143		
57	Cytokine profile, metabolic syndrome and cardiovascular disease risk in women with late-onset gestational diabetes mellitus. <i>Cytokine</i> , 2012 , 58, 14-9	4	65
56	Adipokines and metabolic syndrome risk factors in women with previous gestational diabetes mellitus. <i>Diabetes/Metabolism Research and Reviews</i> , 2012 , 28, 542-8	7.5	15
55	Patología tiroidea. <i>Medicine</i> , 2012 , 11, 805-812	0.1	
54	Hipertiroidismo. <i>Medicine</i> , 2012 , 11, 813-818	0.1	
53	Hipotiroidismo. <i>Medicine</i> , 2012 , 11, 819-826	0.1	
52	Tiroiditis. <i>Medicine</i> , 2012 , 11, 827-835	0.1	1
51	Protocolo diagnóstico y terapéutico del bocio. <i>Medicine</i> , 2012 , 11, 840-843	0.1	
50	Protocolo de diagnóstico y tratamiento de la oftalmopatía tiroidea. <i>Medicine</i> , 2012 , 11, 844-848	0.1	
49	Protocolo terapéutico del hipertiroidismo. <i>Medicine</i> , 2012 , 11, 849-853	0.1	
48	Use of sensors in the treatment and follow-up of patients with diabetes mellitus. <i>Sensors</i> , 2010 , 10, 7404-7420	5.20	11
47	Decrease in β -cell proliferation precedes apoptosis during diabetes development in bio-breeding/worcester rat: beneficial role of Exendin-4. <i>Endocrinology</i> , 2010 , 151, 2538-46	4.8	18
46	Prevalencia de la enfermedad tiroidea autoinmune en pacientes con diabetes mellitus tipo 1. <i>Avances En Diabetología</i> , 2010 , 26, 42-46		1
45	¿Hemoglobina A1c en el diagnóstico de la diabetes mellitus? Pros y contras. <i>Avances En Diabetología</i> , 2010 , 26, 4-5		1

44	Diabetes pregestacional: resultados metabólicos perinatales según la terapia empleada. <i>Progresos En Obstetricia Y Ginecología</i> , 2010 , 53, 255-260	0	1
43	Diabetic ketoacidosis associated with severe hypoglycemia. <i>Journal of Endocrinological Investigation</i> , 2010 , 33, 358-9	5.2	1
42	Benefits of continuous subcutaneous insulin infusion in type 1 diabetes previously treated with multiple daily injections with once-daily glargine and pre-meal analogues. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2009 , 117, 378-85	2.3	10
41	Can the metabolic control targets established for patients with type 1 diabetes be achieved in clinical practice?. <i>Endocrinología Y Nutricion: Organo De La Sociedad Espanola De Endocrinología Y Nutricion</i> , 2008 , 55, 442-7		9
40	Anti-proliferative effect of pro-inflammatory cytokines in cultured beta cells is associated with extracellular signal-regulated kinase 1/2 pathway inhibition: protective role of glucagon-like peptide -1. <i>Journal of Molecular Endocrinology</i> , 2008 , 41, 35-44	4.5	72
39	Ultrasound evaluation of visceral fat and metabolic risk factors during early pregnancy. <i>Obesity</i> , 2007 , 15, 2233-9	8	66
38	Cardiovascular disease risk in subjects with type 2 diabetes mellitus in a population in southern Spain. <i>Diabetes Research and Clinical Practice</i> , 2007 , 76, 436-44	7.4	23
37	Concomitant agranulocytosis and hepatotoxicity after treatment with carbimazole. <i>Annals of Pharmacotherapy</i> , 2006 , 40, 2059-63	2.9	23
36	Parámetros analíticos en el paciente con diabetes mellitus. <i>Endocrinología Y Nutricion: Organo De La Sociedad Espanola De Endocrinología Y Nutricion</i> , 2006 , 53, 418-426		2
35	Clinical, Radiologic, and Follow-Up Findings in Patients With Macroprolactinoma 2006 , 16, 241-244		1
34	Economic cost associated with type II diabetes in Spanish patients. <i>European Journal of Health Economics</i> , 2006 , 7, 270-5	3.6	31
33	Multiple pulmonary neoplasia positive for thyroglobulin. <i>Journal of Endocrinological Investigation</i> , 2005 , 28, 384-7	5.2	1
32	Is increasing urinary albumin a better marker for microvascular than for macrovascular complication of type 2 diabetes mellitus?. <i>Nephron Clinical Practice</i> , 2005 , 101, c116-21		9
31	Assay for high glucose-mediated islet cell sensitization to apoptosis induced by streptozotocin and cytokines. <i>Biological Procedures Online</i> , 2005 , 7, 162-71	8.3	7
30	Differences in thyroid-infiltrating B lymphocytes in patients with Graves Disease: relationship to autoantibody detection. <i>Thyroid</i> , 2004 , 14, 337-44	6.2	18
29	High glucose potentiates cytokine- and streptozotocin-induced apoptosis of rat islet cells: effect on apoptosis-related genes. <i>Journal of Endocrinology</i> , 2004 , 183, 155-62	4.7	36
28	Excess hospitalizations, hospital days, and inpatient costs among people with diabetes in Andalusia, Spain. <i>Diabetes Care</i> , 2004 , 27, 1904-9	14.6	46
27	Increased hospital expenditures in diabetic patients hospitalized for cardiovascular diseases. <i>Journal of Diabetes and Its Complications</i> , 2003 , 17, 331-6	3.2	21

26	Hospital discharge records under-report the prevalence of diabetes in inpatients. <i>Diabetes Research and Clinical Practice</i> , 2003 , 59, 145-51	7.4	40
25	Care resource utilization and direct costs incurred by people with diabetes in a Spanish hospital. <i>Diabetes Research and Clinical Practice</i> , 2002 , 56, 27-34	7.4	26
24	Prevalence of latent autoimmune diabetes of adults (LADA) in Southern Spain. <i>Diabetes Research and Clinical Practice</i> , 2002 , 56, 213-20	7.4	58
23	Comparison of autoantibodies to IA-2 and GAD65 in the rapid- and the slow-onset, adult Type 1 diabetes in Thailand. <i>Diabetic Medicine</i> , 2001 , 18, 770-2	3.5	1
22	Thyroid-infiltrating B lymphocytes in Graves' disease are related to marginal zone and memory B cell compartments. <i>Thyroid</i> , 2001 , 11, 525-30	6.2	31
21	Criterios y pautas de terapia combinada en la diabetes tipo 2. <i>Endocrinología Y Nutrición: Órgano De La Sociedad Española De Endocrinología Y Nutrición</i> , 2001 , 48, 82-97		5
20	Bone mineral density at time of clinical diagnosis of adult-onset type 1 diabetes mellitus. <i>Endocrine Practice</i> , 2001 , 7, 346-51	3.2	93
19	Clinical parameters (body mass index and age) are the best predictors for the need of insulin therapy during the first 18 months of diabetes mellitus in young adult patients. <i>Hormone and Metabolic Research</i> , 2000 , 32, 185-9	3.1	6
18	Thyroid autoantibodies in Thai type 1 diabetic patients: clinical significance and their relationship with glutamic acid decarboxylase antibodies. <i>Diabetes Research and Clinical Practice</i> , 2000 , 49, 107-11	7.4	15
17	Observational study in adult hypopituitary patients with untreated growth hormone deficiency (ODA study). Socio-economic impact and health status. Collaborative ODA (Observational GH Deficiency in Adults) Group. <i>European Journal of Endocrinology</i> , 1999 , 141, 481-9	6.5	48
16	Clinical characteristics, and time course of pancreatic beta-cell function and glutamic acid decarboxylase antibodies in Thai patients with adult-onset Type 1 diabetes: distinction between patients of rapid- and slow-onset. <i>Hormone and Metabolic Research</i> , 1999 , 31, 311-6	3.1	7
15	A desktop guide to Type 2 diabetes mellitus. <i>Diabetic Medicine</i> , 1999 , 16, 716-730	3.5	524
14	The prevalence of clinical diabetic polyneuropathy in Spain: a study in primary care and hospital clinic groups. Neuropathy Spanish Study Group of the Spanish Diabetes Society (SDS). <i>Diabetologia</i> , 1998 , 41, 1263-9	10.3	128
13	One-year follow-up of quality of life in adults with untreated growth hormone deficiency. <i>Clinical Endocrinology</i> , 1998 , 49, 765-71	3.4	38
12	The expression of the beta 1 integrin CD29 and the beta 2 integrin CD11b is decreased in peripheral blood lymphocytes from Graves' disease patients. <i>European Journal of Endocrinology</i> , 1998 , 139, 349-54	6.5	4
11	Serial analysis of the effects of methimazole or radical therapy on circulating CD16/56 subpopulations in Graves' disease. <i>European Journal of Endocrinology</i> , 1998 , 139, 314-6	6.5	10
10	Serial analysis of circulating T gamma/delta lymphocyte subpopulations in Graves' disease. <i>Endocrine Research</i> , 1998 , 24, 285-95	1.9	3
9	Glutamic acid decarboxylase antibodies in non-insulin-dependent diabetes patients with secondary sulfonyleurea failure in Thailand. <i>Diabetes Research and Clinical Practice</i> , 1997 , 37, 193-7	7.4	5

8	GAD antibodies in IDDM in Thailand. <i>Diabetes Care</i> , 1996 , 19, 674-5	14.6	6
7	The CTLA-4 gene region of chromosome 2q33 is linked to, and associated with, type 1 diabetes. Belgian Diabetes Registry. <i>Human Molecular Genetics</i> , 1996 , 5, 1075-80	5.6	560
6	A rapid radioimmunoassay for the measurement of antibodies to glutamic acid decarboxylase in human serum. <i>Hormone and Metabolic Research</i> , 1995 , 27, 293-5	3.1	2
5	Male pseudohermaphroditism with 5-alpha-reductase deficiency: report of two new familial cases. The importance of early diagnosis. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 1995 , 8, 67-71	1.6	2
4	Potential autoantigens in IDDM. Expression of carboxypeptidase-H and insulin but not glutamate decarboxylase on the beta-cell surface. <i>Diabetes</i> , 1994 , 43, 418-425	0.9	8
3	Use of aspiration cytology and frozen section examination for management of benign and malignant thyroid nodules. <i>Cancer</i> , 1992 , 70, 903-4	6.4	8
2	Hyperthyroidism due to familial pituitary resistance to thyroid hormone: successful control with 3, 5, 3-triiodothyroacetic associated to propranolol. <i>Journal of Endocrinological Investigation</i> , 1991 , 14, 663-8	5.2	10
1	Standard breakfast test: an alternative to glucagon testing for C-peptide reserve?. <i>Hormone and Metabolic Research</i> , 1990 , 22, 339-41	3.1	8