

Engin D Gezer

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2230558/publications.pdf>

Version: 2024-02-01

17
papers

820
citations

759233

12
h-index

888059

17
g-index

17
all docs

17
docs citations

17
times ranked

812
citing authors

#	ARTICLE	IF	CITATIONS
1	Effects of wood species and retention levels on removal of copper, chromium, and arsenic from CCA-treated wood using sodium hypochlorite. <i>Journal of Forestry Research</i> , 2016, 27, 433-442.	3.6	7
2	Inspection of Wooden Poles in Electrical Power Distribution Networks in Artvin, Turkey. <i>Advances in Materials Science and Engineering</i> , 2015, 2015, 1-11.	1.8	11
3	Leaching and decay resistance of alder and pine wood treated with copper based wood preservatives. <i>Maderas: Ciencia Y Tecnologia</i> , 2014, , 0-0.	0.7	13
4	Factors affecting sodium hypochlorite extraction of CCA from treated wood. <i>Waste Management</i> , 2009, 29, 3009-3013.	7.4	10
5	southern pine (<i>Pinus sylvestris</i> L.) wood treated with boron compounds. <i>Construction and Building Materials</i> , 2008, 22, 2165-2169.	7.2	25
6	The potential for using the needle litter of Scotch pine (<i>Pinus sylvestris</i> L.) as a raw material for particleboard manufacturing. <i>Bioresource Technology</i> , 2008, 99, 6054-6058.	9.6	39
7	Evaluation of the mechanical, physical properties and decay resistance of particleboard made from particles impregnated with <i>Pinus brutia</i> bark extractives. <i>Bioresource Technology</i> , 2006, 97, 2059-2064.	9.6	38
8	Removal copper, chromium and arsenic from CCA-treated yellow pine by oleic acid. <i>Building and Environment</i> , 2006, 41, 380-385.	6.9	19
9	Mechanical and chemical behavior of spruce wood modified by heat. <i>Building and Environment</i> , 2006, 41, 1762-1766.	6.9	338
10	Effects of melamine raw paper weight, varnish type and the structure of continuous pressed laminate (CPL) on the physical, mechanical properties and decay resistance of particleboard. <i>International Biodeterioration and Biodegradation</i> , 2005, 56, 166-172.	3.9	17
11	Mechanical properties and decay resistance of wood-polymer composites prepared from fast growing species in Turkey. <i>Bioresource Technology</i> , 2005, 96, 1003-1011.	9.6	85
12	Cu, Cr and As distribution in soils adjacent to CCA-treated utility poles in Eastern Blacksea Region of Turkey. <i>Building and Environment</i> , 2005, 40, 1684-1688.	6.9	14
13	Effects of the wood preservatives on mechanical properties of yellow pine (<i>Pinus sylvestris</i> L.) wood. <i>Building and Environment</i> , 2004, 39, 1071-1075.	6.9	40
14	The changes in important quality properties of continuous pressed laminates (CPL) with some changes in thickness and press parameters. <i>Building and Environment</i> , 2003, 38, 913-917.	6.9	9
15	Some lignocellulosic wastes used as raw material in cultivation of the <i>Pleurotus ostreatus</i> culture mushroom. <i>Process Biochemistry</i> , 2002, 38, 301-306.	3.7	120
16	Estimation of preservative toxic threshold retention from laboratory decay tests: a new method. <i>Wood Science and Technology</i> , 1999, 33, 63-71.	3.2	2
17	Enhancement of Biological and Physical Properties of Wood by Boric Acid-Vinyl Monomer Combination Treatment. <i>Holzforschung</i> , 1998, 52, 667-672.	1.9	33