# Angelo Ravelli

# List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/2230688/angelo-ravelli-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| 329         | 18,635                | 71      | 125     |
|-------------|-----------------------|---------|---------|
| papers      | citations             | h-index | g-index |
| 358         | 21,808 ext. citations | 5       | 6.38    |
| ext. papers |                       | avg, IF | L-index |

| #   | Paper   | IF   | Citations |
|-----|---|------|-----------|
| 329 | Childhood multisystem inflammatory syndrome associated with COVID-19 (MIS-C): Distinct from Kawasaki disease or part of the same spectrum?. <i>Pediatric Allergy and Immunology</i> , <b>2022</b> , 33 Suppl 27, 102-104  | 4.2  | 1         |
| 328 | Cardiovascular Manifestations in Multisystem Inflammatory Syndrome in Children (MIS-C) Associated with COVID-19 According to Age. <i>Children</i> , <b>2022</b> , 9, 583  | 2.8  | O         |
| 327 | Serum IgG2 antibody multi-composition in systemic lupus erythematosus and in lupus nephritis (Part 2): prospective study. <i>Rheumatology</i> , <b>2021</b> , 60, 3388-3397   | 3.9  | 5         |
| 326 | Comparison Between Clinical and Ultrasound Assessment of the Ankle Region in Children With Juvenile Idiopathic Arthritis. <i>Arthritis Care and Research</i> , <b>2021</b> , 73, 1180-1186  | 4.7  | 2         |
| 325 | Multifactorial Posterior Reversible Encephalopathy Syndrome in Children: Clinical, Laboratory, and Neuroimaging Findings. <i>Journal of Pediatric Neurology</i> , <b>2021</b> , 19, 083-091   | 0.2  | 1         |
| 324 | Serum IgG2 antibody multicomposition in systemic lupus erythematosus and lupus nephritis (Part 1): cross-sectional analysis. <i>Rheumatology</i> , <b>2021</b> , 60, 3176-3188  | 3.9  | 4         |
| 323 | Determinants of Discordance Between Criteria for Inactive Disease and Low Disease Activity in Juvenile Idiopathic Arthritis. <i>Arthritis Care and Research</i> , <b>2021</b> , 73, 1722-1729   | 4.7  | О         |
| 322 | Underlying CTLA4 Deficiency in a Patient With Juvenile Idiopathic Arthritis and Autoimmune Lymphoproliferative Syndrome Features Successfully Treated With Abatacept-A Case Report. <i>Journal of Pediatric Hematology/Oncology</i> , <b>2021</b> , 43, e1168-e1172 | 1.2  | 2         |
| 321 | Neutrophil Extracellular Traps in the Autoimmunity Context. <i>Frontiers in Medicine</i> , <b>2021</b> , 8, 614829  | 4.9  | 5         |
| 320 | Defining Kawasaki disease and pediatric inflammatory multisystem syndrome-temporally associated to SARS-CoV-2 infection during SARS-CoV-2 epidemic in Italy: results from a national, multicenter survey. <i>Pediatric Rheumatology</i> , <b>2021</b> , 19, 29      | 3.5  | 22        |
| 319 | The challenge of early diagnosis of autoimmune lymphoproliferative syndrome in children with suspected autoinflammatory/autoimmune disorders. <i>Rheumatology</i> , <b>2021</b> ,   | 3.9  | 3         |
| 318 | Efficacy of early anti-inflammatory treatment with high doses of intravenous anakinra with or without glucocorticoids in patients with severe COVID-19 pneumonia. <i>Journal of Allergy and Clinical Immunology</i> , <b>2021</b> , 147, 1217-1225                  | 11.5 | 30        |
| 317 | Expanding the clinical and neuroimaging features of post-varicella arteriopathy of childhood. <i>Journal of Neurology</i> , <b>2021</b> , 268, 4846-4865  | 5.5  | O         |
| 316 | Multisystem Inflammatory Syndrome in Children: Unique Disease or Part of the Kawasaki Disease Spectrum?. <i>Frontiers in Pediatrics</i> , <b>2021</b> , 9, 680813   | 3.4  | 10        |
| 315 | Response to: <b>Q</b> IS score in systemic juvenile idiopathic arthritis: suitable for routine use? <b>Q</b> by Chi. <i>Annals of the Rheumatic Diseases</i> , <b>2021</b> , 80, e108   | 2.4  | 2         |
| 314 | Response to Application of MS score in macrophage activation syndrome patients associated with adult onset Still@ diseaseOby Wang. <i>Annals of the Rheumatic Diseases</i> , <b>2021</b> , 80, e146   | 2.4  | 1         |
| 313 | Development and Testing of Reduced Versions of the Manual Muscle Test-8 in Juvenile Dermatomyositis. <i>Journal of Rheumatology</i> , <b>2021</b> , 48, 898-906   | 4.1  | 2         |

# (2020-2021)

| 312 | Revised recommendations of the Italian Society of Pediatrics about the general management of Kawasaki disease. <i>Italian Journal of Pediatrics</i> , <b>2021</b> , 47, 16   | 3.2  | 17 |  |
|-----|--|------|----|--|
| 311 | Pediatric Antiphospholipid Syndrome: from Pathogenesis to Clinical Management. <i>Current Rheumatology Reports</i> , <b>2021</b> , 23, 10  | 4.9  | 1  |  |
| 310 | Comparison of treatments and outcomes of children with juvenile dermatomyositis followed at two European tertiary care referral centers. <i>Rheumatology</i> , <b>2021</b> , 60, 5419-5423   | 3.9  | 2  |  |
| 309 | Childhood multisystem inflammatory syndrome associated with COVID-19 (MIS-C): a diagnostic and treatment guidance from the Rheumatology Study Group of the Italian Society of Pediatrics. <i>Italian Journal of Pediatrics</i> , <b>2021</b> , 47, 24  | 3.2  | 28 |  |
| 308 | The controversial role of wellbeing assessment in juvenile idiopathic arthritis. <i>Lancet Rheumatology, The</i> , <b>2021</b> , 3, e85-e86  | 14.2 | 0  |  |
| 307 | Musculoskeletal manifestations of childhood cancer and differential diagnosis with juvenile idiopathic arthritis (ONCOREUM): a multicentre, cross-sectional study. <i>Lancet Rheumatology, The</i> , <b>2021</b> , 3, e507-e516  | 14.2 | 3  |  |
| 306 | Novel biomarkers for prediction of outcome and therapeutic response in juvenile idiopathic arthritis. <i>Expert Review of Clinical Immunology</i> , <b>2021</b> , 17, 853-870  | 5.1  | 3  |  |
| 305 | Thrombotic Microangiopathy Associated with Macrophage Activation Syndrome: A Multinational Study of 23 Patients. <i>Journal of Pediatrics</i> , <b>2021</b> , 235, 196-202   | 3.6  | 1  |  |
| 304 | CANAKINUMAB IN SYSTEMIC JUVENILE IDIOPATHIC ARTHRITIS: REAL-LIFE DATA FROM A RETROSPECTIVE ITALIAN COHORT. <i>Rheumatology</i> , <b>2021</b> ,   | 3.9  | 1  |  |
| 303 | Definition and Validation of the American College of Rheumatology 2021 Juvenile Arthritis Disease Activity Score©utoffs for Disease Activity States in Juvenile Idiopathic Arthritis. <i>Arthritis and Rheumatology</i> , <b>2021</b> , 73, 1966-1975  | 9.5  | 4  |  |
| 302 | Type I interferon activation in RAS-associated autoimmune leukoproliferative disease (RALD). <i>Clinical Immunology</i> , <b>2021</b> , 231, 108837  | 9    | 1  |  |
| 301 | Second Wave Antibodies in Autoimmune Renal Diseases: The Case of Lupus Nephritis. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2021</b> ,   | 12.7 | O  |  |
| 300 | Analysis of arthritis flares after achievement of inactive disease with methotrexate monotherapy in juvenile idiopathic arthritis. <i>Clinical and Experimental Rheumatology</i> , <b>2021</b> , 39, 426-433   | 2.2  |    |  |
| 299 | Neonatal lupus erythematosus in dizygotic twins with anti-RNP antibodies. <i>Clinical and Experimental Rheumatology</i> , <b>2021</b> , 39, 1446   | 2.2  | 1  |  |
| 298 | A prediction rule for polyarticular extension in oligoarticular-onset juvenile idiopathic arthritis. <i>Clinical and Experimental Rheumatology</i> , <b>2021</b> , 39, 913-919   | 2.2  |    |  |
| 297 | Timely Recognition and Early Multi-Step Antinflammatory Therapy May Prevent ICU Admission of Patients With MIS-C: Proposal for a Severity Score <i>Frontiers in Pediatrics</i> , <b>2021</b> , 9, 783745   | 3.4  | 2  |  |
| 296 | Safety and efficacy of early high-dose IV anakinra in severe COVID-19 lung disease. <i>Journal of Allergy and Clinical Immunology</i> , <b>2020</b> , 146, 213-215   | 11.5 | 90 |  |
| 295 | Evaluating diagnostic criteria for macrophage activation syndrome in patients with adult onset Still@ disease. Response to: @omparison of MS score and HScore for the diagnosis of adult-onset Still@ disease associated macrophage activation syndrome@by Zhang. <i>Annals of the Rheumatic</i> | 2.4  | 2  |  |

3

| 294 | Macrophage activation syndrome in pediatrics. <i>Pediatric Allergy and Immunology</i> , <b>2020</b> , 31 Suppl 24, 13-   | ·145.2 | 5   |
|-----|--|--------|-----|
| 293 | Medicine and humanism in the time of COVID-19. Ethical choices. <i>Acta Biomedica</i> , <b>2020</b> , 91, e2020167   | 3.2    |     |
| 292 | The Effect of Morning Stiffness Duration on the Definition of Clinically Inactive Disease in Juvenile Idiopathic Arthritis. <i>Journal of Rheumatology</i> , <b>2020</b> , 47, 1238-1241   | 4.1    | 1   |
| 291 | Update on Outcome Measures for Pediatric Systemic Lupus Erythematosus. <i>Arthritis Care and Research</i> , <b>2020</b> , 72 Suppl 10, 163-170   | 4.7    | Ο   |
| 290 | Successful treatment of refractory hyperferritinemic syndromes with canakinumab: a report of two cases. <i>Pediatric Rheumatology</i> , <b>2020</b> , 18, 56   | 3.5    | 1   |
| 289 | Development and initial validation of a composite disease activity score for systemic juvenile idiopathic arthritis. <i>Rheumatology</i> , <b>2020</b> , 59, 3505-3514   | 3.9    | 16  |
| 288 | Tocilizumab may slow radiographic progression in patients with systemic or polyarticular-course juvenile idiopathic arthritis: post hoc radiographic analysis from two randomized controlled trials. <i>Arthritis Research and Therapy</i> , <b>2020</b> , 22, 211 | 5.7    | 2   |
| 287 | Neutrophil Extracellular Traps Profiles in Patients with Incident Systemic Lupus Erythematosus and Lupus Nephritis. <i>Journal of Rheumatology</i> , <b>2020</b> , 47, 377-386   | 4.1    | 36  |
| 286 | Growth and Puberty in Juvenile Dermatomyositis: A Longitudinal Cohort Study. <i>Arthritis Care and Research</i> , <b>2020</b> , 72, 265-273  | 4.7    | 3   |
| 285 | Next generation sequencing panel in undifferentiated autoinflammatory diseases identifies patients with colchicine-responder recurrent fevers. <i>Rheumatology</i> , <b>2020</b> , 59, 344-360   | 3.9    | 19  |
| 284 | On the Alert for Cytokine Storm: Immunopathology in COVID-19. <i>Arthritis and Rheumatology</i> , <b>2020</b> , 72, 1059-1063  | 9.5    | 394 |
| 283 | Development and validation of a composite disease activity score for measurement of muscle and skin involvement in juvenile dermatomyositis. <i>Rheumatology</i> , <b>2019</b> , 58, 1196-1205   | 3.9    | 7   |
| 282 | The European network for care of children with paediatric rheumatic diseases: care across borders. <i>Rheumatology</i> , <b>2019</b> , 58, 1188-1195   | 3.9    | 11  |
| 281 | American College of Rheumatology Provisional Criteria for Clinically Relevant Improvement in Children and Adolescents With Childhood-Onset Systemic Lupus Erythematosus. <i>Arthritis Care and Research</i> , <b>2019</b> , 71, 579-590                            | 4.7    | 12  |
| 280 | Predictors of Effectiveness of Anakinra in Systemic Juvenile Idiopathic Arthritis. <i>Journal of Rheumatology</i> , <b>2019</b> , 46, 416-421  | 4.1    | 20  |
| 279 | Efficacy and Adverse Events During Janus Kinase Inhibitor Treatment of SAVI Syndrome. <i>Journal of Clinical Immunology</i> , <b>2019</b> , 39, 476-485  | 5.7    | 43  |
| 278 | The PRINTO evidence-based proposal for glucocorticoids tapering/discontinuation in new onset juvenile dermatomyositis patients. <i>Pediatric Rheumatology</i> , <b>2019</b> , 17, 24   | 3.5    | 8   |
| 277 | Phenotypic variability and disparities in treatment and outcomes of childhood arthritis throughout the world: an observational cohort study. <i>The Lancet Child and Adolescent Health</i> , <b>2019</b> , 3, 255-263  | 14.5   | 58  |

#### (2018-2019)

| 276 | Development and initial validation of the MS score for diagnosis of macrophage activation syndrome in systemic juvenile idiopathic arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>2019</b> , 78, 1357-136.             | 2 <sup>2.4</sup> | 44  |
|-----|---|------------------|-----|
| 275 | Disease activity and damage in juvenile idiopathic arthritis: methotrexate era versus biologic era. <i>Arthritis Research and Therapy</i> , <b>2019</b> , 21, 168   | 5.7              | 16  |
| 274 | A prediction rule for lack of achievement of inactive disease with methotrexate as the sole disease-modifying antirheumatic therapy in juvenile idiopathic arthritis. <i>Pediatric Rheumatology</i> , <b>2019</b> , 17, 50      | 3.5              | 2   |
| 273 | Ferritin to Erythrocyte Sedimentation Rate Ratio: Simple Measure to Identify Macrophage Activation Syndrome in Systemic Juvenile Idiopathic Arthritis. <i>ACR Open Rheumatology</i> , <b>2019</b> , 1, 345-34                   | 93.5             | 37  |
| 272 | Criteria for Cytokine Storm Syndromes <b>2019</b> , 61-79   |                  |     |
| 271 | Establishing an Updated Core Domain Set for Studies in Juvenile Idiopathic Arthritis: A Report from the OMERACT 2018 JIA Workshop. <i>Journal of Rheumatology</i> , <b>2019</b> , 46, 1006-1013                                 | 4.1              | 18  |
| 270 | Dr. Tibaldi, reply. <i>Journal of Rheumatology</i> , <b>2019</b> , 46, 1424   | 4.1              | 1   |
| 269 | Acute pain management in children: a survey of Italian pediatricians. <i>Italian Journal of Pediatrics</i> , <b>2019</b> , 45, 156  | 3.2              | 2   |
| 268 | Management of adult-onset Still@disease with interleukin-1 inhibitors: evidence- and consensus-based statements by a panel of Italian experts. <i>Arthritis Research and Therapy</i> , <b>2019</b> , 21, 275                    | 5.7              | 10  |
| 267 | European consensus-based recommendations for the diagnosis and treatment of rare paediatric vasculitides - the SHARE initiative. <i>Rheumatology</i> , <b>2019</b> , 58, 656-671  | 3.9              | 50  |
| 266 | Muscle Expression of Type I and Type II Interferons Is Increased in Juvenile Dermatomyositis and Related to Clinical and Histologic Features. <i>Arthritis and Rheumatology</i> , <b>2019</b> , 71, 1011-1021                   | 9.5              | 31  |
| 265 | Toward New Classification Criteria for Juvenile Idiopathic Arthritis: First Steps, Pediatric Rheumatology International Trials Organization International Consensus. <i>Journal of Rheumatology</i> , <b>2019</b> , 46, 190-197 | 4.1              | 139 |
| 264 | Transitional care of young people with juvenile idiopathic arthritis in Italy: results of a Delphi consensus survey. <i>Clinical and Experimental Rheumatology</i> , <b>2019</b> , 37, 1084-1091                                | 2.2              | 2   |
| 263 | American College of Rheumatology Provisional Criteria for Global Flares in Childhood-Onset Systemic Lupus Erythematosus. <i>Arthritis Care and Research</i> , <b>2018</b> , 70, 813-822   | 4.7              | 16  |
| 262 | Innovative Research Design to Meet the Challenges of Clinical Trials for Juvenile Dermatomyositis. <i>Current Rheumatology Reports</i> , <b>2018</b> , 20, 29   | 4.9              | 4   |
| 261 | Treating juvenile idiopathic arthritis to target: recommendations of an international task force. <i>Annals of the Rheumatic Diseases</i> , <b>2018</b> , 77, 819-828   | 2.4              | 99  |
| 260 | The Italian version of the Juvenile Arthritis Multidimensional Assessment Report (JAMAR). <i>Rheumatology International</i> , <b>2018</b> , 38, 251-258   | 3.6              | 1   |
| 259 | Measuring Disease Damage and Its Severity in Childhood-Onset Systemic Lupus Erythematosus.  Arthritis Care and Research, 2018, 70, 1621-1629  | 4.7              | 16  |

| 258 | Development and Testing of a Hybrid Measure of Muscle Strength in Juvenile Dermatomyositis for Use in Routine Care. <i>Arthritis Care and Research</i> , <b>2018</b> , 70, 1312-1319   | 4.7                           | 14             |
|-----|--|-------------------------------|----------------|
| 257 | Cross-cultural adaptation and psychometric evaluation of the Juvenile Arthritis Multidimensional Assessment Report (JAMAR) in 54 languages across 52 countries: review of the general methodology. <i>Rheumatology International</i> , <b>2018</b> , 38, 5-17    | 3.6                           | 64             |
| 256 | Consensus-based recommendations for the management of uveitis associated with juvenile idiopathic arthritis: the SHARE initiative. <i>Annals of the Rheumatic Diseases</i> , <b>2018</b> , 77, 1107-1117   | 2.4                           | 70             |
| 255 | Effect of Biologic Therapy on Clinical and Laboratory Features of Macrophage Activation Syndrome Associated With Systemic Juvenile Idiopathic Arthritis. <i>Arthritis Care and Research</i> , <b>2018</b> , 70, 409-419  | 4.7                           | 7 <del>2</del> |
| 254 | Recommendations for collaborative paediatric research including biobanking in Europe: a Single Hub and Access point for paediatric Rheumatology in Europe (SHARE) initiative. <i>Annals of the Rheumatic Diseases</i> , <b>2018</b> , 77, 319-327                | 2.4                           | 6              |
| 253 | Type I interferon pathway activation in COPA syndrome. <i>Clinical Immunology</i> , <b>2018</b> , 187, 33-36   | 9                             | 68             |
| 252 | In silico validation of the Autoinflammatory Disease Damage Index. <i>Annals of the Rheumatic Diseases</i> , <b>2018</b> , 77, 1599-1605   | 2.4                           | 17             |
| 251 | Methotrexate in juvenile idiopathic arthritis: advice and recommendations from the MARAJIA expert consensus meeting. <i>Pediatric Rheumatology</i> , <b>2018</b> , 16, 46  | 3.5                           | 50             |
| 250 | Development of a consensus core dataset in juvenile dermatomyositis for clinical use to inform research. <i>Annals of the Rheumatic Diseases</i> , <b>2018</b> , 77, 241-250   | 2.4                           | 20             |
| 249 | Disease activity, overweight, physical activity and screen time in a cohort of patients with juvenile idiopathic arthritis. <i>Clinical and Experimental Rheumatology</i> , <b>2018</b> , 36, 1110-1116  | 2.2                           | 4              |
| 248 | Intra-articular corticosteroids versus intra-articular corticosteroids plus methotrexate in oligoarticular juvenile idiopathic arthritis: a multicentre, prospective, randomised, open-label trial. <i>Lancet, The</i> , <b>2017</b> , 389, 909-916              | 40                            | 34             |
| 247 | Development of the autoinflammatory disease damage index (ADDI). <i>Annals of the Rheumatic Diseases</i> , <b>2017</b> , 76, 821-830   | 2.4                           | 54             |
| 246 | Elevated circulating levels of interferon-land interferon-landuced chemokines characterise patients with macrophage activation syndrome complicating systemic juvenile idiopathic arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>2017</b> , 76, 166-172 | 2.4                           | 154            |
| 245 | Consensus-based recommendations for the management of juvenile dermatomyositis. <i>Annals of the Rheumatic Diseases</i> , <b>2017</b> , 76, 329-340  | 2.4                           | 119            |
| 244 | European evidence-based recommendations for diagnosis and treatment of paediatric antiphospholipid syndrome: the SHARE initiative. <i>Annals of the Rheumatic Diseases</i> , <b>2017</b> , 76, 1637-1641   | 2.4                           | 59             |
| 243 | ADA2 deficiency (DADA2) as an unrecognised cause of early onset polyarteritis nodosa and stroke: a multicentre national study. <i>Annals of the Rheumatic Diseases</i> , <b>2017</b> , 76, 1648-1656   | 2.4                           | 139            |
| 242 | European evidence-based recommendations for diagnosis and treatment of childhood-onset systemic lupus erythematosus: the SHARE initiative. <i>Annals of the Rheumatic Diseases</i> , <b>2017</b> , 76, 1788-17   | 7 <del>9</del> ∕ <del>4</del> | 90             |
| 241 | Update on the pathogenesis and treatment of juvenile idiopathic arthritis. <i>Current Opinion in Rheumatology</i> , <b>2017</b> , 29, 523-529  | 5.3                           | 29             |

# (2016-2017)

| 240                             | 2016 American College of Rheumatology/European League Against Rheumatism Criteria for Minimal, Moderate, and Major Clinical Response in Juvenile Dermatomyositis: An International Myositis Assessment and Clinical Studies Group/Paediatric Rheumatology International Trials   | 9.5                      | 36  |
|---------------------------------|--|--------------------------|---|
| 239                             | 2016 American College of Rheumatology/European League Against Rheumatism Criteria for Minimal, Moderate, and Major Clinical Response in Adult Dermatomyositis and Polymyositis: An International Myositis Assessment and Clinical Studies Group/Paediatric Rheumatology  | 9.5                      | 33  |
| 238                             | 2016 American College of Rheumatology/European League Against Rheumatism Criteria for Minimal, Moderate, and Major Clinical Response in Juvenile Dermatomyositis: An International Myositis Assessment and Clinical Studies Group/Paediatric Rheumatology International Trials Organisation Collaborative Initiative. Annals of the Rheumatic Diseases, 2017, 76, 782-791  | 2.4                      | 24  |
| 237                             | European evidence-based recommendations for the diagnosis and treatment of childhood-onset lupus nephritis: the SHARE initiative. <i>Annals of the Rheumatic Diseases</i> , <b>2017</b> , 76, 1965-1973  | 2.4                      | 65  |
| 236                             | Development and Initial Validation of the Macrophage Activation Syndrome/Primary Hemophagocytic Lymphohistiocytosis Score, a Diagnostic Tool that Differentiates Primary Hemophagocytic Lymphohistiocytosis from Macrophage Activation Syndrome. <i>Journal of Pediatrics</i> ,  | 3.6                      | 37  |
| 235                             | 2017, 189, 72-78.e3 Evidence for Updating the Core Domain Set of Outcome Measures for Juvenile Idiopathic Arthritis: Report from a Special Interest Group at OMERACT 2016. <i>Journal of Rheumatology</i> , 2017, 44, 1884-1888  | 4.1                      | 8   |
| 234                             | Paediatric rheumatic disease: What is the best definition of clinical remission in JIA?. <i>Nature Reviews Rheumatology</i> , <b>2017</b> , 13, 460-461  | 8.1                      | 3   |
| 233                             | Temporomandibular Joint Involvement in Association With Quality of Life, Disability, and High Disease Activity in Juvenile Idiopathic Arthritis. <i>Arthritis Care and Research</i> , <b>2017</b> , 69, 677-686  | 4.7                      | 32  |
| 232                             | Recent therapeutic advances in juvenile idiopathic arthritis. <i>Best Practice and Research in Clinical Rheumatology</i> , <b>2017</b> , 31, 476-487   | 5.3                      | 6   |
|                                 | Tareamacology; <b>2011</b> , 51, 110 101   |                          |   |
| 231                             | Macrophage Activation Syndrome <b>2017</b> , 275-292   |                          |   |
| 231                             |  | 2.2                      | 7   |
|                                 | Macrophage Activation Syndrome <b>2017</b> , 275-292  Open issues in the assessment and management of pain in juvenile idiopathic arthritis. <i>Clinical and</i>   | 2.2                      | 7   |
| 230                             | Macrophage Activation Syndrome 2017, 275-292  Open issues in the assessment and management of pain in juvenile idiopathic arthritis. <i>Clinical and Experimental Rheumatology</i> , 2017, 35 Suppl 107, 123-126  Juvenile Idiopathic Arthritis: Diagnosis and Treatment. <i>Rheumatology and Therapy</i> , 2016, 3, 187-207   |                          |   |
| 230                             | Macrophage Activation Syndrome 2017, 275-292  Open issues in the assessment and management of pain in juvenile idiopathic arthritis. <i>Clinical and Experimental Rheumatology</i> , 2017, 35 Suppl 107, 123-126  Juvenile Idiopathic Arthritis: Diagnosis and Treatment. <i>Rheumatology and Therapy</i> , 2016, 3, 187-207   | 4-4                      | 102   |
| 230<br>229<br>228               | Macrophage Activation Syndrome 2017, 275-292  Open issues in the assessment and management of pain in juvenile idiopathic arthritis. <i>Clinical and Experimental Rheumatology</i> , 2017, 35 Suppl 107, 123-126  Juvenile Idiopathic Arthritis: Diagnosis and Treatment. <i>Rheumatology and Therapy</i> , 2016, 3, 187-207  Clinical outcome measures in juvenile idiopathic arthritis. <i>Pediatric Rheumatology</i> , 2016, 14, 23  Expert consensus on dynamics of laboratory tests for diagnosis of macrophage activation syndrome complicating systemic juvenile idiopathic arthritis. <i>RMD Open</i> , 2016, 2, e000161  Current Research in Outcome Measures for Pediatric Rheumatic and Autoinflammatory Diseases.  | 4·4<br>3·5               | 102<br>74   |
| 230<br>229<br>228<br>227        | Macrophage Activation Syndrome 2017, 275-292  Open issues in the assessment and management of pain in juvenile idiopathic arthritis. <i>Clinical and Experimental Rheumatology</i> , 2017, 35 Suppl 107, 123-126  Juvenile Idiopathic Arthritis: Diagnosis and Treatment. <i>Rheumatology and Therapy</i> , 2016, 3, 187-207  Clinical outcome measures in juvenile idiopathic arthritis. <i>Pediatric Rheumatology</i> , 2016, 14, 23  Expert consensus on dynamics of laboratory tests for diagnosis of macrophage activation syndrome complicating systemic juvenile idiopathic arthritis. <i>RMD Open</i> , 2016, 2, e000161  Current Research in Outcome Measures for Pediatric Rheumatic and Autoinflammatory Diseases.  | 4·4<br>3·5<br>5·9        | <ul><li>102</li><li>74</li><li>46</li></ul>           |
| 230<br>229<br>228<br>227<br>226 | Macrophage Activation Syndrome 2017, 275-292  Open issues in the assessment and management of pain in juvenile idiopathic arthritis. Clinical and Experimental Rheumatology, 2017, 35 Suppl 107, 123-126  Juvenile Idiopathic Arthritis: Diagnosis and Treatment. Rheumatology and Therapy, 2016, 3, 187-207  Clinical outcome measures in juvenile idiopathic arthritis. Pediatric Rheumatology, 2016, 14, 23  Expert consensus on dynamics of laboratory tests for diagnosis of macrophage activation syndrome complicating systemic juvenile idiopathic arthritis. RMD Open, 2016, 2, e000161  Current Research in Outcome Measures for Pediatric Rheumatic and Autoinflammatory Diseases. Current Rheumatology Reports, 2016, 18, 8  2016 Classification Criteria for Macrophage Activation Syndrome Complicating Systemic Juvenile Idiopathic Arthritis: A European League Against Rheumatism/American College of | 4·4<br>3·5<br>5·9<br>4·9 | <ul><li>102</li><li>74</li><li>46</li><li>9</li></ul> |

| 222 | Consequences and complications <b>2016</b> , 59-71   |     | 0   |
|-----|--|-----|-----|
| 221 | General treatment aspects <b>2016</b> , 73-85  |     | О   |
| 220 | Management of Patients with Juvenile Idiopathic Arthritis <b>2016</b> , 87-114   |     | 0   |
| 219 | Specific Issues <b>2016</b> , 115-120  |     |     |
| 218 | Disease classification <b>2016</b> , 17-24   |     |     |
| 217 | Outcome, Prognosis and Future Outlook <b>2016</b> , 121-124  |     |     |
| 216 | PROMs for Juvenile Idiopathic Arthritis <b>2016</b> , 209-224  |     |     |
| 215 | IL-1 Inhibition in Systemic Juvenile Idiopathic Arthritis. Frontiers in Pharmacology, 2016, 7, 467   | 5.6 | 33  |
| 214 | The PRINTO juvenile dermatomyositis trial - AuthorsQeply. Lancet, The, 2016, 387, 2601   | 40  |     |
| 213 | Delineating the Application of Ultrasound in Detecting Synovial Abnormalities of the Subtalar Joint in Juvenile Idiopathic Arthritis. <i>Arthritis Care and Research</i> , <b>2016</b> , 68, 1346-53   | 4.7 | 13  |
| 212 | A Meta-Analysis to Estimate the Placebo Effect in Randomized Controlled Trials in Juvenile Idiopathic Arthritis. <i>Arthritis and Rheumatology</i> , <b>2016</b> , 68, 1540-50   | 9.5 | 10  |
| 211 | Improving inflammatory arthritis management through tighter monitoring of patients and the use of innovative electronic tools. <i>RMD Open</i> , <b>2016</b> , 2, e000302  | 5.9 | 35  |
| 210 | Disease status, reasons for discontinuation and adverse events in 1038 Italian children with juvenile idiopathic arthritis treated with etanercept. <i>Pediatric Rheumatology</i> , <b>2016</b> , 14, 68   | 3.5 | 28  |
| 209 | 2016 Classification Criteria for Macrophage Activation Syndrome Complicating Systemic Juvenile Idiopathic Arthritis: A European League Against Rheumatism/American College of Rheumatology/Paediatric Rheumatology International Trials Organisation Collaborative Initiative. | 9.5 | 216 |
| 208 | Recurrent macrophage activation syndrome in spondyloarthritis and monoallelic missense mutations in PRF1: a description of one paediatric case. <i>Clinical and Experimental Rheumatology</i> , <b>2016</b> , 34, 719  | 2.2 | 5   |
| 207 | Methotrexate treatment may prevent uveitis onset in patients with juvenile idiopathic arthritis: experiences and subgroup analysis in a cohort with frequent methotrexate use. <i>Clinical and Experimental Rheumatology</i> , <b>2016</b> , 34, 714-8                         | 2.2 | 10  |
| 206 | Information technology in paediatric rheumatology. <i>Clinical and Experimental Rheumatology</i> , <b>2016</b> , 34, S11-S16   | 2.2 | 4   |
| 205 | Clinical features and correct diagnosis of macrophage activation syndrome. <i>Expert Review of Clinical Immunology</i> , <b>2015</b> , 11, 1043-53   | 5.1 | 45  |

# (2014-2015)

| 204 | Dissecting the heterogeneity of macrophage activation syndrome complicating systemic juvenile idiopathic arthritis. <i>Journal of Rheumatology</i> , <b>2015</b> , 42, 994-1001   | 4.1             | 47  |
|-----|---|-----------------|-----|
| 203 | Multi-antibody composition in lupus nephritis: isotype and antigen specificity make the difference. <i>Autoimmunity Reviews</i> , <b>2015</b> , 14, 692-702   | 13.6            | 49  |
| 202 | Macrophage Activation Syndrome. Hematology/Oncology Clinics of North America, 2015, 29, 927-41  | 3.1             | 87  |
| 201 | Advances in biomarkers for paediatric rheumatic diseases. <i>Nature Reviews Rheumatology</i> , <b>2015</b> , 11, 265  | 5-78 <b>5</b> 1 | 23  |
| 200 | Glucocorticoids in juvenile idiopathic arthritis. <i>NeuroImmunoModulation</i> , <b>2015</b> , 22, 112-8  | 2.5             | 12  |
| 199 | Evidence-based diagnosis and treatment of macrophage activation syndrome in systemic juvenile idiopathic arthritis. <i>Pediatric Rheumatology</i> , <b>2015</b> , 13, 55  | 3.5             | 43  |
| 198 | Development of an internationally agreed minimal dataset for juvenile dermatomyositis (JDM) for clinical and research use. <i>Trials</i> , <b>2015</b> , 16, 268  | 2.8             | 15  |
| 197 | Evaluation of musculoskeletal complaints in children: Clinical evaluation <b>2015</b> , 815-819   |                 |     |
| 196 | The conundrum of juvenile psoriatic arthritis. Clinical and Experimental Rheumatology, 2015, 33, S40-3  | 2.2             | 27  |
| 195 | Clinical features, treatment, and outcome of macrophage activation syndrome complicating systemic juvenile idiopathic arthritis: a multinational, multicenter study of 362 patients. <i>Arthritis and Rheumatology</i> , <b>2014</b> , 66, 3160-9 | 9.5             | 248 |
| 194 | A30: Assessment of Construct and Discriminative Validity of the 3-Variable JADAS in Relation of Parent-Reported Outcomes. <i>Arthritis and Rheumatology</i> , <b>2014</b> , 66, S46-S46   | 9.5             | 1   |
| 193 | Defining criteria for high disease activity in juvenile idiopathic arthritis based on the juvenile arthritis disease activity score. <i>Annals of the Rheumatic Diseases</i> , <b>2014</b> , 73, 1380-3   | 2.4             | 56  |
| 192 | Performance of current guidelines for diagnosis of macrophage activation syndrome complicating systemic juvenile idiopathic arthritis. <i>Arthritis and Rheumatology</i> , <b>2014</b> , 66, 2871-80  | 9.5             | 84  |
| 191 | Developing a provisional, international minimal dataset for Juvenile Dermatomyositis: for use in clinical practice to inform research. <i>Pediatric Rheumatology</i> , <b>2014</b> , 12, 31   | 3.5             | 6   |
| 190 | Female sex and oligoarthritis category are not risk factors for uveitis in Italian children with juvenile idiopathic arthritis. <i>Journal of Rheumatology</i> , <b>2014</b> , 41, 1416-25  | 4.1             | 21  |
| 189 | Is it worth including subtalar joint in ultrasound ankle assessment of patients with juvenile idiopathic arthritis?. <i>Pediatric Rheumatology</i> , <b>2014</b> , 12,  | 3.5             | 78  |
| 188 | Defining criteria for disease activity states in nonsystemic juvenile idiopathic arthritis based on a three-variable juvenile arthritis disease activity score. <i>Arthritis Care and Research</i> , <b>2014</b> , 66, 1703-9                     | 4.7             | 78  |
| 187 | CACP syndrome: identification of five novel mutations and of the first case of UPD in the largest European cohort. <i>European Journal of Human Genetics</i> , <b>2014</b> , 22, 197-201  | 5.3             | 19  |

| 186 | A66: Assessment of Radiographic Progression in Patients With Systemic Juvenile Idiopathic Arthritis Treated With Tocilizumab: 2-Year Results From the TENDER Trial. <i>Arthritis and Rheumatology</i> , <b>2014</b> , 66, S96-S97 | 9.5 | 1  |
|-----|---|-----|----|
| 185 | A56: Macrophage Activation Syndrome in Patients With Systemic Juvenile Idiopathic Arthritis Treated With Tocilizumab. <i>Arthritis and Rheumatology</i> , <b>2014</b> , 66, S83-S84   | 9.5 | 11 |
| 184 | Frequency of radiographic damage and progression in individual joints in children with juvenile idiopathic arthritis. <i>Arthritis Care and Research</i> , <b>2014</b> , 66, 27-33  | 4.7 | 7  |
| 183 | Agreement among musculoskeletal pediatric specialists in the assessment of radiographic joint damage in juvenile idiopathic arthritis. <i>Arthritis Care and Research</i> , <b>2014</b> , 66, 34-9                                | 4.7 | 3  |
| 182 | A11: Assessment of Radiographic Progression in Patients With Polyarticular-Course Juvenile Idiopathic Arthritis Treated With Tocilizumab: 2-Year Data From CHERISH. <i>Arthritis and Rheumatology</i> , <b>2014</b> , 66, S17-S18 | 9.5 | 4  |
| 181 | Health related quality of life measure in systemic pediatric rheumatic diseases and its translation to different languages: an international collaboration. <i>Pediatric Rheumatology</i> , <b>2014</b> , 12, 49                  | 3.5 | 5  |
| 180 | Development of new classification criteria for macrophage activation syndrome complicating systemic juvenile idiopathic arthritis. <i>Pediatric Rheumatology</i> , <b>2014</b> , 12,  | 3.5 | 6  |
| 179 | Is it worth allowing the presence of morning stiffness in the definition of inactive disease in juvenile idiopathic arthritis?. <i>Pediatric Rheumatology</i> , <b>2014</b> , 12, P174  | 3.5 | 78 |
| 178 | Nearly 20% of children are not correctly classified according to current ilar classification in a PRINTO dataset of more than 12,000 juvenile idiopathic arthritis patients. <i>Pediatric Rheumatology</i> , <b>2014</b> , 12,    | 3.5 | 78 |
| 177 | Macrophage activation syndrome in patients with systemic juvenile idiopathic arthritis treated with tocilizumab. <i>Pediatric Rheumatology</i> , <b>2014</b> , 12,  | 3.5 | 4  |
| 176 | The functional significance of common polymorphisms in zinc finger transcription factors. <i>G3: Genes, Genomes, Genetics</i> , <b>2014</b> , 4, 1647-55  | 3.2 | 6  |
| 175 | Whole-body MRI in the assessment of disease activity in juvenile dermatomyositis. <i>Annals of the Rheumatic Diseases</i> , <b>2014</b> , 73, 1083-90   | 2.4 | 94 |
| 174 | Treating Juvenile Idiopathic Arthritis According to JADAS-Based Targets. <i>Annals of Paediatric Rheumatology</i> , <b>2014</b> , 3, 4  |     | 8  |
| 173 | Evaluation of Biopsychosocial Aspects of Patients with Juvenile Autoinflammatory Disease: A Qualitative Study. <i>Annals of Paediatric Rheumatology</i> , <b>2014</b> , 3, 62   |     | 4  |
| 172 | The invisible part of the iceberg: qualitative aspects of childhood vasculitis. <i>Clinical and Experimental Rheumatology</i> , <b>2014</b> , 32, S122-7  | 2.2 | 4  |
| 171 | Periostin gene variants are associated with disease course and severity in juvenile idiopathic arthritis. <i>Clinical and Experimental Rheumatology</i> , <b>2014</b> , 32, 747-53  | 2.2 | 3  |
| 170 | MRI versus conventional measures of disease activity and structural damage in evaluating treatment efficacy in juvenile idiopathic arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>2013</b> , 72, 363-8                   | 2.4 | 28 |
| 169 | Delineating the role of multiple intraarticular corticosteroid injections in the management of juvenile idiopathic arthritis in the biologic era. <i>Arthritis Care and Research</i> , <b>2013</b> , 65, 1112-20                  | 4.7 | 32 |

| 168 | Methotrexate therapy may prevent the onset of uveitis in juvenile idiopathic arthritis. <i>Journal of Pediatrics</i> , <b>2013</b> , 163, 879-84   | 3.6          | 38  |
|-----|--|--------------|-----|
| 167 | Factors associated with achievement of inactive disease in children with juvenile idiopathic arthritis treated with etanercept. <i>Journal of Rheumatology</i> , <b>2013</b> , 40, 192-200   | 4.1          | 39  |
| 166 | Ultrasound-detected synovial abnormalities are frequent in clinically inactive juvenile idiopathic arthritis, but do not predict a flare of synovitis. <i>Annals of the Rheumatic Diseases</i> , <b>2013</b> , 72, 223-8                           | 2.4          | 66  |
| 165 | The PRINTO criteria for clinically inactive disease in juvenile dermatomyositis. <i>Annals of the Rheumatic Diseases</i> , <b>2013</b> , 72, 686-93  | 2.4          | 84  |
| 164 | Towards a role of ultrasound in children with juvenile idiopathic arthritis. <i>Rheumatology</i> , <b>2013</b> , 52, 413-7   | <b>29</b> .9 | 33  |
| 163 | Therapeutic approaches for the treatment of renal disease in juvenile systemic lupus erythematosus: an international multicentre PRINTO study. <i>Annals of the Rheumatic Diseases</i> , <b>2013</b> , 72, 1503-9                                  | 2.4          | 11  |
| 162 | Introducing new tools for assessment of parent- and child-reported outcomes in paediatric rheumatology practice: a work in progress. <i>Clinical and Experimental Rheumatology</i> , <b>2013</b> , 31, 964-8                                       | 2.2          | 8   |
| 161 | A phase II, multicenter, open-label study evaluating dosing and preliminary safety and efficacy of canakinumab in systemic juvenile idiopathic arthritis with active systemic features. <i>Arthritis and Rheumatism</i> , <b>2012</b> , 64, 557-67 |              | 147 |
| 160 | Macrophage activation syndrome. <i>Indian Journal of Rheumatology</i> , <b>2012</b> , 7, 27-35   | 0.5          | 4   |
| 159 | Novel automated system for magnetic resonance imaging quantification of the inflamed synovial membrane volume in patients with juvenile idiopathic arthritis. <i>Arthritis Care and Research</i> , <b>2012</b> , 64, 1657-64                       | 4.7          | 14  |
| 158 | Advances and challenges in imaging in juvenile idiopathic arthritis. <i>Nature Reviews Rheumatology</i> , <b>2012</b> , 8, 329-36  | 8.1          | 61  |
| 157 | Seeking insights into the EPidemiology, treatment and Outcome of Childhood Arthritis through a multinational collaborative effort: Introduction of the EPOCA study. <i>Pediatric Rheumatology</i> , <b>2012</b> , 10, 39                           | 3.5          | 63  |
| 156 | Randomized trial of tocilizumab in systemic juvenile idiopathic arthritis. <i>New England Journal of Medicine</i> , <b>2012</b> , 367, 2385-95   | 59.2         | 577 |
| 155 | Macrophage activation syndrome as part of systemic juvenile idiopathic arthritis: diagnosis, genetics, pathophysiology and treatment. <i>Genes and Immunity</i> , <b>2012</b> , 13, 289-98   | 4.4          | 261 |
| 154 | Inactive disease and remission in childhood-onset systemic lupus erythematosus. <i>Arthritis Care and Research</i> , <b>2012</b> , 64, 683-93  | 4.7          | 29  |
| 153 | Remission, minimal disease activity, and acceptable symptom state in juvenile idiopathic arthritis: defining criteria based on the juvenile arthritis disease activity score. <i>Arthritis and Rheumatism</i> , <b>2012</b> , 64, 2366-74          |              | 123 |
| 152 | A longitudinal PRINTO study on growth and puberty in juvenile systemic lupus erythematosus. <i>Annals of the Rheumatic Diseases</i> , <b>2012</b> , 71, 511-7  | 2.4          | 44  |
| 151 | Parent and child acceptable symptom state in juvenile idiopathic arthritis. <i>Journal of Rheumatology</i> , <b>2012</b> , 39, 856-63  | 4.1          | 64  |

| 150 | Toward the Development of New Diagnostic Criteria for Macrophage Activation Syndrome in Systemic Juvenile Idiopathic Arthritis. <i>Annals of Paediatric Rheumatology</i> , <b>2012</b> , 1, 1   |      | 13  |
|-----|---|------|-----|
| 149 | Recent advances in quantitative assessment of juvenile idiopathic arthritis. <i>Annals of Paediatric Rheumatology</i> , <b>2012</b> , 1, 84   |      | 5   |
| 148 | Performance of Birmingham Vasculitis Activity Score and disease extent index in childhood vasculitides. <i>Clinical and Experimental Rheumatology</i> , <b>2012</b> , 30, S162-8  | 2.2  | 13  |
| 147 | Toward a treat-to-target approach in the management of juvenile idiopathic arthritis. <i>Clinical and Experimental Rheumatology</i> , <b>2012</b> , 30, S157-62   | 2.2  | 33  |
| 146 | Vaccination in paediatric patients with auto-immune rheumatic diseases: a systemic literature review for the European League against Rheumatism evidence-based recommendations. <i>Autoimmunity Reviews</i> , <b>2011</b> , 11, 112-22                    | 13.6 | 44  |
| 145 | Criteria to define response to therapy in paediatric rheumatic diseases. <i>European Journal of Clinical Pharmacology</i> , <b>2011</b> , 67 Suppl 1, 125-31  | 2.8  | 21  |
| 144 | Sensitivity and specificity of current diagnostic guidelines in children with macrophage activation syndrome complicating systemic juvenile idiopathic arthritis. <i>Pediatric Rheumatology</i> , <b>2011</b> , 9,  | 3.5  | 78  |
| 143 | Sensitivity and specificity of current diagnostic guidelines in children with macrophage activation syndrome complicating systemic juvenile idiopathic arthritis. <i>Pediatric Rheumatology</i> , <b>2011</b> , 9,  | 3.5  | 78  |
| 142 | Proposal for the development of an international minimal data collection for juvenile dermatomyositis (JDM). <i>Pediatric Rheumatology</i> , <b>2011</b> , 9, P51   | 3.5  | 78  |
| 141 | Preliminary criteria for global flares in childhood-onset systemic lupus erythematosus. <i>Arthritis Care and Research</i> , <b>2011</b> , 63, 1213-23  | 4.7  | 25  |
| 140 | Development and initial validation of composite parent- and child-centered disease assessment indices for juvenile idiopathic arthritis. <i>Arthritis Care and Research</i> , <b>2011</b> , 63, 1262-70   | 4.7  | 15  |
| 139 | Measures of disease activity and damage in pediatric systemic lupus erythematosus: British Isles Lupus Assessment Group (BILAG), European Consensus Lupus Activity Measurement (ECLAM), Systemic Lupus Erythematosus Disease Activity Index               | 4.7  | 42  |
| 138 | Antinuclear antibody-positive patients should be grouped as a separate category in the classification of juvenile idiopathic arthritis. <i>Arthritis and Rheumatism</i> , <b>2011</b> , 63, 267-75  |      | 109 |
| 137 | Therapeutic approaches in the treatment of juvenile dermatomyositis in patients with recent-onset disease and in those experiencing disease flare: an international multicenter PRINTO study. <i>Arthritis and Rheumatism</i> , <b>2011</b> , 63, 3142-52 |      | 42  |
| 136 | Development and preliminary validation of a paediatric-targeted MRI scoring system for the assessment of disease activity and damage in juvenile idiopathic arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>2011</b> , 70, 440-6                  | 2.4  | 46  |
| 135 | An international consensus survey of diagnostic criteria for macrophage activation syndrome in systemic juvenile idiopathic arthritis. <i>Journal of Rheumatology</i> , <b>2011</b> , 38, 764-8   | 4.1  | 120 |
| 134 | Outcome and predicting factors of single and multiple intra-articular corticosteroid injections in children with juvenile idiopathic arthritis. <i>Rheumatology</i> , <b>2011</b> , 50, 1627-34   | 3.9  | 48  |
| 133 | A new approach to clinical care of juvenile idiopathic arthritis: the Juvenile Arthritis<br>Multidimensional Assessment Report. <i>Journal of Rheumatology</i> , <b>2011</b> , 38, 938-53   | 4.1  | 122 |

| 132 | EULAR recommendations for vaccination in paediatric patients with rheumatic diseases. <i>Annals of the Rheumatic Diseases</i> , <b>2011</b> , 70, 1704-12  | 2.4              | 142 |
|-----|--|------------------|-----|
| 131 | Comparison of clinical features and drug therapies among European and Latin American patients with juvenile dermatomyositis. <i>Clinical and Experimental Rheumatology</i> , <b>2011</b> , 29, 117-24  | 2.2              | 31  |
| 130 | Methotrexate withdrawal at 6 vs 12 months in juvenile idiopathic arthritis in remission: a randomized clinical trial. <i>JAMA - Journal of the American Medical Association</i> , <b>2010</b> , 303, 1266-73   | 27.4             | 184 |
| 129 | Does removal of aids/devices and help make a difference in the Childhood Health Assessment Questionnaire disability index?. <i>Annals of the Rheumatic Diseases</i> , <b>2010</b> , 69, 82-7   | 2.4              | 10  |
| 128 | Predictors of poor response to methotrexate in polyarticular-course juvenile idiopathic arthritis: analysis of the PRINTO methotrexate trial. <i>Annals of the Rheumatic Diseases</i> , <b>2010</b> , 69, 1479-83  | 2.4              | 37  |
| 127 | Development and initial validation of a radiographic scoring system for the hip in juvenile idiopathic arthritis. <i>Journal of Rheumatology</i> , <b>2010</b> , 37, 432-9   | 4.1              | 30  |
| 126 | Mutations in the perforin gene can be linked to macrophage activation syndrome in patients with systemic onset juvenile idiopathic arthritis. <i>Rheumatology</i> , <b>2010</b> , 49, 441-9  | 3.9              | 169 |
| 125 | A new short and simple health-related quality of life measurement for paediatric rheumatic diseases: initial validation in juvenile idiopathic arthritis. <i>Rheumatology</i> , <b>2010</b> , 49, 1272-80  | 3.9              | 36  |
| 124 | Dynamic contrast-enhanced magnetic resonance imaging in the assessment of disease activity in patients with juvenile idiopathic arthritis. <i>Rheumatology</i> , <b>2010</b> , 49, 178-85  | 3.9              | 58  |
| 123 | EULAR/PRINTO/PRES criteria for Henoch-Schilein purpura, childhood polyarteritis nodosa, childhood Wegener granulomatosis and childhood Takayasu arteritis: Ankara 2008. Part I: Overall methodology and clinical characterisation. <i>Annals of the Rheumatic Diseases</i> , <b>2010</b> , 69, 790-7 | 2.4              | 140 |
| 122 | Evaluation of 21-numbered circle and 10-centimeter horizontal line visual analog scales for physician and parent subjective ratings in juvenile idiopathic arthritis. <i>Journal of Rheumatology</i> , <b>2010</b> , 37, 1534-41   | 4.1              | 98  |
| 121 | Long-term outcome and prognostic factors of juvenile dermatomyositis: a multinational, multicenter study of 490 patients. <i>Arthritis Care and Research</i> , <b>2010</b> , 62, 63-72   | 4.7              | 164 |
| 120 | The Paediatric Rheumatology International Trials Organisation provisional criteria for the evaluation of response to therapy in juvenile dermatomyositis. <i>Arthritis Care and Research</i> , <b>2010</b> , 62, 1533-41   | 4.7              | 63  |
| 119 | Agreement between multi-dimensional and renal-specific response criteria in patients with juvenile systemic lupus erythematosus and renal disease. <i>Clinical and Experimental Rheumatology</i> , <b>2010</b> , 28, 424   | 1- <del>33</del> | 3   |
| 118 | Factors affecting survival in juvenile systemic sclerosis. <i>Rheumatology</i> , <b>2009</b> , 48, 119-22  | 3.9              | 61  |
| 117 | Achievement of a state of inactive disease at least once in the first 5 years predicts better outcome of patients with polyarticular juvenile idiopathic arthritis. <i>Journal of Rheumatology</i> , <b>2009</b> , 36, 628-34  | 4.1              | 47  |
| 116 | Developing outcome measures for paediatric rheumatic diseases. <i>Best Practice and Research in Clinical Rheumatology</i> , <b>2009</b> , 23, 609-24   | 5.3              | 35  |
| 115 | Health-related quality of life of patients with juvenile dermatomyositis: results from the Pediatric Rheumatology International Trials Organisation multinational quality of life cohort study. <i>Arthritis and Rheumatism</i> <b>2009</b> , 61, 509-17   |                  | 36  |

| 114 | Development and validation of a composite disease activity score for juvenile idiopathic arthritis. <i>Arthritis and Rheumatism</i> , <b>2009</b> , 61, 658-66   |     | 424 |
|-----|--|-----|-----|
| 113 | Comparison of clinical versus ultrasound-determined synovitis in juvenile idiopathic arthritis. <i>Arthritis and Rheumatism</i> , <b>2009</b> , 61, 1497-504   |     | 123 |
| 112 | Macrophage activation syndrome in juvenile systemic lupus erythematosus: a multinational multicenter study of thirty-eight patients. <i>Arthritis and Rheumatism</i> , <b>2009</b> , 60, 3388-99   |     | 192 |
| 111 | Damage extent and predictors in adult and juvenile dermatomyositis and polymyositis as determined with the myositis damage index. <i>Arthritis and Rheumatism</i> , <b>2009</b> , 60, 3425-35  |     | 83  |
| 110 | HRCT and pulmonary function tests in monitoring of lung involvement in juvenile systemic sclerosis. <i>Pediatric Pulmonology</i> , <b>2009</b> , 44, 1226-34   | 3.5 | 21  |
| 109 | The Ped-APS Registry: the antiphospholipid syndrome in childhood. <i>Lupus</i> , <b>2009</b> , 18, 894-9   | 2.6 | 43  |
| 108 | Development and testing of reduced joint counts in juvenile idiopathic arthritis. <i>Journal of Rheumatology</i> , <b>2009</b> , 36, 183-90  | 4.1 | 31  |
| 107 | Treatment of Takayasu@ arteritis with tumor necrosis factor antagonists. <i>Journal of Pediatrics</i> , <b>2008</b> , 153, 432-4   | 3.6 | 42  |
| 106 | Pediatric antiphospholipid syndrome: clinical and immunologic features of 121 patients in an international registry. <i>Pediatrics</i> , <b>2008</b> , 122, e1100-7  | 7.4 | 151 |
| 105 | A longitudinal analysis of physical functional disability over the course of juvenile idiopathic arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>2008</b> , 67, 1159-64  | 2.4 | 28  |
| 104 | Consensus procedures and their role in pediatric rheumatology. <i>Current Rheumatology Reports</i> , <b>2008</b> , 10, 142-6   | 4.9 | 40  |
| 103 | The provisional Paediatric Rheumatology International Trials Organisation/American College of Rheumatology/European League Against Rheumatism Disease activity core set for the evaluation of response to the application in the contraction of t |     | 114 |
| 102 | The pattern of response to anti-interleukin-1 treatment distinguishes two subsets of patients with systemic-onset juvenile idiopathic arthritis. <i>Arthritis and Rheumatism</i> , <b>2008</b> , 58, 1505-15   |     | 290 |
| 101 | Validation of the Childhood Health Assessment Questionnaire in active juvenile systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , <b>2008</b> , 59, 1112-9  |     | 31  |
| 100 | Development and validation of a preliminary definition of minimal disease activity in patients with juvenile idiopathic arthritis. <i>Arthritis and Rheumatism</i> , <b>2008</b> , 59, 1120-7  |     | 80  |
| 99  | Assessing current outcomes of juvenile idiopathic arthritis: a cross-sectional study in a tertiary center sample. <i>Arthritis and Rheumatism</i> , <b>2008</b> , 59, 1571-9   |     | 47  |
| 98  | Magnetic resonance imaging, ultrasonography, and conventional radiography in the assessment of bone erosions in juvenile idiopathic arthritis. <i>Arthritis and Rheumatism</i> , <b>2008</b> , 59, 1764-72   |     | 102 |
| 97  | The magnitude of early response to methotrexate therapy predicts long-term outcome of patients with juvenile idiopathic arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>2008</b> , 67, 370-4   | 2.4 | 51  |

# (2006-2008)

| 96 | Methotrexate improves the health-related quality of life of children with juvenile idiopathic arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>2008</b> , 67, 309-14   | 2.4 | 44  |
|----|---|-----|-----|
| 95 | Juvenile idiopathic arthritis <b>2008</b> , 789-801   |     |     |
| 94 | Macrophage activation syndrome in juvenile systemic lupus erythematosus: an under-recognized complication?. <i>Lupus</i> , <b>2007</b> , 16, 587-92   | 2.6 | 52  |
| 93 | Antiphospholipid syndrome in pediatrics. <i>Rheumatic Disease Clinics of North America</i> , <b>2007</b> , 33, 499-523  | 2.4 | 23  |
| 92 | Proxy-reported health-related quality of life of patients with juvenile idiopathic arthritis: the Pediatric Rheumatology International Trials Organization multinational quality of life cohort study. <i>Arthritis and Rheumatism</i> , <b>2007</b> , 57, 35-43                                  |     | 106 |
| 91 | The Pediatric Rheumatology European Society/American College of Rheumatology/European League against Rheumatism provisional classification criteria for juvenile systemic sclerosis. <i>Arthritis and Rheumatism</i> , <b>2007</b> , 57, 203-12   |     | 127 |
| 90 | Adapted versions of the Sharp/van der Heijde score are reliable and valid for assessment of radiographic progression in juvenile idiopathic arthritis. <i>Arthritis and Rheumatism</i> , <b>2007</b> , 56, 3087-95  |     | 71  |
| 89 | A randomized, placebo-controlled trial of infliximab plus methotrexate for the treatment of polyarticular-course juvenile rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , <b>2007</b> , 56, 3096-106  |     | 315 |
| 88 | Development and validation of a new short and simple measure of physical function for juvenile idiopathic arthritis. <i>Arthritis and Rheumatism</i> , <b>2007</b> , 57, 913-20   |     | 88  |
| 87 | Agreement between physicians and parents in rating functional ability of children with juvenile idiopathic arthritis. <i>Pediatric Rheumatology</i> , <b>2007</b> , 5, 23   | 3.5 | 14  |
| 86 | Chapter 4 Macrophage Activation Syndrome. <i>Handbook of Systemic Autoimmune Diseases</i> , <b>2007</b> , 55-275  | 0.3 | 1   |
| 85 | The Paediatric Rheumatology International Trials Organization (PRINTO). Lupus, 2007, 16, 670-6  | 2.6 | 12  |
| 84 | Macrophage Activation Syndrome in Childhood Rheumatic Diseases. <i>Current Rheumatology Reviews</i> , <b>2007</b> , 3, 225-230  | 1.6 | 1   |
| 83 | Discordance between physician@ and parent@ global assessments in juvenile idiopathic arthritis. <i>Rheumatology</i> , <b>2007</b> , 46, 141-5   | 3.9 | 30  |
| 82 | Juvenile idiopathic arthritis. Lancet, The, 2007, 369, 767-778  | 40  | 991 |
| 81 | PhysiciansQand parentsQatings of inactive disease are frequently discordant in juvenile idiopathic arthritis. <i>Journal of Rheumatology</i> , <b>2007</b> , 34, 1773-6   | 4.1 | 28  |
| 8o | Level of agreement between children, parents, and physicians in rating pain intensity in juvenile idiopathic arthritis. <i>Arthritis and Rheumatism</i> , <b>2006</b> , 55, 177-83  |     | 60  |
| 79 | The Pediatric Rheumatology International Trials Organization/American College of Rheumatology provisional criteria for the evaluation of response to therapy in juvenile systemic lupus erythematosus: prospective validation of the definition of improvement. <i>Arthritis and Rheumatism</i> , |     | 66  |

| 78 | A proposal for a pediatric version of the Systemic Lupus International Collaborating Clinics/American College of Rheumatology Damage Index based on the analysis of 1,015 patients with juvenile-onset systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , <b>2006</b> , 54, 2989-96 |     | 111 |
|----|--|-----|-----|
| 77 | Systemic sclerosis in childhood: clinical and immunologic features of 153 patients in an international database. <i>Arthritis and Rheumatism</i> , <b>2006</b> , 54, 3971-8  |     | 156 |
| 76 | Use of the Sharp and Larsen scoring methods in the assessment of radiographic progression in juvenile idiopathic arthritis. <i>Arthritis and Rheumatism</i> , <b>2006</b> , 55, 717-23   |     | 56  |
| 75 | Reply to letter by Isenberg and Gordon commenting on the Pediatric Rheumatology International Trials Organization criteria for the evaluation of response to therapy in juvenile systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , <b>2006</b> , 54, 3723-4                        |     | 1   |
| 74 | Correlation between juvenile idiopathic arthritis activity and damage measures in early, advanced, and longstanding disease. <i>Arthritis and Rheumatism</i> , <b>2006</b> , 55, 843-9   |     | 37  |
| 73 | Clinical assessment in juvenile dermatomyositis. <i>Autoimmunity</i> , <b>2006</b> , 39, 197-203   | 3   | 17  |
| 72 | Weighting improves the information provided by joint counts on the severity of arthritis and its impact on patientsQwell-being in juvenile idiopathic arthritis. <i>Rheumatology</i> , <b>2006</b> , 45, 343-7   | 3.9 | 8   |
| 71 | Relationship between damage accrual, disease flares and cumulative drug therapies in juvenile-onset systemic lupus erythematosus. <i>Lupus</i> , <b>2006</b> , 15, 515-20  | 2.6 | 68  |
| 70 | EULAR/PReS endorsed consensus criteria for the classification of childhood vasculitides. <i>Annals of the Rheumatic Diseases</i> , <b>2006</b> , 65, 936-41  | 2.4 | 531 |
| 69 | Preliminary validation of clinical remission criteria using the OMERACT filter for select categories of juvenile idiopathic arthritis. <i>Journal of Rheumatology</i> , <b>2006</b> , 33, 789-95   | 4.1 | 43  |
| 68 | Preliminary diagnostic guidelines for macrophage activation syndrome complicating systemic juvenile idiopathic arthritis. <i>Journal of Pediatrics</i> , <b>2005</b> , 146, 598-604  | 3.6 | 304 |
| 67 | Antiphospholipid syndrome. <i>Pediatric Clinics of North America</i> , <b>2005</b> , 52, 469-91, vi  | 3.6 | 38  |
| 66 | Outcome in juvenile onset systemic lupus erythematosus. <i>Current Opinion in Rheumatology</i> , <b>2005</b> , 17, 568-73  | 5.3 | 63  |
| 65 | Patients with antinuclear antibody-positive juvenile idiopathic arthritis constitute a homogeneous subgroup irrespective of the course of joint disease. <i>Arthritis and Rheumatism</i> , <b>2005</b> , 52, 826-32  |     | 171 |
| 64 | Development and validation of a clinical index for assessment of long-term damage in juvenile idiopathic arthritis. <i>Arthritis and Rheumatism</i> , <b>2005</b> , 52, 2092-102   |     | 115 |
| 63 | The Pediatric Rheumatology International Trials Organization criteria for the evaluation of response to therapy in juvenile systemic lupus erythematosus: prospective validation of the disease activity core set. <i>Arthritis and Rheumatism</i> , <b>2005</b> , 52, 2854-64                   |     | 70  |
| 62 | Patterns of clinical remission in select categories of juvenile idiopathic arthritis. <i>Arthritis and Rheumatism</i> , <b>2005</b> , 52, 3554-62  |     | 169 |
| 61 | Relative responsiveness of condition specific and generic health status measures in juvenile idiopathic arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>2005</b> , 64, 257-61  | 2.4 | 26  |

| 60 | The Long-Term Outcome of Juvenile Idiopathic Arthritis. Current Rheumatology Reviews, 2005, 1, 151-1  | <b>55</b> .6 | 1   |
|----|---|--------------|-----|
| 59 | Course of joint disease in patients with antinuclear antibody-positive juvenile idiopathic arthritis. <i>Journal of Rheumatology</i> , <b>2005</b> , 32, 1805-10  | 4.1          | 24  |
| 58 | International consensus outcome measures for patients with idiopathic inflammatory myopathies. Development and initial validation of myositis activity and damage indices in patients with adult onset disease. <i>Rheumatology</i> , <b>2004</b> , 43, 49-54 | 3.9          | 249 |
| 57 | Health-related quality of life in juvenile-onset systemic lupus erythematosus and its relationship to disease activity and damage. <i>Arthritis and Rheumatism</i> , <b>2004</b> , 51, 458-64   |              | 78  |
| 56 | Serum level of KL-6 as a marker of interstitial lung disease in patients with juvenile systemic sclerosis. <i>Journal of Rheumatology</i> , <b>2004</b> , 31, 795-800   | 4.1          | 28  |
| 55 | Functional and prognostic relevance of the -173 polymorphism of the macrophage migration inhibitory factor gene in systemic-onset juvenile idiopathic arthritis. <i>Arthritis and Rheumatism</i> , <b>2003</b> , 48, 1398-407                                 |              | 156 |
| 54 | Positive family history of psoriasis does not affect the clinical expression and course of juvenile idiopathic arthritis patients with oligoarthritis. <i>Arthritis and Rheumatism</i> , <b>2003</b> , 49, 488-93   |              | 24  |
| 53 | Assessment of damage in juvenile-onset systemic lupus erythematosus: a multicenter cohort study. <i>Arthritis and Rheumatism</i> , <b>2003</b> , 49, 501-7  |              | 126 |
| 52 | Prognostic factors for radiographic progression, radiographic damage, and disability in juvenile idiopathic arthritis. <i>Arthritis and Rheumatism</i> , <b>2003</b> , 48, 3509-17  |              | 88  |
| 51 | Preliminary core sets of measures for disease activity and damage assessment in juvenile systemic lupus erythematosus and juvenile dermatomyositis. <i>British Journal of Rheumatology</i> , <b>2003</b> , 42, 1452-9   |              | 183 |
| 50 | Outcome of primary antiphospholipid syndrome in childhood. <i>Lupus</i> , <b>2003</b> , 12, 449-53  | 2.6          | 53  |
| 49 | Uncommon syndromes and treatment manifestations of malignancy: Case 4. Periorbital edema and imatinib mesylate therapy for chronic myelogenous leukemia. <i>Journal of Clinical Oncology</i> , <b>2003</b> , 21, 172-3  | 2.2          | 10  |
| 48 | Macrophage migration inhibitory factor in patients with juvenile idiopathic arthritis. <i>Arthritis and Rheumatism</i> , <b>2002</b> , 46, 232-7  |              | 60  |
| 47 | Self epitopes shared between human skeletal myosin and Streptococcus pyogenes M5 protein are targets of immune responses in active juvenile dermatomyositis. <i>Arthritis and Rheumatism</i> , <b>2002</b> , 46, 3015-25                                      |              | 47  |
| 46 | Macrophage activation syndrome. Current Opinion in Rheumatology, 2002, 14, 548-52   | 5.3          | 209 |
| 45 | Visceral leishmaniasis as a cause of unexplained fever and cytopenia in systemic lupus erythematosus. <i>Acta Paediatrica, International Journal of Paediatrics</i> , <b>2002</b> , 91, 246-7   | 3.1          | 2   |
| 44 | Nephrotic-range proteinuria, the major risk factor for early atherosclerosis in juvenile-onset systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , <b>2000</b> , 43, 1405-9   |              | 84  |
| 43 | Juvenile idiopathic arthritis: will etanercept be an improvement over current therapies?. <i>BioDrugs</i> , <b>2000</b> , 14, 93-8  | 7.9          |     |

| 42 | Responsiveness of outcome measures in juvenile chronic arthritis. Italian Pediatric Rheumatology Study Group. <i>British Journal of Rheumatology</i> , <b>1999</b> , 38, 176-80  |       | 27  |
|----|--|-------|-----|
| 41 | Marked and sustained improvement 2 years after autologous stem cell transplantation in a girl with systemic sclerosis. <i>Rheumatology</i> , <b>1999</b> , 38, 773   | 3.9   | 11  |
| 40 | Wegener granulomatosis in a child: cutaneous findings as the presenting signs. <i>Pediatric Dermatology</i> , <b>1999</b> , 16, 277-80   | 1.9   | 17  |
| 39 | Aortic valve regurgitation as the presenting sign of Takayasu arteritis. <i>European Journal of Pediatrics</i> , <b>1999</b> , 158, 281-3  | 4.1   | 12  |
| 38 | Marked and sustained improvement two years after autologous stem cell transplantation in a girl with systemic sclerosis. <i>Arthritis and Rheumatism</i> , <b>1999</b> , 42, 807-11  |       | 63  |
| 37 | The extended oligoarticular subtype is the best predictor of methotrexate efficacy in juvenile idiopathic arthritis. <i>Journal of Pediatrics</i> , <b>1999</b> , 135, 316-20  | 3.6   | 49  |
| 36 | Wegener@granulomatosis presenting with life-threatening pulmonary hemorrhage in a boy with type 1 diabetes. <i>Diabetes Care</i> , <b>1999</b> , 22, 1591-2  | 14.6  | 3   |
| 35 | Radiologic progression in patients with juvenile chronic arthritis treated with methotrexate.<br>Journal of Pediatrics, 1998, 133, 262-5   | 3.6   | 55  |
| 34 | Performance of the preliminary definition of improvement in juvenile chronic arthritis patients treated with methotrexate. Italian Pediatric Rheumatology Study Group. <i>Annals of the Rheumatic Diseases</i> , <b>1998</b> , 57, 38-41 | 2.4   | 67  |
| 33 | Correlation between conventional disease activity measures in juvenile chronic arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>1997</b> , 56, 197-200  | 2.4   | 64  |
| 32 | Cytokines in juvenile rheumatoid arthritis. Current Opinion in Rheumatology, 1997, 9, 428-33   | 5.3   | 34  |
| 31 | The clinical significance of antiphospholipid antibodies. <i>Annals of Medicine</i> , <b>1997</b> , 29, 159-63   | 1.5   | 26  |
| 30 | Antiphospholipid antibody syndrome in pediatric patients. <i>Rheumatic Disease Clinics of North America</i> , <b>1997</b> , 23, 657-76   | 2.4   | 53  |
| 29 | Preliminary definition of improvement in juvenile arthritis. <i>Arthritis and Rheumatism</i> , <b>1997</b> , 40, 1202-120  | 09    | 28  |
| 28 | Preliminary definition of improvement in juvenile arthritis. <i>Arthritis and Rheumatism</i> , <b>1997</b> , 40, 1202-9  |       | 829 |
| 27 | Neurological disorders, other than stroke, associated with antiphospholipid antibodies in childhood. <i>Neuropediatrics</i> , <b>1996</b> , 27, 149-53   | 1.6   | 58  |
| 26 | Macrophage activation syndrome in systemic juvenile rheumatoid arthritis successfully treated with cyclosporine. <i>Journal of Pediatrics</i> , <b>1996</b> , 128, 275-8   | 3.6   | 124 |
| 25 | IgA nephropathy and Henoch-Schonlein syndrome occurring in the same patient. <i>Nephron</i> , <b>1996</b> , 72, 11   | 13132 | 17  |

| 24 | Pulmonary function in children with systemic lupus erythematosus. <i>Thorax</i> , <b>1996</b> , 51, 424-8  | 7.3  | 11  |
|----|--|------|-----|
| 23 | Evaluation of response to methotrexate by a functional index in juvenile chronic arthritis. <i>Clinical Rheumatology</i> , <b>1995</b> , 14, 322-6   | 3.9  | 22  |
| 22 | Frequency and complications of chronic iridocyclitis in ANA-positive pauciarticular juvenile chronic arthritis. <i>International Ophthalmology</i> , <b>1994</b> , 18, 225-8   | 2.2  | 8   |
| 21 | Anticardiolipin antibodies in pediatric systemic lupus erythematosus. <i>JAMA Pediatrics</i> , <b>1994</b> , 148, 398-4  | 02   | 64  |
| 20 | Antiphospholipid antibodies in paediatrics. European Journal of Pediatrics, 1994, 153, 472-9   | 4.1  | 25  |
| 19 | Antiphospholipid antibodies in children with idiopathic cerebral ischaemia. <i>Lancet, The</i> , <b>1994</b> , 344, 1232   | 2 40 | 7   |
| 18 | Intravenous iron therapy for severe anaemia in systemic-onset juvenile chronic arthritis. <i>Lancet, The</i> , <b>1994</b> , 344, 1052-4   | 40   | 55  |
| 17 | Hypocomplementemic urticarial vasculitis syndrome with severe systemic manifestations. <i>Journal of Pediatrics</i> , <b>1994</b> , 124, 742-4   | 3.6  | 46  |
| 16 | Antiphospholipid antibody syndrome as a cause of venous thrombosis in childhood. <i>Journal of Pediatrics</i> , <b>1994</b> , 124, 831-2   | 3.6  | 5   |
| 15 | Immune responses to the Escherichia coli dnaJ heat shock protein in juvenile rheumatoid arthritis and their correlation with disease activity. <i>Journal of Pediatrics</i> , <b>1994</b> , 124, 561-5                   | 3.6  | 49  |
| 14 | Anti-DNA antibodies in the primary antiphospholipid syndrome. <i>Rheumatology</i> , <b>1993</b> , 32, 1028   | 3.9  | 3   |
| 13 | Chronic intoxication by ethane-1-hydroxy-1,1-diphosphonate (EHDP) in a child with myositis ossificans progressiva. <i>Pediatric Radiology</i> , <b>1993</b> , 23, 459-62   | 2.8  | 5   |
| 12 | Antiphospholipid antibody associated thrombosis in juvenile chronic arthritis. <i>Archives of Disease in Childhood</i> , <b>1992</b> , 67, 1384-5  | 2.2  | 31  |
| 11 | Recurrent juvenile dermatomyositis and cutaneous necrotizing arteritis with molecular mimicry between streptococcal type 5 M protein and human skeletal myosin. <i>Journal of Pediatrics</i> , <b>1992</b> , 121, 739-42 | 3.6  | 30  |
| 10 | Correlation of serum interleukin-6 levels with joint involvement and thrombocytosis in systemic juvenile rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , <b>1991</b> , 34, 1158-63                               |      | 285 |
| 9  | Prevalence of anticardiolipin antibodies in juvenile chronic arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>1991</b> , 50, 599-601  | 2.4  | 42  |
| 8  | Methotrexate hepatotoxic effects in children with juvenile rheumatoid arthritis. <i>Journal of Pediatrics</i> , <b>1991</b> , 119, 333-4   | 3.6  | 13  |
| 7  | Variation of serum IgG subclass concentrations with disease activity in juvenile chronic arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>1989</b> , 48, 582-5  | 2.4  | 2   |

| 6 | Frequency of autoantibodies in normal children. <i>JAMA Pediatrics</i> , <b>1989</b> , 143, 493-6   | 11 |
|---|---|----|
| 5 | Systemic vasculitis followed by chronic myelogenous leukemia. <i>Pediatric Hematology and Oncology</i> , <b>1988</b> , 5, 315-8                           |    |
| 4 | Systemic lupus erythematosus with Jaccoud@arthropathy mimicking juvenile rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , <b>1987</b> , 30, 1062-4 | 24 |
| 3 | Urinary microscopy in the diagnosis of haematuria in Schfilein-Henoch purpura. <i>European Journal of Pediatrics</i> , <b>1986</b> , 144, 591-3           | 4  |
| 2 | IgG subclass serum levels in juvenile chronic arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>1986</b> , 45, 400-4 2.4                            | 7  |
| 1 | Henoch-Schälein syndrome and selective IgA deficiency. <i>Archives of Disease in Childhood</i> , <b>1985</b> , 60, 160-2 <sub>2.2</sub>                   | 10 |