

# Ming-Hua Qiu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2230756/publications.pdf>

Version: 2024-02-01

148  
papers

2,633  
citations

186265  
h-index

302126  
g-index

148  
all docs

148  
docs citations

148  
times ranked

2243  
citing authors

#	ARTICLE	IF	CITATIONS
1	Protective effects of triterpenoids from <i>Ganoderma resinaceum</i> on H2O2-induced toxicity in HepG2 cells. <i>Food Chemistry</i> , 2013, 141, 920-926.	8.2	77
2	Hepatoprotective Effects of Triterpenoids from <i>&lt; i&gt; Ganoderma cochlear &lt;/i&gt;</i> . <i>Journal of Natural Products</i> , 2014, 77, 737-743.	3.0	62
3	Unusual prenylated phenols with antioxidant activities from <i>Ganoderma cochlear</i> . <i>Food Chemistry</i> , 2015, 171, 251-257.	8.2	61
4	Isolation and Bioactivity Evaluation of Terpenoids from the Medicinal Fungus <i>&lt; i&gt; Ganoderma sinense &lt;/i&gt;</i> . <i>Planta Medica</i> , 2012, 78, 368-376.	1.3	60
5	Cucurbitacin E Induces Cell Cycle G2/M Phase Arrest and Apoptosis in Triple Negative Breast Cancer. <i>PLoS ONE</i> , 2014, 9, e103760.	2.5	60
6	Four New Polycyclic Meroterpenoids from <i>&lt; i&gt; Ganoderma cochlear &lt;/i&gt;</i> . <i>Organic Letters</i> , 2014, 16, 5262-5265.	4.6	59
7	Effect of roasting degree of coffee beans on sensory evaluation: Research from the perspective of major chemical ingredients. <i>Food Chemistry</i> , 2020, 331, 127329.	8.2	54
8	New potential beneficial effects of actein, a triterpene glycoside isolated from <i>Cimicifuga</i> species, in breast cancer treatment. <i>Scientific Reports</i> , 2016, 6, 35263.	3.3	50
9	Meroterpenoids from <i>Ganoderma</i> Species: A Review of Last Five Years. <i>Natural Products and Bioprospecting</i> , 2018, 8, 137-149.	4.3	50
10	Lanostane triterpenoids with anti-inflammatory activities from <i>Ganoderma lucidum</i> . <i>Phytochemistry</i> , 2020, 173, 112256.	2.9	48
11	Three New Triterpenoids Containing Four-Membered Ring from the Fruiting Body of <i>Ganoderma sinense</i> . <i>Organic Letters</i> , 2010, 12, 1656-1659.	4.6	47
12	Cucurbitane-type triterpenoids from the stems and leaves of <i>Momordica charantia</i> . <i>F&amp;gt;toterap&amp;gt;f</i> , 2014, 95, 75-82.	2.2	46
13	Flavoalkaloids with a Pyrrolidinone Ring from Chinese Ancient Cultivated Tea Xi-Gui. <i>Journal of Agricultural and Food Chemistry</i> , 2018, 66, 7948-7957.	5.2	46
14	Cytotoxic Chemical Constituents from the Roots of <i>&lt; i&gt; Cimicifuga fetida &lt;/i&gt;</i> . <i>Journal of Natural Products</i> , 2010, 73, 93-98.	3.0	43
15	New alkaloids from the fruiting bodies of <i>Ganoderma sinense</i> . <i>Natural Products and Bioprospecting</i> , 2011, 1, 93-96.	4.3	43
16	Three Minor Diterpenoids with Three Carbon Skeletons from <i>&lt; i&gt; Euphorbia peplus &lt;/i&gt;</i> . <i>Organic Letters</i> , 2016, 18, 2166-2169.	4.6	40
17	Six new physalins from <i>Physalis alkekengi</i> var. <i>franchetii</i> and their cytotoxicity and antibacterial activity. <i>F&amp;gt;toterap&amp;gt;f</i> , 2016, 112, 144-152.	2.2	40
18	Lanostane triterpenoids from <i>Ganoderma hainanense</i> J. D. Zhao. <i>Phytochemistry</i> , 2015, 114, 137-145.	2.9	37

#	ARTICLE	IF	CITATIONS
19	Progress on the Chemical Constituents Derived from Glucosinolates in Maca ( <i>Lepidium meyenii</i> ). <i>Natural Products and Bioprospecting</i> , 2018, 8, 405-412.	4.3	36
20	Limonoids from the leaves of <i>Toona ciliata</i> var. <i>yunnanensis</i> . <i>Phytochemistry</i> , 2012, 76, 141-149.	2.9	35
21	Actein Inhibits the Proliferation and Adhesion of Human Breast Cancer Cells and Suppresses Migration in vivo. <i>Frontiers in Pharmacology</i> , 2018, 9, 1466.	3.5	35
22	Aromatic constituents from <i>Ganoderma lucidum</i> and their neuroprotective and anti-inflammatory activities. <i>FÄ–toterapÃ–c</i> , 2019, 134, 58-64.	2.2	35
23	Anticomplement activity of cycloartane glycosides from the rhizome of <i>Cimicifuga foetida</i> . <i>Phytotherapy Research</i> , 2006, 20, 945-948.	5.8	33
24	Antioxidant farnesylated hydroquinones from <i>Ganoderma capense</i> . <i>FÄ–toterapÃ–c</i> , 2016, 111, 18-23.	2.2	33
25	(Ä±)-Ganoapplanin, a Pair of Polycyclic Meroterpenoid Enantiomers from <i>&lt; i&gt;Ganoderma applanatum&lt;/i&gt;</i> . <i>Organic Letters</i> , 2016, 18, 6078-6081.	4.6	33
26	Pepluanols Câ€“D, Two Diterpenoids with Two Skeletons from <i>&lt; i&gt;Euphorbia peplus&lt;/i&gt;</i> . <i>Organic Letters</i> , 2018, 20, 3074-3078.	4.6	31
27	Pepluane and Paraliane Diterpenoids from <i>&lt; i&gt;Euphorbia peplus&lt;/i&gt;</i> with Potential Anti-inflammatory Activity. <i>Journal of Natural Products</i> , 2016, 79, 1628-1634.	3.0	29
28	Otophylloside B Protects Against AÎ² Toxicity in <i>Caenorhabditis elegans</i> Models of Alzheimerâ€™s Disease. <i>Natural Products and Bioprospecting</i> , 2017, 7, 207-214.	4.3	29
29	Triterpenes from the Aerial Parts of <i>&lt; i&gt;Cimicifuga yunnanensis&lt;/i&gt;</i> and Their Antiproliferative Effects on p53 <sup>N236S</sup> Mouse Embryonic Fibroblasts. <i>Journal of Natural Products</i> , 2013, 76, 896-902.	3.0	28
30	One-Step Semisynthesis of a Segetane Diterpenoid from a Jatrophane Precursor via a Dielsâ€“Alder Reaction. <i>Organic Letters</i> , 2016, 18, 496-499.	4.6	28
31	Physalis peruviana-Derived 4Î²-Hydroxywithanolide E, a Novel Antagonist of Wnt Signaling, Inhibits Colorectal Cancer In Vitro and In Vivo. <i>Molecules</i> , 2019, 24, 1146.	3.8	28
32	Three New Triterpenoids from <i>Lycopodium japonicum</i> Thunb. <i>Helvetica Chimica Acta</i> , 2005, 88, 240-244.	1.6	27
33	KHF16 is a Leading Structure from <i>&lt; i&gt;Cimicifuga foetida&lt;/i&gt;</i> that Suppresses Breast Cancer Partially by Inhibiting the NF-ÎºB Signaling Pathway. <i>Theranostics</i> , 2016, 6, 875-886.	10.0	27
34	Two novel 3,4-seco-trinorlanostane triterpenoids isolated from <i>Ganoderma fornicatum</i> . <i>Tetrahedron Letters</i> , 2004, 45, 2989-2993.	1.4	26
35	Eight New Cucurbitane Glycosides, Kuguaglycosides Aâ€‰‰â€‰H, from the Root of <i>&lt; i&gt;Momordica charantia&lt;/i&gt;</i> L.. <i>Helvetica Chimica Acta</i> , 2008, 91, 920-929.	1.6	26
36	Review on factors affecting coffee volatiles: from seed to cup. <i>Journal of the Science of Food and Agriculture</i> , 2022, 102, 1341-1352.	3.5	26

#	ARTICLE	IF	CITATIONS
37	Cytotoxic Cycloartane Triterpenes of the Traditional Chinese Medicine “Shengma” ( <i>Cimicifuga</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 1.3		24
38	C28 steroids from the fruiting bodies of <i>Ganoderma resinaceum</i> with potential anti-inflammatory activity. <i>Phytochemistry</i> , 2019, 168, 112109.	2.9	24
39	Lanostane-type triterpenoids from the fruiting bodies of <i>Ganoderma applanatum</i> . <i>Phytochemistry</i> , 2019, 157, 103-110.	2.9	24
40	C21 steroidal glycosides with cytotoxic activities from <i>Cynanchum otophyllum</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2018, 28, 1520-1524.	2.2	23
41	The Antigluconeogenic Activity of Cucurbitacins from <i>Momordica charantia</i> . <i>Planta Medica</i> , 2015, 81, 327-332.	1.3	22
42	Identification of new diterpene esters from green Arabica coffee beans, and their platelet aggregation accelerating activities. <i>Food Chemistry</i> , 2018, 263, 251-257.	8.2	22
43	Racemic meroterpenoids from <i>Ganoderma cochlear</i> . FÄ toterapÃ¢, 2018, 127, 286-292.	2.2	22
44	Characterization of Diterpenoid Glucosides in Roasted Puer Coffee Beans. <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 2631-2637.	5.2	21
45	Ganocochlearic acid A, a rearranged hexanorlanostane triterpenoid, and cytotoxic triterpenoids from the fruiting bodies of <i>Ganoderma cochlear</i> . <i>RSC Advances</i> , 2015, 5, 95212-95222.	3.6	21
46	Rare Hybrid Dimers with Anti-Acetylcholinesterase Activities from a Safflower ( <i>Carthamus</i> ) Tj ETQq0 0 0 rgBT /Overlock 10.1f 50 382		
47	Cytotoxic Limonoids from the Twigs and Leaves of <i>Toona ciliata</i> . <i>Journal of Natural Products</i> , 2019, 82, 2419-2429.	3.0	21
48	Coffee production during the transition period from monoculture to agroforestry systems in near optimal growing conditions, in Yunnan Province. <i>Agricultural Systems</i> , 2020, 177, 102696.	6.1	21
49	A New Alkaloid from <i>Lycopodium japonicum</i> Thunb. Helvetica Chimica Acta, 2008, 91, 2107-2109.	1.6	20
50	Characterization of New Ent-kaurane Diterpenoids of Yunnan Arabica Coffee Beans. <i>Natural Products and Bioprospecting</i> , 2016, 6, 217-223.	4.3	20
51	Swietenialactone, a rearranged phragmalin-type limonoid with anti-bacterial effect, from <i>Swietenia mahagoni</i> . <i>RSC Advances</i> , 2013, 3, 4890.	3.6	19
52	Cytotoxic 9,19-cycloartane triterpenes from the aerial parts of <i>Cimicifuga yunnanensis</i> . FÄ toterapÃ¢, 2014, 99, 191-197.	2.2	19
53	New Anti-angiogenic Leading Structure Discovered in the Fruit of <i>Cimicifuga yunnanensis</i> . <i>Scientific Reports</i> , 2015, 5, 9026.	3.3	19
54	New ent-kaurane diterpenes from the roasted arabica coffee beans and molecular docking to Î±-glucosidase. <i>Food Chemistry</i> , 2021, 345, 128823.	8.2	19

#	ARTICLE	IF	CITATIONS
55	Chemical ingredients characterization basing on $^1\text{H}$ NMR and SHS-GC/MS in twelve cultivars of <i>Coffea arabica</i> roasted beans. <i>Food Research International</i> , 2021, 147, 110544.	6.2	19
56	An unusual 9,11-seco limonoid from <i>Toona ciliata</i> . <i>Tetrahedron Letters</i> , 2014, 55, 2104-2106.	1.4	18
57	Structural Elucidation and Biomimetic Synthesis of ( $\bar{\Delta}\pm$ )-Cochlactone A with Anti-Inflammatory Activity. <i>Journal of Organic Chemistry</i> , 2018, 83, 5516-5522.	3.2	18
58	Cycloartane Glycosides from the Roots of <i>Cimicifuga foetida</i> with Wnt Signaling Pathway Inhibitory Activity. <i>Natural Products and Bioprospecting</i> , 2015, 5, 61-67.	4.3	16
59	New cycloartane triterpenes from the aerial parts of <i>Cimicifuga heracleifolia</i> . <i>Tetrahedron</i> , 2015, 71, 8018-8025.	1.9	16
60	Rearranged lanostane-type triterpenoids with anti-hepatic fibrosis activities from <i>&lt; i&gt;Ganoderma applanatum&lt;/i&gt;</i> . <i>RSC Advances</i> , 2018, 8, 31287-31295.	3.6	16
61	Cimicifine A: A Novel Triterpene Alkaloid from the Rhizomes of <i>&lt; i&gt;Cimicifuga foetida&lt;/i&gt;</i> . <i>Helvetica Chimica Acta</i> , 2007, 90, 1313-1318.	1.6	15
62	Cytotoxic diterpenoids from <i>Jatropha curcas</i> cv. <i>nigrovirensrugosus CY Yang Roots</i> . <i>Phytochemistry</i> , 2015, 117, 462-468.	2.9	15
63	The Lifespan-Promoting Effect of Otophyllosome B in <i>Caenorhabditis elegans</i> . <i>Natural Products and Bioprospecting</i> , 2015, 5, 177-183.	4.3	15
64	Withanolides from aerial parts of <i>Nicandra physalodes</i> . <i>Phytochemistry</i> , 2017, 137, 148-155.	2.9	15
65	Cucurbitane triterpenoids from <i>Hemsleya penxianensis</i> . <i>Natural Products and Bioprospecting</i> , 2012, 2, 138-144.	4.3	14
66	A novel cycloartane triterpenoid from <i>Cimicifuga</i> induces apoptotic and autophagic cell death in human colon cancer HT-29 cells. <i>Oncology Reports</i> , 2017, 37, 2079-2086.	2.6	14
67	C30 and C31 Triterpenoids and Triterpene Sugar Esters with Cytotoxic Activities from Edible Mushroom <i>&lt; i&gt;Fomitopsis pinicola&lt;/i&gt;</i> (Sw. Ex Fr.) Krast. <i>Journal of Agricultural and Food Chemistry</i> , 2019, 67, 10330-10341.	5.2	14
68	Lactam <i>&lt; i&gt;ent&lt;/i&gt;-Kaurane Diterpene</i> : A New Class of Diterpenoids Present in Roasted Beans of <i>&lt; i&gt;Coffea arabica&lt;/i&gt;</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2020, 68, 6112-6121.	5.2	14
69	Identification and Antifeedant Activities of Limonoids from <i>&lt; i&gt;Azadirachta indica&lt;/i&gt;</i> . <i>Chemistry and Biodiversity</i> , 2015, 12, 1040-1046.	2.1	13
70	Structurally diverse lanostane triterpenoids from medicinal and edible mushroom <i>Ganoderma resinaceum</i> Boud. <i>Bioorganic Chemistry</i> , 2020, 100, 103871.	4.1	13
71	Five New Tetranortriterpenoids from the Seeds of <i>&lt; i&gt;Toona ciliata&lt;/i&gt;</i> . <i>Helvetica Chimica Acta</i> , 2012, 95, 301-307.	1.6	12
72	Three new physalinoids from <i>Physalis alkekengi</i> var. <i>franchetii</i> . <i>Natural Products and Bioprospecting</i> , 2013, 3, 103-106.	4.3	12

#	ARTICLE	IF	CITATIONS
73	Identification of novel phytocannabinoids from Ganoderma by label-free dynamic mass redistribution assay. <i>Journal of Ethnopharmacology</i> , 2020, 246, 112218.	4.1	12
74	Triterpenoids from functional mushroom <i>Ganoderma resinaceum</i> and the novel role of Resinacein S in enhancing the activity of brown/beige adipocytes. <i>Food Research International</i> , 2020, 136, 109303.	6.2	12
75	Four New 9,19- $\alpha$ -Cyclolanostane Derivatives from the Rhizomes of <i>&lt; i&gt;Cimicifuga yunnanensis&lt;/i&gt;</i> . <i>Helvetica Chimica Acta</i> , 2009, 92, 112-120.	1.6	11
76	New terpenoids from the roots of <i>Jatropha curcas</i> . <i>Science Bulletin</i> , 2013, 58, 1115-1119.	1.7	11
77	Three New Tetranoliterpenes from Aerial Parts of Acerola Cherry ( <i>Malpighia emarginata</i> ). <i>Molecules</i> , 2014, 19, 2629-2636.	3.8	11
78	Two New Cucurbitane Triterpenoids from Immature Fruits of <i>&lt; i&gt;Momordica charantia&lt;/i&gt;</i> . <i>Helvetica Chimica Acta</i> , 2015, 98, 1456-1461.	1.6	11
79	Ganlearic Acid A, a Hexanolanostane Triterpenoid with a 3/5/6/5-Fused Tetracyclic Skeleton from <i>&lt; i&gt;Ganoderma cochlear&lt;/i&gt;</i> . <i>Journal of Organic Chemistry</i> , 2018, 83, 13178-13183.	3.2	11
80	Cimitriteromone A-G, Macromolecular Triterpenoid-Chromone Hybrids from the Rhizomes of <i>&lt; i&gt;Cimicifuga foetida&lt;/i&gt;</i> . <i>Journal of Organic Chemistry</i> , 2018, 83, 10359-10369.	3.2	11
81	NMR-based Structural Classification, Identification, and Quantification of Triterpenoids from Edible Mushroom <i>&lt; i&gt;Ganoderma resinaceum&lt;/i&gt;</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2020, 68, 2816-2825.	5.2	11
82	Applanmerotic acids A and B, two meroterpenoid dimers with an unprecedented polycyclic skeleton from <i>&lt; i&gt;Ganoderma applanatum&lt;/i&gt;</i> that inhibit formyl peptide receptor 2. <i>Organic Chemistry Frontiers</i> , 2021, 8, 3381-3389.	4.5	11
83	Three New Serratane Triterpenoids from <i>Phlegmariurus squarrosum</i> . <i>Helvetica Chimica Acta</i> , 2006, 89, 2975-2980.	1.6	10
84	Bioassay-Guided Isolation and Structural Modification of the Anti-TB Resorcinols from <i>&lt; i&gt;Ardisia gigantifolia&lt;/i&gt;</i> . <i>Chemical Biology and Drug Design</i> , 2016, 88, 293-301.	3.2	10
85	Effects of 23-epi-26-deoxyactein on adipogenesis in 3T3-L1 preadipocytes and diet-induced obesity in C57BL/6 mice. <i>Phytomedicine</i> , 2020, 76, 153264.	5.3	10
86	Anti-Adipogenic Lanostane-Type Triterpenoids from the Edible and Medicinal Mushroom <i>Ganoderma applanatum</i> . <i>Journal of Fungi (Basel, Switzerland)</i> , 2022, 8, 331.	3.5	10
87	Two New Cholestane Bisdesmosides from <i>Reineckia carnea</i> . <i>Helvetica Chimica Acta</i> , 2007, 90, 616-622.	1.6	9
88	Two New Spirostanol Saponins from <i>Reineckia carnea</i> . <i>Helvetica Chimica Acta</i> , 2008, 91, 1494-1499.	1.6	9
89	Three New Triterpene Saponins from <i>&lt; i&gt;Hemsleya chinensis&lt;/i&gt;</i> . <i>Helvetica Chimica Acta</i> , 2009, 92, 1853-1859.	1.6	9
90	Three New Pregnan Alkaloids from <i>&lt; i&gt;Veratrum taliense&lt;/i&gt;</i> . <i>Helvetica Chimica Acta</i> , 2012, 95, 1114-1120.	1.6	9

#	ARTICLE	IF	CITATIONS
91	Triterpenoids and Sterols from the Leaves and Twigs of <i>Melia azedarach</i> . <i>Natural Products and Bioprospecting</i> , 2014, 4, 157-162.	4.3	9
92	The in Vitro and in Vivo Antitumor Activities of Tetracyclic Triterpenoids Compounds Actein and 26-Deoxyactein Isolated from Rhizome of <i>Cimicifuga foetida</i> L.. <i>Molecules</i> , 2016, 21, 1001.	3.8	9
93	Cytotoxicity of Triterpenoid Alkaloids from <i>Buxus microphylla</i> against Human Tumor Cell Lines. <i>Molecules</i> , 2016, 21, 1125.	3.8	9
94	Cytotoxic Cycloartane Triterpenoid Saponins from the Rhizomes of <i>Cimicifuga foetida</i> . <i>Natural Products and Bioprospecting</i> , 2019, 9, 303-310.	4.3	9
95	Excavation of coffee maturity markers and further research on their changes in coffee cherries of different maturity. <i>Food Research International</i> , 2020, 132, 109121.	6.2	9
96	Functional triterpenoids from medicinal fungi <i>Ganoderma applanatum</i> : A continuous search for antiadipogenic agents. <i>Bioorganic Chemistry</i> , 2021, 112, 104977.	4.1	9
97	Lepithiohydimerins A–D: Four Pairs of Neuroprotective Thiohydantoin Dimers Bearing a Disulfide Bond from Maca ( <i>Lepidium meyenii</i> Walp.). <i>Chinese Journal of Chemistry</i> , 2021, 39, 2738-2744.	4.9	9
98	FPR2-based anti-inflammatory and anti-lipogenesis activities of novel meroterpenoid dimers from <i>Ganoderma</i> . <i>Bioorganic Chemistry</i> , 2021, 116, 105338.	4.1	9
99	( $\pm$ )-Spiroganoapplanin A, a complex polycyclic meroterpenoid dimer from <i>Ganoderma applanatum</i> displaying potential against Alzheimer's disease. <i>Organic Chemistry Frontiers</i> , 2022, 9, 3093-3101.	4.5	9
100	Three New Cycloartane (=9,19-Cyclolanostane) Glycosides from <i>Cimicifuga foetida</i> . <i>Helvetica Chimica Acta</i> , 2011, 94, 632-638.	1.6	8
101	New triterpenoids from the kernels of <i>Azadirachta indica</i> . <i>Natural Products and Bioprospecting</i> , 2013, 3, 33-37.	4.3	8
102	Diterpenoids and Limonoids from the Leaves and Twigs of <i>Swietenia mahagoni</i> . <i>Natural Products and Bioprospecting</i> , 2014, 4, 53-57.	4.3	8
103	Hepatoprotective steroids from roots of <i>Cynanchum otophyllum</i> . <i>FAT-toterap</i> , 2019, 136, 104171.	2.2	8
104	Highly oxygenated lanostane triterpenoids from <i>Ganoderma applanatum</i> as a class of agents for inhibiting lipid accumulation in adipocytes. <i>Bioorganic Chemistry</i> , 2020, 104, 104263.	4.1	8
105	Cycloartane triterpene glycosides from rhizomes of <i>Cimicifuga foetida</i> L. with lipid-lowering activity on 3T3-L1 adipocytes. <i>FAT-toterap</i> , 2020, 145, 104635.	2.2	8
106	Isolation of benzolactones, Ganodumones A–F from <i>Ganoderma lucidum</i> and their antibacterial activities. <i>Bioorganic Chemistry</i> , 2020, 98, 103723.	4.1	8
107	Two New Pregnanone Derivatives with Strong Cytotoxic Activity from <i>Pachysandra axillaris</i> . <i>Chemistry and Biodiversity</i> , 2005, 2, 866-871.	2.1	7
108	Six New Triterpenoid Glycosides from <i>Gynostemma pentaphyllum</i> . <i>Helvetica Chimica Acta</i> , 2009, 92, 2737-2745.	1.6	7

#	ARTICLE	IF	CITATIONS
109	Triterpenoid alkaloid derivatives from <i>Buxus rugulosa</i> . <i>Natural Products and Bioprospecting</i> , 2011, 1, 71-74.	4.3	7
110	New jatropholane-type diterpenes from <i>Jatropha curcas</i> cv. <i>Multiflorum</i> CY Yang. <i>Natural Products and Bioprospecting</i> , 2013, 3, 99-102.	4.3	7
111	Cucurbitane-Type Triterpenoids from <i>Momordica charantia</i> . <i>Helvetica Chimica Acta</i> , 2013, 96, 1111-1120.	1.6	7
112	Four New Cucurbitacins from the Fruit of <i>Momordica charantia</i> . <i>Helvetica Chimica Acta</i> , 2014, 97, 1546-1554.	1.6	7
113	New 9, 19-cycloartane triterpenoid from the root of <i>Cimicifuga foetida</i> . <i>Chinese Journal of Natural Medicines</i> , 2014, 12, 294-296.	1.3	7
114	<i>Buxus</i> alkaloid compound destabilizes mutant p53 through inhibition of the HSF1 chaperone axis. <i>Phytomedicine</i> , 2020, 68, 153187.	5.3	7
115	Bitter Melon and Diabetes Mellitus. <i>Food Reviews International</i> , 2023, 39, 618-638.	8.4	7
116	Unusual <i>ent</i> -Kaurane Diterpenes from the <i>Coffea</i> Cultivar S288 Coffee Beans and Molecular Docking to $\beta$ -Glucosidase. <i>Journal of Agricultural and Food Chemistry</i> , 2022, 70, 615-625.	5.2	7
117	Four New 9,19- $\alpha$ Cyclolanostane Triterpenes from the Rhizomes of <i>Cimicifuga foetida</i> Collected in Yulong. <i>Chinese Journal of Chemistry</i> , 2012, 30, 1265-1268.	4.9	6
118	Cimifrigines A-C, cytotoxic triterpenes with an oxime group from the flowers of <i>Cimicifuga frigida</i> . <i>RSC Advances</i> , 2017, 7, 38557-38564.	3.6	6
119	Antiacylcholinesterase triterpenes from the fruits of <i>Cimicifuga yunnanensis</i> . <i>RSC Advances</i> , 2018, 8, 7832-7838.	3.6	6
120	New Dammarane Triterpenoids, Caffruones A-D, from the Cherries of <i>Coffea arabica</i> . <i>Natural Products and Bioprospecting</i> , 2018, 8, 413-418.	4.3	6
121	Ent-kaurane diterpenoids from the cherries of <i>Coffea arabica</i> . <i>FÄ–toterapÄ–Ä¢</i> , 2019, 132, 7-11.	2.2	6
122	New Cytotoxic Cycloartane Triterpenes from the Aerial Parts of <i>Actaea heracleifolia</i> (syn. <i>Cimicifuga</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 P3		
123	Meroaplanins E: Five Meroterpenoids with a 2,3,4,5-Tetrahydropyridine Motif from <i>Ganoderma applanatum</i> . <i>Journal of Organic Chemistry</i> , 2020, 85, 7446-7451.	3.2	6
124	Morphological Changes and Component Characterization of Coffee Silverskin. <i>Molecules</i> , 2021, 26, 4914.	3.8	6
125	Discovery of novel coffee diterpenoids with inhibitions on Cav3.1 low voltage-gated Ca2+ channel. <i>Food Chemistry</i> , 2022, 376, 131923.	8.2	6
126	A New 18(13â€...â†’â€...12â†²)-abeo-Lanostadiene Triterpenoid from <i>Ganoderma fornicatum</i> . <i>Helvetica Chimica Acta</i> , 2006, 89, 1038-1041.	1.6	5

#	ARTICLE	IF	CITATIONS
127	Actein Inhibits Tumor Growth and Metastasis in HER2-Positive Breast Tumor Bearing Mice via Suppressing AKT/mTOR and Ras/Raf/MAPK Signaling Pathways. <i>Frontiers in Oncology</i> , 2020, 10, 854.	2.8	5
128	Potential neurotrophic activity and cytotoxicity of selected C21 steroid glycosides from <i>Cynanchum otophyllum</i> . <i>Medicinal Chemistry Research</i> , 2020, 29, 549-555.	2.4	5
129	A Ganoderma-Derived Compound Exerts Inhibitory Effect Through Formyl Peptide Receptor 2. <i>Frontiers in Pharmacology</i> , 2020, 11, 337.	3.5	5
130	Toonamicrocarpavarin, a new tirucallane-type triterpenoid from <i>&lt; i&gt;Toona Ciliata&lt;/i&gt;</i> . <i>Natural Product Research</i> , 2021, 35, 266-271.	1.8	5
131	Hydroxynitrile Glucosides: Bioactive Constituent Recovery from the Oil Residue of <i>Prinsepia utilis</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2021, 69, 2438-2443.	5.2	5
132	Macathiohydantoin L, a Novel Thiohydantoin Bearing a Thioxohexahydroimidazo [1,5-a] Pyridine Moiety from Maca ( <i>Lepidium meyenii</i> Walp.). <i>Molecules</i> , 2021, 26, 4934.	3.8	5
133	Lactam Triterpenoids from the Bark of <i>Toona sinensis</i> . <i>Natural Products and Bioprospecting</i> , 2016, 6, 239-245.	4.3	4
134	Lepipyrrolins A-B, two new dimeric pyrrole 2-carbaldehyde alkaloids from the tubers of <i>Lepidium meyenii</i> . <i>Bioorganic Chemistry</i> , 2021, 112, 104834.	4.1	4
135	Six New 9,19-Cycloartane Triterpenoids from <i>Cimicifuga foetida</i> L.. <i>Natural Products and Bioprospecting</i> , 2016, 6, 187-193.	4.3	3
136	Three new C23 steroids from the leaves and stems of <i>Nicandra physaloides</i> . <i>Steroids</i> , 2019, 150, 108424.	1.8	3
137	Flavonoid glycosides from the nectar of <i>&lt; i&gt;Camellia reticulata&lt;/i&gt;</i> Lindl.. <i>Natural Product Research</i> , 2022, 36, 1827-1833.	1.8	3
138	Cucurbitane-Type Triterpene Glycosides from <i>Momordica charantia</i> and Their $\beta\pm$ -Glucosidase Inhibitory Activities. <i>Natural Products and Bioprospecting</i> , 2020, 10, 153-161.	4.3	3
139	A New Triterpenoid Alkaloid from <i>Buxus sempervirens</i> . <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 2011, 66, 1076-1078.	0.7	2
140	A new indole alkaloid from <i>&lt; i&gt;Cimicifuga heracleifolia&lt;/i&gt;</i> . <i>Journal of Asian Natural Products Research</i> , 2019, 21, 1119-1122.	1.4	2
141	Two new triterpenoid-chromone hybrids from the rhizomes of <i>Actaea cimicifuga</i> L. (syn. <i>Cimicifuga</i> ) Tj ETQq1 1 0.784314 rgBT /Overl	1.8	2
142	Label-free cell phenotypic study of opioid receptors and discovery of novel mu opioid ligands from natural products. <i>Journal of Ethnopharmacology</i> , 2021, 270, 113872.	4.1	2
143	An Efficient Synthesis of Eudesmanolide Sesquiterpenoids Possessing $\beta\pm$ -Methoxymethyl Butenolide and Butadienolide. <i>Synthetic Communications</i> , 1999, 29, 1107-1112.	2.1	1
144	Three New Pregnan Alkaloids from <i>&lt; i&gt;Pachysandra terminalis&lt;/i&gt;</i> . <i>Helvetica Chimica Acta</i> , 2016, 99, 513-517.	1.6	1

#	ARTICLE	IF	CITATIONS
145	Pyrrolizidine alkaloids from the seeds of <i>Scleropyrum wallichianum</i> . <i>Journal of Asian Natural Products Research</i> , 2021, 23, 407-413.	1.4	0
146	Pyrrolomorpholine Spiroketal Alkaloids Present in Roasted Beans of Yunnan Arabica Coffee. <i>Natural Products Journal</i> , 2022, 12, 88-91.	0.3	0
147	Triterpene Glycosides from <i>Cimicifuga Foetida</i> Regulate wnt/ $\beta$ -Catenin Signaling in Human KG-1a Leukemia Cells. <i>Blood</i> , 2016, 128, 5898-5898.	1.4	0
148	Academician Qi-Yi Xing (Chi-Yi Hsing): pioneer organic chemist of synthetic insulin. <i>Protein and Cell</i> , 2022, 13, 627-630.	11.0	0