

Ming-Hua Qiu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2230756/publications.pdf>

Version: 2024-02-01

148
papers

2,633
citations

186265

28
h-index

302126

39
g-index

148
all docs

148
docs citations

148
times ranked

2243
citing authors

#	ARTICLE	IF	CITATIONS
1	Bitter Melon and Diabetes Mellitus. <i>Food Reviews International</i> , 2023, 39, 618-638.	8.4	7
2	Flavonoid glycosides from the nectar of <i>Camellia reticulata</i> Lindl.. <i>Natural Product Research</i> , 2022, 36, 1827-1833.	1.8	3
3	Pyrrrolomorpholine Spiroketal Alkaloids Present in Roasted Beans of Yunnan Arabica Coffee. <i>Natural Products Journal</i> , 2022, 12, 88-91.	0.3	0
4	Academician Qi-Yi Xing (Chi-Yi Hsing): pioneer organic chemist of synthetic insulin. <i>Protein and Cell</i> , 2022, 13, 627-630.	11.0	0
5	Review on factors affecting coffee volatiles: from seed to cup. <i>Journal of the Science of Food and Agriculture</i> , 2022, 102, 1341-1352.	3.5	26
6	Discovery of novel coffee diterpenoids with inhibitions on Cav3.1 low voltage-gated Ca ²⁺ channel. <i>Food Chemistry</i> , 2022, 376, 131923.	8.2	6
7	Unusual <i>ent</i> -Kaurane Diterpenes from the <i>Coffea</i> Cultivar S288 Coffee Beans and Molecular Docking to β -Glucosidase. <i>Journal of Agricultural and Food Chemistry</i> , 2022, 70, 615-625.	5.2	7
8	Anti-Adipogenic Lanostane-Type Triterpenoids from the Edible and Medicinal Mushroom <i>Ganoderma applanatum</i> . <i>Journal of Fungi (Basel, Switzerland)</i> , 2022, 8, 331.	3.5	10
9	($\hat{\pm}$)-Spiroganoapplanin A, a complex polycyclic meroterpenoid dimer from <i>Ganoderma applanatum</i> displaying potential against Alzheimer's disease. <i>Organic Chemistry Frontiers</i> , 2022, 9, 3093-3101.	4.5	9
10	Pyrrrolizidine alkaloids from the seeds of <i>Scleropyrum wallichianum</i> . <i>Journal of Asian Natural Products Research</i> , 2021, 23, 407-413.	1.4	0
11	New <i>ent</i> -kaurane diterpenes from the roasted arabica coffee beans and molecular docking to β -glucosidase. <i>Food Chemistry</i> , 2021, 345, 128823.	8.2	19
12	Toonamicrocarpavarin, a new tirucallane-type triterpenoid from <i>Toona Ciliata</i> . <i>Natural Product Research</i> , 2021, 35, 266-271.	1.8	5
13	Applanmerotic acids A and B, two meroterpenoid dimers with an unprecedented polycyclic skeleton from <i>Ganoderma applanatum</i> that inhibit formyl peptide receptor 2. <i>Organic Chemistry Frontiers</i> , 2021, 8, 3381-3389.	4.5	11
14	Hydroxynitrile Glucosides: Bioactive Constituent Recovery from the Oil Residue of <i>Prinsepia utilis</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2021, 69, 2438-2443.	5.2	5
15	Label-free cell phenotypic study of opioid receptors and discovery of novel μ opioid ligands from natural products. <i>Journal of Ethnopharmacology</i> , 2021, 270, 113872.	4.1	2
16	Functional triterpenoids from medicinal fungi <i>Ganoderma applanatum</i> : A continuous search for antiadipogenic agents. <i>Bioorganic Chemistry</i> , 2021, 112, 104977.	4.1	9
17	Lepipyrrolins A-B, two new dimeric pyrrole 2-carbaldehyde alkaloids from the tubers of <i>Lepidium meyenii</i> . <i>Bioorganic Chemistry</i> , 2021, 112, 104834.	4.1	4
18	Morphological Changes and Component Characterization of Coffee Silverskin. <i>Molecules</i> , 2021, 26, 4914.	3.8	6

#	ARTICLE	IF	CITATIONS
19	Lepithiohydimerins Aâ€”D: Four Pairs of Neuroprotective Thiohydantoin Dimers Bearing a Disulfide Bond from Maca (<i>Lepidium meyenii</i> Walp.). Chinese Journal of Chemistry, 2021, 39, 2738-2744.	4.9	9
20	Macathiohydantoin L, a Novel Thiohydantoin Bearing a Thioxohexahydroimidazo [1,5-a] Pyridine Moiety from Maca (Lepidium meyenii Walp.). Molecules, 2021, 26, 4934.	3.8	5
21	Chemical ingredients characterization basing on 1H NMR and SHS-GC/MS in twelve cultivars of Coffea arabica roasted beans. Food Research International, 2021, 147, 110544.	6.2	19
22	FPR2-based anti-inflammatory and anti-lipogenesis activities of novel meroterpenoid dimers from Ganoderma. Bioorganic Chemistry, 2021, 116, 105338.	4.1	9
23	Identification of novel phytocannabinoids from Ganoderma by label-free dynamic mass redistribution assay. Journal of Ethnopharmacology, 2020, 246, 112218.	4.1	12
24	Coffee production during the transition period from monoculture to agroforestry systems in near optimal growing conditions, in Yunnan Province. Agricultural Systems, 2020, 177, 102696.	6.1	21
25	Highly oxygenated lanostane triterpenoids from Ganoderma applanatum as a class of agents for inhibiting lipid accumulation in adipocytes. Bioorganic Chemistry, 2020, 104, 104263.	4.1	8
26	Lactam <i>ent</i>-Kaurane Diterpene: A New Class of Diterpenoids Present in Roasted Beans of <i>Coffea arabica</i>. Journal of Agricultural and Food Chemistry, 2020, 68, 6112-6121.	5.2	14
27	Meroapplanins Aâ€”E: Five Meroterpenoids with a 2,3,4,5-Tetrahydropyridine Motif from <i>Ganoderma applanatum</i>. Journal of Organic Chemistry, 2020, 85, 7446-7451.	3.2	6
28	Actein Inhibits Tumor Growth and Metastasis in HER2-Positive Breast Tumor Bearing Mice via Suppressing AKT/mTOR and Ras/Raf/MAPK Signaling Pathways. Frontiers in Oncology, 2020, 10, 854.	2.8	5
29	Cucurbitane-Type Triterpene Glycosides from Momordica charantia and Their Î±-Glucosidase Inhibitory Activities. Natural Products and Bioprospecting, 2020, 10, 153-161.	4.3	3
30	Cycloartane triterpene glycosides from rhizomes of Cimicifuga foetida L. with lipid-lowering activity on 3T3-L1 adipocytes. F&A-toterap&A-c, 2020, 145, 104635.	2.2	8
31	Effect of roasting degree of coffee beans on sensory evaluation: Research from the perspective of major chemical ingredients. Food Chemistry, 2020, 331, 127329.	8.2	54
32	Triterpenoids from functional mushroom Ganoderma resinaceum and the novel role of Resinacein S in enhancing the activity of brown/beige adipocytes. Food Research International, 2020, 136, 109303.	6.2	12
33	Effects of 23-epi-26-deoxyactein on adipogenesis in 3T3-L1 preadipocytes and diet-induced obesity in C57BL/6 mice. Phytomedicine, 2020, 76, 153264.	5.3	10
34	Two new triterpenoid-chromone hybrids from the rhizomes of Actaea cimicifuga L. (syn. Cimicifuga) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	4.8	2
35	Isolation of benzolactones, Ganodumones Aâ€”F from Ganoderma lucidum and their antibacterial activities. Bioorganic Chemistry, 2020, 98, 103723.	4.1	8
36	Buxus alkaloid compound destabilizes mutant p53 through inhibition of the HSF1 chaperone axis. Phytomedicine, 2020, 68, 153187.	5.3	7

#	ARTICLE	IF	CITATIONS
37	Lanostane triterpenoids with anti-inflammatory activities from <i>Ganoderma lucidum</i> . <i>Phytochemistry</i> , 2020, 173, 112256.	2.9	48
38	NMR-based Structural Classification, Identification, and Quantification of Triterpenoids from Edible Mushroom <i>Ganoderma resinaceum</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2020, 68, 2816-2825.	5.2	11
39	Potential neurotrophic activity and cytotoxicity of selected C21 steroidal glycosides from <i>Cynanchum otophyllum</i> . <i>Medicinal Chemistry Research</i> , 2020, 29, 549-555.	2.4	5
40	Structurally diverse lanostane triterpenoids from medicinal and edible mushroom <i>Ganoderma resinaceum</i> Boud. <i>Bioorganic Chemistry</i> , 2020, 100, 103871.	4.1	13
41	Excavation of coffee maturity markers and further research on their changes in coffee cherries of different maturity. <i>Food Research International</i> , 2020, 132, 109121.	6.2	9
42	A <i>Ganoderma</i> -Derived Compound Exerts Inhibitory Effect Through Formyl Peptide Receptor 2. <i>Frontiers in Pharmacology</i> , 2020, 11, 337.	3.5	5
43	C30 and C31 Triterpenoids and Triterpene Sugar Esters with Cytotoxic Activities from Edible Mushroom <i>Fomitopsis pinicola</i> (Sw. Ex Fr.) Krast. <i>Journal of Agricultural and Food Chemistry</i> , 2019, 67, 10330-10341.	5.2	14
44	Cytotoxic Limonoids from the Twigs and Leaves of <i>Toona ciliata</i> . <i>Journal of Natural Products</i> , 2019, 82, 2419-2429.	3.0	21
45	C28 steroids from the fruiting bodies of <i>Ganoderma resinaceum</i> with potential anti-inflammatory activity. <i>Phytochemistry</i> , 2019, 168, 112109.	2.9	24
46	Hepatoprotective steroids from roots of <i>Cynanchum otophyllum</i> . <i>Fä-toterapÄ-Äç</i> , 2019, 136, 104171.	2.2	8
47	Cytotoxic Cycloartane Triterpenoid Saponins from the Rhizomes of <i>Cimicifuga foetida</i> . <i>Natural Products and Bioprospecting</i> , 2019, 9, 303-310.	4.3	9
48	Three new C23 steroids from the leaves and stems of <i>Nicandra physaloides</i> . <i>Steroids</i> , 2019, 150, 108424.	1.8	3
49	<i>Physalis peruviana</i> -Derived 4 ^Î -Hydroxywithanolide E, a Novel Antagonist of Wnt Signaling, Inhibits Colorectal Cancer In Vitro and In Vivo. <i>Molecules</i> , 2019, 24, 1146.	3.8	28
50	Aromatic constituents from <i>Ganoderma lucidum</i> and their neuroprotective and anti-inflammatory activities. <i>Fä-toterapÄ-Äç</i> , 2019, 134, 58-64.	2.2	35
51	Ent-kaurane diterpenoids from the cherries of <i>Coffea arabica</i> . <i>Fä-toterapÄ-Äç</i> , 2019, 132, 7-11.	2.2	6
52	A new indole alkaloid from <i>Cimicifuga heracleifolia</i> . <i>Journal of Asian Natural Products Research</i> , 2019, 21, 1119-1122.	1.4	2
53	Lanostane-type triterpenoids from the fruiting bodies of <i>Ganoderma applanatum</i> . <i>Phytochemistry</i> , 2019, 157, 103-110.	2.9	24
54	New Cytotoxic Cycloartane Triterpenes from the Aerial Parts of <i>Actaea heracleifolia</i> (syn. <i>Cimicifuga</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	2.3	6

#	ARTICLE	IF	CITATIONS
55	Anti-acetylcholinesterase triterpenes from the fruits of <i>Cimicifuga yunnanensis</i> . RSC Advances, 2018, 8, 7832-7838.	3.6	6
56	Pepluanols, Two Diterpenoids with Two Skeletons from <i>Euphorbia peplus</i> . Organic Letters, 2018, 20, 3074-3078.	4.6	31
57	Meroterpenoids from Ganoderma Species: A Review of Last Five Years. Natural Products and Bioprospecting, 2018, 8, 137-149.	4.3	50
58	Identification of new diterpene esters from green Arabica coffee beans, and their platelet aggregation accelerating activities. Food Chemistry, 2018, 263, 251-257.	8.2	22
59	Structural Elucidation and Biomimetic Synthesis of (±)-Cochlactone A with Anti-Inflammatory Activity. Journal of Organic Chemistry, 2018, 83, 5516-5522.	3.2	18
60	C21 steroidal glycosides with cytotoxic activities from <i>Cynanchum otophyllum</i> . Bioorganic and Medicinal Chemistry Letters, 2018, 28, 1520-1524.	2.2	23
61	Racemic meroterpenoids from <i>Ganoderma cochlear</i> . <i>Fä-toterap</i> , 2018, 127, 286-292.	2.2	22
62	Actein Inhibits the Proliferation and Adhesion of Human Breast Cancer Cells and Suppresses Migration in vivo. Frontiers in Pharmacology, 2018, 9, 1466.	3.5	35
63	Ganolearic Acid A, a Hexanorlanostane Triterpenoid with a 3/5/6/5-Fused Tetracyclic Skeleton from <i>Ganoderma cochlear</i> . Journal of Organic Chemistry, 2018, 83, 13178-13183.	3.2	11
64	Rearranged lanostane-type triterpenoids with anti-hepatic fibrosis activities from <i>Ganoderma applanatum</i> . RSC Advances, 2018, 8, 31287-31295.	3.6	16
65	New Dammarane Triterpenoids, Caffruones, from the Cherries of <i>Coffea arabica</i> . Natural Products and Bioprospecting, 2018, 8, 413-418.	4.3	6
66	Progress on the Chemical Constituents Derived from Glucosinolates in Maca (<i>Lepidium meyenii</i>). Natural Products and Bioprospecting, 2018, 8, 405-412.	4.3	36
67	Cimitriteromone, Macromolecular Triterpenoid-Chromone Hybrids from the Rhizomes of <i>Cimicifuga foetida</i> . Journal of Organic Chemistry, 2018, 83, 10359-10369.	3.2	11
68	Flavoalkaloids with a Pyrrolidinone Ring from Chinese Ancient Cultivated Tea Xi-Gui. Journal of Agricultural and Food Chemistry, 2018, 66, 7948-7957.	5.2	46
69	Withanolides from aerial parts of <i>Nicandra physalodes</i> . Phytochemistry, 2017, 137, 148-155.	2.9	15
70	Otophyllouside B Protects Against A β Toxicity in <i>Caenorhabditis elegans</i> Models of Alzheimer's Disease. Natural Products and Bioprospecting, 2017, 7, 207-214.	4.3	29
71	A novel cycloartane triterpenoid from <i>Cimicifuga</i> induces apoptotic and autophagic cell death in human colon cancer HT-29 cells. Oncology Reports, 2017, 37, 2079-2086.	2.6	14
72	Rare Hybrid Dimers with Anti-Acetylcholinesterase Activities from a Safflower (<i>Carthamus</i>)	5.2	21

#	ARTICLE	IF	CITATIONS
73	Cimifrigines A&C, cytotoxic triterpenes with an oxime group from the flowers of <i>Cimicifuga frigid</i> . <i>RSC Advances</i> , 2017, 7, 38557-38564.	3.6	6
74	The in Vitro and in Vivo Antitumor Activities of Tetracyclic Triterpenoids Compounds Actein and 26-Deoxyactein Isolated from Rhizome of <i>Cimicifuga foetida</i> L.. <i>Molecules</i> , 2016, 21, 1001.	3.8	9
75	Cytotoxicity of Triterpenoid Alkaloids from <i>Buxus microphylla</i> against Human Tumor Cell Lines. <i>Molecules</i> , 2016, 21, 1125.	3.8	9
76	KHF16 is a Leading Structure from <i>Cimicifuga foetida</i> that Suppresses Breast Cancer Partially by Inhibiting the NF- κ B Signaling Pathway. <i>Theranostics</i> , 2016, 6, 875-886.	10.0	27
77	Three New Pregnane Alkaloids from <i>Pachysandra terminalis</i> . <i>Helvetica Chimica Acta</i> , 2016, 99, 513-517.	1.6	1
78	Six New 9,19-Cycloartane Triterpenoids from <i>Cimicifuga foetida</i> L.. <i>Natural Products and Bioprospecting</i> , 2016, 6, 187-193.	4.3	3
79	Pepluane and Paraliene Diterpenoids from <i>Euphorbia peplus</i> with Potential Anti-inflammatory Activity. <i>Journal of Natural Products</i> , 2016, 79, 1628-1634.	3.0	29
80	Three Minor Diterpenoids with Three Carbon Skeletons from <i>Euphorbia peplus</i> . <i>Organic Letters</i> , 2016, 18, 2166-2169.	4.6	40
81	Antioxidant farnesylated hydroquinones from <i>Ganoderma capense</i> . <i>F\ddot{A}-totera p\ddot{A}-\ddot{A}c</i> , 2016, 111, 18-23.	2.2	33
82	New potential beneficial effects of actein, a triterpene glycoside isolated from <i>Cimicifuga</i> species, in breast cancer treatment. <i>Scientific Reports</i> , 2016, 6, 35263.	3.3	50
83	(\hat{A} \pm)-Ganoapplanin, a Pair of Polycyclic Meroterpenoid Enantiomers from <i>Ganoderma applanatum</i> . <i>Organic Letters</i> , 2016, 18, 6078-6081.	4.6	33
84	Lactam Triterpenoids from the Bark of <i>Toona sinensis</i> . <i>Natural Products and Bioprospecting</i> , 2016, 6, 239-245.	4.3	4
85	Bioassay-Guided Isolation and Structural Modification of the Anti-TB Resorcinols from <i>Ardisia gigantifolia</i> . <i>Chemical Biology and Drug Design</i> , 2016, 88, 293-301.	3.2	10
86	Six new physalins from <i>Physalis alkekengi</i> var. <i>franchetii</i> and their cytotoxicity and antibacterial activity. <i>F\ddot{A}-totera p\ddot{A}-\ddot{A}c</i> , 2016, 112, 144-152.	2.2	40
87	Characterization of New Ent-kaurane Diterpenoids of Yunnan Arabica Coffee Beans. <i>Natural Products and Bioprospecting</i> , 2016, 6, 217-223.	4.3	20
88	One-Step Semisynthesis of a Segetane Diterpenoid from a Jatrophone Precursor via a Diels-Alder Reaction. <i>Organic Letters</i> , 2016, 18, 496-499.	4.6	28
89	Triterpene Glycosides from <i>Cimicifuga Foetida</i> Regulate wnt/ β 2-Catenin Signaling in Human KG-1a Leukemia Cells. <i>Blood</i> , 2016, 128, 5898-5898.	1.4	0
90	Identification and Antifeedant Activities of Limonoids from <i>Azadirachta indica</i> . <i>Chemistry and Biodiversity</i> , 2015, 12, 1040-1046.	2.1	13

#	ARTICLE	IF	CITATIONS
91	Two New Cucurbitane Triterpenoids from Immature Fruits of <i>Momordica charantia</i> . <i>Helvetica Chimica Acta</i> , 2015, 98, 1456-1461.	1.6	11
92	Cycloartane Glycosides from the Roots of <i>Cimicifuga foetida</i> with Wnt Signaling Pathway Inhibitory Activity. <i>Natural Products and Bioprospecting</i> , 2015, 5, 61-67.	4.3	16
93	Cytotoxic diterpenoids from <i>Jatropha curcas</i> cv. <i>nigroviensrugosus</i> CY Yang Roots. <i>Phytochemistry</i> , 2015, 117, 462-468.	2.9	15
94	The Antigliconeogenic Activity of Cucurbitacins from <i>Momordica charantia</i> . <i>Planta Medica</i> , 2015, 81, 327-332.	1.3	22
95	Ganocochlearic acid A, a rearranged hexanorlanostane triterpenoid, and cytotoxic triterpenoids from the fruiting bodies of <i>Ganoderma cochlear</i> . <i>RSC Advances</i> , 2015, 5, 95212-95222.	3.6	21
96	New Anti-angiogenic Leading Structure Discovered in the Fruit of <i>Cimicifuga yunnanensis</i> . <i>Scientific Reports</i> , 2015, 5, 9026.	3.3	19
97	The Lifespan-Promoting Effect of Otophyllaside B in <i>Caenorhabditis elegans</i> . <i>Natural Products and Bioprospecting</i> , 2015, 5, 177-183.	4.3	15
98	New cycloartane triterpenes from the aerial parts of <i>Cimicifuga heracleifolia</i> . <i>Tetrahedron</i> , 2015, 71, 8018-8025.	1.9	16
99	Lanostane triterpenoids from <i>Ganoderma hainanense</i> J. D. Zhao. <i>Phytochemistry</i> , 2015, 114, 137-145.	2.9	37
100	Unusual prenylated phenols with antioxidant activities from <i>Ganoderma cochlear</i> . <i>Food Chemistry</i> , 2015, 171, 251-257.	8.2	61
101	Cucurbitacin E Induces Cell Cycle G2/M Phase Arrest and Apoptosis in Triple Negative Breast Cancer. <i>PLoS ONE</i> , 2014, 9, e103760.	2.5	60
102	Three New Tetranorditerpenes from Aerial Parts of Acerola Cherry (<i>Malpighia emarginata</i>). <i>Molecules</i> , 2014, 19, 2629-2636.	3.8	11
103	Cucurbitane-type triterpenoids from the stems and leaves of <i>Momordica charantia</i> . <i>FÄ-toterapÄ-Äç</i> , 2014, 95, 75-82.	2.2	46
104	An unusual 9,11-seco limonoid from <i>Toona ciliata</i> . <i>Tetrahedron Letters</i> , 2014, 55, 2104-2106.	1.4	18
105	Four New Cucurbitacins from the Fruit of <i>Momordica charantia</i> . <i>Helvetica Chimica Acta</i> , 2014, 97, 1546-1554.	1.6	7
106	Four New Polycyclic Meroterpenoids from <i>Ganoderma cochlear</i> . <i>Organic Letters</i> , 2014, 16, 5262-5265.	4.6	59
107	Characterization of Diterpenoid Glucosides in Roasted Puer Coffee Beans. <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 2631-2637.	5.2	21
108	Diterpenoids and Limonoids from the Leaves and Twigs of <i>Swietenia mahagoni</i> . <i>Natural Products and Bioprospecting</i> , 2014, 4, 53-57.	4.3	8

#	ARTICLE	IF	CITATIONS
109	Triterpenoids and Sterols from the Leaves and Twigs of <i>Melia azedarach</i> . <i>Natural Products and Bioprospecting</i> , 2014, 4, 157-162.	4.3	9
110	Hepatoprotective Effects of Triterpenoids from <i>Ganoderma cochlear</i> . <i>Journal of Natural Products</i> , 2014, 77, 737-743.	3.0	62
111	Cytotoxic 9,19-cycloartane triterpenes from the aerial parts of <i>Cimicifuga yunnanensis</i> . <i>Fä-toterapÄ-Äç</i> , 2014, 99, 191-197.	2.2	19
112	New 9, 19-cycloartane triterpenoid from the root of <i>Cimicifuga foetida</i> . <i>Chinese Journal of Natural Medicines</i> , 2014, 12, 294-296.	1.3	7
113	New jatropholane-type diterpenes from <i>Jatropha curcas</i> cv. <i>Multiflorum</i> CY Yang. <i>Natural Products and Bioprospecting</i> , 2013, 3, 99-102.	4.3	7
114	Three new physalins from <i>Physalis alkekengi</i> var. <i>franchetii</i> . <i>Natural Products and Bioprospecting</i> , 2013, 3, 103-106.	4.3	12
115	New triterpenoids from the kernels of <i>Azadirachta indica</i> . <i>Natural Products and Bioprospecting</i> , 2013, 3, 33-37.	4.3	8
116	New terpenoids from the roots of <i>Jatropha curcas</i> . <i>Science Bulletin</i> , 2013, 58, 1115-1119.	1.7	11
117	Protective effects of triterpenoids from <i>Ganoderma resinaceum</i> on H ₂ O ₂ -induced toxicity in HepG2 cells. <i>Food Chemistry</i> , 2013, 141, 920-926.	8.2	77
118	Swietemahalactone, a rearranged phragmalin-type limonoid with anti-bacterial effect, from <i>Swietenia mahagoni</i> . <i>RSC Advances</i> , 2013, 3, 4890.	3.6	19
119	Triterpenes from the Aerial Parts of <i>Cimicifuga yunnanensis</i> and Their Antiproliferative Effects on p53 ^{N236S} Mouse Embryonic Fibroblasts. <i>Journal of Natural Products</i> , 2013, 76, 896-902.	3.0	28
120	Cucurbitane-Type Triterpenoids from <i>Momordica charantia</i> . <i>Helvetica Chimica Acta</i> , 2013, 96, 1111-1120.	1.6	7
121	Cytotoxic Cycloartane Triterpenes of the Traditional Chinese Medicine "Shengma" (<i>Cimicifuga</i>) Tj ETQq1 1 0.784314 rgBT /Over 1.3 24		
122	Isolation and Bioactivity Evaluation of Terpenoids from the Medicinal Fungus <i>Ganoderma sinense</i> . <i>Planta Medica</i> , 2012, 78, 368-376.	1.3	60
123	Cucurbitane triterpenoids from <i>Hemsleya penxianensis</i> . <i>Natural Products and Bioprospecting</i> , 2012, 2, 138-144.	4.3	14
124	Three New Pregnane Alkaloids from <i>Veratrum taliense</i> . <i>Helvetica Chimica Acta</i> , 2012, 95, 1114-1120.	1.6	9
125	Four New 9,19-Cyclolanostane Triterpenes from the Rhizomes of <i>Cimicifuga foetida</i> Collected in Yulong. <i>Chinese Journal of Chemistry</i> , 2012, 30, 1265-1268.	4.9	6
126	Limonoids from the leaves of <i>Toona ciliata</i> var. <i>yunnanensis</i> . <i>Phytochemistry</i> , 2012, 76, 141-149.	2.9	35

#	ARTICLE	IF	CITATIONS
127	Five New Tetranortriterpenoids from the Seeds of <i>Toona ciliata</i> . <i>Helvetica Chimica Acta</i> , 2012, 95, 301-307.	1.6	12
128	A New Triterpenoid Alkaloid from <i>Buxus sempervirens</i> . <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 2011, 66, 1076-1078.	0.7	2
129	Triterpenoid alkaloid derivatives from <i>Buxus rugulosa</i> . <i>Natural Products and Bioprospecting</i> , 2011, 1, 71-74.	4.3	7
130	New alkaloids from the fruiting bodies of <i>Ganoderma sinense</i> . <i>Natural Products and Bioprospecting</i> , 2011, 1, 93-96.	4.3	43
131	Three New Cycloartane (=9,19-Cyclolanostane) Glycosides from <i>Cimicifuga foetida</i> . <i>Helvetica Chimica Acta</i> , 2011, 94, 632-638.	1.6	8
132	Three New Triterpenoids Containing Four-Membered Ring from the Fruiting Body of <i>Ganoderma sinense</i> . <i>Organic Letters</i> , 2010, 12, 1656-1659.	4.6	47
133	Cytotoxic Chemical Constituents from the Roots of <i>Cimicifuga fetida</i> . <i>Journal of Natural Products</i> , 2010, 73, 93-98.	3.0	43
134	Four New 9,19-Cyclolanostane Derivatives from the Rhizomes of <i>Cimicifuga yunnanensis</i> . <i>Helvetica Chimica Acta</i> , 2009, 92, 112-120.	1.6	11
135	Three New Triterpene Saponins from <i>Hemsleya chinensis</i> . <i>Helvetica Chimica Acta</i> , 2009, 92, 1853-1859.	1.6	9
136	Six New Triterpenoid Glycosides from <i>Gynostemma pentaphyllum</i> . <i>Helvetica Chimica Acta</i> , 2009, 92, 2737-2745.	1.6	7
137	Eight New Cucurbitane Glycosides, Kuguaglycosides, from the Root of <i>Momordica charantia</i> L. <i>Helvetica Chimica Acta</i> , 2008, 91, 920-929.	1.6	26
138	Two New Spirostanol Saponins from <i>Reineckia carnea</i> . <i>Helvetica Chimica Acta</i> , 2008, 91, 1494-1499.	1.6	9
139	A New Alkaloid from <i>Lycopodium japonicum</i> Thunb. <i>Helvetica Chimica Acta</i> , 2008, 91, 2107-2109.	1.6	20
140	Two New Cholestane Bisdesmosides from <i>Reineckia carnea</i> . <i>Helvetica Chimica Acta</i> , 2007, 90, 616-622.	1.6	9
141	Cimicifine A: A Novel Triterpene Alkaloid from the Rhizomes of <i>Cimicifuga foetida</i> . <i>Helvetica Chimica Acta</i> , 2007, 90, 1313-1318.	1.6	15
142	Anticomplement activity of cycloartane glycosides from the rhizome of <i>Cimicifuga foetida</i> . <i>Phytotherapy Research</i> , 2006, 20, 945-948.	5.8	33
143	A New 18(13 β)-abeo-Lanostadiene Triterpenoid from <i>Ganoderma fornicatum</i> . <i>Helvetica Chimica Acta</i> , 2006, 89, 1038-1041.	1.6	5
144	Three New Serratane Triterpenoids from <i>Phlegmariusus squarrosus</i> . <i>Helvetica Chimica Acta</i> , 2006, 89, 2975-2980.	1.6	10

#	ARTICLE	IF	CITATIONS
145	Three New Triterpenoids from <i>Lycopodium japonicum</i> Thunb. <i>Helvetica Chimica Acta</i> , 2005, 88, 240-244.	1.6	27
146	Two New Pregnanone Derivatives with Strong Cytotoxic Activity from <i>Pachysandra axillaris</i> . <i>Chemistry and Biodiversity</i> , 2005, 2, 866-871.	2.1	7
147	Two novel 3,4-seco-trinorlanostane triterpenoids isolated from <i>Ganoderma fornicatum</i> . <i>Tetrahedron Letters</i> , 2004, 45, 2989-2993.	1.4	26
148	An Efficient Synthesis of Eudesmanolide Sesquiterpenoids Possessing β -Methoxymethyl Butenolide and Butadienolide. <i>Synthetic Communications</i> , 1999, 29, 1107-1112.	2.1	1