

Ami V Desai

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2230834/publications.pdf>

Version: 2024-02-01

24
papers

347
citations

933447

10
h-index

839539

18
g-index

24
all docs

24
docs citations

24
times ranked

643
citing authors

#	ARTICLE	IF	CITATIONS
1	Efficacy of post-induction therapy for high-risk neuroblastoma patients with end-induction residual disease. <i>Cancer</i> , 2022, 128, 2967-2977.	4.1	5
2	Outcomes Following GD2-Directed Postconsolidation Therapy for Neuroblastoma After Cessation of Random Assignment on ANBL0032: A Report From the Children's Oncology Group. <i>Journal of Clinical Oncology</i> , 2022, 40, 4107-4118.	1.6	11
3	Poverty and Targeted Immunotherapy: Survival in Children's Oncology Group Clinical Trials for High-Risk Neuroblastoma. <i>Journal of the National Cancer Institute</i> , 2021, 113, 282-291.	6.3	33
4	Phase I Study of Stereotactic Body Radiotherapy plus Nivolumab and Urelumab or Cabiralizumab in Advanced Solid Tumors. <i>Clinical Cancer Research</i> , 2021, 27, 5510-5518.	7.0	23
5	Immunogenomic determinants of tumor microenvironment correlate with superior survival in high-risk neuroblastoma. , 2021, 9, e002417.		21
6	Veno-occlusive disease after high-dose busulfan-melphalan in neuroblastoma. <i>Bone Marrow Transplantation</i> , 2020, 55, 531-537.	2.4	17
7	The ganglioside G _{D2} as a circulating tumor biomarker for neuroblastoma. <i>Pediatric Blood and Cancer</i> , 2020, 67, e28031.	1.5	30
8	The Evolution of Risk Classification for Neuroblastoma. <i>Children</i> , 2019, 6, 27.	1.5	65
9	Significance of CNS 2 cerebrospinal fluid status post-induction in pediatric and adolescent patients with acute lymphoblastic leukemia. <i>Pediatric Blood and Cancer</i> , 2019, 66, e27433.	1.5	2
10	Poverty and survival in targeted immunotherapy clinical trials.. <i>Journal of Clinical Oncology</i> , 2019, 37, 10034-10034.	1.6	1
11	Resource utilization and toxicities after single versus tandem autologous stem cell rescue in high-risk neuroblastoma using a national administrative database. <i>Pediatric Blood and Cancer</i> , 2018, 65, e27372.	1.5	4
12	Phase 1 study of entrectinib (RXDX-101), a TRK, ROS1, and ALK inhibitor, in children, adolescents, and young adults with recurrent or refractory solid tumors.. <i>Journal of Clinical Oncology</i> , 2018, 36, 10536-10536.	1.6	10
13	G _{D2} as a circulating tumor biomarker (CTB) for neuroblastoma (NBL).. <i>Journal of Clinical Oncology</i> , 2018, 36, 10538-10538.	1.6	2
14	Clinical Assessment and Diagnosis of Germline Predisposition to Hematopoietic Malignancies: The University of Chicago Experience. <i>Frontiers in Pediatrics</i> , 2017, 5, 252.	1.9	16
15	Resource Utilization and Toxicities After Carboplatin/Etoposide/Melphalan and Busulfan/Melphalan for Autologous Stem Cell Rescue in High-Risk Neuroblastoma Using a National Administrative Database. <i>Pediatric Blood and Cancer</i> , 2016, 63, 901-907.	1.5	8
16	Comparative pharmacokinetics, safety, and tolerability of two sources of ch14.18 in pediatric patients with high-risk neuroblastoma following myeloablative therapy. <i>Cancer Chemotherapy and Pharmacology</i> , 2016, 77, 405-412.	2.3	24
17	Atypical Chronic Myeloid Leukemia in Two Pediatric Patients. <i>Pediatric Blood and Cancer</i> , 2016, 63, 156-159.	1.5	23
18	Identification of patients with post-induction CNS 2 status and outcomes in acute lymphoblastic leukemia.. <i>Journal of Clinical Oncology</i> , 2015, 33, 10033-10033.	1.6	0

#	ARTICLE	IF	CITATIONS
19	Resource utilization (RU) and toxicities after carboplatin/etoposide/melphalan (CEM) and busulfan/melphalan (BuMel) for autologous stem cell rescue (ASCR) in high-risk neuroblastoma (HRNB).. Journal of Clinical Oncology, 2015, 33, e21009-e21009.	1.6	0
20	Pharmacokinetics of the chimeric anti-GD2 antibody, ch14.18, in children with high-risk neuroblastoma. Cancer Chemotherapy and Pharmacology, 2014, 74, 1047-1055.	2.3	34
21	Establishing a high-risk neuroblastoma cohort using the pediatric health information system database. Pediatric Blood and Cancer, 2014, 61, 1129-1131.	1.5	15
22	Evaluation of resources used during care of children with high-risk neuroblastoma (HR NBL) via merging of cooperative group trial data and administrative data.. Journal of Clinical Oncology, 2014, 32, 10069-10069.	1.6	3
23	Pharmacokinetics (PK) of the chimeric anti-GD2 antibody, ch14.18, in children with high-risk neuroblastoma.. Journal of Clinical Oncology, 2012, 30, 9576-9576.	1.6	0
24	Mortality and Resource Utilization in Children with De Novo Acute Myeloid Leukemia Treated with Chemotherapy and Gemtuzumab Ozogamicin in the United States. Blood, 2012, 120, 4283-4283.	1.4	0