
## Jing-bo Li

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2230865/publications.pdf Version: 2024-02-01



LINC-BOLL

#	Article	IF	CITATIONS
1	Development of lateral flow immunoassay system based on superparamagnetic nanobeads as labels for rapid quantitative detection of cardiac troponin I. Materials Science and Engineering C, 2009, 29, 702-707.	7.3	80
2	Roles of <scp>ST</scp> 2, <scp>IL</scp> â€33 and <scp>BNP</scp> in predicting major adverse cardiovascular events in acute myocardial infarction after percutaneous coronary intervention. Journal of Cellular and Molecular Medicine, 2017, 21, 2677-2684.	3.6	26
3	The Extent of Left Atrial Low-Voltage Areas Included in Pulmonary Vein Isolation Is Associated With Freedom from Recurrent Atrial Arrhythmia. Canadian Journal of Cardiology, 2018, 34, 73-79.	1.7	25
4	Effective Connectivity of Hippocampal Neural Network and Its Alteration in Mg2+-Free Epilepsy Model. PLoS ONE, 2014, 9, e92961.	2.5	19
5	Glucose impairs angiogenesis and promotes ventricular remodelling following myocardial infarction via upregulation of microRNA-17. Experimental Cell Research, 2019, 381, 191-200.	2.6	14
6	High Glucose Induces Down-Regulated GRIM-19 Expression to Activate STAT3 Signaling and Promote Cell Proliferation in Cell Culture. PLoS ONE, 2016, 11, e0153659.	2.5	14
7	Over-expression of calpastatin attenuates myocardial injury following myocardial infarction by inhibiting endoplasmic reticulum stress. Journal of Thoracic Disease, 2018, 10, 5283-5297.	1.4	12
8	GRIM-19-mediated Stat3 activation is a determinant for resveratrol-induced proliferation and cytotoxicity in cervical tumor-derived cell lines. Molecular Medicine Reports, 2015, 11, 1272-1277.	2.4	10
9	Effect of combined treatment with rosuvastatin and protein kinase Cβ2 inhibitor on angiogenesis following myocardial infarction in diabetic rats. International Journal of Molecular Medicine, 2015, 35, 829-838.	4.0	10
10	Selective inhibition of PKCβ2 preserves cardiac function after myocardial infarction and is associated with improved angiogenesis of ischemic myocardium in diabetic rats. International Journal of Molecular Medicine, 2013, 32, 1037-1046.	4.0	9
11	Cardiac-Specific Overexpression of Silent Information Regulator 1 Protects Against Heart and Kidney Deterioration in Cardiorenal Syndrome via Inhibition of Endoplasmic Reticulum Stress. Cellular Physiology and Biochemistry, 2018, 46, 9-22.	1.6	9
12	Maternal Pre-Pregnancy Obesity Combined With Abnormal Glucose Metabolism Further Increases Adverse Pregnancy Outcomes in Chinese Pregnant Women. Frontiers in Endocrinology, 2021, 12, 754406.	3.5	9
13	Association of Rate-Dependent Conduction Block Between Eccentric Coronary Sinus to Left Atrial Connections With Inducible Atrial Fibrillation and Flutter. Circulation: Arrhythmia and Electrophysiology, 2017, 10, .	4.8	8
14	Impaired Left Atrial Performance Resulting From Age-Related Arial Fibrillation Is Associated With Increased Fibrosis Burden: Insights From a Clinical Study Combining With an in vivo Experiment. Frontiers in Cardiovascular Medicine, 2020, 7, 615065.	2.4	8
15	Interference of GSM mobile phones with communication between Cardiac Rhythm Management devices and programmers: A combined in vivo and in vitro study. Bioelectromagnetics, 2015, 36, 367-376.	1.6	7
16	Insulin upregulates GRIM-19 and protects cardiac mitochondrial morphology in type 1 diabetic rats partly through PI3K/AKT signaling pathway. Biochemical and Biophysical Research Communications, 2017, 493, 611-617.	2.1	4
17	Should we abandon the term ã€łone atrial fibrillation〞?. Hellenic Journal of Cardiology, 2019, 60, 216-223.	1.0	4
18	The feasibility and limitation of patch-clamp recordings from neonatal rat cardiac ventricular slices. In Vitro Cellular and Developmental Biology - Animal, 2011, 47, 269-272.	1.5	3

Jing-bo Li

#	Article	IF	CITATIONS
19	The value of multidisciplinary team in syncope clinic for the effective diagnosis of complex syncope. PACE - Pacing and Clinical Electrophysiology, 2019, 42, 821-827.	1.2	3
20	Serum free triiodothyronine is inversely associated with diabetic peripheral neuropathy but not with carotid atherosclerotic lesions in euthyroid patients with type 2 diabetes. Diabetology and Metabolic Syndrome, 2021, 13, 142.	2.7	3
21	Association of Mild Thyroid Dysfunction and Adverse Prognosis Among Chinese Patients With Acute ST Segment Elevation Myocardial Infarction. Frontiers in Endocrinology, 2022, 13, 879443.	3.5	3
22	A pilot study of prognostic value of non-invasive cardiac parameters for major adverse cardiac events in patients with acute coronary syndrome treated with percutaneous coronary intervention. International Journal of Clinical and Experimental Medicine, 2015, 8, 22440-9.	1.3	2
23	Repetitive ventricular tachycardia triggered by a giant benign cardiac lipomyoma. Journal of Electrocardiology, 2020, 58, 29-32.	0.9	1