List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2231896/publications.pdf Version: 2024-02-01

| 103 papers | 5,789 citations | 126858 33 h-index | 85498 71 g-index |
|-----------------|-----------------------|-------------------------|------------------------|
| | | | |
| 113 all docs | 113 docs citations | 113 times ranked | 6922 citing authors |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Inequalities in Frailty Among Older Turkish and Moroccan Immigrants and Native Dutch: Data from the Longitudinal Aging Study Amsterdam. Journal of Immigrant and Minority Health, 2022, 24, 385-393. | 0.8 | 5 |
| 2 | Frailty in the oldest old: is the current level or the rate of change more predictive of mortality?. Age and Ageing, 2022, 51, . | 0.7 | 7 |
| 3 | Trajectories of Frailty With Aging: Coordinated Analysis of Five Longitudinal Studies. Innovation in Aging, 2022, 6, igab059. | 0.0 | 4 |
| 4 | Plasma superoxide dismutase activity in relation to disability in activities of daily living and objective physical functioning among Chinese older adults. Maturitas, 2022, , . | 1.0 | 0 |
| 5 | Associations of Serum Albumin With Disability in Activities of Daily Living, Mobility and Objective Physical Functioning Regardless of Vitamin D: Cross-Sectional Findings From the Chinese Longitudinal Healthy Longevity Survey. Frontiers in Nutrition, 2022, 9, 809499. | 1.6 | 2 |
| 6 | Do changes in frailty, physical functioning, and cognitive functioning predict mortality in old age? Results from the Longitudinal Aging Study Amsterdam. BMC Geriatrics, 2022, 22, 193. | 1.1 | 8 |
| 7 | Aging metrics incorporating cognitive and physical function capture mortality risk: results from two prospective cohort studies. BMC Geriatrics, 2022, 22, 378. | 1.1 | 4 |
| 8 | Polypharmacy, comorbidity and frailty: a complex interplay in older patients at the emergency department. European Geriatric Medicine, 2022, 13, 849-857. | 1.2 | 10 |
| 9 | The Prognostic Accuracy of Clinical Judgment Versus a Validated Frailty Screening Instrument in Older Patients at the Emergency Department: Findings of the AmsterGEM Study. Annals of Emergency Medicine, 2022, 80, 422-431. | 0.3 | 6 |
| 10 | Frailty Changes Predict Mortality in 4 Longitudinal Studies of Aging. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2021, 76, 1619-1626. | 1.7 | 26 |
| 11 | The Importance of Engaging in Physical Activity in Older Adulthood for Transitions Between Cognitive Status Categories and Death: A Coordinated Analysis of 14 Longitudinal Studies. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2021, 76, 1661-1667. | 1.7 | 18 |
| 12 | Predictors of Frailty and Vitality in Older Adults Aged 75 years and Over: Results from the Longitudinal Aging Study Amsterdam. Gerontology, 2021, 67, 69-77. | 1.4 | 11 |
| 13 | Excess mortality in depressive and anxiety disorders: The Lifelines Cohort Study. European Psychiatry, 2021, 64, e54. | 0.1 | 23 |
| 14 | Course of frailty stratified by physical and mental multimorbidity patterns: a 5-year follow-up of 92,640 participants of the LifeLines cohort study. BMC Medicine, 2021, 19, 29. | 2.3 | 19 |
| 15 | Trends in Frailty and Its Association With Mortality: Results From the Longitudinal Aging Study Amsterdam, 1995–2016. American Journal of Epidemiology, 2021, 190, 1316-1323. | 1.6 | 17 |
| 16 | Multiple domains of functioning in older adults during the pandemic: design and basic characteristics of the Longitudinal Aging Study Amsterdam COVID-19 questionnaire. Aging Clinical and Experimental Research, 2021, 33, 1423-1428. | 1.4 | 8 |
| 17 | A narrative review of frailty assessment in older patients at the emergency department. European Journal of Emergency Medicine, 2021, 28, 266-276. | 0.5 | 15 |
| 18 | Older adults report cancellation or avoidance of medical care during the COVID-19 pandemic: results from the Longitudinal Aging Study Amsterdam. European Geriatric Medicine, 2021, 12, 1075-1083. | 1.2 | 28 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | A 6â€year prospective clinical cohort study on the bidirectional association between frailty and depressive disorder. International Journal of Geriatric Psychiatry, 2021, 36, 1699-1707. | 1.3 | 19 |
| 20 | Serum 25-hydroxyvitamin D in relation to disability in activities of daily living, mobility, and objective physical functioning among Chinese older adults. Experimental Gerontology, 2021, 148, 111290. | 1.2 | 4 |
| 21 | Acceleration of health deficit accumulation in late-life: evidence of terminal decline in frailty index three years before death in the US Health and Retirement Study. Annals of Epidemiology, 2021, 58, 156-161. | 0.9 | 16 |
| 22 | Sarcopenia measurement in research and clinical practice. European Journal of Internal Medicine, 2021, 90, 1-9. | 1.0 | 18 |
| 23 | The Accuracy of Four Frequently Used Frailty Instruments for the Prediction of Adverse Health Outcomes Among Older Adults at Two Dutch Emergency Departments: Findings of the AmsterGEM Study. Annals of Emergency Medicine, 2021, 78, 538-548. | 0.3 | 12 |
| 24 | The Functional Continuum Scale in Relation to Hospitalization Density in Older Adults: The FRADEA Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2021, 76, 1512-1518. | 1.7 | 2 |
| 25 | Explaining the association between frailty and mortality in older adults: The mediating role of lifestyle, social, psychological, cognitive, and physical factors. Preventive Medicine Reports, 2021, 24, 101589. | 0.8 | 6 |
| 26 | Symptoms of depression, anxiety, and perceived mastery in older adults before and during the COVID-19 pandemic: Results from the Longitudinal Aging Study Amsterdam. Journal of Psychosomatic Research, 2021, 151, 110656. | 1.2 | 29 |
| 27 | Toward the recognition and management of sarcopenia in routine clinical care. Nature Aging, 2021, 1, 982-990. | 5.3 | 14 |
| 28 | The Longitudinal Aging Study Amsterdam (LASA): An Overview. , 2021, , 5065-5070. | | 0 |
| 29 | Association of Indoor and Outdoor Air Pollution With Hand-Grip Strength Among Adults in Six Low- and Middle-Income Countries. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2020, 75, 340-347. | 1.7 | 10 |
| 30 | High dephospho-uncarboxylated matrix Gla protein concentrations, a plasma biomarker of vitamin K, in relation to frailty: the Longitudinal Aging Study Amsterdam. European Journal of Nutrition, 2020, 59, 1243-1251. | 1.8 | 15 |
| 31 | The tide has turned: incidence of depression declined in community living young-old adults over one decade. Epidemiology and Psychiatric Sciences, 2020, 29, e16. | 1.8 | 5 |
| 32 | The Social Support–Health Link Unraveled: Pathways Linking Social Support to Functional Capacity in Later Life. Journal of Aging and Health, 2020, 32, 616-626. | 0.9 | 5 |
| 33 | The Longitudinal Aging Study Amsterdam: cohort update 2019 and additional data collections. European Journal of Epidemiology, 2020, 35, 61-74. | 2.5 | 68 |
| 34 | Gait speed as predictor of transition into cognitive impairment: Findings from three longitudinal studies on aging. Experimental Gerontology, 2020, 129, 110783. | 1.2 | 29 |
| 35 | Occupational Exposures Associated with Life Expectancy without and with Disability. International Journal of Environmental Research and Public Health, 2020, 17, 6377. | 1.2 | 6 |
| 36 | Frailty Combined with Loneliness or Social Isolation: An Elevated Risk for Mortality in Later Life. Journal of the American Geriatrics Society, 2020, 68, 2587-2593. | 1.3 | 71 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Ferritin measurement IN Donors—Effectiveness of iron Monitoring to diminish iron deficiency and low haemoglobin in whole blood donors (FIND'EM): study protocol for a stepped wedge cluster randomised trial. Trials, 2020, 21, 823. | 0.7 | 16 |
| 38 | lgnoring competing events in the analysis of survival data may lead to biased results: a nonmathematical illustration of competing risk analysis. Journal of Clinical Epidemiology, 2020, 122, 42-48. | 2.4 | 95 |
| 39 | Invited Commentary: Adult Child Migration and Parental Cognitive Decline—A New Perspective on Loneliness and Social Isolation. American Journal of Epidemiology, 2020, 189, 770-772. | 1.6 | 2 |
| 40 | Frailty modifies the intervention effect of chair yoga on pain among older adults with lower extremity osteoarthritis: Secondary analysis of a nonpharmacological intervention trial. Experimental Gerontology, 2020, 134, 110886. | 1.2 | 10 |
| 41 | Biomechanical response of the CNS is associated with frailty in NPH-suspected patients. Journal of Neurology, 2020, 267, 1389-1400. | 1.8 | 8 |
| 42 | Operationalization of a frailty index among older adults in the InCHIANTI study: predictive ability for all-cause and cardiovascular disease mortality. Aging Clinical and Experimental Research, 2020, 32, 1025-1034. | 1.4 | 20 |
| 43 | Cognitive frailty in relation to adverse health outcomes independent of multimorbidity: results from the China health and retirement longitudinal study. Aging, 2020, 12, 23129-23145. | 1.4 | 18 |
| 44 | Natural Course of Frailty Components in People Who Develop Frailty Syndrome: Evidence From Two Cohort Studies. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2019, 74, 667-674. | 1.7 | 59 |
| 45 | Frailty: implications for clinical practice and public health. Lancet, The, 2019, 394, 1365-1375. | 6.3 | 1,341 |
| 46 | Physical Frailty: ICFSR International Clinical Practice Guidelines for Identification and Management. Journal of Nutrition, Health and Aging, 2019, 23, 771-787. | 1.5 | 474 |
| 47 | Neighbourhood characteristics and prevalence and severity of depression: pooled analysis of eight Dutch cohort studies. British Journal of Psychiatry, 2019, 215, 468-475. | 1.7 | 54 |
| 48 | Malnutrition Screening and Assessment in Hospitalised Older People: A Review. Journal of Nutrition, Health and Aging, 2019, 23, 431-441. | 1.5 | 114 |
| 49 | Trends across 20 years in multiple indicators of functioning among older adults in the Netherlands. European Journal of Public Health, 2019, 29, 1096-1102. | 0.1 | 24 |
| 50 | A New Functional Classification Based on Frailty and Disability Stratifies the Risk for Mortality Among Older Adults: The FRADEA Study. Journal of the American Medical Directors Association, 2019, 20, 1105-1110. | 1.2 | 37 |
| 51 | Sex differences in healthy life expectancy among nonagenarians: A multistate survival model using data from the Vitality 90+ study. Experimental Gerontology, 2019, 116, 80-85. | 1.2 | 24 |
| 52 | New insights into the anorexia of ageing. Current Opinion in Clinical Nutrition and Metabolic Care, 2019, 22, 44-51. | 1.3 | 28 |
| 53 | The Longitudinal Aging Study Amsterdam (LASA): An Overview. , 2019, , 1-6. | | 1 |
| 54 | Secular trends in excess mortality of late-life depression. Journal of Affective Disorders, 2018, 234, 28-33. | 2.0 | 6 |

| # | Article | IF | CITATIONS |
|----|---|-------------|-----------|
| 55 | Frailty index from routine laboratory measurements correlates with leukocyte telomere length. Geriatrics and Gerontology International, 2018, 18, 654-655. | 0.7 | 5 |
| 56 | Transitions across cognitive states and death among older adults in relation to education: A multistate survival model using data from six longitudinal studies. Alzheimer's and Dementia, 2018, 14, 462-472. | 0.4 | 47 |
| 57 | Use of health resources and healthcare costs associated with nutritional risk: The FRADEA study. Clinical Nutrition, 2018, 37, 1299-1305. | 2.3 | 30 |
| 58 | Self-perceived care needs in older adults with joint pain and comorbidity. Aging Clinical and Experimental Research, 2018, 30, 449-455. | 1.4 | 15 |
| 59 | Socioeconomic Inequalities in Frailty among Older Adults: Results from a 10-Year Longitudinal Study in the Netherlands. Gerontology, 2018, 64, 157-164. | 1.4 | 42 |
| 60 | Nutritional screening and dietitian consultation rates in a geriatric evaluation and management unit. Nutrition and Dietetics, 2018, 75, 11-16. | 0.9 | 15 |
| 61 | O3â€02â€03: FACTORS AND TRANSITIONS BETWEEN COGNITIVE STATES: A MULTI‧TUDY APPROACH USING E FROM SIX INTERNATIONAL LONGITUDINAL STUDIES OF AGEING. Alzheimer's and Dementia, 2018, 14, P1012. | DATA 0.4 | 0 |
| 62 | DOES COGNITIVE LIFESTYLE MATTER? EXAMINING TRANSITIONS BETWEEN COGNITIVE STATES USING MSM ACROSS FOUR STUDIES. Innovation in Aging, 2018, 2, 785-785. | 0.0 | 0 |
| 63 | GAIT SPEED AS A PREDICTOR OF TRANSITION INTO COGNITIVE IMPAIRMENT. Innovation in Aging, 2018, 2, 616-616. | 0.0 | 0 |
| 64 | 23-Year Trends in Life Expectancy in Good and Poor Physical and Cognitive Health at Age 65 Years in the Netherlands, 1993–2016. American Journal of Public Health, 2018, 108, 1652-1658. | 1.5 | 25 |
| 65 | Socioeconomic Position and Malnutrition among Older Adults: Results from the FRADEA Study. Journal of Nutrition, Health and Aging, 2018, 22, 1086-1091. | 1.5 | 14 |
| 66 | Tracking changes in frailty throughout later life: results from a 17-year longitudinal study in the Netherlands. Age and Ageing, 2018, 47, 727-733. | 0.7 | 60 |
| 67 | Vitamin K status and physical decline in older adults—The Longitudinal Aging Study Amsterdam. Maturitas, 2018, 113, 73-79. | 1.0 | 22 |
| 68 | Frailty in Older Adults with Cardiovascular Disease: Cause, Effect or Both?. , 2018, 9, 489. | | 63 |
| 69 | Socioeconomic inequalities in frailty among older adults in six low- and middle-income countries: Results from the WHO Study on global AGEing and adult health (SAGE). Maturitas, 2018, 115, 56-63. | 1.0 | 47 |
| 70 | The role of frailty in explaining the association between the metabolic syndrome and mortality in older adults. Experimental Gerontology, 2017, 91, 5-8. | 1.2 | 20 |
| 71 | Additional Cost Because of Pneumonia in Nursing Home Residents: Results From the Incidence of Pneumonia and Related Consequences in Nursing Home Resident Study. Journal of the American Medical Directors Association, 2017, 18, 453.e7-453.e12. | 1.2 | 10 |
| 72 | Development and validation of a frailty index in the Longitudinal Aging Study Amsterdam. Aging Clinical and Experimental Research, 2017, 29, 927-933. | 1.4 | 77 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Challenges in integration of primary care for older adults addressed by introducing a geriatric care model: results of a RCT. International Journal of Integrated Care, 2017, 17, 424. | 0.1 | 0 |
| 74 | Comparison of 10 single and stepped methods to identify frail older persons in primary care: diagnostic and prognostic accuracy. BMC Family Practice, 2016, 17, 102. | 2.9 | 46 |
| 75 | The Longitudinal Aging Study Amsterdam: cohort update 2016 and major findings. European Journal of Epidemiology, 2016, 31, 927-945. | 2.5 | 170 |
| 76 | Different methods to analyze stepped wedge trial designs revealed different aspects of intervention effects. Journal of Clinical Epidemiology, 2016, 72, 75-83. | 2.4 | 9 |
| 77 | Adverse effects of pneumonia on physical functioning in nursing home residents: Results from the INCUR study. Archives of Gerontology and Geriatrics, 2016, 65, 116-121. | 1.4 | 10 |
| 78 | Frailty measurement in research and clinical practice: A review. European Journal of Internal Medicine, 2016, 31, 3-10. | 1.0 | 821 |
| 79 | Frailty in emergency departments. Lancet, The, 2016, 387, 434. | 6.3 | 21 |
| 80 | Refining Mild-to-Moderate Alzheimer Disease Screening: A Tool for Clinicians. Journal of the American Medical Directors Association, 2016, 17, 913-920. | 1.2 | 3 |
| 81 | How effective is integrated care for community-dwelling frail older people? The case of the Netherlands. Age and Ageing, 2016, 45, 587-589. | 0.7 | 41 |
| 82 | Frailty Index and Quality of Life in Nursing Home Residents: Results From INCUR Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2016, 71, 420-424. | 1.7 | 20 |
| 83 | Relationship of regional brain β-amyloid to gait speed. Neurology, 2016, 86, 36-43. | 1.5 | 119 |
| 84 | How the Frailty Index May Support the Allocation of Health Care Resources: An Example From the INCUR Study. Journal of the American Medical Directors Association, 2016, 17, 448-450. | 1.2 | 33 |
| 85 | Effectiveness of a Geriatric Care Model for frail older adults in primary care: Results from a stepped wedge cluster randomized trial. European Journal of Internal Medicine, 2016, 28, 43-51. | 1.0 | 58 |
| 86 | Lack of Energy and Negative Health-Related Outcomes in Nursing Home Residents: Results From the INCUR Study. Journal of the American Medical Directors Association, 2016, 17, 525-529. | 1.2 | 5 |
| 87 | Adverse effects of frailty on social functioning in older adults: Results from the Longitudinal Aging Study Amsterdam. Maturitas, 2016, 83, 45-50. | 1.0 | 102 |
| 88 | Costâ€Effectiveness of a Chronic Care Model for Frail Older Adults in Primary Care: Economic Evaluation Alongside a Steppedâ€Wedge Clusterâ€Randomized Trial. Journal of the American Geriatrics Society, 2015, 63, 2494-2504. | 1.3 | 53 |
| 89 | Components of the Frailty Phenotype in Relation to the Frailty Index: Results From the Toulouse Frailty Platform. Journal of the American Medical Directors Association, 2015, 16, 855-859. | 1.2 | 46 |
| 90 | Psychosocial Resources: Moderators or Mediators of Frailty Outcomes?. Journal of the American Medical Directors Association, 2015, 16, 258-259. | 1.2 | 11 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Operationalization of a frailty index using routine data from the Toulouse Frailty Clinic. Geriatrics and Gerontology International, 2015, 15, 519-520. | 0.7 | 4 |
| 92 | Fatigue: Relevance and implications in the aging population. Experimental Gerontology, 2015, 70, 78-83. | 1.2 | 73 |
| 93 | Comparing Measurement Properties of the EQ-5D-3L, ICECAP-O, and ASCOT in Frail Older Adults. Value in Health, 2015, 18, 35-43. | 0.1 | 65 |
| 94 | Innovative Medicines Initiative: The SPRINTT Project. Journal of Frailty & amp; Aging, the, 2015, 4, 207-208. | 0.8 | 42 |
| 95 | Psychosocial factors modify the association of frailty with adverse outcomes: a prospective study of hospitalised older people. BMC Geriatrics, 2014, 14, 108. | 1.1 | 89 |
| 96 | Do psychosocial resources modify the effects of frailty on functional decline and mortality?. Journal of Psychosomatic Research, 2014, 77, 547-551. | 1.2 | 41 |
| 97 | Self-perceived met and unmet care needs of frail older adults in primary care. Archives of Gerontology and Geriatrics, 2014, 58, 37-42. | 1.4 | 68 |
| 98 | Explaining the association between educational level and frailty in older adults: results from a 13-year longitudinal study in the Netherlands. Annals of Epidemiology, 2014, 24, 538-544.e2. | 0.9 | 161 |
| 99 | Continued and New Personal Relationships in Later Life. Journal of Aging and Health, 2013, 25, 274-295. | 0.9 | 55 |
| 100 | The identification of frail older adults in primary care: comparing the accuracy of five simple instruments. Age and Ageing, 2013, 42, 262-265. | 0.7 | 139 |
| 101 | Investigating Measurement Properties of the Groningen Frailty Indicator: A More Systematic Approach is Needed. Journal of the American Medical Directors Association, 2012, 13, 757. | 1.2 | 24 |
| 102 | Implementing the chronic care model for frail older adults in the Netherlands: study protocol of ACT (frail older adults: care in transition). BMC Geriatrics, 2012, 12, 19. | 1.1 | 49 |
| 103 | Educational differences in functional limitations: comparisons of 55–65-year-olds in the Netherlands in 1992 and 2002. International Journal of Public Health, 2008, 53, 281-289. | 2.7 | 43 |