

Yujun Feng

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/22329/yujun-feng-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

164
papers

5,928
citations

41
h-index

72
g-index

178
ext. papers

6,877
ext. citations

5.2
avg, IF

6.31
L-index

#	Paper	IF	Citations
164	In situ crosslinked weak gels with ultralong and tunable gelation times for improving oil recovery. <i>Chemical Engineering Journal</i> , 2022 , 432, 134350	14.7	1
163	Insights into Flow Improving for Waxy Crude Oil Doped with EVA/SiO Nanohybrids.. <i>ACS Omega</i> , 2022 , 7, 5853-5863	3.9	1
162	Stabilization of CO2 aqueous foams at high temperature and high pressure: small-angle neutron scattering and rheological studies. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2022 , 129015	5.1	1
161	In situ micro-emulsification during surfactant enhanced oil recovery: A microfluidic study.. <i>Journal of Colloid and Interface Science</i> , 2022 , 620, 465-477	9.3	1
160	Enhancing Oil Recovery by Low Concentration of Alkylaryl Sulfonate Surfactant without Ultralow Interfacial Tension. <i>Journal of Surfactants and Detergents</i> , 2021 , 24, 669-681	1.9	4
159	CO-Triggered ON/OFF Wettability Switching on Bioinspired Polylactic Acid Porous Films for Controllable Bioadhesion. <i>Biomacromolecules</i> , 2021 , 22, 1721-1729	6.9	6
158	Dependence of intrinsic viscosity and molecular size on molecular weight of partially hydrolyzed polyacrylamide. <i>Journal of Applied Polymer Science</i> , 2021 , 138, 50850	2.9	4
157	Hydrophilic modification of methylcellulose to obtain thermoviscosifying polymers without macro-phase separation. <i>Carbohydrate Polymers</i> , 2021 , 260, 117792	10.3	3
156	Micellar solubilization of petroleum fractions by heavy alkylbenzene sulfonate surfactant. <i>Journal of Molecular Liquids</i> , 2021 , 329, 115519	6	6
155	Thermo- and CO2-triggered viscosifying of aqueous copolymer solutions for gas channeling control during water-alternating-CO2 flooding. <i>Fuel</i> , 2021 , 291, 120171	7.1	1
154	Wormlike micelles formed by ultra-long-chain nonionic surfactant. <i>Colloid and Polymer Science</i> , 2021 , 299, 1295-1304	2.4	2
153	Deliquification of Low-Productivity Natural Gas Wells with In Situ Generated Foams and Heat. <i>Energy & Fuels</i> , 2021 , 35, 9873-9882	4.1	1
152	Nonionic surfactant stabilized polytetrafluoroethylene dispersion: Effect of molecular structure and topology. <i>Journal of Molecular Liquids</i> , 2021 , 345, 116988	6	0
151	Enhancing oil recovery from high temperature and high salinity reservoirs with smart thermoviscosifying polymers: A laboratory study. <i>Fuel</i> , 2021 , 288, 119777	7.1	4
150	Smart viscoelastic anion polyelectrolyte fluids crosslinked by CO2. <i>Journal of Molecular Liquids</i> , 2021 , 325, 114656	6	2
149	Alternative Understanding of Surfactant EOR Based on Micellar Solubilization and In Situ Emulsification. <i>Petroleum Engineering</i> , 2021 , 149-180	1.3	
148	Hydrophobically modified melamine-formaldehyde sponge used for conformance control and water shutoff during oil production. <i>Journal of Applied Polymer Science</i> , 2021 , 138, 51416	2.9	1

147	Comparative Studies on Hydraulic Fracturing Fluids for High-Temperature and High-Salt Oil Reservoirs: Synthetic Polymer versus Guar Gum. <i>ACS Omega</i> , 2021 , 6, 25421-25429	3.9	1
146	Insights into the stability of polytetrafluoroethylene aqueous dispersion: Role of surfactant. <i>Journal of Molecular Liquids</i> , 2020 , 314, 113662	6	2
145	Stimuli-responsive microemulsions: State-of-the-art and future prospects. <i>Current Opinion in Colloid and Interface Science</i> , 2020 , 49, 27-41	7.6	12
144	Smart thermoviscosifying polymer for improving drag reduction in slick-water hydrofracking. <i>Fuel</i> , 2020 , 278, 118408	7.1	1
143	Photoinitiated TERP Emulsion Polymerization: A New Member of the Large Family of Preparation Approaches for CO ₂ -Switchable Latexes. <i>Macromolecules</i> , 2020 , 53, 6018-6023	5.5	3
142	Oil solubilization in sodium dodecylbenzenesulfonate micelles: New insights into surfactant enhanced oil recovery. <i>Journal of Colloid and Interface Science</i> , 2020 , 569, 219-228	9.3	31
141	Polyether-Based Thermoviscosifying Polymers for Enhanced Oil Recovery: Emulsion versus Powder. <i>Energy & Fuels</i> , 2020 , 34, 2824-2831	4.1	5
140	Net Contribution of Hydrophobic Association to the Thickening Power of Hydrophobically Modified Polyelectrolytes Prepared by Micellar Polymerization. <i>Macromolecules</i> , 2020 , 53, 1326-1337	5.5	16
139	Dual dynamic bonds enable biocompatible and tough hydrogels with fast self-recoverable, self-healable and injectable properties. <i>Chemical Engineering Journal</i> , 2020 , 388, 124282	14.7	21
138	Tuning CO ₂ -induced reversible redispersion or irreversible destabilisation for latex separation. <i>Journal of Colloid and Interface Science</i> , 2020 , 573, 250-262	9.3	0
137	Visualizing in-situ emulsification in porous media during surfactant flooding: A microfluidic study. <i>Journal of Colloid and Interface Science</i> , 2020 , 578, 629-640	9.3	25
136	Thermo- and CO ₂ -triggered swelling polymer microgels for reducing water-cut during CO ₂ flooding. <i>Journal of Applied Polymer Science</i> , 2020 , 137, 48305	2.9	3
135	Wormlike Micelles of a Cationic Surfactant in Polar Organic Solvents: Extending Surfactant Self-Assembly to New Systems and Subzero Temperatures. <i>Langmuir</i> , 2019 , 35, 12782-12791	4	18
134	Oppositely Charged Polyelectrolyte Complexes for High-Salinity Hydrofracking Fluid. <i>Industrial & Engineering Chemistry Research</i> , 2019 , 58, 18488-18497	3.9	7
133	Condensate Oil-Tolerant Foams Stabilized by an Anionic-Sulfobetaine Surfactant Mixture. <i>ACS Omega</i> , 2019 , 4, 1738-1747	3.9	10
132	Comparative Study on Enhancing Oil Recovery under High Temperature and High Salinity: Polysaccharides Versus Synthetic Polymer. <i>ACS Omega</i> , 2019 , 4, 10620-10628	3.9	31
131	Effect of residual chemicals on wormlike micelles assembled from a C-tailed cationic surfactant. <i>Journal of Colloid and Interface Science</i> , 2019 , 553, 91-98	9.3	6
130	Direct formation of hydrophilic honeycomb film by self-assembly in breath figure templating of hydrophobic polylactic acid/ionic surfactant complexes. <i>Soft Matter</i> , 2019 , 15, 5052-5059	3.6	8

129	CO ₂ -Driven reversible wettability in a reactive hierarchically patterned bio-inspired honeycomb film. <i>Polymer Chemistry</i> , 2019 , 10, 3751-3757	4.9	11
128	Cryogenic viscoelastic surfactant fluids: Fabrication and application in a subzero environment. <i>Journal of Colloid and Interface Science</i> , 2019 , 551, 89-100	9.3	7
127	Cryogenic wormlike micelles. <i>Soft Matter</i> , 2019 , 15, 2511-2516	3.6	8
126	Enhancing oil recovery from low-permeability reservoirs with a self-adaptive polymer: A proof-of-concept study. <i>Fuel</i> , 2019 , 251, 136-146	7.1	15
125	The Thermoviscosifying Behavior of Water-Soluble Polymer Based on Graft Polymerization of Pluronic F127 with Acrylamide and 2-Acrylamido-2-methylpropane Sulfonic Acid Sodium Salt. <i>Polymers</i> , 2019 , 11,	4.5	7
124	Swollen Surfactant Micelles: Properties and Applications. <i>Wuli Huaxue Xuebao/Acta Physico-Chimica Sinica</i> , 2019 , 35, 816-828	3.8	4
123	Smart Honeycomb-Patterned Porous Films: Fabrications, Responsive Properties, and Applications. <i>Wuli Huaxue Xuebao/Acta Physico-Chimica Sinica</i> , 2019 , 35, 1341-1356	3.8	3
122	CO ₂ -Triggered and temperature-switchable crystallization-driven self-assembly of a semicrystalline block copolymer in aqueous medium. <i>Polymer Chemistry</i> , 2019 , 10, 6305-6314	4.9	2
121	Micellar Aggregation Behavior of Alkylaryl Sulfonate Surfactants for Enhanced Oil Recovery. <i>Molecules</i> , 2019 , 24,	4.8	11
120	Macroporous monoliths with pH-induced switchable wettability for recyclable oil separation and recovery. <i>Journal of Colloid and Interface Science</i> , 2019 , 534, 183-194	9.3	25
119	Stimuli-responsive polymer wormlike micelles. <i>Progress in Polymer Science</i> , 2019 , 89, 108-132	29.6	42
118	CO switchable hollow nanospheres. <i>Journal of Colloid and Interface Science</i> , 2018 , 522, 10-19	9.3	4
117	CO-switchable foams stabilized by a long-chain viscoelastic surfactant. <i>Journal of Colloid and Interface Science</i> , 2018 , 523, 65-74	9.3	22
116	Deep insights into the hydrolysis of N,N-dialkylaminoethyl methacrylates in aqueous solution with ¹ H NMR spectroscopy. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2018 , 56, 914-923	2.6	4
115	Flower-Like Multicompartment Micelles with Janus-Core Self-Assembled from Fluorocarbon-Terminated Pluronics. <i>Macromolecular Chemistry and Physics</i> , 2018 , 219, 1700558	2.6	7
114	CO-Breathing Polymer Assemblies via One-Pot Sequential RAFT Dispersion Polymerization. <i>Macromolecular Rapid Communications</i> , 2018 , 39, e1800291	4.8	17
113	Swelling behaviours of styrene-bisoprene- <i>b</i> -styrene triblock copolymers in supercritical methane. <i>Plastics, Rubber and Composites</i> , 2018 , 47, 365-372	1.5	2
112	CO-Triggered microreactions in liquid marbles. <i>Chemical Communications</i> , 2018 , 54, 9119-9122	5.8	24

111	Directed Self-Assembly in "Breath Figure" Templating of Melamine-Based Amphiphilic Copolymers: Effect of Hydrophilic End-Chain on Honeycomb Film Formation and Wetting. <i>Chemistry - A European Journal</i> , 2018 , 24, 425-433	4.8	8
110	Reversible Stability of Emulsion and Polymer Latex Controlled by Oligochitosan and CO ₂ Polymers, 2018 , 10,	4.5	1
109	ANALYSIS OF PHENOLS AND OXIDATION INTERMEDIATES IN COKING WASTEWATER BY HPLC. <i>Journal of the Chilean Chemical Society</i> , 2018 , 63, 4032-4035	2.5	5
108	Giant Microgels with CO ₂ -Induced On-Off, Selective, and Recyclable Adsorption for Anionic Dyes. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 38073-38083	9.5	24
107	Thermoviscosifying polymers based on polyether prepared from inverse emulsion polymerization. <i>Journal of Applied Polymer Science</i> , 2018 , 135, 46696	2.9	11
106	Thermoviscosifying Smart Polymers for Oil and Gas Production: State of the Art. <i>ChemPhysChem</i> , 2018 , 19, 1941-1955	3.2	18
105	A CO ₂ -switchable amidine monomer: synthesis and characterization. <i>Designed Monomers and Polymers</i> , 2017 , 20, 363-367	3.1	5
104	Comparative Studies on Enhanced Oil Recovery: Thermoviscosifying Polymer Versus Polyacrylamide. <i>Energy & Fuels</i> , 2017 , 31, 2479-2487	4.1	76
103	Effect of nitrogen doping on the catalytic activity of activated carbon and distribution of oxidation products in catalytic wet oxidation of phenol. <i>Canadian Journal of Chemical Engineering</i> , 2017 , 95, 1518-1525	2.3	9
102	CO ₂ -responsive polyacrylamide microspheres with interpenetrating networks. <i>Journal of Colloid and Interface Science</i> , 2017 , 497, 249-257	9.3	15
101	Temperature-Driven Planar Chirality Switching of a Pillar[5]arene-Based Molecular Universal Joint. <i>Angewandte Chemie - International Edition</i> , 2017 , 56, 6869-6873	16.4	103
100	Temperature-Driven Planar Chirality Switching of a Pillar[5]arene-Based Molecular Universal Joint. <i>Angewandte Chemie</i> , 2017 , 129, 6973-6977	3.6	28
99	Hydrophobically Associating Polymer Water-in-Oil Emulsions Used in Multi-pad Fracking for Tight Oil Reservoir: The First Example in China 2017 ,		3
98	Wormlike micelles versus water-soluble polymers as rheology-modifiers: similarities and differences. <i>Physical Chemistry Chemical Physics</i> , 2017 , 19, 24458-24466	3.6	33
97	CO ₂ -Induced Morphological Transition of Co-Assemblies from Block-Random Segmented Polymers. <i>Macromolecular Rapid Communications</i> , 2017 , 38, 1700437	4.8	6
96	pH-Switchable and self-healable hydrogels based on ketone type acylhydrazone dynamic covalent bonds. <i>Soft Matter</i> , 2017 , 13, 7371-7380	3.6	46
95	Hydrolysable preformed gels for conformance control in oilwells: Properties and degradation. <i>Journal of Applied Polymer Science</i> , 2017 , 134, 45413	2.9	2
94	CO ₂ -switchable polymer-hybrid silver nanoparticles and their gas-tunable catalytic activity. <i>RSC Advances</i> , 2017 , 7, 49777-49786	3.7	6

93	CO ₂ -Responsive polymer materials. <i>Polymer Chemistry</i> , 2017 , 8, 12-23	4.9	120
92	CO ₂ -Responsive microemulsion: reversible switching from an apparent single phase to near-complete phase separation. <i>Green Chemistry</i> , 2016 , 18, 392-396	10	67
91	Correlating surface activity with structural and environmental parameters for alkylamidodisulfobetaine surfactants. <i>Colloid and Polymer Science</i> , 2016 , 294, 957-963	2.4	6
90	CO ₂ -Induced Tunable and Reversible Surface Wettability of Honeycomb Structured Porous Films for Cell Adhesion. <i>Advanced Materials Interfaces</i> , 2016 , 3, 1500623	4.6	36
89	Synthesis and self-assembly of ABC linear triblock copolymers to target CO ₂ -responsive multicompartment micelles. <i>RSC Advances</i> , 2016 , 6, 86728-86735	3.7	7
88	Effect of counterion size on wormlike micelles formed by a C ₂₂ -tailed anionic surfactant. <i>Journal of Molecular Liquids</i> , 2016 , 218, 508-514	6	16
87	Functionalization of single-walled carbon nanotubes with thermo-responsive poly(N-isopropylacrylamide): effect of the polymer architecture. <i>RSC Advances</i> , 2016 , 6, 37953-37964	3.7	19
86	Effect of SiO ₂ Nanoparticles on Wax Crystallization and Flow Behavior of Model Crude Oil. <i>Industrial & Engineering Chemistry Research</i> , 2016 , 55, 6563-6568	3.9	39
85	Smart graphene dispersion stabilized by a CO ₂ -removable polymer. <i>RSC Advances</i> , 2016 , 6, 79943-79951	3.7	4
84	CO ₂ -sensitive foams for mobility control and channeling blocking in enhanced WAG process. <i>Chemical Engineering Research and Design</i> , 2015 , 102, 234-243	5.5	36
83	Solvent-Driven Formation of Worm-Like Micelles Assembled from a CO ₂ -Responsive Triblock Copolymer. <i>Langmuir</i> , 2015 , 31, 8756-63	4	22
82	pH-Tunable wormlike micelles based on an ultra-long-chain "pseudo" gemini surfactant. <i>Soft Matter</i> , 2015 , 11, 4614-20	3.6	68
81	Rheological Properties of Thermoviscosifying Polymers in High-temperature and High-salinity Environments. <i>Canadian Journal of Chemical Engineering</i> , 2015 , 93, 1194-1200	2.3	47
80	CO ₂ -induced reversible morphology transition from giant worms to polymersomes assembled from a block-random segmented copolymer. <i>Polymer Chemistry</i> , 2015 , 6, 2900-2908	4.9	28
79	CO ₂ -induced smart viscoelastic fluids based on mixtures of sodium erucate and triethylamine. <i>Journal of Colloid and Interface Science</i> , 2015 , 447, 173-81	9.3	46
78	CO ₂ -Induced Reversible Dispersion of Graphene by a Melamine Derivative. <i>Langmuir</i> , 2015 , 31, 12260-7	4	14
77	Switching wormlike micelles of selenium-containing surfactant using redox reaction. <i>Soft Matter</i> , 2015 , 11, 7469-73	3.6	50
76	Oil/water separation with selective superantiwetting/superwetting surface materials. <i>Angewandte Chemie - International Edition</i> , 2015 , 54, 2328-38	16.4	861

75	Gas-Induced Reversible Dispersion/Aggregation of Graphene. <i>ChemNanoMat</i> , 2015 , 1, 438-444	3.5	4
74	In-Situ Formation of Viscoelastic Wormlike Micelles in Mixtures of Non-Surface-Active Compounds. <i>Journal of Surfactants and Detergents</i> , 2015 , 18, 189-198	1.9	7
73	Dispersion of single-walled carbon nanotubes in aqueous solution with a thermo-responsive pentablock terpolymer. <i>Colloid and Polymer Science</i> , 2014 , 292, 281-289	2.4	8
72	Amination of activated carbon for enhancing phenol adsorption: Effect of nitrogen-containing functional groups. <i>Applied Surface Science</i> , 2014 , 293, 299-305	6.7	134
71	CO ₂ -driven vesicle to micelle regulation of amphiphilic copolymer: random versus block strategy. <i>Polymer Chemistry</i> , 2014 , 5, 4756-4763	4.9	45
70	CO ₂ -switchable multi-compartment micelles with segregated corona. <i>Soft Matter</i> , 2014 , 10, 6387-91	3.6	37
69	Insights into the relationship between CO ₂ switchability and basicity: examples of melamine and its derivatives. <i>Langmuir</i> , 2014 , 30, 9911-9	4	16
68	Efficient degradation of fulvic acids in water by catalytic ozonation with CeO ₂ /AC. <i>Journal of Chemical Technology and Biotechnology</i> , 2014 , 89, 1402-1409	3.5	34
67	Aqueous Hybrids of Silica Nanoparticles and Hydrophobically Associating Hydrolyzed Polyacrylamide Used for EOR in High-Temperature and High-Salinity Reservoirs. <i>Energies</i> , 2014 , 7, 3858-3871	3.1	101
66	Enhancing rheological properties of hydrophobically associative polyacrylamide aqueous solutions by hybridizing with silica nanoparticles. <i>Journal of Applied Polymer Science</i> , 2014 , 131, n/a-n/a	2.9	48
65	CO ₂ -responsive anionic wormlike micelles based on natural erucic acid. <i>Green Materials</i> , 2014 , 2, 95-103	3.2	41
64	Effect of a Hydrophilic Head Group on Krafft Temperature, Surface Activities and Rheological Behaviors of Erucyl Amidobetaines. <i>Journal of Surfactants and Detergents</i> , 2014 , 17, 295-301	1.9	43
63	Single-component wormlike micellar system formed by a carboxylbetaine surfactant with C22 saturated tail. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2013 , 436, 71-79	5.1	31
62	Preparation and stabilization of silver nanoparticles by a thermo-responsive pentablock terpolymer. <i>Polymer Science - Series B</i> , 2013 , 55, 634-642	0.8	1
61	Smart Nanotubes: Light-Switchable Single-Walled Carbon Nanotubes Based on Host-Guest Chemistry (Adv. Funct. Mater. 40/2013). <i>Advanced Functional Materials</i> , 2013 , 23, 5009-5009	15.6	
60	High-concentration silver colloid stabilized by a cationic gemini surfactant. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2013 , 429, 98-105	5.1	39
59	Synthesis and Aqueous Solution Properties of Polyoxyethylene Surfactants with Ultra-Long Unsaturated Hydrophobic Chains. <i>Journal of Dispersion Science and Technology</i> , 2013 , 34, 504-510	1.5	3
58	Thermally induced structural transitions from fluids to hydrogels with pH-switchable anionic wormlike micelles. <i>Journal of Colloid and Interface Science</i> , 2013 , 394, 319-28	9.3	85

57	Smart wormlike micelles. <i>Chemical Society Reviews</i> , 2013 , 42, 7174-203	58.5	352
56	CO ₂ -responsive "smart" single-walled carbon nanotubes. <i>Advanced Materials</i> , 2013 , 25, 584-90	24	94
55	CO ₂ -switchable viscoelastic fluids based on a pseudogemini surfactant. <i>Langmuir</i> , 2013 , 29, 4187-92	4	176
54	CO ₂ -switchable wormlike micelles. <i>Chemical Communications</i> , 2013 , 49, 4902-4	5.8	125
53	Light-Switchable Single-Walled Carbon Nanotubes Based on Host-Guest Chemistry. <i>Advanced Functional Materials</i> , 2013 , 23, 5010-5018	15.6	36
52	Functionalization of multi-walled carbon nanotubes with thermo-responsive azide-terminated poly(N-isopropylacrylamide) via click reactions. <i>Molecules</i> , 2013 , 18, 4599-612	4.8	22
51	Smart wormlike micelles switched by CO ₂ and air. <i>Soft Matter</i> , 2013 , 9, 6217	3.6	99
50	Thermoviscosifying polymer used for enhanced oil recovery: rheological behaviors and core flooding test. <i>Polymer Bulletin</i> , 2013 , 70, 391-401	2.4	67
49	Vegetable-Derived Long-Chain Surfactants Synthesized via a Green Route. <i>ACS Sustainable Chemistry and Engineering</i> , 2013 , 1, 75-79	8.3	46
48	Laboratory Study on the Potential EOR Use of HPAM/VES Hybrid in High-Temperature and High-Salinity Oil Reservoirs. <i>Journal of Chemistry</i> , 2013 , 2013, 1-8	2.3	15
47	Rheology and phase behavior of thermo-reversible pentablock terpolymer hydrogel. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2013 , 51, 1335-1342	2.6	2
46	Biodegradability enhancement of coking wastewater by catalytic wet air oxidation using aminated activated carbon as catalyst. <i>Chemical Engineering Journal</i> , 2012 , 198-199, 45-51	14.7	46
45	Synthesis and Surface Activities of Amidobetaine Surfactants with Ultra-long Unsaturated Hydrophobic Chains. <i>Journal of Surfactants and Detergents</i> , 2012 , 15, 657-661	1.9	42
44	Preparation and antimicrobial properties of gemini surfactant-supported triiodide complex system. <i>ACS Applied Materials & Interfaces</i> , 2012 , 4, 2116-23	9.5	23
43	Synthesis and Aggregation Behaviors of Well-Defined Thermo-responsive Pentablock Terpolymers With Tunable LCST. <i>Macromolecular Chemistry and Physics</i> , 2012 , 213, 1489-1498	2.6	23
42	Green Anionic wormlike micelles induced by choline. <i>RSC Advances</i> , 2012 , 2, 3396	3.7	48
41	Empirical correlations between Krafft temperature and tail length for amidosulfobetaine surfactants in the presence of inorganic salt. <i>Langmuir</i> , 2012 , 28, 1175-81	4	53
40	Effect of inorganic salts on viscosifying behavior of a thermoassociative water-soluble terpolymer based on 2-acrylamido-methylpropane sulfonic acid. <i>Journal of Applied Polymer Science</i> , 2012 , 125, 4041-4048	2.8	30

39	Organocatalytic enantioselective Michael addition of a kojic acid derivative to nitro olefins. <i>Organic and Biomolecular Chemistry</i> , 2012 , 10, 2950-4	3.9	15
38	Organocatalytic Synthesis of Enantioenriched β -Arylsplitomicins. <i>Synlett</i> , 2012 , 23, 796-800	2.2	7
37	Shear Banding Transition of Wormlike Micelles Formed by a C22-Tailed Cationic Surfactant. <i>Acta Chimica Sinica</i> , 2012 , 70, 1551	3.3	7
36	Wormlike micelles formed by sodium erucate in the presence of a tetraalkylammonium hydrotrope. <i>Journal of Physical Chemistry B</i> , 2011 , 115, 6893-902	3.4	98
35	A novel smart polymer responsive to CO ₂ . <i>Chemical Communications</i> , 2011 , 47, 9348-50	5.8	82
34	Modified acrylic-based superabsorbents with hydrophobic monomers: synthesis, characterization and swelling behaviors. <i>Journal of Polymer Research</i> , 2011 , 18, 897-905	2.7	9
33	Oligomeric cationic surfactants prepared from surfmers via ATRP: Synthesis and surface activities. <i>Colloid and Polymer Science</i> , 2011 , 289, 101-110	2.4	6
32	A New Cationic Gemini Surfmer: Synthesis and Surface Activities. <i>Journal of Surfactants and Detergents</i> , 2011 , 14, 73-76	1.9	15
31	Thermo-switchable surfactant gel. <i>Chemical Communications</i> , 2011 , 47, 7191-3	5.8	113
30	Aging mechanism of unsaturated long-chain amidosulfobetaine worm fluids at high temperature. <i>Soft Matter</i> , 2011 , 7, 4485	3.6	26
29	A Novel Thermoviscosifying Water-Soluble Polymer for Enhancing Oil Recovery from High-Temperature and High-Salinity Oil Reservoirs. <i>Advanced Materials Research</i> , 2011 , 306-307, 654-657	2.5	8
28	Solution Association Characterization of Hydrophobically Associating Polyacrylamide Obtained from Produced Fluids. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2010 , 47, 423-428	2.2	3
27	pH-switchable wormlike micelles. <i>Chemical Communications</i> , 2010 , 46, 9028-30	5.8	169
26	Retention Behaviors of Hydrophobically Associating Polyacrylamide Prepared via Inverse Microemulsion Polymerization Through Porous Media. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2010 , 47, 602-607	2.2	14
25	Amidosulfobetaine surfactant gels with shear banding transitions. <i>Soft Matter</i> , 2010 , 6, 6065	3.6	45
24	Hydrophobically Associating Polyacrylamides Prepared by Inverse Suspension Polymerization: Synthesis, Characterization and Aqueous Solution Properties. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2010 , 47, 358-367	2.2	9
23	Wormlike micelles and solution properties of a C22-tailed amidosulfobetaine surfactant. <i>Langmuir</i> , 2010 , 26, 7783-91	4	133
22	Synthesis and Properties of Alkylbetaine Zwitterionic Gemini Surfactants. <i>Journal of Surfactants and Detergents</i> , 2010 , 13, 51-57	1.9	27

21	A novel thermoviscosifying water-soluble polymer: Synthesis and aqueous solution properties. <i>Journal of Applied Polymer Science</i> , 2010 , 116, NA-NA	2.9	16
20	A Facile Route towards the Preparation of Ultra-Long-Chain Amidosulfobetaine Surfactants. <i>Synlett</i> , 2009 , 2009, 2655-2658	2.2	15
19	Novel biodegradable flocculating agents prepared by grafting polyacrylamide to Konjac. <i>Journal of Applied Polymer Science</i> , 2009 , 111, 2527-2536	2.9	23
18	Comparative study on interaction of bovine serum albumin with dissymmetric and symmetric gemini surfactant by spectral method. <i>Colloid and Polymer Science</i> , 2009 , 287, 225-230	2.4	22
17	Study on Associative Polymerizable Inverse Microemulsion. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2008 , 45, 372-380	2.2	18
16	Association and effective hydrodynamic thickness of hydrophobically associating polyacrylamide through porous media. <i>Journal of Applied Polymer Science</i> , 2008 , 110, 1837-1843	2.9	34
15	Synthesis and monolayer film of a series of new twin-tailed gemini cationic surfactants at the air/water interface. <i>Open Chemistry</i> , 2008 , 6, 477-481	1.6	2
14	Adsorption of dissymmetric cationic gemini surfactants at silica/water interface. <i>Surface Science</i> , 2007 , 601, 1988-1995	1.8	19
13	Novel biodegradable flocculating agents prepared by phosphate modification of Konjac. <i>Carbohydrate Polymers</i> , 2007 , 67, 566-571	10.3	42
12	Synthesis, characterization and X-ray crystal structures of lithium coordination polymer from cyclobutane-1,1-dicarboxylic acid. <i>Inorganic Chemistry Communication</i> , 2007 , 10, 77-79	3.1	8
11	Dilational rheological properties of gemini surfactant 1,2-ethane bis(dimethyl dodecyl ammonium bromide) at air/water interface. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2007 , 299, 117-123	5.1	40
10	Synthesis and aqueous solution properties of homologous gemini surfactants with different head groups. <i>Open Chemistry</i> , 2007 , 5, 620-634	1.6	10
9	Interaction between proteins and cationic gemini surfactant. <i>Biomacromolecules</i> , 2007 , 8, 708-12	6.9	149
8	Synthesis and surface properties of PDMS β crlyate emulsion with gemini surfactant as co-emulsifier. <i>Colloid and Polymer Science</i> , 2007 , 285, 923-930	2.4	21
7	Aggregation behaviors of gelatin with cationic gemini surfactant at air/water interface. <i>International Journal of Biological Macromolecules</i> , 2007 , 40, 345-50	7.9	59
6	Synthesis and evaluation of a composite crosslinked copolymer as a particulate fluid diversion agent. <i>Journal of Applied Polymer Science</i> , 2006 , 100, 4429-4433	2.9	1
5	Application of copolymeric particulates for oilwell in-depth performance control. <i>Journal of Applied Polymer Science</i> , 2006 , 102, 5330-5335	2.9	0
4	Hydrophobically associating polyacrylamides and their partially hydrolyzed derivatives prepared by post-modification. 2. Properties of non-hydrolyzed polymers in pure water and brine. <i>Polymer</i> , 2005 , 46, 9283-9295	3.9	136

3	Effects of NaCl on steady rheological behaviour in aqueous solutions of hydrophobically modified polyacrylamide and its partially hydrolyzed analogues prepared by post-modification. <i>Polymer International</i> , 2002 , 51, 939-947	3.3	54
2	Direct visualization of microstructures in hydrophobically modified polyacrylamide aqueous solution by environmental scanning electron microscopy. <i>Polymer International</i> , 2002 , 51, 931-938	3.3	21
1	Hydrophobically associating polyacrylamides and their partially hydrolyzed derivatives prepared by post-modification. 1. Synthesis and characterization. <i>Polymer</i> , 2002 , 43, 2055-2064	3.9	130