

# Antonino Cusumano

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/2233530/antonino-cusumano-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

44  
papers

664  
citations

17  
h-index

24  
g-index

47  
ext. papers

846  
ext. citations

4.4  
avg, IF

4.3  
L-index

#	Paper	IF	Citations
44	Impact of parasitoid-associated polydnaviruses on plant-mediated herbivore interactions. <i>Current Opinion in Insect Science</i> , <b>2021</b> , 49, 56-62	5.1	1
43	Trichoderma harzianum Strain T22 Modulates Direct Defense of Tomato Plants in Response to Nezara viridula Feeding Activity. <i>Journal of Chemical Ecology</i> , <b>2021</b> , 47, 455-462	2.7	8
42	Influence of parasitoid-associated viral symbionts on plant-insect interactions and biological control. <i>Current Opinion in Insect Science</i> , <b>2021</b> , 44, 64-71	5.1	6
41	Attraction of Trichogramma Wasps to Butterfly Oviposition-Induced Plant Volatiles Depends on Brassica Species, Wasp Strain and Leaf Necrosis. <i>Frontiers in Ecology and Evolution</i> , <b>2021</b> , 9,	3.7	2
40	The invasive stink bug Halyomorpha halys affects the reproductive success and the experience-mediated behavioural responses of the egg parasitoid Trissolcus basalidis. <i>BioControl</i> , <b>2021</b> , 66, 329-342	2.3	3
39	Plant-phenotypic changes induced by parasitoid ichnoviruses enhance the performance of both unparasitized and parasitized caterpillars. <i>Molecular Ecology</i> , <b>2021</b> , 30, 4567-4583	5.7	3
38	Escaping the evolutionary trap: Can size-related contest advantage compensate for juvenile mortality disadvantage when parasitoids develop in unnatural invasive hosts?. <i>Journal of Theoretical Biology</i> , <b>2021</b> , 527, 110821	2.3	1
37	Exploiting chemical ecology to manage hyperparasitoids in biological control of arthropod pests. <i>Pest Management Science</i> , <b>2020</b> , 76, 432-443	4.6	15
36	How to escape from insect egg parasitoids: a review of potential factors explaining parasitoid absence across the Insecta. <i>Proceedings of the Royal Society B: Biological Sciences</i> , <b>2020</b> , 287, 20200344	4.4	5
35	Microbial Symbionts of Parasitoids. <i>Annual Review of Entomology</i> , <b>2020</b> , 65, 171-190	21.8	20
34	Mating Status of an Herbivorous Stink Bug Female Affects the Emission of Oviposition-Induced Plant Volatiles Exploited by an Egg Parasitoid. <i>Frontiers in Physiology</i> , <b>2019</b> , 10, 398	4.6	5
33	Hyperparasitoids exploit herbivore-induced plant volatiles during host location to assess host quality and non-host identity. <i>Oecologia</i> , <b>2019</b> , 189, 699-709	2.9	12
32	Western European Populations of the Ichneumonid Wasp Hyposoter didymator Belong to a Single Taxon. <i>Frontiers in Ecology and Evolution</i> , <b>2019</b> , 7,	3.7	4
31	Volatiles from (Lepidoptera, Crambidae) host plants influence olfactory responses of the parasitoid (Hymenoptera, Braconidae, Agathidinae). <i>Biological Control</i> , <b>2019</b> , 130, 104-109	3.8	3
30	Understanding insect foraging in complex habitats by comparing trophic levels: insights from specialist host-parasitoid-hyperparasitoid systems. <i>Current Opinion in Insect Science</i> , <b>2019</b> , 32, 54-60	5.1	20
29	First extensive characterization of the venom gland from an egg parasitoid: structure, transcriptome and functional role. <i>Journal of Insect Physiology</i> , <b>2018</b> , 107, 68-80	2.4	11
28	Parasitic wasp-associated symbiont affects plant-mediated species interactions between herbivores. <i>Ecology Letters</i> , <b>2018</b> , 21, 957-967	10	25

27	Symbiotic polydnavirus and venom reveal parasitoid to its hyperparasitoids. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2018</b> , 115, 5205-5210	11.5	36
26	Semiochemical Exploitation of Host-Associated Cues by Seven Melittobia Parasitoid Species: Behavioral and Phylogenetic Implications. <i>Frontiers in Ecology and Evolution</i> , <b>2018</b> , 5,	3.7	6
25	Ecosystem Services Provided by Unmanaged Habitats in Agricultural Landscapes <b>2017</b> , 151-173		1
24	An Insight in the Reproductive Biology of (Hymenoptera, Braconidae, and Agathidinae), a Potential Biological Control Agent against the Legume Pod Borer (Lepidoptera, Crambidae). <i>Psyche: Journal of Entomology</i> , <b>2017</b> , 2017, 3156534	0.2	3
23	Testing the habituation assumption underlying models of parasitoid foraging behavior. <i>PeerJ</i> , <b>2017</b> , 5, e3097	3.1	7
22	Foraging behaviour of an egg parasitoid exploiting plant volatiles induced by pentatomids: the role of adaxial and abaxial leaf surfaces. <i>PeerJ</i> , <b>2017</b> , 5, e3326	3.1	9
21	Prospects of herbivore egg-killing plant defenses for sustainable crop protection. <i>Ecology and Evolution</i> , <b>2016</b> , 6, 6906-6918	2.8	25
20	Volatile-mediated foraging behaviour of three parasitoid species under conditions of dual insect herbivore attack. <i>Animal Behaviour</i> , <b>2016</b> , 111, 197-206	2.8	44
19	Interspecific competition/facilitation among insect parasitoids. <i>Current Opinion in Insect Science</i> , <b>2016</b> , 14, 12-16	5.1	41
18	The role of contact chemoreception in the host location process of an egg parasitoid. <i>Journal of Insect Physiology</i> , <b>2016</b> , 91-92, 63-75	2.4	9
17	The response of an egg parasitoid to substrate-borne semiochemicals is affected by previous experience. <i>Scientific Reports</i> , <b>2016</b> , 6, 27098	4.9	9
16	Thermal stress affects patch time allocation by preventing forgetting in a parasitoid wasp. <i>Behavioral Ecology</i> , <b>2015</b> , 26, 1326-1334	2.3	19
15	Fitness costs of intrinsic competition in two egg parasitoids of a true bug. <i>Journal of Insect Physiology</i> , <b>2015</b> , 81, 52-9	2.4	11
14	Attraction of egg-killing parasitoids toward induced plant volatiles in a multi-herbivore context. <i>Oecologia</i> , <b>2015</b> , 179, 163-74	2.9	35
13	Chemo-orientation responses in hymenopteran parasitoids induced by substrate-borne semiochemicals. <i>BioControl</i> , <b>2014</b> , 59, 1-17	2.3	40
12	Egg parasitoid attraction toward induced plant volatiles is disrupted by a non-host herbivore attacking above or belowground plant organs. <i>Frontiers in Plant Science</i> , <b>2014</b> , 5, 601	6.2	22
11	Intraguild interactions between two egg parasitoids of a true bug in semi-field and field conditions. <i>PLoS ONE</i> , <b>2014</b> , 9, e99876	3.7	19
10	Application of Chemical Cues in Arthropod Pest Management for Orchards and Vineyards <b>2013</b> , 245-265		3

9	Intraguild interactions between egg parasitoids: window of opportunity and fitness costs for a facultative hyperparasitoid. <i>PLoS ONE</i> , <b>2013</b> , 8, e64768	3-7	17
8	The ovipositing female of <i>Ooencyrtus telenomicida</i> relies on physiological mechanisms to mediate intrinsic competition with <i>Trissolcus basalis</i> . <i>Entomologia Experimentalis Et Applicata</i> , <b>2012</b> , 143, 155-163 <sup>2.1</sup>		22
7	Interspecific extrinsic and intrinsic competitive interactions in egg parasitoids. <i>BioControl</i> , <b>2012</b> , 57, 719-734		38
6	First report of <i>Melittobia australica</i> Girault in Europe and new record of <i>M. acasta</i> (Walker) for Italy. <i>ZooKeys</i> , <b>2012</b> , 45-51	1.2	3
5	Behavioral and chemical investigations of contact kairomones released by the mud dauber wasp <i>Trypoxylon politum</i> , a host of the parasitoid <i>Melittobia digitata</i> . <i>Journal of Chemical Ecology</i> , <b>2011</b> , 37, 629-39	2.7	11
4	Intraguild interactions between two egg parasitoids exploring host patches. <i>BioControl</i> , <b>2011</b> , 56, 173-184		33
3	Behavioral response of the egg parasitoid <i>Ooencyrtus telenomicida</i> to host-related chemical cues in a tritrophic perspective. <i>BioControl</i> , <b>2011</b> , 56, 163-171	2.3	28
2	Behavioral responses of the parasitoid <i>Melittobia digitata</i> to volatiles emitted by its natural and laboratory hosts. <i>Entomologia Experimentalis Et Applicata</i> , <b>2010</b> , 136, 301-307	2.1	17
1	Disentangling higher trophic level interactions in the cabbage aphid food web using high-throughput DNA sequencing. <i>Metabarcoding and Metagenomics</i> , 1, e13709		8