

Dani Boix

List of Publications by Citations

Source: <https://exaly.com/author-pdf/223762/dani-boix-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

90
papers

2,322
citations

28
h-index

45
g-index

93
ext. papers

2,604
ext. citations

2.9
avg, IF

4.75
L-index

#	Paper	IF	Citations
90	The ecological role of ponds in a changing world. <i>Hydrobiologia</i> , 2014 , 723, 1-6	2.4	122
89	Factors influencing zooplankton size structure at contrasting temperatures in coastal shallow lakes: Implications for effects of climate change. <i>Limnology and Oceanography</i> , 2010 , 55, 1697-1711	4.8	114
88	Temporary wetlands: challenges and solutions to conserving a disappearing ecosystem. <i>Biological Conservation</i> , 2017 , 211, 3-11	6.2	110
87	Response of community structure to sustained drought in Mediterranean rivers. <i>Journal of Hydrology</i> , 2010 , 383, 135-146	6	101
86	The faunal composition of espolla pond (ne iberian peninsula): the neglected biodiversity of temporary waters. <i>Wetlands</i> , 2001 , 21, 577-592	1.7	86
85	Species richness of crustacean zooplankton and trophic structure of brackish lagoons in contrasting climate zones: north temperate Denmark and Mediterranean Catalonia (Spain). <i>Ecography</i> , 2009 , 32, 692-702	6.5	76
84	Succession of the animal community in a Mediterranean temporary pond. <i>Journal of the North American Benthological Society</i> , 2004 , 23, 29-49		76
83	Patterns of composition and species richness of crustaceans and aquatic insects along environmental gradients in Mediterranean water bodies. <i>Hydrobiologia</i> , 2008 , 597, 53-69	2.4	73
82	A nonparametric method for the measurement of size diversity with emphasis on data standardization. <i>Limnology and Oceanography: Methods</i> , 2008 , 6, 75-86	2.6	72
81	A new index of water quality assessment in Mediterranean wetlands based on crustacean and insect assemblages: the case of Catalunya (NE Iberian peninsula). <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2005 , 15, 635-651	2.6	72
80	Effects of temperature, salinity and fish in structuring the macroinvertebrate community in shallow lakes: implications for effects of climate change. <i>PLoS ONE</i> , 2012 , 7, e30877	3.7	64
79	Climate Change and the Future of Freshwater Biodiversity in Europe: A Primer for Policy-Makers. <i>Freshwater Reviews: A Journal of the Freshwater Biological Association</i> , 2009 , 2, 103-130		62
78	Zooplankton structure and dynamics in permanent and temporary Mediterranean salt marshes: taxon-based and size-based approaches. <i>Archiv Für Hydrobiologie</i> , 2005 , 162, 535-555		56
77	Pond research and management in Europe: "Small is Beautiful" <i>Hydrobiologia</i> , 2012 , 689, 1-9	2.4	53
76	Nestedness and successional trajectories of macroinvertebrate assemblages in man-made wetlands. <i>Oecologia</i> , 2013 , 171, 545-56	2.9	45
75	Spatial and temporal patterns of pioneer macrofauna in recently created ponds: taxonomic and functional approaches. <i>Hydrobiologia</i> , 2009 , 634, 137-151	2.4	44
74	Size and species diversity of zooplankton communities in fluctuating Mediterranean salt marshes. <i>Estuarine, Coastal and Shelf Science</i> , 2006 , 67, 424-432	2.9	43

73	Identifying key environmental factors related to plant and crustacean assemblages in Mediterranean temporary ponds. <i>Biodiversity and Conservation</i> , 2010 , 19, 1749-1768	3.4	42
72	Zooplankton taxonomic and size diversity in Mediterranean coastal lagoons (NE Iberian Peninsula): Influence of hydrology, nutrient composition, food resource availability and predation. <i>Estuarine, Coastal and Shelf Science</i> , 2007 , 71, 335-346	2.9	42
71	Nutrients and zooplankton composition and dynamics in relation to the hydrological pattern in a confined Mediterranean salt marsh (NE Iberian Peninsula). <i>Estuarine, Coastal and Shelf Science</i> , 2006 , 66, 513-522	2.9	41
70	Are different biodiversity metrics related to the same factors? A case study from Mediterranean wetlands. <i>Biological Conservation</i> , 2009 , 142, 2602-2612	6.2	37
69	Variability of benthic assemblages in relation to the hydrological pattern in Mediterranean salt marshes (Emporda wetlands, NE Iberian Peninsula). <i>Archiv Für Hydrobiologie</i> , 2005 , 163, 163-181		36
68	Mediterranean Temporary Ponds: new challenges from a neglected habitat. <i>Hydrobiologia</i> , 2016 , 782, 1-10	2.4	35
67	Functional and phylogenetic relatedness in temporary wetland invertebrates: current macroecological patterns and implications for future climatic change scenarios. <i>PLoS ONE</i> , 2013 , 8, e81737	3.7	34
66	Analysis of stream-aquifer relationships: A comparison between mass balance and Darcy's law approaches. <i>Journal of Hydrology</i> , 2014 , 517, 157-172	6	33
65	Predation and competition effects on the size diversity of aquatic communities. <i>Aquatic Sciences</i> , 2015 , 77, 45-57	2.5	31
64	Environmental filtering determines metacommunity structure in wetland microcrustaceans. <i>Oecologia</i> , 2016 , 181, 193-205	2.9	30
63	Predation in a temporary pond with special attention to the trophic role of <i>Triops cancriformis</i> (Crustacea: Branchiopoda: Notostraca). <i>Hydrobiologia</i> , 2006 , 571, 341-353	2.4	30
62	Invertebrates of Freshwater Temporary Ponds in Mediterranean Climates 2016 , 141-189		28
61	Environmental filtering determines community patterns in temporary wetlands: a multi-taxon approach. <i>Hydrobiologia</i> , 2014 , 723, 25-39	2.4	28
60	Relation between macroinvertebrate life strategies and habitat traits in Mediterranean salt marsh ponds (Empordà wetlands, NE Iberian Peninsula). <i>Hydrobiologia</i> , 2008 , 597, 71-83	2.4	28
59	Pigment composition and size distribution of phytoplankton in a confined Mediterranean salt marsh ecosystem. <i>Marine Biology</i> , 2006 , 149, 1313-1324	2.5	27
58	Cross-taxon congruence in Mediterranean temporary wetlands: vascular plants, crustaceans, and coleopterans. <i>Community Ecology</i> , 2011 , 12, 40-50	1.2	26
57	Comparative composition and dynamics of harmful dinoflagellates in Mediterranean salt marshes and nearby external marine waters. <i>Harmful Algae</i> , 2006 , 5, 637-648	5.3	25
56	Change in biological traits and community structure of macroinvertebrates through primary succession in a man-made Swedish wetland. <i>Freshwater Science</i> , 2012 , 31, 22-37	2	23

55	Feeding of nauplii, copepodites and adults of <i>Calanipeda aquaedulcis</i> (Calanoida) in Mediterranean salt marshes. <i>Marine Ecology - Progress Series</i> , 2008 , 355, 183-191	2.6	23
54	Man-made Mediterranean temporary ponds as a tool for amphibian conservation. <i>Annales De Limnologie</i> , 2012 , 48, 81-93	0.7	21
53	Comparison of the effects of hydrological disturbance events on benthos and plankton salt marsh communities. <i>Estuarine, Coastal and Shelf Science</i> , 2007 , 74, 419-428	2.9	20
52	Comparative biodiversity of crustaceans and aquatic insects from various water body types in coastal Mediterranean wetlands. <i>Hydrobiologia</i> , 2007 , 584, 347-359	2.4	19
51	Ontogenic changes of amino acid composition in planktonic crustacean species. <i>Marine Biology</i> , 2005 , 148, 131-139	2.5	19
50	Environmental Influence on Flight Activity and Arrival Patterns of Aerial Colonizers of Temporary Ponds. <i>Wetlands</i> , 2011 , 31, 1227-1240	1.7	18
49	How do early successional patterns in man-made wetlands differ between cold temperate and Mediterranean regions?. <i>Limnologica</i> , 2012 , 42, 328-339	2	17
48	Population dynamics of <i>Triops cancriformis</i> (Crustacea: Branchiopoda: Notostraca) of the Espolla temporary pond in the northeastern Iberian peninsula. <i>Hydrobiologia</i> , 2002 , 486, 175-183	2.4	16
47	The effects of small fish presence on a species-poor community dominated by omnivores: Example of a size-based trophic cascade. <i>Journal of Experimental Marine Biology and Ecology</i> , 2012 , 418-419, 1-11	2.1	15
46	Assessing the potential impact of an invasive species on a Mediterranean amphibian assemblage: a morphological and ecological approach. <i>Hydrobiologia</i> , 2012 , 680, 233-245	2.4	14
45	Contrasting intra-annual patterns of six biotic groups with different dispersal mode and ability in Mediterranean temporary ponds. <i>Marine and Freshwater Research</i> , 2017 , 68, 1044	2.2	13
44	Environmental factors affecting bacterioplankton and phytoplankton dynamics in confined Mediterranean salt marshes (NE Spain). <i>Journal of Experimental Marine Biology and Ecology</i> , 2009 , 369, 118-126	2.1	13
43	Legacy of Summer Drought on Autumnal Leaf Litter Processing in a Temporary Mediterranean Stream. <i>Ecosystems</i> , 2020 , 23, 989-1003	3.9	13
42	Dispersal mode and spatial extent influence distance-decay patterns in pond metacommunities. <i>PLoS ONE</i> , 2018 , 13, e0203119	3.7	13
41	Spatio-temporal variability of faunal and floral assemblages in Mediterranean temporary wetlands. <i>Comptes Rendus - Biologies</i> , 2014 , 337, 695-708	1.4	12
40	A rapid bioassessment tool for the evaluation of the water quality of transitional waters. <i>Estuarine, Coastal and Shelf Science</i> , 2012 , 111, 129-138	2.9	12
39	Spatial characteristics and species niche attributes modulate the response by aquatic passive dispersers to habitat degradation. <i>Marine and Freshwater Research</i> , 2012 , 63, 232	2.2	12
38	Direct and indirect impacts of wildfire on faunal communities of Mediterranean temporary ponds. <i>Freshwater Biology</i> , 2019 , 64, 323-334	3.1	12

37	Fish effects on benthos and plankton in a Mediterranean salt marsh. <i>Journal of Experimental Marine Biology and Ecology</i> , 2011 , 409, 259-266	2.1	11
36	Microhabitat selection and diel patterns of zooplankton in a Mediterranean temporary pond. <i>Hydrobiologia</i> , 2016 , 766, 201-213	2.4	10
35	Top-predator effects of jellyfish <i>Odessia maeotica</i> in Mediterranean salt marshes. <i>Marine Ecology - Progress Series</i> , 2010 , 402, 147-159	2.6	10
34	Impact of different developmental stages of <i>Daphnia magna</i> (Straus) on the plankton community under different trophic conditions. <i>Hydrobiologia</i> , 2009 , 635, 45-56	2.4	10
33	Short-term variation in the ecological status of a Mediterranean coastal lagoon (NE Iberian Peninsula) after a man-made change of hydrological regime. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2008 , 18, 1078-1090	2.6	10
32	An Introduction to Freshwater Wetlands and Their Invertebrates 2016 , 1-23		9
31	Short-term effects of changes in water management on the limnological characteristics and zooplankton of a eutrophic Mediterranean coastal lagoon (NE Iberian Peninsula). <i>Marine Pollution Bulletin</i> , 2007 , 54, 1273-84	6.7	9
30	Patterns in size and species diversity of benthic macroinvertebrates in Mediterranean salt marshes. <i>Marine Ecology - Progress Series</i> , 2009 , 391, 21-32	2.6	9
29	Environmental factors affecting the balance of autotrophs versus heterotrophs in the microbial food web of temporary ponds. <i>Hydrobiologia</i> , 2016 , 782, 127-143	2.4	9
28	Update: A non-parametric method for the measurement of size diversity, with emphasis on data standardization. The measurement of the size evenness. <i>Limnology and Oceanography: Methods</i> , 2016 , 14, 408-413	2.6	8
27	Invertebrate Assemblages and Their Ecological Controls Across the World Freshwater Wetlands 2016 , 601-639		7
26	Factors regulating the invasive success of an alien frog: a comparison of the ecology of the native and alien populations. <i>Hydrobiologia</i> , 2014 , 730, 127-138	2.4	7
25	Reproductive habitat selection in alien and native populations of the genus <i>Discoglossus</i> . <i>Acta Oecologica</i> , 2014 , 59, 97-103	1.7	7
24	How threatened are large branchiopods (Crustacea, Branchiopoda) in the Iberian Peninsula?. <i>Hydrobiologia</i> , 2017 , 801, 99-116	2.4	7
23	Defining the importance of landscape metrics for large branchiopod biodiversity and conservation: the case of the Iberian Peninsula and Balearic Islands. <i>Hydrobiologia</i> , 2017 , 801, 81-98	2.4	7
22	Macroinvertebrate biodiversity patterns during primary succession in manmade ponds in north-eastern Spain. <i>Journal of Limnology</i> , 2014 , 73,	1.5	7
21	New Tools to Analyse the Ecological Status of Mediterranean Wetlands and Shallow Lakes. <i>Handbook of Environmental Chemistry</i> , 2015 , 171-199	0.8	6
20	Organic carbon and nutrient (P, N) concentrations of water and sediment in several aquatic environment types of a Mediterranean coastal wetland (Empord Wetlands, NE Iberian Peninsula). <i>Annales De Limnologie</i> , 2006 , 42, 221-231	0.7	6

19	Ecosystem metabolism dynamics and environmental drivers in Mediterranean confined coastal lagoons. <i>Estuarine, Coastal and Shelf Science</i> , 2020 , 245, 106989	2.9	5
18	Taxonomic and functional successional patterns in macroinvertebrates related to flying dispersal abilities: a case study from isolated manmade ponds at reclaimed opencast coal mines. <i>Hydrobiologia</i> , 2014 , 732, 111-122	2.4	5
17	The effects of <i>Aphanius iberus</i> predation on an aquatic community: diel changes and the role of vegetation. <i>Fundamental and Applied Limnology</i> , 2013 , 182, 75-87	1.9	5
16	How do zooplankton respond to coastal wetland restoration? the case of newly created salt marsh lagoons in La Pletera (NE Catalonia) 2019 , 38, 721-741		5
15	Response of macroinvertebrate communities to hydrological and hydrochemical alterations in Mediterranean streams. <i>Journal of Hydrology</i> , 2018 , 566, 566-580	6	5
14	Nematode assemblages and their responses to disturbances: a case study from the Empordà wetlands (northeastern Iberian Peninsula). <i>Journal of the North American Benthological Society</i> , 2006 , 25, 643-655		4
13	Conservation of Temporary Wetlands 2020 , 279-294		3
12	Addressing trait selection patterns in temporary ponds in response to wildfire disturbance and seasonal succession. <i>Journal of Animal Ecology</i> , 2020 , 89, 2134-2144	4.7	3
11	Zoophagy in the Larvae of Ibero-Maghrebian Spade-foot Toads. <i>Herpetologica</i> , 2016 , 72, 281-287	1.9	3
10	Large- and small-regional-scale variables interact in the dispersal patterns of aquatic macroinvertebrates from temporary ponds. <i>Aquatic Ecology</i> , 2020 , 54, 1041-1058	1.9	2
9	Metacommunity resilience against simulated gradients of wildfire: disturbance intensity and species dispersal ability determine landscape recover capacity. <i>Ecography</i> , 2021 , 44, 1022	6.5	2
8	Crustacean assemblages of coastal wetlands from fragmented and scarcely isolated islands compared with the mainland. <i>Marine and Freshwater Research</i> , 2017 , 68, 889	2.2	1
7	<i>Linderiella jebalae</i> sp. nov. (Crustacea: Branchiopoda: Anostraca), a new species from the Rif mountains (northern Morocco). <i>Zootaxa</i> , 2016 , 4138, 491-512	0.5	1
6	Recovery of temporary pond alpha and beta diversity after wildfire disturbance: the role of dispersal and recolonization processes. <i>Inland Waters</i> , 2021 , 11, 522-537	2.4	1
5	Perils of life on the edge: Climatic threats to global diversity patterns of wetland macroinvertebrates.. <i>Science of the Total Environment</i> , 2022 , 820, 153052	10.2	1
4	Distinctive genetic signatures of two fairy shrimp species with overlapping ranges in Iberian temporary ponds. <i>Freshwater Biology</i> , 2021 , 66, 1680-1697	3.1	0
3	Identifying critical transitions in seasonal shifts of zooplankton composition in a confined coastal salt marsh. <i>Aquatic Sciences</i> , 2021 , 83, 1	2.5	0
2	Comparative biodiversity of crustaceans and aquatic insects from various water body types in coastal Mediterranean wetlands 2007 , 347-359		

- 1 Relation between macroinvertebrate life strategies and habitat traits in Mediterranean salt marsh ponds (Empordor wetlands, NE Iberian Peninsula) **2007**, 71-83