Dani Boix

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/223762/dani-boix-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

90 2,322 28 45 g-index

93 2,604 2.9 4.75 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
90	Perils of life on the edge: Climatic threats to global diversity patterns of wetland macroinvertebrates <i>Science of the Total Environment</i> , 2022 , 820, 153052	10.2	1
89	Recovery of temporary pond alpha and beta diversity after wildfire disturbance: the role of dispersal and recolonization processes. <i>Inland Waters</i> , 2021 , 11, 522-537	2.4	1
88	Metacommunity resilience against simulated gradients of wildfire: disturbance intensity and species dispersal ability determine landscape recover capacity. <i>Ecography</i> , 2021 , 44, 1022	6.5	2
87	Distinctive genetic signatures of two fairy shrimp species with overlapping ranges in Iberian temporary ponds. <i>Freshwater Biology</i> , 2021 , 66, 1680-1697	3.1	0
86	Identifying critical transitions in seasonal shifts of zooplankton composition in a confined coastal salt marsh. <i>Aquatic Sciences</i> , 2021 , 83, 1	2.5	O
85	Ecosystem metabolism dynamics and environmental drivers in Mediterranean confined coastal lagoons. <i>Estuarine, Coastal and Shelf Science</i> , 2020 , 245, 106989	2.9	5
84	Conservation of Temporary Wetlands 2020 , 279-294		3
83	Addressing trait selection patterns in temporary ponds in response to wildfire disturbance and seasonal succession. <i>Journal of Animal Ecology</i> , 2020 , 89, 2134-2144	4.7	3
82	Legacy of Summer Drought on Autumnal Leaf Litter Processing in a Temporary Mediterranean Stream. <i>Ecosystems</i> , 2020 , 23, 989-1003	3.9	13
81	Large- and small-regional-scale variables interact in the dispersal patterns of aquatic macroinvertebrates from temporary ponds. <i>Aquatic Ecology</i> , 2020 , 54, 1041-1058	1.9	2
80	How do zooplankton respond to coastal wetland restoration? the case of newly created salt marsh lagoons in La Pletera (NE Catalonia) 2019 , 38, 721-741		5
79	Direct and indirect impacts of wildfire on faunal communities of Mediterranean temporary ponds. <i>Freshwater Biology</i> , 2019 , 64, 323-334	3.1	12
78	Response of macroinvertebrate communities to hydrological and hydrochemical alterations in Mediterranean streams. <i>Journal of Hydrology</i> , 2018 , 566, 566-580	6	5
77	Dispersal mode and spatial extent influence distance-decay patterns in pond metacommunities. <i>PLoS ONE</i> , 2018 , 13, e0203119	3.7	13
76	Contrasting intra-annual patterns of six biotic groups with different dispersal mode and ability in Mediterranean temporary ponds. <i>Marine and Freshwater Research</i> , 2017 , 68, 1044	2.2	13
75	Crustacean assemblages of coastal wetlands from fragmented and scarcely isolated islands compared with the mainland. <i>Marine and Freshwater Research</i> , 2017 , 68, 889	2.2	1
74	Temporary wetlands: challenges and solutions to conserving a disappearinglecosystem. <i>Biological Conservation</i> , 2017 , 211, 3-11	6.2	110

(2014-2017)

73	How threatened are large branchiopods (Crustacea, Branchiopoda) in the Iberian Peninsula?. <i>Hydrobiologia</i> , 2017 , 801, 99-116	2.4	7
72	Defining the importance of landscape metrics for large branchiopod biodiversity and conservation: the case of the Iberian Peninsula and Balearic Islands. <i>Hydrobiologia</i> , 2017 , 801, 81-98	2.4	7
71	Microhabitat selection and diel patterns of zooplankton in a Mediterranean temporary pond. <i>Hydrobiologia</i> , 2016 , 766, 201-213	2.4	10
70	Mediterranean Temporary Ponds: new challenges from a neglected habitat. <i>Hydrobiologia</i> , 2016 , 782, 1-10	2.4	35
69	Linderiella jebalae sp. nov. (Crustacea: Branchiopoda: Anostraca), a new species from the Rif mountains (northern Morocco). <i>Zootaxa</i> , 2016 , 4138, 491-512	0.5	1
68	Update: A non-parametric method for the measurement of size diversity, with emphasis on data standardization. The measurement of the size evenness. <i>Limnology and Oceanography: Methods</i> , 2016 , 14, 408-413	2.6	8
67	Environmental filtering determines metacommunity structure in wetland microcrustaceans. <i>Oecologia</i> , 2016 , 181, 193-205	2.9	30
66	Invertebrate Assemblages and Their Ecological Controls Across the World® Freshwater Wetlands 2016 , 601-639		7
65	Invertebrates of Freshwater Temporary Ponds in Mediterranean Climates 2016 , 141-189		28
64	An Introduction to Freshwater Wetlands and Their Invertebrates 2016 , 1-23		9
63	Environmental factors affecting the balance of autotrophs versus heterotrophs in the microbial food web of temporary ponds. <i>Hydrobiologia</i> , 2016 , 782, 127-143	2.4	9
62	Zoophagy in the Larvae of Ibero-Maghrebian Spade-foot Toads. <i>Herpetologica</i> , 2016 , 72, 281-287	1.9	3
61	New Tools to Analyse the Ecological Status of Mediterranean Wetlands and Shallow Lakes. Handbook of Environmental Chemistry, 2015 , 171-199	0.8	6
60	Predation and competition effects on the size diversity of aquatic communities. <i>Aquatic Sciences</i> , 2015 , 77, 45-57	2.5	31
59	Factors regulating the invasive success of an alien frog: a comparison of the ecology of the native and alien populations. <i>Hydrobiologia</i> , 2014 , 730, 127-138	2.4	7
58	Taxonomic and functional successional patterns in macroinvertebrates related to flying dispersal abilities: a case study from isolated manmade ponds at reclaimed opencast coal mines. <i>Hydrobiologia</i> , 2014 , 732, 111-122	2.4	5
57	The ecological role of ponds in a changing world. <i>Hydrobiologia</i> , 2014 , 723, 1-6	2.4	122
56	Reproductive habitat selection in alien and native populations of the genus Discoglossus. <i>Acta Oecologica</i> , 2014 , 59, 97-103	1.7	7

55	Analysis of stream equifer relationships: A comparison between mass balance and Darcy law approaches. <i>Journal of Hydrology</i> , 2014 , 517, 157-172	6	33
54	Environmental filtering determines community patterns in temporary wetlands: a multi-taxon approach. <i>Hydrobiologia</i> , 2014 , 723, 25-39	2.4	28
53	Macroinvertebrate biodiversity patterns during primary succession in manmade ponds in north-eastern Spain. <i>Journal of Limnology</i> , 2014 , 73,	1.5	7
52	Spatio-temporal variability of faunal and floral assemblages in Mediterranean temporary wetlands. <i>Comptes Rendus - Biologies</i> , 2014 , 337, 695-708	1.4	12
51	Nestedness and successional trajectories of macroinvertebrate assemblages in man-made wetlands. <i>Oecologia</i> , 2013 , 171, 545-56	2.9	45
50	The effects of Aphanius iberus predation on an aquatic community: diel changes and the role of vegetation. Fundamental and Applied Limnology, 2013, 182, 75-87	1.9	5
49	Functional and phylogenetic relatedness in temporary wetland invertebrates: current macroecological patterns and implications for future climatic change scenarios. <i>PLoS ONE</i> , 2013 , 8, e81	7 3 ·9	34
48	The effects of small fish presence on a species-poor community dominated by omnivores: Example of a size-based trophic cascade. <i>Journal of Experimental Marine Biology and Ecology</i> , 2012 , 418-419, 1-17	1 ^{2.1}	15
47	Assessing the potential impact of an invasive species on a Mediterranean amphibian assemblage: a morphological and ecological approach. <i>Hydrobiologia</i> , 2012 , 680, 233-245	2.4	14
46	Change in biological traits and community structure of macroinvertebrates through primary succession in a man-made Swedish wetland. <i>Freshwater Science</i> , 2012 , 31, 22-37	2	23
45	A rapid bioassessment tool for the evaluation of the water quality of transitional waters. <i>Estuarine, Coastal and Shelf Science</i> , 2012 , 111, 129-138	2.9	12
44	How do early successional patterns in man-made wetlands differ between cold temperate and Mediterranean regions?. <i>Limnologica</i> , 2012 , 42, 328-339	2	17
43	Spatial characteristics and species niche attributes modulate the response by aquatic passive dispersers to habitat degradation. <i>Marine and Freshwater Research</i> , 2012 , 63, 232	2.2	12
42	Effects of temperature, salinity and fish in structuring the macroinvertebrate community in shallow lakes: implications for effects of climate change. <i>PLoS ONE</i> , 2012 , 7, e30877	3.7	64
41	Man-made Mediterranean temporary ponds as a tool for amphibian conservation. <i>Annales De Limnologie</i> , 2012 , 48, 81-93	0.7	21
40	Pond research and management in Europe: Small is Beautiful [] Hydrobiologia, 2012, 689, 1-9	2.4	53
39	Cross-taxon congruence in Mediterranean temporary wetlands: vascular plants, crustaceans, and coleopterans. <i>Community Ecology</i> , 2011 , 12, 40-50	1.2	26
38	Fish effects on benthos and plankton in a Mediterranean salt marsh. <i>Journal of Experimental Marine Biology and Ecology</i> , 2011 , 409, 259-266	2.1	11

(2007-2011)

37	Environmental Influence on Flight Activity and Arrival Patterns of Aerial Colonizers of Temporary Ponds. <i>Wetlands</i> , 2011 , 31, 1227-1240	1.7	18
36	Factors influencing zooplankton size structure at contrasting temperatures in coastal shallow lakes: Implications for effects of climate change. <i>Limnology and Oceanography</i> , 2010 , 55, 1697-1711	4.8	114
35	Top-predator effects of jellyfish Odessia maeotica in Mediterranean salt marshes. <i>Marine Ecology - Progress Series</i> , 2010 , 402, 147-159	2.6	10
34	Identifying key environmental factors related to plant and crustacean assemblages in Mediterranean temporary ponds. <i>Biodiversity and Conservation</i> , 2010 , 19, 1749-1768	3.4	42
33	Response of community structure to sustained drought in Mediterranean rivers. <i>Journal of Hydrology</i> , 2010 , 383, 135-146	6	101
32	Environmental factors affecting bacterioplankton and phytoplankton dynamics in confined Mediterranean salt marshes (NE Spain). <i>Journal of Experimental Marine Biology and Ecology</i> , 2009 , 369, 118-126	2.1	13
31	Impact of different developmental stages of Daphnia magna (Straus) on the plankton community under different trophic conditions. <i>Hydrobiologia</i> , 2009 , 635, 45-56	2.4	10
30	Spatial and temporal patterns of pioneer macrofauna in recently created ponds: taxonomic and functional approaches. <i>Hydrobiologia</i> , 2009 , 634, 137-151	2.4	44
29	Species richness of crustacean zooplankton and trophic structure of brackish lagoons in contrasting climate zones: north temperate Denmark and Mediterranean Catalonia (Spain). <i>Ecography</i> , 2009 , 32, 692-702	6.5	76
28	Are different biodiversity metrics related to the same factors? A case study from Mediterranean wetlands. <i>Biological Conservation</i> , 2009 , 142, 2602-2612	6.2	37
27	Climate Change and the Future of Freshwater Biodiversity in Europe: A Primer for Policy-Makers. <i>Freshwater Reviews: A Journal of the Freshwater Biological Association</i> , 2009 , 2, 103-130		62
26	Patterns in size and species diversity of benthic macroinvertebrates in Mediterrannean salt marshes. <i>Marine Ecology - Progress Series</i> , 2009 , 391, 21-32	2.6	9
25	A nonparametric method for the measurement of size diversity with emphasis on data standardization. <i>Limnology and Oceanography: Methods</i> , 2008 , 6, 75-86	2.6	72
24	Relation between macroinvertebrate life strategies and habitat traits in Mediterranean salt marsh ponds (Empordiwetlands, NE Iberian Peninsula). <i>Hydrobiologia</i> , 2008 , 597, 71-83	2.4	28
23	Patterns of composition and species richness of crustaceans and aquatic insects along environmental gradients in Mediterranean water bodies. <i>Hydrobiologia</i> , 2008 , 597, 53-69	2.4	73
22	Short-term variation in the ecological status of a Mediterranean coastal lagoon (NE Iberian Peninsula) after a man-made change of hydrological regime. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2008 , 18, 1078-1090	2.6	10
21	Feeding of nauplii, copepodites and adults of Calanipeda aquaedulcis (Calanoida) in Mediterranean salt marshes. <i>Marine Ecology - Progress Series</i> , 2008 , 355, 183-191	2.6	23
20	Comparative biodiversity of crustaceans and aquatic insects from various water body types in coastal Mediterranean wetlands 2007 , 347-359		

19	Zooplankton taxonomic and size diversity in Mediterranean coastal lagoons (NE Iberian Peninsula): Influence of hydrology, nutrient composition, food resource availability and predation. <i>Estuarine, Coastal and Shelf Science</i> , 2007 , 71, 335-346	2.9	42
18	Comparison of the effects of hydrological disturbance events on benthos and plankton salt marsh communities. <i>Estuarine, Coastal and Shelf Science</i> , 2007 , 74, 419-428	2.9	20
17	Short-term effects of changes in water management on the limnological characteristics and zooplankton of a eutrophic Mediterranean coastal lagoon (NE Iberian Peninsula). <i>Marine Pollution Bulletin</i> , 2007 , 54, 1273-84	6.7	9
16	Comparative biodiversity of crustaceans and aquatic insects from various water body types in coastal Mediterranean wetlands. <i>Hydrobiologia</i> , 2007 , 584, 347-359	2.4	19
15	Relation between macroinvertebrate life strategies and habitat traits in Mediterranean salt marsh ponds (Empord®wetlands, NE Iberian Peninsula) 2007 , 71-83		
14	Pigment composition and size distribution of phytoplankton in a confined Mediterranean salt marsh ecosystem. <i>Marine Biology</i> , 2006 , 149, 1313-1324	2.5	27
13	Nutrients and zooplankton composition and dynamics in relation to the hydrological pattern in a confined Mediterranean salt marsh (NE Iberian Peninsula). <i>Estuarine, Coastal and Shelf Science</i> , 2006 , 66, 513-522	2.9	41
12	Size and species diversity of zooplankton communities in fluctuating Mediterranean salt marshes. <i>Estuarine, Coastal and Shelf Science</i> , 2006 , 67, 424-432	2.9	43
11	Nematode assemblages and their responses to disturbances: a case study from the Empord wetlands (northeastern Iberian Peninsula). <i>Journal of the North American Benthological Society</i> , 2006 , 25, 643-655		4
10	Comparative composition and dynamics of harmful dinoflagellates in Mediterranean salt marshes and nearby external marine waters. <i>Harmful Algae</i> , 2006 , 5, 637-648	5.3	25
9	Organic carbon and nutrient (P, N) concentrations of water and sediment in several aquatic environment types of a Mediterranean coastal wetland (EmpordlWetlands, NE Iberian Peninsula). <i>Annales De Limnologie</i> , 2006 , 42, 221-231	0.7	6
8	Predation in a temporary pond with special attention to the trophic role of Triops cancriformis (Crustacea: Branchiopoda: Notostraca). <i>Hydrobiologia</i> , 2006 , 571, 341-353	2.4	30
7	Variability of benthic assemblages in relation to the hydrological pattern in Mediterranean salt marshes (Emporda wetlands, NE Iberian Peninsula). <i>Archiv Fa Hydrobiologie</i> , 2005 , 163, 163-181		36
6	A new index of water quality assessment in Mediterranean wetlands based on crustacean and insect assemblages: the case of Catalunya (NE Iberian peninsula). <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2005 , 15, 635-651	2.6	72
5	Ontogenic changes of amino acid composition in planktonic crustacean species. <i>Marine Biology</i> , 2005 , 148, 131-139	2.5	19
4	Zooplankton structure and dynamics in permanent and temporary Mediterranean salt marshes: taxon-based and size-based approaches. <i>Archiv Fil Hydrobiologie</i> , 2005 , 162, 535-555		56
3	Succession of the animal community in a Mediterranean temporary pond. <i>Journal of the North American Benthological Society</i> , 2004 , 23, 29-49		76
2	Population dynamics of Triops cancriformis (Crustacea: Branchiopoda: Notostraca) of the Espolla temporary pond in the northeastern Iberian peninsula. <i>Hydrobiologia</i> , 2002 , 486, 175-183	2.4	16

The faunal composition of espolla pond (ne iberian peninsula): the neglected biodiversity of temporary waters. *Wetlands*, **2001**, 21, 577-592

1.7 86