

Qing-Hua Fan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2238847/publications.pdf>

Version: 2024-02-01

105
papers

6,363
citations

70961

41
h-index

69108

77
g-index

118
all docs

118
docs citations

118
times ranked

4005
citing authors

#	ARTICLE	IF	CITATIONS
1	Recoverable Catalysts for Asymmetric Organic Synthesis. <i>Chemical Reviews</i> , 2002, 102, 3385-3466.	23.0	787
2	Highly Enantioselective Hydrogenation of Quinolines Using Phosphine-Free Chiral Cationic Ruthenium Catalysts: Scope, Mechanism, and Origin of Enantioselectivity. <i>Journal of the American Chemical Society</i> , 2011, 133, 9878-9891.	6.6	341
3	Hydrogenation of Quinolines Using a Recyclable Phosphine-Free Chiral Cationic Ruthenium Catalyst: Enhancement of Catalyst Stability and Selectivity in an Ionic Liquid. <i>Angewandte Chemie - International Edition</i> , 2008, 47, 8464-8467.	7.2	296
4	Enantioselective Hydrogenation of Quinolines Catalyzed by Ir(BINAP)-Cored Dendrimers: A Dramatic Enhancement of Catalytic Activity. <i>Organic Letters</i> , 2007, 9, 1243-1246.	2.4	197
5	Air-stable Ir-(P-Phos) complex for highly enantioselective hydrogenation of quinolines and their immobilization in poly(ethylene glycol) dimethyl ether (DMPEG). <i>Chemical Communications</i> , 2005, , 1390.	2.2	158
6	Asymmetric Hydrogenation of Quinoxalines with Diphosphinite Ligands: A Practical Synthesis of Enantioenriched, Substituted Tetrahydroquinoxalines. <i>Angewandte Chemie - International Edition</i> , 2009, 48, 9135-9138.	7.2	155
7	Air-Stable and Phosphine-Free Iridium Catalysts for Highly Enantioselective Hydrogenation of Quinoline Derivatives. <i>Organic Letters</i> , 2008, 10, 5265-5268.	2.4	152
8	Highly effective and recyclable dendritic BINAP ligands for asymmetric hydrogenation. <i>Chemical Communications</i> , 2000, , 789-790.	2.2	133
9	Multicolor Tunable Emission from Organogels Containing Tetraphenylethene, Perylene diimide, and Spiropyran Derivatives. <i>Advanced Functional Materials</i> , 2010, 20, 3244-3251.	7.8	133
10	Asymmetric hydrogenation of quinolines with high substrate/catalyst ratio. <i>Chemical Communications</i> , 2007, , 613-615.	2.2	122
11	Advances in Transition Metal-Catalyzed Asymmetric Hydrogenation of Heteroaromatic Compounds. <i>Topics in Current Chemistry</i> , 2013, 343, 145-190.	4.0	119
12	Highly enantioselective hydrogenation of quinolines under solvent-free or highly concentrated conditions. <i>Green Chemistry</i> , 2009, 11, 767.	4.6	114
13	Asymmetric Hydrogenation of 2,4-Disubstituted 1,5-Benzodiazepines Using Cationic Ruthenium Diamine Catalysts: An Unusual Achiral Counteranion Induced Reversal of Enantioselectivity. <i>Angewandte Chemie - International Edition</i> , 2012, 51, 5706-5710.	7.2	111
14	Highly Enantioselective Iridium-Catalyzed Hydrogenation of Quinoline Derivatives Using Chiral Phosphinite H8-BINAPO. <i>Advanced Synthesis and Catalysis</i> , 2005, 347, 1755-1758.	2.1	110
15	Air-Stable and Highly Active Dendritic Phosphine Oxide-Stabilized Palladium Nanoparticles: Preparation, Characterization and Applications in the Carbon-Carbon Bond Formation and Hydrogenation Reactions. <i>Advanced Synthesis and Catalysis</i> , 2008, 350, 846-862.	2.1	110
16	Asymmetric Hydrogenation in the Core of Dendrimers. <i>Accounts of Chemical Research</i> , 2014, 47, 2894-2906.	7.6	110
17	Highly Enantioselective Synthesis of Indolines: Asymmetric Hydrogenation at Ambient Temperature and Pressure with Cationic Ruthenium Diamine Catalysts. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 13863-13866.	7.2	104
18	Highly Enantioselective Hydrogenation of Quinoline and Pyridine Derivatives with Iridium-(P-Phos) Catalyst. <i>Advanced Synthesis and Catalysis</i> , 2010, 352, 1055-1062.	2.1	100

#	ARTICLE	IF	CITATIONS
19	Highly efficient and enantioselective hydrogenation of quinolines and pyridines with Ir-Difluorophos catalyst. <i>Organic and Biomolecular Chemistry</i> , 2010, 8, 3464.	1.5	97
20	Highly Effective Asymmetric Hydrogenation of Cyclic <i>N</i> -Alkyl Imines with Chiral Cationic Ru-MsDPEN Catalysts. <i>Organic Letters</i> , 2011, 13, 4348-4351.	2.4	96
21	Cation-Triggered Switchable Asymmetric Catalysis with Chiral Aza-CrownPhos. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 4334-4337.	7.2	90
22	Asymmetric Hydrogenation of 2- and 2,3-Substituted Quinoxalines with Chiral Cationic Ruthenium Diamine Catalysts. <i>Organic Letters</i> , 2011, 13, 6568-6571.	2.4	89
23	Asymmetric Hydrogenation of <i>N</i> -Alkyl Ketimines with Phosphine-Free, Chiral, Cationic Ru-MsDPEN Catalysts. <i>Chemistry - A European Journal</i> , 2011, 17, 1109-1113.	1.7	80
24	Asymmetric Ruthenium-Catalyzed Hydrogenation of 2- and 2,9-Substituted 1,10-Phenanthrolines. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 7172-7176.	7.2	80
25	Highly Enantioselective Synthesis of Chiral Tetrahydroquinolines and Tetrahydroisoquinolines by Ruthenium-Catalyzed Asymmetric Hydrogenation in Ionic Liquid. <i>Advanced Synthesis and Catalysis</i> , 2013, 355, 3727-3735.	2.1	73
26	Rapid Construction of Structurally Diverse Quinolizidines, Indolizidines, and Their Analogues via Ruthenium-Catalyzed Asymmetric Cascade Hydrogenation/Reductive Amination. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 3809-3813.	7.2	67
27	Supramolecular chiral phosphorous ligands based on a [2]pseudorotaxane complex for asymmetric hydrogenation. <i>Tetrahedron Letters</i> , 2008, 49, 2878-2881.	0.7	66
28	Highly Enantioselective Direct Synthesis of Endocyclic Vicinal Diamines through Chiral Ru(diamine)-Catalyzed Hydrogenation of 2,2-Bisquinoline Derivatives. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 12891-12894.	7.2	59
29	Fluorescent Dendritic Organogels Based on 2-(2-Hydroxyphenyl)benzoxazole: Emission Enhancement and Multiple Stimuli-Responsive Properties. <i>Chemistry - A European Journal</i> , 2015, 21, 11018-11028.	1.7	58
30	Metal-free tandem cyclization/hydrosilylation to construct tetrahydroquinoxalines. <i>Green Chemistry</i> , 2018, 20, 403-411.	4.6	58
31	pH-Regulated transfer hydrogenation of quinoxalines with a Cp*Ir-diamine catalyst in aqueous media. <i>Tetrahedron</i> , 2011, 67, 6206-6213.	1.0	57
32	Amphiphilic DNA-dendron hybrid: a new building block for functional assemblies. <i>Soft Matter</i> , 2011, 7, 7187.	1.2	55
33	Asymmetric Ruthenium-Catalyzed Hydrogenation of 2,6-Disubstituted 1,5-Naphthyridines: Access to Chiral 1,5-Diaza-cis-Decalins. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 4622-4625.	7.2	52
34	Dendronized Poly(Ru-BINAP) Complexes: Highly Effective and Easily Recyclable Catalysts For Asymmetric Hydrogenation. <i>Advanced Synthesis and Catalysis</i> , 2004, 346, 1440-1444.	2.1	51
35	Asymmetric Hydrogenation of In Situ Generated Isochromenylium Intermediates by Copper/Ruthenium Tandem Catalysis. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 4135-4139.	7.2	51
36	B(C ₆ F ₅) ₃ -Catalyzed Deoxygenative Reduction of Amides to Amines with Ammonia Borane. <i>Advanced Synthesis and Catalysis</i> , 2019, 361, 2301-2308.	2.1	49

#	ARTICLE	IF	CITATIONS
37	Rapid Construction of Structurally Diverse Quinolizidines, Indolizidines, and Their Analogues via Ruthenium-Catalyzed Asymmetric Cascade Hydrogenation/Reductive Amination. <i>Angewandte Chemie</i> , 2019, 131, 3849-3853.	1.6	48
38	Rhodium(σ)-catalyzed C6-selective α -H alkenylation and polyenylation of 2-pyridones with alkenyl and conjugated polyenyl carboxylic acids. <i>Chemical Science</i> , 2019, 10, 10089-10096.	3.7	47
39	Polyethylene Glycol as an Environmentally Friendly and Recyclable Reaction Medium for Enantioselective Hydrogenation. <i>Advanced Synthesis and Catalysis</i> , 2006, 348, 2172-2182.	2.1	46
40	Advances in Transfer Hydrogenation of Carbonyl Compounds in Water. <i>ChemCatChem</i> , 2015, 7, 398-400.	1.8	43
41	Asymmetric Hydrogenation of Quinoline Derivatives Catalyzed by Cationic Transition Metal Complexes of Chiral Diamine Ligands: Scope, Mechanism and Catalyst Recycling. <i>Chemical Record</i> , 2016, 16, 2697-2711.	2.9	42
42	Halogen-bonding for visual chloride ion sensing: a case study using supramolecular poly(aryl ether) dendritic organogel systems. <i>Chemical Communications</i> , 2016, 52, 2269-2272.	2.2	41
43	Dendritic MonoPhos: synthesis and application in Rh-catalyzed asymmetric hydrogenation. <i>Tetrahedron: Asymmetry</i> , 2006, 17, 536-543.	1.8	38
44	Asymmetric hydrogenation of N-alkyl and N-aryl ketimines using chiral cationic Ru(diamine) complexes as catalysts: the counteranion and solvent effects, and substrate scope. <i>Tetrahedron</i> , 2012, 68, 5248-5257.	1.0	38
45	Consecutive Intermolecular Reductive Amination/Asymmetric Hydrogenation: Facile Access to Sterically Tunable Chiral Vicinal Diamines and α -Heterocyclic Carbenes. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 16831-16834.	7.2	38
46	Ruthenium-Catalyzed Enantioselective Hydrogenation of 1,8-Naphthyridine Derivatives. <i>Organic Letters</i> , 2016, 18, 2730-2733.	2.4	37
47	Rh(I)-Catalyzed C6-Selective Decarbonylative Alkylation of 2-Pyridones with Alkyl Carboxylic Acids and Anhydrides. <i>Organic Letters</i> , 2020, 22, 4228-4234.	2.4	37
48	Chiral Metallacrown Ethers for Asymmetric Hydrogenation: Alkali-Metal Ion Mediated Enhancement of Enantioselectivity. <i>Chemistry - an Asian Journal</i> , 2010, 5, 2454-2458.	1.7	35
49	Efficient asymmetric hydrogenation of quinolines in neat water catalyzed by chiral cationic Ru-diamine complexes. <i>Catalysis Science and Technology</i> , 2014, 4, 2887-2890.	2.1	34
50	Controlled Reversible Anchoring of α -Arene/TsDPEN-Ruthenium(II) Complex onto Magnetic Nanoparticles: A New Strategy for Catalyst Separation and Recycling. <i>Advanced Synthesis and Catalysis</i> , 2011, 353, 2915-2919.	2.1	30
51	Asymmetric hydrogenation of 3-substituted 2H-1,4-benzoxazines with chiral cationic Ru-MsDPEN catalysts: a remarkable counteranion effect. <i>Organic Chemistry Frontiers</i> , 2014, 1, 952-955.	2.3	29
52	Highly Efficient Asymmetric Hydrogenation of α,β -Unsaturated Carboxylic Acids Catalyzed by Ruthenium(II)-Dipyridylphosphine Complexes. <i>Advanced Synthesis and Catalysis</i> , 2007, 349, 517-520.	2.1	28
53	Podand-Based Dimeric Chromium(III)-Salen Complex for Asymmetric Henry Reaction: Cooperative Catalysis Promoted by Complexation of Alkali Metal Ions. <i>Chemistry - A European Journal</i> , 2014, 20, 16454-16457.	1.7	28
54	Structure and Dynamic Process of Two-Dimensional Monodendron Assembly. <i>Chemistry of Materials</i> , 2003, 15, 3098-3104.	3.2	27

#	ARTICLE	IF	CITATIONS
55	Janus dendritic phosphines: synthesis and application in Suzuki coupling reactions. <i>New Journal of Chemistry</i> , 2012, 36, 380-385.	1.4	27
56	Highly Enantioselective Hydrogenation of 2,4-Diaryl-1,5-Benzodiazepines Catalyzed by Dendritic Phosphinooxazoline Iridium Complexes. <i>Chemistry - an Asian Journal</i> , 2013, 8, 1101-1104.	1.7	27
57	Enantioselective synthesis of tunable chiral pyridine-aminophosphine ligands and their applications in asymmetric hydrogenation. <i>Organic and Biomolecular Chemistry</i> , 2019, 17, 5099-5105.	1.5	26
58	Direct synthesis of 8-aryl tetrahydroquinolines via Pd-catalyzed ortho-arylation of arylureas in water. <i>RSC Advances</i> , 2013, 3, 1025-1028.	1.7	25
59	Ruthenium-Catalyzed Enantioselective Hydrogenation of Phenanthridine Derivatives. <i>Organic Letters</i> , 2017, 19, 1458-1461.	2.4	25
60	Asymmetric Hydrogenation of Cyclic Imines of Benzoazepines and Benzodiazepines with Chiral, Cationic Ruthenium-Diamine Catalysts. <i>European Journal of Organic Chemistry</i> , 2017, 2017, 1973-1977.	1.2	25
61	Polymer-supported chiral catalysts with positive support effects. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2002, 12, 1867-1871.	1.0	24
62	A Pronounced Halogen Effect on the Organogelation Properties of Peripherally Halogen Functionalized Poly(benzyl ether) Dendrons. <i>Chemistry - A European Journal</i> , 2016, 22, 4980-4990.	1.7	24
63	Asymmetric Hydrogenation of In Situ Generated Isochromenylium Intermediates by Copper/Ruthenium Tandem Catalysis. <i>Angewandte Chemie</i> , 2017, 129, 4199-4203.	1.6	24
64	A Synthetic Route to Chiral Benzo-Fused N-Heterocycles via Sequential Intramolecular Hydroamination and Asymmetric Hydrogenation of Anilino-Alkynes. <i>Organometallics</i> , 2019, 38, 3979-3990.	1.1	24
65	Ru-Catalyzed Deoxygenative Transfer Hydrogenation of Amides to Amines with Formic Acid/Triethylamine. <i>Advanced Synthesis and Catalysis</i> , 2019, 361, 3800-3806.	2.1	23
66	Manganese-Catalyzed Asymmetric Formal Hydroamination of Allylic Alcohols: A Remarkable Macrocyclic Ligand Effect. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	7.2	23
67	Highly Enantioselective Synthesis of Indolines: Asymmetric Hydrogenation at Ambient Temperature and Pressure with Cationic Ruthenium Diamine Catalysts. <i>Angewandte Chemie</i> , 2016, 128, 14067-14070.	1.6	22
68	Asymmetric Hydrogenation of Dibenzo[<i>c,e</i>]azepine Derivatives with Chiral Cationic Ruthenium Diamine Catalysts. <i>Organic Letters</i> , 2019, 21, 5538-5541.	2.4	22
69	Diaza-Crown Ether-Bridged Chiral Diphosphoramidite Ligands: Synthesis and Applications in Asymmetric Catalysis. <i>Journal of Organic Chemistry</i> , 2020, 85, 8176-8184.	1.7	22
70	Design and Synthesis of Janus-Type Chiral Dendritic Diphosphanes and Their Applications in Asymmetric Hydrogenation. <i>European Journal of Organic Chemistry</i> , 2012, 2012, 6737-6744.	1.2	21
71	Asymmetric Hydrogenation of \hat{I} -Purine Nucleobase-Substituted Acrylates with Rhodium Diphosphine Complexes: Access to Tenofovir Analogues. <i>Organic Letters</i> , 2016, 18, 2260-2263.	2.4	21
72	Highly Enantioselective Ruthenium-Catalyzed Cascade Double Reduction Strategy: Construction of Structurally Diverse Julolidines and Their Analogues. <i>Organic Letters</i> , 2020, 22, 2251-2255.	2.4	21

#	ARTICLE	IF	CITATIONS
73	Metallacrown Ether Catalysts Containing Phosphine-Phosphite Polyether Ligands for Rh-Catalyzed Asymmetric Hydrogenation – Enhancements in Activity and Enantioselectivity. <i>European Journal of Organic Chemistry</i> , 2014, 2014, 6713-6719.	1.2	17
74	Highly Enantioselective Direct Synthesis of Endocyclic Vicinal Diamines through Chiral Ru(diamine)-Catalyzed Hydrogenation of 2,2-Bisquinoline Derivatives. <i>Angewandte Chemie</i> , 2016, 128, 13083-13086.	1.6	17
75	Self-Collapsing of Single Molecular Polypropylene Oxide (PPO) in a 3D DNA Network. <i>Small</i> , 2018, 14, 1703426.	5.2	17
76	Asymmetric Ruthenium-Catalyzed Hydrogenation of Terpyridine-Type N-Heteroarenes: Direct Access to Chiral Tridentate Nitrogen Ligands. <i>Organic Letters</i> , 2020, 22, 6452-6457.	2.4	16
77	BF ₃ ·Et ₂ O as a metal-free catalyst for direct reductive amination of aldehydes with amines using formic acid as a reductant. <i>Green Chemistry</i> , 2021, 23, 5205-5211.	4.6	16
78	Rhodium-Catalyzed ON/OFF Switchable Hydrogenation Using a Molecular Shuttle Based on a [2]Rotaxane with a Phosphine Ligand. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	7.2	16
79	From Weakness to Strength: H-Interaction-Guided Self-Assembly and Gelation of Poly(benzyl) Tj ETQq1 1 0.784314 rgBT /Ove	1.6	15
80	A Click Approach to Chiral-Dendronized Polyfluorene Derivatives. <i>Macromolecular Rapid Communications</i> , 2007, 28, 2249-2255.	2.0	14
81	A pH responsive dendron-DNA-protein hybrid supramolecular system. <i>Soft Matter</i> , 2010, 6, 2143.	1.2	14
82	Poly(benzyl ether) dendrons without conventional gelation motifs as a new kind of effective organogelators. <i>Science Bulletin</i> , 2012, 57, 4289-4295.	1.7	14
83	Asymmetric Hydrogenation of Bis(quinolin-2-yl)methanes: A Direct Access to Chiral 1,3-Diamines. <i>Chinese Journal of Chemistry</i> , 2018, 36, 1169-1173.	2.6	14
84	Synthesis, optical properties, and spectral stability of chiral dendronized binaphthyl-containing polyfluorene derivatives. <i>Journal of Polymer Science Part A</i> , 2008, 46, 886-896.	2.5	13
85	Solvent-Regulated Asymmetric Hydrogenation of Quinoline Derivatives in Oligo(Ethylene Glycol)s through Host-Guest Interactions. <i>Chemistry - an Asian Journal</i> , 2016, 11, 2773-2777.	1.7	13
86	Functionalization of DNA-Dendron Supramolecular Fibers and Application in Regulation of <i>Escherichia coli</i> Association. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 7351-7356.	4.0	12
87	Rh(I)-Catalyzed Direct C6-H Arylation of 2-Pyridones with Aryl Carboxylic Acids. <i>Advanced Synthesis and Catalysis</i> , 2021, 363, 3995-4001.	2.1	12
88	Diastereodivergent Synthesis of Chiral 4-Fluoropyrrolidines (<i>exo</i> and <i>exo</i>) Based on the Cu(II)-Catalyzed Asymmetric 1,3-Dipolar Cycloaddition. <i>Journal of Organic Chemistry</i> , 2021, 86, 8695-8705.	1.7	12
89	The Synthesis of Dendritic β^2 -Diketonato Ligands and Their Europium Complexes. <i>European Journal of Organic Chemistry</i> , 2007, 2007, 508-516.	1.2	11
90	Consecutive Intermolecular Reductive Amination/Asymmetric Hydrogenation: Facile Access to Sterically Tunable Chiral Vicinal Diamines and N-Heterocyclic Carbenes. <i>Angewandte Chemie</i> , 2019, 131, 16987-16990.	1.6	11

#	ARTICLE	IF	CITATIONS
91	Ruthenium-catalyzed enantioselective hydrogenation of quinoxalinones and quinoxalinones. <i>Organic Chemistry Frontiers</i> , 2022, 9, 400-406.	2.3	11
92	Synthesis of Dendritic BINAP Ligands and Their Applications in Asymmetric Hydrogenation. <i>Chinese Journal of Chemistry</i> , 2010, 20, 1139-1141.	2.6	10
93	Artificial Stimuli-Responsive Catalytic Systems for Switchable Asymmetric Catalysis. <i>Chinese Journal of Organic Chemistry</i> , 2020, 40, 3672.	0.6	9
94	Synthesis and Characterization of Donor-Acceptor-Donor Triads Containing Tetrathiafulvalene and Naphthalene Diimide Units: Towards Regulation of the Intermolecular Charge-Transfer Interaction by Varying the Attached Side Groups. <i>Chinese Journal of Chemistry</i> , 2004, 22, 296-305.	2.6	7
95	Chemoselective and Enantioselective Hydrogenation of 2,4-Diaryl-5,6-dihydro-1H-benzazepines Catalyzed by Dendritic Phosphinooxazoline Iridium Complexes. <i>Asian Journal of Organic Chemistry</i> , 2017, 6, 1219-1221.	1.3	7
96	Manganese-Catalyzed Asymmetric Formal Hydroamination of Allylic Alcohols: A Remarkable Macrocyclic Ligand Effect. <i>Angewandte Chemie</i> , 2022, 134, .	1.6	6
97	Improved synthesis of 5,5-diamino BINAP and application to asymmetric hydrogenation. <i>Chinese Journal of Chemistry</i> , 2004, 22, 891-893.	2.6	5
98	Synthesis and chiroptical properties of chiral binaphthyl-containing polyfluorene derivatives. <i>Journal of Polymer Science Part A</i> , 2011, 49, 680-689.	2.5	5
99	Asymmetric Hydrogenation of 2-Aryl-5,6-dihydropyrazine Derivatives with Chiral Cationic Ruthenium Diamine Catalysts. <i>Chinese Journal of Chemistry</i> , 2014, 32, 991-994.	2.6	5
100	Facile Synthesis of Chiral Diphosphine-Containing Multiple Dendrimeric Catalysts for Enantioselective Hydrogenation. <i>Chinese Journal of Chemistry</i> , 2012, 30, 2009-2015.	2.6	4
101	Development of Quinoline-Derived Chiral Diaminocarbene Ligands and Their Transition Metal Complexes: Synthesis, Structural Characterization, and Catalytic Properties. <i>Organometallics</i> , 2020, 39, 1945-1960.	1.1	4
102	Rhodium-Catalyzed ON-OFF Switchable Hydrogenation Using a Molecular Shuttle Based on a [2]Rotaxane with a Phosphine Ligand. <i>Angewandte Chemie</i> , 2022, 134, .	1.6	3
103	Ruthenium Catalyzed Asymmetric Hydrogenation of $\hat{1}$ - and $\hat{2}$ -Ketoesters in Room Temperature Ionic Liquids Using Chiral P-Phos Ligand. <i>ACS Symposium Series</i> , 2007, , 224-234.	0.5	0
104	Rapid Construction of Structurally Diverse Quinolizidines, Indolizidines, and Their Analogues via Ruthenium-Catalyzed Asymmetric Cascade Hydrogenation/Reductive Amination (<i>Angew. Chem.</i>)	1.0	0
105	Front Cover Picture: B(C ₆ F ₅) ₃ -Catalyzed Deoxygenative Reduction of Amides to Amines with Ammonia Borane (<i>Adv. Synth. Catal.</i> 10/2019). <i>Advanced Synthesis and Catalysis</i> , 2019, 361, 2159-2159.	2.1	0