

Ju-Hyun Park

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2239045/publications.pdf>

Version: 2024-02-01

44
papers

6,405
citations

687363

13
h-index

315739

38
g-index

44
all docs

44
docs citations

44
times ranked

14458
citing authors

#	ARTICLE	IF	CITATIONS
1	Bayesian Approach to Multivariate Component-Based Logistic Regression: Analyzing Correlated Multivariate Ordinal Data. <i>Multivariate Behavioral Research</i> , 2022, 57, 543-560.	3.1	2
2	Bayesian Mixture Model of Extended Redundancy Analysis. <i>Psychometrika</i> , 2022, 87, 946-966.	2.1	1
3	Discordance in Bone Mineral Density between the Lumbar Spine and Femoral Neck Is Associated with Renal Dysfunction. <i>Yonsei Medical Journal</i> , 2022, 63, 133.	2.2	2
4	Assessment of sunlight exposure across industries and occupations using blood vitamin D as a biomarker. <i>Journal of Occupational Health</i> , 2022, 64, e12318.	2.1	1
5	Characteristics of workers' compensation claim applications for COVID-19 infections in South Korea. <i>Industrial Health</i> , 2022, 61, 78-87.	1.0	0
6	Development of Korean CARcinogen EXposure: Assessment of the Exposure Intensity of Carcinogens by Industry. <i>Safety and Health at Work</i> , 2022, 13, 308-314.	0.6	1
7	High level of pre-treatment C-reactive protein to albumin ratio predicts inferior prognosis in diffuse large B-cell lymphoma. <i>Scientific Reports</i> , 2021, 11, 2674.	3.3	6
8	Relationship Between Shift Intensity and Insomnia Among Hospital Nurses in Korea: A Cross-sectional Study. <i>Journal of Preventive Medicine and Public Health</i> , 2021, 54, 46-54.	1.9	7
9	Development of Korean CARcinogen EXposure: An Initiative of the Occupational Carcinogen Surveillance System in Korea. <i>Annals of Work Exposures and Health</i> , 2021, 65, 528-538.	1.4	6
10	Prediction of clinical outcomes through assessment of sarcopenia and adipopenia using computed tomography in adult patients with acute myeloid leukemia. <i>International Journal of Hematology</i> , 2021, 114, 44-52.	1.6	18
11	Characteristics of the Molecular Weight of Polyhexamethylene Guanidine (PHMG) Used as a Household Humidifier Disinfectant. <i>Molecules</i> , 2021, 26, 4490.	3.8	7
12	Estimation of Lead Exposure Intensity by Industry Using Nationwide Exposure Databases in Korea. <i>Safety and Health at Work</i> , 2021, 12, 439-444.	0.6	8
13	Bayesian Extended Redundancy Analysis: A Bayesian Approach to Component-based Regression with Dimension Reduction. <i>Multivariate Behavioral Research</i> , 2020, 55, 30-48.	3.1	5
14	Association Between Sarcopenic Obesity and Pulmonary Function in Korean Elderly: Results from the Korean National Health and Nutrition Examination Survey. <i>Calcified Tissue International</i> , 2020, 106, 124-130.	3.1	12
15	Characteristics of Exposure to Chloromethylisothiazolinone (CMIT) and Methylisothiazolinone (MIT) among Humidifier Disinfectant-Associated Lung Injury (HDLI) Patients in South Korea. <i>Molecules</i> , 2020, 25, 5284.	3.8	11
16	Properties of Polyhexamethylene Guanidine (PHMG) Associated with Fatal Lung Injury in Korea. <i>Molecules</i> , 2020, 25, 3301.	3.8	24
17	Comparison of Polycyclic Aromatic Hydrocarbons Exposure Across Occupations Using Urinary Metabolite 1-Hydroxypyrene. <i>Annals of Work Exposures and Health</i> , 2020, 64, 445-454.	1.4	8
18	Characterization of Levels of Extremely Low Frequency Magnetic Fields Emitted From Portable Hand-Held Fans. <i>Bioelectromagnetics</i> , 2019, 40, 569-577.	1.6	1

#	ARTICLE	IF	CITATIONS
19	Characteristics of PM2.5 and Black Carbon Exposure Among Subway Workers. International Journal of Environmental Research and Public Health, 2019, 16, 2901.	2.6	12
20	Gender Differences in HIV/HSV-2: Evidence from a School Support Randomized Controlled Trial Among Orphaned Adolescents in Kenya. AIDS and Behavior, 2019, 23, 2396-2406.	2.7	6
21	O6D.3â€¦Evaluation of polycyclic aromatic hydrocarbons exposure across occupations in Korea using urinary metabolite 1-hydroxypyrene. Occupational and Environmental Medicine, 2019, 76, A57.3-A58.	2.8	0
22	O4A.4â€¦The relationship between shift work and sleep disturbance in hospital workers. Occupational and Environmental Medicine, 2019, 76, A33.1-A33.	2.8	0
23	Estimates of the Prevalence, Intensity and the Number of Workers Exposed to Cigarette Smoking across Occupations and Industries in Korea. Journal of Korean Medical Science, 2019, 34, e213.	2.5	10
24	Vitamin D status in South Korean population. Medicine (United States), 2018, 97, e11032.	1.0	92
25	1132â€¦Estimation of lead exposure prevalence in Korean population through combining multiple expertsâ€™ judgment based on objective data sources. , 2018, , .		0
26	1131â€¦Combining lead exposure measurements and expertsâ€™ opinion through a bayesian framework. , 2018, , .		0
27	Two high-risk susceptibility loci at 6p25.3 and 14q32.13 for WaldenstrÃ¶m macroglobulinemia. Nature Communications, 2018, 9, 4182.	12.8	15
28	Extremely Low Frequency-Magnetic Field (ELF-MF) Exposure Characteristics among Semiconductor Workers. International Journal of Environmental Research and Public Health, 2018, 15, 642.	2.6	10
29	Estimation of Lead Exposure Prevalence in Korean Population through Combining Multiple Expertsâ€™ Judgment based on Objective Data Sources. Annals of Work Exposures and Health, 2018, 62, 210-220.	1.4	5
30	Estimation of complex effect-size distributions using summary-level statistics from genome-wide association studies across 32 complex traits. Nature Genetics, 2018, 50, 1318-1326.	21.4	225
31	High Level of Pre-Treatment C-Reactive Protein-to-Albumin Ratio Predicts Inferior Prognosis in Diffuse Large B Cell Lymphoma. Blood, 2018, 132, 1709-1709.	1.4	1
32	Estimating 24â€¢Hour Urine Sodium From Multiple Spot Urine Samples. Journal of Clinical Hypertension, 2017, 19, 431-438.	2.0	12
33	Burdens of Cardiometabolic Diseases Attributable to Dietary and Metabolic Risks in Korean Adults 2012â€¢2013. Yonsei Medical Journal, 2017, 58, 540.	2.2	7
34	Combining Lead Exposure Measurements and Expertsâ€™ Judgment Through a Bayesian Framework. Annals of Work Exposures and Health, 2017, 61, 1054-1075.	1.4	7
35	Meta-analysis of genome-wide association studies discovers multiple loci for chronic lymphocytic leukemia. Nature Communications, 2016, 7, 10933.	12.8	94
36	Estimating change in cardiovascular disease and diabetes burdens due to dietary and metabolic factors in Korea 1998â€¢2011: a comparative risk assessment analysis. BMJ Open, 2016, 6, e013283.	1.9	8

#	ARTICLE	IF	CITATIONS
37	Genetically predicted longer telomere length is associated with increased risk of B-cell lymphoma subtypes. <i>Human Molecular Genetics</i> , 2016, 25, 1663-1676.	2.9	52
38	Winner's Curse Correction and Variable Thresholding Improve Performance of Polygenic Risk Modeling Based on Genome-Wide Association Study Summary-Level Data. <i>PLoS Genetics</i> , 2016, 12, e1006493.	3.5	98
39	Robust Association Tests for the Replication of Genome-Wide Association Studies. <i>BioMed Research International</i> , 2015, 2015, 1-10.	1.9	0
40	Projecting the performance of risk prediction based on polygenic analyses of genome-wide association studies. <i>Nature Genetics</i> , 2013, 45, 400-405.	21.4	350
41	Distribution of allele frequencies and effect sizes and their interrelationships for common genetic susceptibility variants. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 18026-18031.	7.1	249
42	Hundreds of variants clustered in genomic loci and biological pathways affect human height. <i>Nature</i> , 2010, 467, 832-838.	27.8	1,789
43	Estimation of effect size distribution from genome-wide association studies and implications for future discoveries. <i>Nature Genetics</i> , 2010, 42, 570-575.	21.4	609
44	Association analyses of 249,796 individuals reveal 18 new loci associated with body mass index. <i>Nature Genetics</i> , 2010, 42, 937-948.	21.4	2,634