Qijun Huang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2240923/publications.pdf

Version: 2024-02-01

430874 434195 1,162 72 18 31 h-index citations g-index papers 72 72 72 1044 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Real-Time Multilead Convolutional Neural Network for Myocardial Infarction Detection. IEEE Journal of Biomedical and Health Informatics, 2018, 22, 1434-1444.	6.3	124
2	Multiple-feature-branch convolutional neural network for myocardial infarction diagnosis using electrocardiogram. Biomedical Signal Processing and Control, 2018, 45, 22-32.	5.7	116
3	MFB-CBRNN: A Hybrid Network for MI Detection Using 12-Lead ECGs. IEEE Journal of Biomedical and Health Informatics, 2020, 24, 503-514.	6.3	78
4	A Novel Barrier Controlled Tunnel FET. IEEE Electron Device Letters, 2014, 35, 798-800.	3.9	56
5	Multi-information fusion neural networks for arrhythmia automatic detection. Computer Methods and Programs in Biomedicine, 2020, 193, 105479.	4.7	45
6	A novel ECG signal compression method using spindle convolutional auto-encoder. Computer Methods and Programs in Biomedicine, 2019, 175, 139-150.	4.7	44
7	A Numerical Study on Graphene Nanoribbon Heterojunction Dual-Material Gate Tunnel FET. IEEE Electron Device Letters, 2016, 37, 1354-1357.	3.9	32
8	Effects of vacancy defects on graphene nanoribbon field effect transistor. Micro and Nano Letters, 2013, 8, 816-821.	1.3	29
9	A hardware friendly unsupervised memristive neural network with weight sharing mechanism. Neurocomputing, 2019, 332, 193-202.	5.9	29
10	Energy gap tunable graphene antidot nanoribbon MOSFET: A uniform multiscale analysis from band structure to transport properties. Carbon, 2016, 101, 143-151.	10.3	27
11	Acceleration of LSTM With Structured Pruning Method on FPGA. IEEE Access, 2019, 7, 62930-62937.	4.2	27
12	Classification of VLF/LF Lightning Signals Using Sensors and Deep Learning Methods. Sensors, 2020, 20, 1030.	3.8	27
13	A Multilayer Neural Network Merging Image Preprocessing and Pattern Recognition by Integrating Diffusion and Drift Memristors. IEEE Transactions on Cognitive and Developmental Systems, 2021, 13, 645-656.	3.8	26
14	Band Structure Effects in Extremely Scaled Silicon Nanowire MOSFETs With Different Cross Section Shapes. IEEE Transactions on Electron Devices, 2015, 62, 3547-3553.	3.0	22
15	Monitor-Based Spiking Recurrent Network for the Representation of Complex Dynamic Patterns. International Journal of Neural Systems, 2019, 29, 1950006.	5.2	21
16	A Real Time QRS Detection Algorithm Based on ET and PD Controlled Threshold Strategy. Sensors, 2020, 20, 4003.	3.8	21
17	Graphene Nanoribbon Tunnel Field-Effect Transistor via Segmented Edge Saturation. IEEE Transactions on Electron Devices, 2017, 64, 2694-2701.	3.0	20
18	Threeâ€dimensional separate descendantâ€based SPIHT algorithm for fast compression of highâ€resolution medical image sequences. IET Image Processing, 2017, 11, 80-87.	2.5	19

#	Article	IF	Citations
19	A 28 GHz LNA using defected ground structure for 5G application. Microwave and Optical Technology Letters, 2018, 60, 1067-1072.	1.4	18
20	A \${K}\$ -Band High-Gain and Low-Noise Folded CMOS Mixer Using Current-Reuse and Cross-Coupled Techniques. IEEE Access, 2019, 7, 133218-133226.	4.2	18
21	The MBPEP: a deep ensemble pruning algorithm providing high quality uncertainty prediction. Applied Intelligence, 2019, 49, 2942-2955.	5.3	18
22	Novel Near-Lossless Compression Algorithm for Medical Sequence Images with Adaptive Block-Based Spatial Prediction. Journal of Digital Imaging, 2016, 29, 706-715.	2.9	17
23	Memristor-Based Image Enhancement: High Efficiency and Robustness. IEEE Transactions on Electron Devices, 2021, 68, 602-609.	3.0	17
24	Lossless medical image compression using geometry-adaptive partitioning and least square-based prediction. Medical and Biological Engineering and Computing, 2018, 56, 957-966.	2.8	16
25	A Multi-Classification Hybrid Quantum Neural Network Using an All-Qubit Multi-Observable Measurement Strategy. Entropy, 2022, 24, 394.	2.2	16
26	Highly Sensitive Bilayer Phosphorene Nanoribbon Pressure Sensor Based on the Energy Gap Modulation Mechanism: A Theoretical Study. IEEE Electron Device Letters, 2017, 38, 1313-1316.	3.9	15
27	Influence of Compact Memristors' Stability on Machine Learning. IEEE Access, 2019, 7, 47472-47478.	4.2	15
28	A Versatile and Accurate Compact Model of Memristor With Equivalent Resistor Topology. IEEE Electron Device Letters, 2017, 38, 1367-1370.	3.9	14
29	Effects of Fin shape on sub-10Ânm FinFETs. Journal of Computational Electronics, 2015, 14, 515-523.	2.5	13
30	Efficient Multispike Learning for Spiking Neural Networks Using Probability-Modulated Timing Method. IEEE Transactions on Neural Networks and Learning Systems, 2019, 30, 1984-1997.	11.3	13
31	DMMAN: A two-stage audio–visual fusion framework for sound separation and event localization. Neural Networks, 2021, 133, 229-239.	5.9	13
32	Scaling Effect of Phosphorene Nanoribbon - Uncovering the Origin of Asymmetric Current Transport. Scientific Reports, 2016, 6, 38009.	3.3	11
33	The Dual Effects of Gate Dielectric Constant in Tunnel FETs. IEEE Journal of the Electron Devices Society, 2016, 4, 445-450.	2.1	11
34	Restraining Strategy of the Stone–Wales Defect Effect on Graphene Nanoribbon MOSFETs. IEEE Electron Device Letters, 2018, 39, 1092-1095.	3.9	11
35	Asia-Pacific Lightning Location Network (APLLN) and Preliminary Performance Assessment. Remote Sensing, 2020, 12, 1537.	4.0	11
36	EvoMBN: Evolving Multi-Branch Networks on Myocardial Infarction Diagnosis Using 12-Lead Electrocardiograms. Biosensors, 2022, 12, 15.	4.7	11

#	Article	IF	CITATIONS
37	Novel Strategy of Edge Saturation Hamiltonian for Graphene Nanoribbon Devices. IEEE Transactions on Electron Devices, 2016, 63, 4514-4520.	3.0	10
38	Negative differential resistance in graphene nanoribbon superlattice fieldâ€effect transistors. Micro and Nano Letters, 2015, 10, 400-403.	1.3	9
39	High-Performance FPGA Implementation of Discrete Wavelet Transform for Image Processing. , 2011, , .		8
40	A D-Band Amplifier in 65 nm Bulk CMOS for Short-Distance Data Center Communication. IEEE Access, 2018, 6, 53191-53200.	4.2	8
41	Interface Coupling as a Crucial Factor for Spatial Localization of Electronic States in a Heterojunction of Graphene Nanoribbons. Physical Review Applied, 2019, 11, .	3.8	8
42	Steep-Slope Transistors Based on Chiral Graphene Nanoribbons With Intrinsic Cold Source. IEEE Transactions on Electron Devices, 2021, 68, 4123-4128.	3.0	8
43	A method for determining D region ionosphere reflection height from lightning skywaves. Journal of Atmospheric and Solar-Terrestrial Physics, 2021, 221, 105692.	1.6	8
44	Strain engineering of chevron graphene nanoribbons. Journal of Applied Physics, 2019, 125, .	2.5	7
45	Design of high-resolution quantization scheme with exp-Golomb code applied to compression of special images. Journal of Visual Communication and Image Representation, 2019, 65, 102684.	2.8	6
46	A D-band SPST switch using parallel-stripline swap with defected ground structure. IEICE Electronics Express, 2017, 14, 20171104-20171104.	0.8	6
47	Fast reconstruction with adaptive sampling in block compressed imaging. IEICE Electronics Express, 2014, 11, 20140056-20140056.	0.8	5
48	Prior knowledge input neural network method for GFET description. Journal of Computational Electronics, 2016, 15, 911-918.	2.5	5
49	Multiâ€valued logic design methodology with double negative differential resistance transistors. Micro and Nano Letters, 2017, 12, 738-743.	1.3	5
50	Dielectric Engineering With the Environment Material in 2-D Semiconductor Devices. IEEE Journal of the Electron Devices Society, 2018, 6, 325-331.	2.1	5
51	SVM-Based Synthetic Fingerprint Discrimination Algorithm and Quantitative Optimization Strategy. PLoS ONE, 2014, 9, e111099.	2.5	5
52	Graph representation-based machine learning framework for predicting electronic band structures of quantum-confined nanostructures. Science China Materials, 2022, 65, 3157-3170.	6.3	5
53	Wave-Function Symmetry Mechanism of Quantum-Well States in Graphene Nanoribbon Heterojunctions. Physical Review Applied, 2019, 12, .	3.8	4
54	A K-Band Active Up/Down Bidirectional Mixer in 130-nm CMOS. , 2021, , .		4

#	Article	IF	CITATIONS
55	An Implementation of SOPC-Based Neural Monitoring System. IEEE Transactions on Instrumentation and Measurement, 2012, 61, 2469-2475.	4.7	3
56	Micro-Strip Line $90\hat{a}^{\sim}$ Phase Shifter with Double Ground Slots for D-Band Applications. Journal of Circuits, Systems and Computers, 2018, 27, 1850192.	1.5	3
57	A K-Band High-Gain LNA in 0.13-Âμm RF CMOS. , 2019, , .		3
58	The reconstruction of the symmetry between sublattices: a strategy to improve the transport properties of edge-defective graphene nanoribbon transistors. Physical Chemistry Chemical Physics, 2020, 22, 18265-18271.	2.8	3
59	A K â€band highâ€gain power amplifier with slowâ€wave transmissionâ€line transformer in 130â€nm RF CMOS. International Journal of Circuit Theory and Applications, 2021, 49, 1347-1357.	2.0	3
60	New ECG Compression Method for Portable ECG Monitoring System Merged with Binary Convolutional Auto-Encoder and Residual Error Compensation. Biosensors, 2022, 12, 524.	4.7	3
61	High Precision Multicolorimetric Pyrometer With a Novel Photoelectric MOSFET. IEEE Transactions on Instrumentation and Measurement, 2014, 63, 680-686.	4.7	2
62	Hardware efficient architecture for compressed imaging. IEICE Electronics Express, 2014, 11, 20140562-20140562.	0.8	2
63	A novel photoelectric MOSFET with AC output under constant illumination. Optical and Quantum Electronics, 2009, 41, 795-803.	3.3	1
64	Accurate modeling of three-port center-tapped octagonal inductors for SPDT switch design in 0.13- \hat{l} /4m BiCMOS. , 2016, , .		1
65	A 22.5-30.5GHz CMOS Power Amplifier Using Pole-tuning Technique for 5G Applications. , 2019, , .		1
66	150-GHz SPDT switch with rat-race coupler topology in 0.13- $\hat{1}$ /4m SiGe BiCMOS. , 2015, , .		0
67	Cross-Sectional Shape Effects of Gate-All-Around Nanowire Field-Effect Transistors. Journal of Computational and Theoretical Nanoscience, 2015, 12, 5171-5178.	0.4	O
68	A sub-terahertz multi-pixel imaging system with surface wave resonator for isolation. , 2017, , .		0
69	Local Modification of Defective Edge Hamiltonian for Graphene Nanoribbon Devices. , 2018, , .		O
70	Back-Propagation Neural Network based on Analog Memristive Synapse. , 2018, , .		0
71	A 2.5-Gb/s CMOS optical receiver with wide dynamic range using dual AGCs. Analog Integrated Circuits and Signal Processing, 2019, 101, 229-235.	1.4	O
72	A <scp>24â€GHz</scp> active up/down bidirectional mixer in 130â€nm <scp>RF CMOS</scp> . International Journal of RF and Microwave Computer-Aided Engineering, 0, , .	1.2	0