

Yong-Tang Zheng

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/224137/publications.pdf>

Version: 2024-02-01

373
papers

26,451
citations

27035

58
h-index

10399

144
g-index

391
all docs

391
docs citations

391
times ranked

41412
citing authors

#	ARTICLE	IF	CITATIONS
1	A pair of new oxindole alkaloids isolated from <i>Uncaria macrophylla</i> . <i>Natural Product Research</i> , 2023, 37, 1258-1264.	1.0	5
2	Novel nucleocapsid protein-targeting phenanthridine inhibitors of SARS-CoV-2. <i>European Journal of Medicinal Chemistry</i> , 2022, 227, 113966.	2.6	17
3	C6-structural optimizations of 2-aryl-1H-pyrazole-S-DABOs: From anti-HIV to anti-DENV activity. <i>Bioorganic Chemistry</i> , 2022, 119, 105494.	2.0	10
4	CoV-501, a self-adjuvanting peptide vaccine conjugated with TLR7 agonists, against SARS-CoV-2 induces protective immunity. <i>Cell Discovery</i> , 2022, 8, 9.	3.1	12
5	Design, synthesis, discovery and SAR of the fused tricyclic derivatives of indoline and imidazolidinone against DENV replication and infection. <i>Bioorganic Chemistry</i> , 2022, 120, 105639.	2.0	11
6	Human immunodeficiency virus: The potential of medicinal plants as antiretroviral therapy. <i>Journal of Medical Virology</i> , 2022, 94, 2669-2674.	2.5	6
7	Total infectome characterization of respiratory infections in pre-COVID-19 Wuhan, China. <i>PLoS Pathogens</i> , 2022, 18, e1010259.	2.1	16
8	HIV-1 but not SIVmac239 induces higher interferon- γ antiviral state in chronic infected northern pig-tailed macaques (<i>Macaca leonina</i>). <i>Microbes and Infection</i> , 2022, , 104970.	1.0	1
9	A tandem-repeat dimeric RBD protein-based covid-19 vaccine zf2001 protects mice and nonhuman primates. <i>Emerging Microbes and Infections</i> , 2022, 11, 1058-1071.	3.0	63
10	Bromodomain and Extra-Terminal Inhibitor BMS-986158 Reverses Latent HIV-1 Infection In Vitro and Ex Vivo by Increasing CDK9 Phosphorylation and Recruitment. <i>Pharmaceuticals</i> , 2022, 15, 338.	1.7	3
11	Transcription Factor ZNF683 Inhibits SIV/HIV Replication through Regulating IFN γ Secretion of CD8+ T Cells. <i>Viruses</i> , 2022, 14, 719.	1.5	2
12	Identification of two novel HIV-1 circulating recombinant forms of CRF111_01C and CRF116_0108 in southwestern Yunnan, China. <i>Virulence</i> , 2022, 13, 19-29.	1.8	4
13	Combinational benefit of antihistamines and remdesivir for reducing SARS-CoV-2 replication and alleviating inflammation-induced lung injury in mice. <i>Zoological Research</i> , 2022, 43, 457-468.	0.9	3
14	Harnessing Natural Products by a Pharmacophore-Oriented Semisynthesis Approach for the Discovery of Potential Anti-SARS-CoV-2 Agents. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	7.2	7
15	One-Pot Synthesis of Novel Hydrazone-1,3,4-thiazolone-5-one Derivatives as Anti-HIV and Anti-Tubercular Agents: Synthesis, Biological Evaluation, Molecular Modelling and ADMET Studies. <i>Current HIV Research</i> , 2022, 20, 255-271.	0.2	1
16	Coronaviruses in wild animals sampled in and around Wuhan at the beginning of COVID-19 emergence. <i>Virus Evolution</i> , 2022, 8, .	2.2	15
17	Microplastics interact with SARS-CoV-2 and facilitate host cell infection. <i>Environmental Science: Nano</i> , 2022, 9, 2653-2664.	2.2	9
18	Resolving deep evolutionary relationships within the RNA virus phylum <i>Lenarviricota</i> . <i>Virus Evolution</i> , 2022, 8, .	2.2	11

#	ARTICLE	IF	CITATIONS
19	Plasma Virome Reveals Blooms and Transmission of Anellovirus in Intravenous Drug Users with HIV-1, HCV, and/or HBV Infections. <i>Microbiology Spectrum</i> , 2022, 10, .	1.2	7
20	Aging induces severe SIV infection accompanied by an increase in follicular CD8+ T cells with overactive STAT3 signaling. , 2022, 19, 1042-1053.		2
21	pH-sensitive chitosan nanoparticles loaded with dolutegravir as milk and food admixture for paediatric anti-HIV therapy. <i>Carbohydrate Polymers</i> , 2021, 256, 117440.	5.1	21
22	Dalbavancin binds ACE2 to block its interaction with SARS-CoV-2 spike protein and is effective in inhibiting SARS-CoV-2 infection in animal models. <i>Cell Research</i> , 2021, 31, 17-24.	5.7	86
23	Rapid generation of ACE2 humanized inbred mouse model for COVID-19 with tetraploid complementation. <i>National Science Review</i> , 2021, 8, nwaa285.	4.6	19
24	A proposal for clinical trials of COVID-19 treatment using homo-harringtonine. <i>National Science Review</i> , 2021, 8, nwaa257.	4.6	9
25	Northern pig-tailed macaques (<i>Macaca leonina&/i>) infected with SARS-CoV-2 show rapid viral clearance and persistent immune response. <i>Zoological Research</i> , 2021, 42, 350-353.	0.9	9
26	Particulate matter exposure exacerbates susceptibility to SARS-CoV-2 infection in humanized ACE2 mice. <i>Zoological Research</i> , 2021, 42, 335-338.	0.9	8
27	Lower respiratory tract samples are reliable for severe acute respiratory syndrome coronavirus 2 nucleic acid diagnosis and animal model study. <i>Zoological Research</i> , 2021, 42, 161-169.	0.9	6
28	Captopril alleviates lung inflammation in SARS-CoV-2-infected hypertensive mice. <i>Zoological Research</i> , 2021, 42, 633-636.	0.9	6
29	Tissue distribution of SARS-CoV-2 in non-human primates after combined intratracheal and intranasal inoculation. <i>Science China Life Sciences</i> , 2021, 64, 1792-1794.	2.3	5
30	SARS-CoV-2 M ^{pro} inhibitors with antiviral activity in a transgenic mouse model. <i>Science</i> , 2021, 371, 1374-1378.	6.0	324
31	S-Trimer, a COVID-19 subunit vaccine candidate, induces protective immunity in nonhuman primates. <i>Nature Communications</i> , 2021, 12, 1346.	5.8	133
32	Modification of N-terminal Î±-amine of proteins via biomimetic ortho-quinone-mediated oxidation. <i>Nature Communications</i> , 2021, 12, 2257.	5.8	23
33	Inherited OKT4 epitope deficiency in a Chinese rhesus macaque. <i>Journal of Medical Primatology</i> , 2021, 50, 185-188.	0.3	0
34	Stability of SARS-CoV-2 on the Surfaces of Three Meats in the Setting That Simulates the Cold Chain Transportation. <i>Virologica Sinica</i> , 2021, 36, 1069-1072.	1.2	23
35	SARS-CoV-2 envelope protein causes acute respiratory distress syndrome (ARDS)-like pathological damages and constitutes an antiviral target. <i>Cell Research</i> , 2021, 31, 847-860.	5.7	102
36	Tree Shrew Cells Transduced with Human CD4 and CCR5 Support Early Steps of HIV-1 Replication, but Viral Infectivity Is Restricted by APOBEC3. <i>Journal of Virology</i> , 2021, 95, e0002021.	1.5	3

#	ARTICLE	IF	CITATIONS
37	Interferon-armed RBD dimer enhances the immunogenicity of RBD for sterilizing immunity against SARS-CoV-2. <i>Cell Research</i> , 2021, 31, 1011-1023.	5.7	48
38	A recombinant receptor-binding domain in trimeric form generates protective immunity against SARS-CoV-2 infection in nonhuman primates. <i>Innovation(China)</i> , 2021, 2, 100140.	5.2	19
39	2021 Taxonomic update of phylum Negarnaviricota (Riboviria: Orthornavirae), including the large orders Bunyavirales and Mononegavirales. <i>Archives of Virology</i> , 2021, 166, 3513-3566.	0.9	62
40	Pro-inflammatory microenvironment and systemic accumulation of CXCR3+ cell exacerbate lung pathology of old rhesus macaques infected with SARS-CoV-2. <i>Signal Transduction and Targeted Therapy</i> , 2021, 6, 328.	7.1	11
41	Consistency of spatial dynamics of HIV-1 and HCV among HIV-1/HCV coinfecting drug users in China. <i>BMC Infectious Diseases</i> , 2021, 21, 1001.	1.3	0
42	Glucose Metabolism Disorder Induces Spermatogenic Dysfunction in Northern Pig-Tailed Macaques (<i>Macaca leonina</i>) With Long-Term SIVmac239 Infection. <i>Frontiers in Endocrinology</i> , 2021, 12, 745984.	1.5	0
43	Non-volatile acylphloroglucinol components from <i>Eucalyptus robusta</i> inhibit Zika virus by impairing RdRp activity of NS5. <i>Bioorganic Chemistry</i> , 2021, 116, 105303.	2.0	15
44	A pathogen-like antigen based vaccine confers immune protection against SARS-CoV-2 in non-human primates. <i>Cell Reports Medicine</i> , 2021, 2, 100448.	3.3	11
45	Cell membrane skeletal protein 4.1R participates in entry of Zika virus into cells. <i>Virus Research</i> , 2021, 306, 198593.	1.1	2
46	Jejunal epithelial barrier disruption triggered by reactive oxygen species in early SIV infected rhesus macaques. <i>Free Radical Biology and Medicine</i> , 2021, 177, 143-155.	1.3	6
47	Lyophyllin, a Mushroom Protein from the Peptidase M35 Superfamily Is an RNA N-Glycosidase. <i>International Journal of Molecular Sciences</i> , 2021, 22, 11598.	1.8	5
48	SARS-CoV-2-triggered mast cell rapid degranulation induces alveolar epithelial inflammation and lung injury. <i>Signal Transduction and Targeted Therapy</i> , 2021, 6, 428.	7.1	44
49	Hepatitis B Virus Virions Produced Under Nucleos(t)ide Analogue Treatment Are Mainly Not Infectious Because of Irreversible DNA Chain Termination. <i>Hepatology</i> , 2020, 71, 463-476.	3.6	24
50	An Alu Element Insertion in Intron 1 Results in Aberrant Alternative Splicing of APOBEC3G Pre-mRNA in Northern Pig-Tailed Macaques (<i>Macaca leonina</i>) That May Reduce APOBEC3G-Mediated Hypermutation Pressure on HIV-1. <i>Journal of Virology</i> , 2020, 94, .	1.5	2
51	CircGRIA1 shows an age-related increase in male macaque brain and regulates synaptic plasticity and synaptogenesis. <i>Nature Communications</i> , 2020, 11, 3594.	5.8	35
52	Identifying the Risk of SARS-CoV-2 Infection and Environmental Monitoring in Airborne Infectious Isolation Rooms (AIIRs). <i>Virologica Sinica</i> , 2020, 35, 785-792.	1.2	14
53	2020 taxonomic update for phylum Negarnaviricota (Riboviria: Orthornavirae), including the large orders Bunyavirales and Mononegavirales. <i>Archives of Virology</i> , 2020, 165, 3023-3072.	0.9	184
54	<i>Tupaia</i> MAVS Is a Dual Target during Hepatitis C Virus Infection for Innate Immune Evasion and Viral Replication via NF- κ B. <i>Journal of Immunology</i> , 2020, 205, 2091-2099.	0.4	13

#	ARTICLE	IF	CITATIONS
55	Diverse and abundant resistome in terrestrial and aquatic vertebrates revealed by transcriptional analysis. <i>Scientific Reports</i> , 2020, 10, 18870.	1.6	13
56	Meta-Transcriptomic Identification of Divergent Amnoonviridae in Fish. <i>Viruses</i> , 2020, 12, 1254.	1.5	16
57	Blood molecular markers associated with COVID-19 immunopathology and multi-organ damage. <i>EMBO Journal</i> , 2020, 39, e105896.	3.5	123
58	HIV-1 Drug Resistance in ART-Naïve Individuals in Myanmar. <i>Infection and Drug Resistance</i> , 2020, Volume 13, 1123-1132.	1.1	4
59	CD24Fc protects against viral pneumonia in simian immunodeficiency virus-infected Chinese rhesus monkeys. <i>Cellular and Molecular Immunology</i> , 2020, 17, 887-888.	4.8	33
60	Identification and characterization of Jingmen tick virus in rodents from Xinjiang, China. <i>Infection, Genetics and Evolution</i> , 2020, 84, 104411.	1.0	20
61	HTNV Sensitizes Host Toward TRAIL-Mediated Apoptosis—A Pivotal Anti-hantaviral Role of TRAIL. <i>Frontiers in Immunology</i> , 2020, 11, 1072.	2.2	6
62	Elevated exhaustion levels and reduced functional diversity of T cells in peripheral blood may predict severe progression in COVID-19 patients. <i>Cellular and Molecular Immunology</i> , 2020, 17, 541-543.	4.8	799
63	Engineering of Ribosome-inactivating Proteins for Improving Pharmacological Properties. <i>Toxins</i> , 2020, 12, 167.	1.5	19
64	A unique DNA-binding mode of African swine fever virus AP endonuclease. <i>Cell Discovery</i> , 2020, 6, 13.	3.1	13
65	A Genomic Perspective on the Origin and Emergence of SARS-CoV-2. <i>Cell</i> , 2020, 181, 223-227.	13.5	662
66	A new coronavirus associated with human respiratory disease in China. <i>Nature</i> , 2020, 579, 265-269.	13.7	9,370
67	Design, synthesis and anti-HIV evaluation of 5-alkyl-6-(benzo[d][1,3]dioxol-5-alkyl)-2-mercaptopyrimidin-4(3H)-ones as potent HIV-1 NNRTIs. <i>Bioorganic Chemistry</i> , 2020, 102, 104041.	2.0	5
68	Infection with novel coronavirus (SARS-CoV-2) causes pneumonia in Rhesus macaques. <i>Cell Research</i> , 2020, 30, 670-677.	5.7	194
69	Hepatitis C Virus Infection Caused by Infrequent Exposure in China Should Be of Concern. <i>Virologica Sinica</i> , 2020, 35, 481-485.	1.2	1
70	Natural-product-library-based screening for discovery of capsid C-terminal domain targeted HIV-1 inhibitors. <i>International Journal of Antimicrobial Agents</i> , 2020, 55, 105926.	1.1	4
71	Daphnane Diterpenoids from <i>Trigonostemon lii</i> and Inhibition Activities Against HIV-1. <i>Natural Products and Bioprospecting</i> , 2020, 10, 37-44.	2.0	2
72	The tsAPOBEC3 proteins restrict HBV replication and may limit the establishment of persistent infection in tree shrews. <i>Cellular and Molecular Immunology</i> , 2020, 17, 1107-1108.	4.8	2

#	ARTICLE	IF	CITATIONS
73	Laos is Affected by HIV CRF01_AE and the Newly Identified CRF97_01B. <i>Virologica Sinica</i> , 2020, 35, 538-547.	1.2	6
74	Longitudinal transcriptome analyses show robust T cell immunity during recovery from COVID-19. <i>Signal Transduction and Targeted Therapy</i> , 2020, 5, 294.	7.1	62
75	Extensive genetic diversity and host range of rodent-borne coronaviruses. <i>Virus Evolution</i> , 2020, 6, veaa078.	2.2	31
76	COVID-19-like symptoms observed in Chinese tree shrews infected with SARS-CoV-2. <i>Zoological Research</i> , 2020, 41, 517-526.	0.9	49
77	Delayed severe cytokine storm and immune cell infiltration in SARS-CoV-2-infected aged Chinese rhesus macaques. <i>Zoological Research</i> , 2020, 41, 503-516.	0.9	60
78	Successful implementation of intestinal resection and anastomosis in non-human primates suggests the possibility of longitudinal intestinal research. <i>Zoological Research</i> , 2020, 41, 449-454.	0.9	3
79	The New NNRTI ACC007 Combined with Lamivudine and Tenofovir Disoproxil Fumarate Show Synergy Anti-HIV Activity In Vitro. <i>Current HIV Research</i> , 2020, 18, 332-341.	0.2	9
80	Dimeric Pyranonaphthoquinone Glycosides with Anti-HIV and Cytotoxic Activities from a Soil-Derived <i>Streptomyces</i> . <i>Journal of Natural Products</i> , 2019, 82, 1813-1819.	1.5	21
81	Co-circulation of distinct shrew-borne hantaviruses in the far east of Russia. <i>Virus Research</i> , 2019, 272, 197717.	1.1	8
82	Identification and characterization of a novel subtype of Tula virus in <i>Microtus arvalis obscurus voles</i> sampled from Xinjiang, China. <i>Infection, Genetics and Evolution</i> , 2019, 75, 104012.	1.0	9
83	Epidemiology and Diversity of Rickettsiales Bacteria in Humans and Animals in Jiangsu and Jiangxi provinces, China. <i>Scientific Reports</i> , 2019, 9, 13176.	1.6	36
84	Design, synthesis, and biological evaluation of 2-amino-N-(2-methoxyphenyl)-6-((4-nitrophenyl)sulfonyl)benzamide derivatives as potent HIV-1 Vif inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2019, 29, 126638.	1.0	5
85	A HTRF based competitive binding assay for screening specific inhibitors of HIV-1 capsid assembly targeting the C-Terminal domain of capsid. <i>Antiviral Research</i> , 2019, 169, 104544.	1.9	9
86	Identification of a New HCV Subtype 6xg Among Injection Drug Users in Kachin, Myanmar. <i>Frontiers in Microbiology</i> , 2019, 10, 814.	1.5	9
87	Expanding the RNA Virosphere by Unbiased Metagenomics. <i>Annual Review of Virology</i> , 2019, 6, 119-139.	3.0	129
88	Successful implementation of intestinal endoscopy in non-human primates prompts the possibility of achieving AIDS longitudinal intestinal research. <i>Journal of Medical Primatology</i> , 2019, 48, 176-178.	0.3	2
89	Polymorphisms in the APOBEC3G gene of Chinese rhesus macaques affect resistance to ubiquitination and degradation mediated by HIV-2 Vif. <i>Archives of Virology</i> , 2019, 164, 1353-1360.	0.9	1
90	Discovery of a highly divergent hepadnavirus in shrews from China. <i>Virology</i> , 2019, 531, 162-170.	1.1	6

#	ARTICLE	IF	CITATIONS
91	Diversity and Evolution of Novel Invertebrate DNA Viruses Revealed by Meta-Transcriptomics. <i>Viruses</i> , 2019, 11, 1092.	1.5	16
92	Identification of Norovirus and Human Parechovirus in Patients With Hand, Foot and Mouth Disease Syndrome. <i>Pediatric Infectious Disease Journal</i> , 2019, 38, 1079-1084.	1.1	1
93	Superior intestinal integrity and limited microbial translocation are associated with lower immune activation in SIVmac239-infected northern pig-tailed macaques (&em>Macaca leonina&/em>). <i>Zoological Research</i> , 2019, 40, 522-531.	0.9	15
94	An "impact" in publishing. <i>Zoological Research</i> , 2019, 40, 239-240.	0.9	3
95	Using Metagenomics to Characterize an Expanding Virosphere. <i>Cell</i> , 2018, 172, 1168-1172.	13.5	219
96	Taxonomy of the family Arenaviridae and the order Bunyavirales: update 2018. <i>Archives of Virology</i> , 2018, 163, 2295-2310.	0.9	157
97	The evolutionary history of vertebrate RNA viruses. <i>Nature</i> , 2018, 556, 197-202.	13.7	596
98	Taxonomy of the order Mononegavirales: update 2018. <i>Archives of Virology</i> , 2018, 163, 2283-2294.	0.9	153
99	SJP-L-5 inhibits HIV-1 polypurine tract primed plus-strand DNA elongation, indicating viral DNA synthesis initiation at multiple sites under drug pressure. <i>Scientific Reports</i> , 2018, 8, 2574.	1.6	5
100	Molecular cloning and characterization of APOBEC3 family in tree shrew. <i>Gene</i> , 2018, 646, 143-152.	1.0	6
101	Comparison of HIV Status Between Transgender Women and Men Who Have Sex with Men: A Meta-Analysis. <i>Journal of the Association of Nurses in AIDS Care</i> , 2018, 29, 681-697.	0.4	2
102	Identification of the major histocompatibility complex class-II DM and DO alleles in a cohort of northern pig-tailed macaques (<i>Macaca leonina</i>). <i>Immunogenetics</i> , 2018, 70, 271-277.	1.2	3
103	Meta-transcriptomics and the evolutionary biology of RNA viruses. <i>Virus Research</i> , 2018, 243, 83-90.	1.1	120
104	Northern pig-tailed macaques (<i>Macaca leonina</i>) maintain superior CD4 ⁺ T cell homeostasis during SIVmac239 infection. <i>European Journal of Immunology</i> , 2018, 48, 384-385.	1.6	8
105	O-GalNAcylation of RANTES Improves Its Properties as a Human Immunodeficiency Virus Type 1 Entry Inhibitor. <i>Biochemistry</i> , 2018, 57, 136-148.	1.2	5
106	Extensive diversity and evolution of hepadnaviruses in bats in China. <i>Virology</i> , 2018, 514, 88-97.	1.1	16
107	Structure-Based Design of 1-Heteroaryl-1,3-propanediamine Derivatives as a Novel Series of CC-Chemokine Receptor 5 Antagonists. <i>Journal of Medicinal Chemistry</i> , 2018, 61, 9621-9636.	2.9	35
108	Host Restriction Factors APOBEC3G/3F and Other Interferon-Related Gene Expressions Affect Early HIV-1 Infection in Northern Pig-Tailed Macaque (<i>Macaca leonina</i>). <i>Frontiers in Immunology</i> , 2018, 9, 1965.	2.2	14

#	ARTICLE	IF	CITATIONS
109	Chemoselective synthesis of isolated and fused fluorenones and their photophysical and antiviral properties. <i>Organic and Biomolecular Chemistry</i> , 2018, 16, 7477-7487.	1.5	2
110	Activation of NF- κ B induced by TRIMCyp showing a discrepancy between owl monkey and northern pig-tailed macaque. <i>Molecular Immunology</i> , 2018, 101, 627-634.	1.0	3
111	Hit optimization studies of 3-hydroxy-indolin-2-one analogs as potential anti-HIV-1 agents. <i>Bioorganic Chemistry</i> , 2018, 79, 212-222.	2.0	19
112	CD24 and Fc fusion protein protects SIVmac239-infected Chinese rhesus macaque against progression to AIDS. <i>Antiviral Research</i> , 2018, 157, 9-17.	1.9	32
113	Burmese injecting drug users in Yunnan play a pivotal role in the cross-border transmission of HIV-1 in the China-Myanmar border region. <i>Virulence</i> , 2018, 9, 1195-1204.	1.8	20
114	Association of TRIMCyp and TRIM5 α from assam macaques leads to a functional trade-off between HIV-1 and N-MLV inhibition. <i>Science China Life Sciences</i> , 2018, 61, 954-965.	2.3	1
115	Novel tetrahydrofuran derivatives from <i>Trigonostemon howii</i> with their potential anti-HIV-1 activities. <i>Bioorganic Chemistry</i> , 2018, 79, 111-114.	2.0	20
116	The diversity, evolution and origins of vertebrate RNA viruses. <i>Current Opinion in Virology</i> , 2018, 31, 9-16.	2.6	51
117	Discovery of Novel Topoisomerase II Inhibitors by Medicinal Chemistry Approaches. <i>Journal of Medicinal Chemistry</i> , 2018, 61, 8947-8980.	2.9	79
118	Non-Chinese Immigrants: Challenge Faced by Yunnan of China to Achieve the 90-90-90 Goals. <i>Virologica Sinica</i> , 2018, 33, 291-293.	1.2	11
119	“ç”ÿè™«é€f éžă...ç–«ăŠÿèf 1/2ăă...”ă®;ă». <i>Zoological Research</i> , 2018, 39, 42-51.	0.9	2
120	14-Formyl-15-aryloxy/methoxymatine and 14-Aryloxymethylidenyl-matine Derivatives as Anti-HIV-1 Agents. <i>Medicinal Chemistry</i> , 2018, 14, 249-252.	0.7	5
121	Heroin use is associated with lower levels of restriction factors and type I interferon expression and facilitates HIV-1 replication. <i>Microbes and Infection</i> , 2017, 19, 288-294.	1.0	14
122	Synthesis, biological evaluation and molecular docking study of N-(2-methoxyphenyl)-6-((4-nitrophenyl)sulfonyl)benzamide derivatives as potent HIV-1 Vif antagonists. <i>European Journal of Medicinal Chemistry</i> , 2017, 129, 310-324.	2.6	22
123	Diversity, evolution and population dynamics of avian influenza viruses circulating in the live poultry markets in China. <i>Virology</i> , 2017, 505, 33-41.	1.1	24
124	Discovery of a Highly Divergent Coronavirus in the Asian House Shrew from China Illuminates the Origin of the Alphacoronaviruses. <i>Journal of Virology</i> , 2017, 91, .	1.5	37
125	Extensive diversity of coronaviruses in bats from China. <i>Virology</i> , 2017, 507, 1-10.	1.1	97
126	Extensive diversity of rickettsiales bacteria in ticks from Wuhan, China. <i>Ticks and Tick-borne Diseases</i> , 2017, 8, 574-580.	1.1	49

#	ARTICLE	IF	CITATIONS
127	Synthesis and study of anti-HIV-1 RT activity of 5-benzoyl-4-methyl-1,3,4,5-tetrahydro-2H-1,5-benzodiazepin-2-one derivatives. <i>Bioorganic Chemistry</i> , 2017, 72, 74-79.	2.0	35
128	Accelerated disease progression and robust innate host response in aged SIVmac239-infected Chinese rhesus macaques is associated with enhanced immunosenescence. <i>Scientific Reports</i> , 2017, 7, 37.	1.6	9
129	HIV-1 can infect northern pig-tailed macaques (<i>Macaca leonina</i>) and form viral reservoirs in vivo. <i>Science Bulletin</i> , 2017, 62, 1315-1324.	4.3	12
130	Characterization of classical major histocompatibility complex (MHC) class II genes in northern pig-tailed macaques (<i>Macaca leonina</i>). <i>Infection, Genetics and Evolution</i> , 2017, 56, 26-35.	1.0	6
131	Discovery of a Novel HIV-1 Integrase/p75 Interacting Inhibitor by Docking Screening, Biochemical Assay, and in Vitro Studies. <i>Journal of Chemical Information and Modeling</i> , 2017, 57, 2336-2343.	2.5	3
132	Predict disease progression from T cell phenotypes in northern pig-tailed macaques (<i>Macaca</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	2.0	12
133	Δ3-Deletion Isoform of HLA-A11 Modulates Cytotoxicity of NK Cells: Correlations with HIV-1 Infection of Cells. <i>Journal of Immunology</i> , 2017, 199, 2030-2042.	0.4	5
134	Design, synthesis and biological evaluation of indole derivatives as Vif inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2017, 27, 4150-4155.	1.0	13
135	Annotation and cluster analysis of spatiotemporal- and sex-related lncRNA expression in rhesus macaque brain. <i>Genome Research</i> , 2017, 27, 1608-1620.	2.4	113
136	Design, synthesis and anti-HIV-1 RT evaluation of 2-(benzyl(4-chlorophenyl)amino)-1-(piperazin-1-yl)ethanone derivatives. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2017, 27, 61-65.	1.0	16
137	Identification of Two New HIV-1 Circulating Recombinant Forms (CRF87_cpx and CRF88_BC) from Reported Unique Recombinant Forms in Asia. <i>AIDS Research and Human Retroviruses</i> , 2017, 33, 353-358.	0.5	14
138	Discovery of novel 3-hydroxypicolinamides as selective inhibitors of HIV-1 integrase-LEDGF/p75 interaction. <i>European Journal of Medicinal Chemistry</i> , 2017, 125, 1051-1063.	2.6	12
139	First Appearance of HIV-1 CRF07_BC and CRF08_BC Outside China. <i>AIDS Research and Human Retroviruses</i> , 2017, 33, 74-76.	0.5	13
140	First description of two new HIV-1 recombinant forms CRF82_cpx and CRF83_cpx among drug users in Northern Myanmar. <i>Virulence</i> , 2017, 8, 497-503.	1.8	20
141	Anti-HIV Activities and Mechanism of 12-O-Tricosanoylphorbol-20-acetate, a Novel Phorbol Ester from <i>Ostodes katharinae</i> . <i>Molecules</i> , 2017, 22, 1498.	1.7	18
142	Synthesis and Anti-HIV-1 Activity Evaluation for Novel 3a,6a-Dihydro-1H-pyrrolo[3,4-c]pyrazole-4,6-dione Derivatives. <i>Molecules</i> , 2016, 21, 1198.	1.7	22
143	Rational Design, Synthesis, Anti-HIV-1 RT and Anti-microbial Activity of Novel 2-(6,7-dimethoxy-3,4-dihydroisoquinolin-2(1H)-yl)-N-phenylpropanamide Derivatives. <i>Anti-Infective Agents</i> , 2016, 14, 63-73.	0.1	0
144	Translocation of microbes and changes of immunocytes in the gut of rapid and slow progressor Chinese rhesus macaques infected with SIVmac239. <i>Immunology</i> , 2016, 147, 443-452.	2.0	12

#	ARTICLE	IF	CITATIONS
145	Extensive genetic diversity of Rickettsiales bacteria in multiple mosquito species. <i>Scientific Reports</i> , 2016, 6, 38770.	1.6	87
146	Design, synthesis and anti-HIV-1 evaluation of hydrazide-based peptidomimetics as selective gelatinase inhibitors. <i>Bioorganic and Medicinal Chemistry</i> , 2016, 24, 2125-2136.	1.4	40
147	Taxonomy of the order Mononegavirales: update 2016. <i>Archives of Virology</i> , 2016, 161, 2351-2360.	0.9	407
148	Identification of novel and diverse rotaviruses in rodents and insectivores, and evidence of cross-species transmission into humans. <i>Virology</i> , 2016, 494, 168-177.	1.1	60
149	The effects of TRIM5 Δ polymorphism on HIV-2ROD and SIVmac239 replication in PBMCs from Chinese rhesus macaques and Vietnamese-origin cynomolgus macaques. <i>Virology</i> , 2016, 487, 222-229.	1.1	5
150	Lipopolysaccharide suppresses human immunodeficiency virus 1 reverse transcription in macrophages. <i>Archives of Virology</i> , 2016, 161, 3019-3027.	0.9	2
151	Engineered polymeric nanoparticles of Efavirenz: Dissolution enhancement through particle size reduction. <i>Chemical Engineering Science</i> , 2016, 155, 366-375.	1.9	15
152	Redefining the invertebrate RNA virosphere. <i>Nature</i> , 2016, 540, 539-543.	13.7	1,328
153	Factors associated with needle sharing among people who inject drugs in Yunnan, China: a combined network and regression analysis. <i>Infectious Diseases of Poverty</i> , 2016, 5, 73.	1.5	4
154	Aikeqing decreases viral loads in SHIV89.6-infected Chinese rhesus macaques. <i>Chinese Medicine</i> , 2016, 11, 31.	1.6	2
155	Rational design, synthesis, anti-HIV-1 RT and antimicrobial activity of novel 3-(6-methoxy-3,4-dihydroquinolin-1(2H)-yl)-1-(piperazin-1-yl)propan-1-one derivatives. <i>Bioorganic Chemistry</i> , 2016, 67, 75-83.	2.0	26
156	Increased expression and dysregulated association of restriction factors and type I interferon in HIV, HCV mono- and co-infected patients. <i>Journal of Medical Virology</i> , 2016, 88, 987-995.	2.5	11
157	High seroprevalence of toxoplasma gondii and HIV-1 co-infection among drug users in Yunnan province, southwest China. <i>Science China Life Sciences</i> , 2016, 59, 857-859.	2.3	4
158	Viral seroprevalence in northern pig-tailed macaques (<i>Macaca leonina</i>) derived from Ho Chi Minh City, Vietnam. <i>Primates</i> , 2016, 57, 413-419.	0.7	2
159	The emergence and cross species transmission of newly discovered tick-borne Bunyavirus in China. <i>Current Opinion in Virology</i> , 2016, 16, 126-131.	2.6	43
160	Cloning, sequencing, and polymorphism analysis of novel classical MHC class I alleles in northern pig-tailed macaques (<i>Macaca leonina</i>). <i>Immunogenetics</i> , 2016, 68, 261-274.	1.2	12
161	Design, synthesis and in-vitro evaluation of novel tetrahydroquinoline carbamates as HIV-1 RT inhibitor and their antifungal activity. <i>Bioorganic Chemistry</i> , 2016, 64, 66-73.	2.0	32
162	Divergent Viruses Discovered in Arthropods and Vertebrates Revise the Evolutionary History of the Flaviviridae and Related Viruses. <i>Journal of Virology</i> , 2016, 90, 659-669.	1.5	242

#	ARTICLE	IF	CITATIONS
163	Mitochondrial DNA Haplogroup A Decreases the Risk of Drug Addiction but Conversely Increases the Risk of HIV-1 Infection in Chinese Addicts. <i>Molecular Neurobiology</i> , 2016, 53, 3873-3881.	1.9	10
164	Diversity and evolution of avian influenza viruses in live poultry markets, free-range poultry and wild wetland birds in China. <i>Journal of General Virology</i> , 2016, 97, 844-854.	1.3	45
165	HCV Diversity among Chinese and Burmese IDUs in Dehong, Yunnan, China. <i>PLoS ONE</i> , 2016, 11, e0163062.	1.1	14
166	Molecular cloning and anti-HIV-1 activities of APOBEC3s from northern pig-tailed macaques (<i>Macaca Tj</i> ETQq0 0 0 rgBT /Overlock 10 TF	0.5	5
167	Meeting report: the 4 symposium on animal models of non-human primates in Kunming, Yunnan, China. <i>Zoological Research</i> , 2016, 37, 361-365.	0.9	0
168	SJP-L-5, a novel small-molecule compound, inhibits HIV-1 infection by blocking viral DNA nuclear entry. <i>BMC Microbiology</i> , 2015, 15, 274.	1.3	8
169	Lipopolysaccharide Increases Immune Activation and Alters T Cell Homeostasis in SHIVBâ€™™WHUChronically Infected Chinese Rhesus Macaque. <i>Journal of Immunology Research</i> , 2015, 2015, 1-13.	0.9	3
170	Unprecedented genomic diversity of RNA viruses in arthropods reveals the ancestry of negative-sense RNA viruses. <i>ELife</i> , 2015, 4, .	2.8	629
171	High immune activation and abnormal expression of cytokines contribute to death of SHIV89.6-infected Chinese rhesus macaques. <i>Archives of Virology</i> , 2015, 160, 1953-1966.	0.9	8
172	The Recombinant Maize Ribosome-Inactivating Protein Transiently Reduces Viral Load in SHIV89.6 Infected Chinese Rhesus Macaques. <i>Toxins</i> , 2015, 7, 156-169.	1.5	12
173	Kadcocinic Acids Aâ€™“J, Triterpene Acids from <i>Kadsura coccinea</i> . <i>Journal of Natural Products</i> , 2015, 78, 2067-2073.	1.5	23
174	Analysis of the complete mitochondrial genome and characterization of diverse NUMTs of <i>Macaca leonina</i> . <i>Gene</i> , 2015, 571, 279-285.	1.0	5
175	Fourteen types of co-circulating recombinant enterovirus were associated with hand, foot, and mouth disease in children from Wenzhou, China. <i>Journal of Clinical Virology</i> , 2015, 70, 29-38.	1.6	42
176	Identification of the novel N-phenylbenzenesulfonamide derivatives as potent HIV inhibitors. <i>Chinese Chemical Letters</i> , 2015, 26, 243-247.	4.8	4
177	The innate immune roles of host factors TRIM5Î± and Cyclophilin A on HIV-1 replication. <i>Medical Microbiology and Immunology</i> , 2015, 204, 557-565.	2.6	4
178	Near Full-Length Identification of a Novel HIV-1 CRF01_AE/B/C Recombinant in Northern Myanmar. <i>AIDS Research and Human Retroviruses</i> , 2015, 31, 845-850.	0.5	9
179	Characterization of a MAVS ortholog from the Chinese tree shrew (<i>Tupaia belangeri chinensis</i>). <i>Developmental and Comparative Immunology</i> , 2015, 52, 58-68.	1.0	19
180	The evolution and emergence of hantaviruses. <i>Current Opinion in Virology</i> , 2015, 10, 27-33.	2.6	73

#	ARTICLE	IF	CITATIONS
181	A SDF1 genetic variant confers resistance to HIV-1 infection in intravenous drug users in China. <i>Infection, Genetics and Evolution</i> , 2015, 34, 137-142.	1.0	4
182	Anti-HIV terpenoids from <i>Daphne aurantiaca</i> Diels. stems. <i>RSC Advances</i> , 2015, 5, 80254-80263.	1.7	21
183	Isolation and characterization of a novel arenavirus harbored by Rodents and Shrews in Zhejiang province, China. <i>Virology</i> , 2015, 476, 37-42.	1.1	57
184	Design, Synthesis, and Biological Evaluation of 1-(thiophen-2-yl)pyrido[3,4-b]indole Derivatives as Anti-HIV-1 Agents. <i>Chemical Biology and Drug Design</i> , 2015, 85, 722-728.	1.5	28
185	Discovery, diversity and evolution of novel coronaviruses sampled from rodents in China. <i>Virology</i> , 2015, 474, 19-27.	1.1	116
186	Longitudinal analysis reveals characteristically high proportions of bacterial vaginosis-associated bacteria and temporal variability of vaginal microbiota in northern pig-tailed macaques (<i>Macaca</i>)	1.0	10
187	Azvodine, A Novel Nucleoside Reverse Transcriptase Inhibitor Showed Good Drug Combination Features and Better Inhibition on Drug-Resistant Strains than Lamivudine In Vitro. <i>PLoS ONE</i> , 2014, 9, e105617.	1.1	54
188	Independent Birth of a Novel TRIM5 in <i>Tupaia belangeri</i> with a Divergent Function from Its Paralog TRIM5. <i>Molecular Biology and Evolution</i> , 2014, 31, 2985-2997.	3.5	17
189	Structure and bioactivity of triterpenoids from the stems of <i>Schisandra sphenanthera</i> . <i>Archives of Pharmacal Research</i> , 2014, 37, 168-174.	2.7	27
190	1,4-Bis(5-(naphthalen-1-yl)thiophen-2-yl)naphthalene, a small molecule, functions as a novel anti-HIV-1 inhibitor targeting the interaction between integrase and cellular Lens epithelium-derived growth factor. <i>Chemico-Biological Interactions</i> , 2014, 213, 21-27.	1.7	14
191	Discovery of hantaviruses in bats and insectivores and the evolution of the genus <i>Hantavirus</i> . <i>Virus Research</i> , 2014, 187, 15-21.	1.1	48
192	A splice variant of HLA-A with a deletion of exon 3 expressed as nonmature cell-surface glycoproteins forms a heterodimeric structure with full-length HLA-A. <i>Human Immunology</i> , 2014, 75, 234-238.	1.2	7
193	Wikstroelide M potently inhibits HIV replication by targeting reverse transcriptase and integrase nuclear translocation. <i>Chinese Journal of Natural Medicines</i> , 2014, 12, 186-193.	0.7	13
194	Design and discovery of flavonoid-based HIV-1 integrase inhibitors targeting both the active site and the interaction with LEDGF/p75. <i>Bioorganic and Medicinal Chemistry</i> , 2014, 22, 3146-3158.	1.4	52
195	What is the time-scale of hantavirus evolution?. <i>Infection, Genetics and Evolution</i> , 2014, 25, 144-145.	1.0	15
196	Engineering a switch-on peptide to ricin A chain for increasing its specificity towards HIV-infected cells. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2014, 1840, 958-963.	1.1	11
197	Discovery of a novel HIV-1 integrase inhibitor from natural compounds through structure based virtual screening and cell imaging. <i>FEBS Letters</i> , 2014, 588, 3461-3468.	1.3	7
198	Co-circulation of multiple species of Rickettsiales bacteria in one single species of hard ticks in Shenyang, China. <i>Ticks and Tick-borne Diseases</i> , 2014, 5, 727-733.	1.1	35

#	ARTICLE	IF	CITATIONS
199	Co-circulation of Hantaan, Kenkeme, and Khabarovsk Hantaviruses in Bolshoy Ussuriysky Island, China. <i>Virus Research</i> , 2014, 191, 51-58.	1.1	15
200	Diverse forms of HIV-1 among Burmese long-distance truck drivers imply their contribution to HIV-1 cross-border transmission. <i>BMC Infectious Diseases</i> , 2014, 14, 463.	1.3	17
201	Extensive diversity of Rickettsiales bacteria in two species of ticks from China and the evolution of the Rickettsiales. <i>BMC Evolutionary Biology</i> , 2014, 14, 167.	3.2	97
202	Anti-HIV-1 tigliane diterpenoids from <i>Excoecaria acertifolia</i> Didr. <i>FÄ-toterapÄ-Äç</i> , 2014, 95, 34-41.	1.1	19
203	Aged Chinese rhesus macaques suffer severe phenotypic T- and B-cell aging accompanied with sex differences. <i>Experimental Gerontology</i> , 2014, 55, 113-119.	1.2	24
204	Biodiversity and evolution of Imjin virus and Thottapalayam virus in Crocidurinae shrews in Zhejiang Province, China. <i>Virus Research</i> , 2014, 189, 114-120.	1.1	16
205	Replication potentials of HIV-1/HSIV in PBMCs from northern pig-tailed macaque (<i>Macaca leonina</i>). <i>Zoological Research</i> , 2014, 35, 186-95.	0.6	11
206	Analysis of immunoglobulin, complements and CRP levels in serum of captive northern pig-tailed macaques (<i>Macaca leonina</i>). <i>Zoological Research</i> , 2014, 35, 196-203.	0.6	12
207	Co-Circulation of Multiple Hemorrhagic Fever Diseases with Distinct Clinical Characteristics in Dandong, China. <i>PLoS ONE</i> , 2014, 9, e89896.	1.1	9
208	Experimental primates and non-human primate (NHP) models of human diseases in China: current status and progress. <i>Zoological Research</i> , 2014, 35, 447-64.	0.6	43
209	Flow cytometric characterizations of leukocyte subpopulations in the peripheral blood of northern pig-tailed macaques (<i>Macaca leonina</i>). <i>Zoological Research</i> , 2014, 35, 465-73.	0.6	8
210	The depolymerized fucosylated chondroitin sulfate from sea cucumber potently inhibits HIV replication via interfering with virus entry. <i>Carbohydrate Research</i> , 2013, 380, 64-69.	1.1	64
211	Phenolic constituents from <i>Parakmeria yunnanensis</i> and their anti-HIV-1 activity. <i>Archives of Pharmacal Research</i> , 2013, 36, 1223-1230.	2.7	8
212	Anti-HIV active daphnane diterpenoids from <i>Trigonostemon thyrsoides</i> . <i>Phytochemistry</i> , 2013, 96, 360-369.	1.4	25
213	Genome of the Chinese tree shrew. <i>Nature Communications</i> , 2013, 4, 1426.	5.8	284
214	Six new lignans from the leaves and stems of <i>Schisandra sphenanthera</i> . <i>FÄ-toterapÄ-Äç</i> , 2013, 86, 171-177.	1.1	26
215	Terpenoids and their anti-HIV-1 activities from <i>Excoecaria acerifolia</i> . <i>FÄ-toterapÄ-Äç</i> , 2013, 91, 224-230.	1.1	13
216	Molecular characterization, balancing selection, and genomic organization of the tree shrew (<i>Tupaia</i>) Tj ETQq0 0 0 rBT /Overlock 10 Tt	1.0	23

#	ARTICLE	IF	CITATIONS
217	Dibenzocyclooctadiene Lignans and Norlignans from Fruits of <i>Schisandra wilsoniana</i> . Journal of Natural Products, 2013, 76, 250-255.	1.5	18
218	Molecular survey of hard ticks in endemic areas of tick-borne diseases in China. Ticks and Tick-borne Diseases, 2013, 4, 288-296.	1.1	63
219	Daphnane diterpenoids from the stems of <i>Trigonostemon lii</i> and their anti-HIV-1 activity. Phytochemistry, 2013, 93, 216-221.	1.4	22
220	Bioactive Dibenzocyclooctadiene Lignans from the Stems of <i>Schisandra neglecta</i> . Journal of Natural Products, 2013, 76, 1052-1057.	1.5	36
221	Identification and characterization of a novel splice variant of rhesus macaque MHC IA. Molecular Immunology, 2013, 53, 206-213.	1.0	6
222	Kadcotrones A: Tricyclic Triterpenoids from <i>Kadsura coccinea</i> . Journal of Natural Products, 2013, 76, 2350-2354.	1.5	40
223	New 23-Spirocholestane Derivatives from <i>Ypsilandra thibetica</i> . Planta Medica, 2013, 79, 1063-1067.	0.7	8
224	Ongoing Spillover of Hantaan and Gou Hantaviruses from Rodents Is Associated with Hemorrhagic Fever with Renal Syndrome (HFRS) in China. PLoS Neglected Tropical Diseases, 2013, 7, e2484.	1.3	13
225	Phylogeny and Origins of Hantaviruses Harbored by Bats, Insectivores, and Rodents. PLoS Pathogens, 2013, 9, e1003159.	2.1	240
226	DB-02, a C-6-Cyclohexylmethyl Substituted Pyrimidinone HIV-1 Reverse Transcriptase Inhibitor with Nanomolar Activity, Displays an Improved Sensitivity against K103N or Y181C Than S-DABOs. PLoS ONE, 2013, 8, e81489.	1.1	21
227	Bioactive Lignans from the Leaves and Stems of <i>Schisandra wilsoniana</i> . Natural Product Communications, 2013, 8, 1934578X1300800.	0.2	1
228	Microwave-Assisted Combinatorial Synthesis of 2-Alkyl-2-(N-Arylsulfonylindol-1-yl)pyridines. Throughput Screening, 2013, 16, 400-407.	0.6	6
229	New Triterpenoids from the Fruits of <i>Schisandra wilsoniana</i> and Their Biological Activities. Bulletin of the Korean Chemical Society, 2013, 34, 827-830.	1.0	8
230	Cycloartane Triterpenoids from <i>Cassia occidentalis</i> . Planta Medica, 2012, 78, 821-827.	0.7	17
231	Pathogenicity of a natural reassortant hantavirus CGRN9415 in newborn rats and newborn mice. Journal of General Virology, 2012, 93, 1017-1022.	1.3	3
232	Inhibitory effects of chloroquine on the activation of plasmacytoid dendritic cells in SIVmac239-infected Chinese rhesus macaques. Cellular and Molecular Immunology, 2012, 9, 410-416.	4.8	9
233	The β 2-Microglobulin-Free Heterodimerization of Rhesus Monkey MHC Class I A with Its Normally Spliced Variant Reduces the Ubiquitin-Dependent Degradation of MHC Class I A. Journal of Immunology, 2012, 188, 2285-2296.	0.4	10
234	Hemorrhagic Fever Caused by a Novel Bunyavirus in China: Pathogenesis and Correlates of Fatal Outcome. Clinical Infectious Diseases, 2012, 54, 527-533.	2.9	228

#	ARTICLE	IF	CITATIONS
235	Infection and pathogenesis of Huaiyangshan virus (a novel tick-borne bunyavirus) in laboratory rodents. <i>Journal of General Virology</i> , 2012, 93, 1288-1293.	1.3	63
236	Extensive and complex HIV-1 recombination between Bâ€™™, C and CRF01_AE among IDUs in south-east Asia. <i>Aids</i> , 2012, 26, 1121-1129.	1.0	54
237	Repositioning HIV-1 Integrase Inhibitors for Cancer Therapeutics: 1,6-Naphthyridine-7-carboxamide as a Promising Scaffold with Drug-like Properties. <i>Journal of Medicinal Chemistry</i> , 2012, 55, 9492-9509.	2.9	46
238	Synthesis, structureâ€™“activity relationships, and docking studies of N-phenylarylformamide derivatives (PAFAs) as non-nucleoside HIV reverse transcriptase inhibitors. <i>European Journal of Medicinal Chemistry</i> , 2012, 58, 504-512.	2.6	4
239	A new N-containing cucurbitacin from <i>Hemsleya endecaphylla</i> . <i>Chemistry of Natural Compounds</i> , 2012, 48, 591-593.	0.2	2
240	Kadcoccitones A and B, Two New 6/6/5/5-Fused Tetracyclic Triterpenoids from <i>Kadsura coccinea</i> . <i>Organic Letters</i> , 2012, 14, 6362-6365.	2.4	40
241	Cucurbitane triterpenoids from <i>Hemsleya penxianensis</i> . <i>Natural Products and Bioprospecting</i> , 2012, 2, 138-144.	2.0	14
242	Structural modifications of 5,6-dihydroxypyrimidines with anti-HIV activity. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2012, 22, 7114-7118.	1.0	6
243	Schilancitrilactones Aâ€™“C: Three Unique Nortriterpenoids from <i>Schisandra lancifolia</i> . <i>Organic Letters</i> , 2012, 14, 1286-1289.	2.4	48
244	Benzophenone glycosides and epicatechin derivatives from <i>Malaria oleifera</i> . <i>FÃ–toterapÃ–Ã–</i> , 2012, 83, 1068-1071.	1.1	12
245	Discovery of Inhibitors To Block Interactions of HIV-1 Integrase with Human LEDGF/p75 via Structure-Based Virtual Screening and Bioassays. <i>Journal of Medicinal Chemistry</i> , 2012, 55, 10108-10117.	2.9	41
246	Anti-HIV activities of extracts from Pu-erh tea. <i>Chinese Journal of Natural Medicines</i> , 2012, 10, 347-352.	0.7	4
247	Phylogenetics of HIV-1 unique recombinant forms in Chinaâ€™“Myanmar border: Implication for HIV-1 transmission to Myanmar from Dehong, China. <i>Infection, Genetics and Evolution</i> , 2012, 12, 1944-1948.	1.0	14
248	Potent Anti-HIV Activities and Mechanisms of Action of a Pine Cone Extract from <i>Pinus yunnanensis</i> . <i>Molecules</i> , 2012, 17, 6916-6929.	1.7	21
249	Discovery of 5,6-Dihydro-indolo[1,2-a]quinoxaline Derivatives as New HIV-1 Inhibitors In Vitro. <i>Letters in Drug Design and Discovery</i> , 2012, 9, 44-47.	0.4	22
250	The Ecology, Genetic Diversity, and Phylogeny of Huaiyangshan Virus in China. <i>Journal of Virology</i> , 2012, 86, 2864-2868.	1.5	182
251	Dynamics and functions of CD4+CD25high regulatory T lymphocytes in Chinese rhesus macaques during the early stage of infection with SIMmac239. <i>Archives of Virology</i> , 2012, 157, 961-967.	0.9	6
252	Three new arylnaphthalene lignans from <i>Schisandra propinqua</i> var. <i>sinensis</i> . <i>FÃ–toterapÃ–Ã–</i> , 2012, 83, 249-252.	1.1	7

#	ARTICLE	IF	CITATIONS
253	Synthesis and biological evaluation of novel amprenavir-based P1-substituted bi-aryl derivatives as ultra-potent HIV-1 protease inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2012, 22, 1976-1979.	1.0	16
254	The genetic variation of CCR5, CXCR4 and SDF-1 in three Chinese ethnic populations. <i>Infection, Genetics and Evolution</i> , 2012, 12, 1072-1078.	1.0	7
255	NHERF1 regulates gp120-induced internalization and signaling by CCR5, and HIV-1 production. <i>European Journal of Immunology</i> , 2012, 42, 299-310.	1.6	10
256	Synthesis of New 2-(N-Arylsulfonylindol-3-yl)-3-aryl-1,3-thiazolidin-4-ones as HIV-1 Inhibitors In Vitro. <i>Letters in Drug Design and Discovery</i> , 2012, 9, 415-420.	0.4	2
257	Chemical Constituents and Their Bioactivities of <i>Zingiber officinale</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2011, 59, 11690-11695.	2.4	49
258	Tigliane-Type Diterpenoid Glycosides from <i>Euphorbia fischeriana</i> . <i>Journal of Natural Products</i> , 2011, 74, 1508-1512.	1.5	59
259	Sesquiterpene and Norsesquiterpene Derivatives from <i>Sanicula lamelligera</i> and Their Biological Evaluation. <i>Journal of Natural Products</i> , 2011, 74, 1521-1525.	1.5	17
260	Effect of Plasma Viremia on Apoptosis and Immunophenotype of Dendritic Cells Subsets in Acute SIVmac239 Infection of Chinese Rhesus Macaques. <i>PLoS ONE</i> , 2011, 6, e29036.	1.1	5
261	Neolignans from <i>Schisandra wilsoniana</i> and Their Anti-human Immunodeficiency Virus-1 Activities. <i>Chemical and Pharmaceutical Bulletin</i> , 2011, 59, 1344-1347.	0.6	9
262	Mangiferin, an Anti-HIV-1 Agent Targeting Protease and Effective against Resistant Strains. <i>Molecules</i> , 2011, 16, 4264-4277.	1.7	62
263	Synthesis and biological evaluation of HQCAs with aryl or benzyl substituents on N-1 position as potential HIV-1 integrase inhibitors. <i>Bioorganic and Medicinal Chemistry</i> , 2011, 19, 5553-5558.	1.4	10
264	Synthesis and biological evaluation of naphthyl phenyl ethers (NPEs) as novel nonnucleoside HIV-1 reverse transcriptase inhibitors. <i>Bioorganic and Medicinal Chemistry</i> , 2011, 19, 4220-4226.	1.4	15
265	Three new nortriterpenoids from <i>Schisandra wilsoniana</i> and their anti-HIV-1 activities. <i>Natural Products and Bioprospecting</i> , 2011, 1, 33-36.	2.0	8
266	Synthesis and biological activity of naphthyl-substituted (B-ring) benzophenone derivatives as novel non-nucleoside HIV-1 reverse transcriptase inhibitors. <i>Bioorganic and Medicinal Chemistry</i> , 2011, 19, 4601-4607.	1.4	16
267	Structural modifications of quinolone-3-carboxylic acids with anti-HIV activity. <i>Bioorganic and Medicinal Chemistry</i> , 2011, 19, 5039-5045.	1.4	15
268	Synthesis and biological evaluation of (±)-benzhydrol derivatives as potent non-nucleoside HIV-1 reverse transcriptase inhibitors. <i>Bioorganic and Medicinal Chemistry</i> , 2011, 19, 4704-4709.	1.4	6
269	Synthesis and biological evaluation of novel dihydro-aryl/alkylsulfanyl-cyclohexylmethyl-oxypyrimidines (S-DACOs) as high active anti-HIV agents. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2011, 21, 694-697.	1.0	34
270	Zinc-finger antiviral protein inhibits HIV-1 infection by selectively targeting multiply spliced viral mRNAs for degradation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 15834-15839.	3.3	239

#	ARTICLE	IF	CITATIONS
271	A Novel Enzyme-Linked Immunosorbent Assay for Screening HIV-1 Fusion Inhibitors Targeting HIV-1 Gp41 Core Structure. <i>Journal of Biomolecular Screening</i> , 2011, 16, 221-229.	2.6	8
272	Comparison of HIV-, HBV-, HCV- and Co-Infection Prevalence between Chinese and Burmese Intravenous Drug Users of the China-Myanmar Border Region. <i>PLoS ONE</i> , 2011, 6, e16349.	1.1	49
273	Anti HIV-1 Agents 7. Discovery of 1-Hydroxy-4-chloro-9,10-anthraquinone Derivatives as New HIV-1 Inhibitors in Vitro. <i>Letters in Drug Design and Discovery</i> , 2011, 8, 602-605.	0.4	1
274	Hemorrhagic fever caused by a novel tick-borne Bunyavirus in Huaiyangshan, China. <i>Zhonghua Liu Xing Bing Xue Za Zhi = Zhonghua Liuxingbingxue Zazhi</i> , 2011, 32, 209-20.	3.0	65
275	Dibenzocyclooctadiene Lignans from <i>Schisandra lancifolia</i> and Their Anti-human Immunodeficiency Virus-1 Activities. <i>Chemical and Pharmaceutical Bulletin</i> , 2010, 58, 734-737.	0.6	17
276	Chemical Constituents from the Leaves and Stems of <i>Schisandra lancifolia</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2010, 58, 852-855.	0.6	13
277	Anti-human Immunodeficiency Virus-1 Constituents of the Bark of <i>Poncirus trifoliata</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2010, 58, 971-975.	0.6	22
278	Anti Human Immunodeficiency Virus Type 1 (HIV-1) Agents 4. Discovery of 5,5'-(p-Phenylenebisazo)-8-hydroxyquinoline Sulfonates as New HIV-1 Inhibitors in Vitro. <i>Chemical and Pharmaceutical Bulletin</i> , 2010, 58, 976-979.	0.6	7
279	Anti-HIV-1 activity of lignans from the fruits of <i>Schisandra rubriflora</i> . <i>Archives of Pharmacal Research</i> , 2010, 33, 697-701.	2.7	19
280	Anthraquinones and Lignans from <i>Cassia occidentalis</i> . <i>Helvetica Chimica Acta</i> , 2010, 93, 1795-1802.	1.0	18
281	7,8-Bisecolignans from <i>Schisandra wilsoniana</i> and Their Anti-HIV-1 Activities. <i>Chemistry and Biodiversity</i> , 2010, 7, 2692-2701.	1.0	23
282	Hantaviruses in small mammals and humans in the coastal region of Zhejiang Province, China. <i>Journal of Medical Virology</i> , 2010, 82, 987-995.	2.5	17
283	Expression of syncytin in leukemia and lymphoma cells. <i>Leukemia Research</i> , 2010, 34, 1195-1202.	0.4	28
284	Daphnane diterpenoids isolated from <i>Trigonostemon thyrsoideum</i> as HIV-1 antivirals. <i>Phytochemistry</i> , 2010, 71, 1879-1883.	1.4	40
285	Anti HIV-1 agents 5: Synthesis and anti-HIV-1 activity of some N-arylsulfonyl-3-acetylindoles in vitro. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010, 20, 3534-3536.	1.0	30
286	The Anti-HIV Actions of 7- and 10-Substituted Camptothecins. <i>Molecules</i> , 2010, 15, 138-148.	1.7	14
287	A switch-on mechanism to activate maize ribosome-inactivating protein for targeting HIV-infected cells. <i>Nucleic Acids Research</i> , 2010, 38, 6803-6812.	6.5	29
288	Anti-HIV Activities of the Compounds Isolated from <i>Polygonum cuspidatum</i> and <i>Polygonum multiflorum</i> . <i>Planta Medica</i> , 2010, 76, 889-892.	0.7	50

#	ARTICLE	IF	CITATIONS
289	Dibenzocyclooctadiene Lignans from <i>Schisandra wilsoniana</i> and Their Anti-HIV-1 Activities. <i>Journal of Natural Products</i> , 2010, 73, 915-919.	1.5	42
290	Chemical Constituents from the Leaves and Stems of <i>Schisandra rubriflora</i> . <i>Journal of Natural Products</i> , 2010, 73, 221-225.	1.5	31
291	Highly Functionalized Daphnane Diterpenoids from <i>Trigonostemon thyrsoideum</i> . <i>Organic Letters</i> , 2010, 12, 152-155.	2.4	44
292	Dibenzocyclooctadiene lignans from the fruits of <i>Schisandra wilsoniana</i> and their anti-HIV-1 activities. <i>Journal of Asian Natural Products Research</i> , 2010, 12, 470-476.	0.7	16
293	Anti HIV-1 Agents 2. Discovery of Dibenzofurans as New HIV-1 Inhibitors In Vitro. <i>Letters in Drug Design and Discovery</i> , 2009, 6, 178-180.	0.4	1
294	Current Peptide HIV Type-1 Fusion Inhibitors. <i>Antiviral Chemistry and Chemotherapy</i> , 2009, 20, 1-18.	0.3	36
295	Synthesis and Anti-Human Immunodeficiency Virus Type 1 Activity of (E)-N-Phenylstyryl-N-alkylacetamide Derivatives. <i>Molecules</i> , 2009, 14, 3176-3186.	1.7	5
296	Calycosin 7-O-β-D-glucopyranoside, an anti-HIV agent from the roots of <i>Astragalus membranaceus</i> var. <i>mongholicus</i> . <i>Chemistry of Natural Compounds</i> , 2009, 45, 282-285.	0.2	7
297	The Influence of Age and Sex on the Cell Counts of Peripheral Blood Leukocyte Subpopulations in Chinese Rhesus Macaques. <i>Cellular and Molecular Immunology</i> , 2009, 6, 433-440.	4.8	56
298	Velleratreol, an unusual highly functionalized lactarane sesquiterpene from <i>Lactarius vellereus</i> . <i>Journal of Antibiotics</i> , 2009, 62, 129-132.	1.0	7
299	Schilancidilactones A and B: two novel tetranortriterpenoids with an unprecedented skeleton from <i>Schisandra lancifolia</i> . <i>Tetrahedron Letters</i> , 2009, 50, 5962-5964.	0.7	30
300	Kuguacins A-S, cucurbitane triterpenoids from <i>Momordica charantia</i> . <i>Phytochemistry</i> , 2009, 70, 133-140.	1.4	80
301	Lignans with Anti-HIV Activity from <i>Schisandra propinqua</i> var. <i>sinensis</i> . <i>Journal of Natural Products</i> , 2009, 72, 1133-1141.	1.5	45
302	Sifuvirtide, a potent HIV fusion inhibitor peptide. <i>Biochemical and Biophysical Research Communications</i> , 2009, 382, 540-544.	1.0	73
303	Genotyping of TRIM5 locus in northern pig-tailed macaques (<i>Macaca leonina</i>), a primate species susceptible to Human Immunodeficiency Virus type 1 infection. <i>Retrovirology</i> , 2009, 6, 58.	0.9	41
304	Synthesis of Zidovudine Derivatives with Anti-HIV-1 and Antibacterial Activities. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2009, 28, 89-102.	0.4	8
305	Lycojapodine A, a Novel Alkaloid from <i>Lycopodium japonicum</i> . <i>Organic Letters</i> , 2009, 11, 1397-1400.	2.4	66
306	Bioactive Nortriterpenoids from <i>Schisandra grandiflora</i> . <i>Journal of Natural Products</i> , 2009, 72, 1678-1681.	1.5	34

#	ARTICLE	IF	CITATIONS
307	Anti Human Immunodeficiency Virus-1 (HIV-1) Agents 1. Discovery of Benzyl Phenyl Ethers as New HIV-1 Inhibitors in Vitro. <i>Chemical and Pharmaceutical Bulletin</i> , 2009, 57, 84-86.	0.6	16
308	Anti Human Immunodeficiency Virus-1 (HIV-1) Agents 3. Synthesis and in Vitro Anti-HIV-1 Activity of Some N-Arylsulfonylindoles. <i>Chemical and Pharmaceutical Bulletin</i> , 2009, 57, 797-800.	0.6	28
309	Synthesis and anti-HIV-1 activity of S-dihydro(alkyloxy)benzyloxypyrimidine derivatives. <i>Monatshefte für Chemie</i> , 2008, 139, 967-974.	0.9	13
310	Structure Elucidation and Theoretical Investigation of Key Steps in the Biogenetic Pathway of Schisanartane Norriterpenoids by Using DFT Methods. <i>Chemistry - A European Journal</i> , 2008, 14, 11584-11592.	1.7	34
311	Four New Dibenzocyclooctadiene Lignans from <i>Schisandra rubriflora</i> . <i>Helvetica Chimica Acta</i> , 2008, 91, 1053-1062.	1.0	18
312	Norriterpenoids from <i>Schisandra wilsoniana</i> . <i>Helvetica Chimica Acta</i> , 2008, 91, 1871-1878.	1.0	24
313	Synthesis of Analogues of Flazin, in Particular, Flazinamide, as Promising Anti-HIV Agents. <i>Chemistry and Biodiversity</i> , 2008, 5, 447-460.	1.0	56
314	Compounds from <i>Kadsura heteroclita</i> and related anti-HIV activity. <i>Phytochemistry</i> , 2008, 69, 1266-1272.	1.4	72
315	Phomoeuphorbins, azaphilones from the fungus <i>Phomopsis euphorbiae</i> . <i>Phytochemistry</i> , 2008, 69, 2523-2526.	1.4	29
316	Norriterpenoids and lignans from <i>Schisandra sphenanthera</i> . <i>Phytochemistry</i> , 2008, 69, 2862-2866.	1.4	49
317	1-Aryl-tetrahydroisoquinoline analogs as active anti-HIV agents in vitro. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2008, 18, 2475-2478.	1.0	65
318	Efficient synthesis and utilization of phenyl-substituted heteroaromatic carboxylic acids as aryl diketo acid isosteres in the design of novel HIV-1 integrase inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2008, 18, 4521-4524.	1.0	43
319	Isolation and characterization of miscellaneous terpenoids of <i>Schisandra chinensis</i> . <i>Tetrahedron</i> , 2008, 64, 4260-4267.	1.0	61
320	Symmetrical 1-pyrrolidineacetamide showing anti-HIV activity through a new binding site on HIV-1 integrase. <i>Acta Pharmacologica Sinica</i> , 2008, 29, 1261-1267.	2.8	21
321	Periglaucines, Anti-HBV and -HIV-1 Alkaloids from <i>Pericampylus glaucus</i> . <i>Journal of Natural Products</i> , 2008, 71, 760-763.	1.5	58
322	Anti-HIV-1 activities of compounds isolated from the medicinal plant <i>Rhus chinensis</i> . <i>Journal of Ethnopharmacology</i> , 2008, 117, 249-256.	2.0	76
323	Lignans from <i>Kadsura angustifolia</i> . <i>Journal of Natural Products</i> , 2008, 71, 558-563.	1.5	54
324	Octanorcucurbitane and Cucurbitane Triterpenoids from the Tubers of <i>Hemsleya endecaphylla</i> with HIV-1 Inhibitory Activity. <i>Journal of Natural Products</i> , 2008, 71, 153-155.	1.5	37

#	ARTICLE	IF	CITATIONS
325	Three New Compounds from <i>Kadsura longipedunculata</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2008, 56, 1143-1146.	0.6	36
326	Synthesis and HIV-1 Integrase Inhibition Activity of some N-Arylindoles. <i>Chemical and Pharmaceutical Bulletin</i> , 2008, 56, 720-722.	0.6	37
327	Two New Phenolic Glycosides from <i>Viscum articulatum</i> . <i>Molecules</i> , 2008, 13, 2500-2508.	1.7	17
328	Anti-HIV-1 Activities of Hemslecins A and B. <i>Chinese Journal of Natural Medicines</i> , 2008, 6, 214-218.	0.7	16
329	Two New Compounds and Anti-HIV Active Constituents from <i>Illicium verum</i> . <i>Planta Medica</i> , 2007, 73, 372-375.	0.7	52
330	A New Benzofuranone and Anti-HIV Constituents from the Stems of <i>Rhus chinensis</i> . <i>Planta Medica</i> , 2007, 73, 279-282.	0.7	48
331	A novel fusion gene, TRIM5-Cyclophilin A in the pig-tailed macaque determines its susceptibility to HIV-1 infection. <i>Aids</i> , 2007, 21, S19-S26.	1.0	126
332	Flazinamide, a novel \hat{I}^2 -carboline compound with anti-HIV actions. <i>Biochemical and Biophysical Research Communications</i> , 2007, 355, 1091-1095.	1.0	75
333	A new anti-HIV lupane acid from <i>Gleditsia sinensis</i> Lam.. <i>Journal of Asian Natural Products Research</i> , 2007, 9, 551-555.	0.7	40
334	Tetranorclerodanes and Clerodane-Type Diterpene Glycosides from <i>Dicranopteris dichotoma</i> . <i>Journal of Natural Products</i> , 2007, 70, 265-268.	1.5	21
335	Triterpenoids from <i>Schisandra rubriflora</i> . <i>Journal of Natural Products</i> , 2007, 70, 1056-1059.	1.5	20
336	Bioactive Lignans from <i>Peperomia heyneana</i> . <i>Journal of Natural Products</i> , 2007, 70, 662-664.	1.5	36
337	Isatisine A, a Novel Alkaloid with an Unprecedented Skeleton from Leaves of <i>Isatis indigotica</i> . <i>Organic Letters</i> , 2007, 9, 4127-4129.	2.4	226
338	Isolation and Structure Elucidation of Nortriterpenoids from <i>Schisandra rubriflora</i> . <i>Helvetica Chimica Acta</i> , 2007, 90, 1505-1513.	1.0	10
339	Sphenalactones A-D, a new class of highly oxygenated trinortriterpenoids from <i>Schisandra sphenanthera</i> . <i>Tetrahedron Letters</i> , 2007, 48, 5543-5546.	0.7	21
340	Synthesis and anti-HIV-1 activities of novel podophyllotoxin derivatives. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2007, 17, 2091-2095.	1.0	58
341	Synthesis and biological evaluation of N-acetyl- \hat{I}^2 -aryl-1,2-didehydroethylamines as new HIV-1 RT inhibitors in vitro. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2007, 17, 4476-4480.	1.0	24
342	4-Benzyl-5-ethyl-2-(2-furylcarbonylmethylsulfanyl)pyrimidin-6(1H)-one. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2007, 63, o3172-o3172.	0.2	1

#	ARTICLE	IF	CITATIONS
343	2-(Benzoylmethylsulfanyl)-6-benzyl-5-isopropylpyrimidin-4(3H)-one. Acta Crystallographica Section E: Structure Reports Online, 2007, 63, o3942-o3942.	0.2	2
344	A New Cadinane Sesquiterpene with Significant Anti-HIV-1 Activity from the Cultures of the Basidiomycete Tyromyces chioneus. Journal of Antibiotics, 2007, 60, 332-334.	1.0	7
345	Establishment of AIDS animal model with SIVmac239 infected Chinese rhesus monkey. Virologica Sinica, 2007, 22, 509-516.	1.2	3
346	Triterpenoids from Schisandra lancifolia with Anti-HIV-1 Activity. Journal of Natural Products, 2006, 69, 277-279.	1.5	51
347	Przewalskin B, a Novel Diterpenoid with an Unprecedented Skeleton from Salvia przewalskii Maxim. Organic Letters, 2006, 9, 291-293.	2.4	59
348	Przewalskin A: A New C ₂₃ Terpenoid with a 6/6/7 Carbon Ring Skeleton from Salvia przewalskii Maxim. Organic Letters, 2006, 8, 4453-4456.	2.4	40
349	Rubrifloridilactones A and B, Two Novel Bisnortriterpenoids from Schisandra rubriflora and Their Biological Activities. Organic Letters, 2006, 8, 991-994.	2.4	106
350	Lancifodilactone F: A Novel Nortriterpenoid Possessing a Unique Skeleton from Schisandra lancifolia and Its Anti-HIV Activity. Organic Letters, 2006, 8, 801-801.	2.4	8
351	Sphenadilactones A and B, Two Novel Nortriterpenoids from Schisandra sphenanthera. Organic Letters, 2006, 8, 1475-1478.	2.4	34
352	Dichotomains A and B: Two New Highly Oxygenated Phenolic Derivatives from Dicranopteris dichotoma. Organic Letters, 2006, 8, 1937-1940.	2.4	29
353	Nortriterpenoids from Schisandra lancifolia. Journal of Natural Products, 2006, 69, 650-653.	1.5	36
354	An inhibitor of c-Jun N-terminal kinases (CEP-11004) counteracts the anti-HIV-1 action of trichosanthin. Biochemical and Biophysical Research Communications, 2006, 339, 25-29.	1.0	15
355	Trichosanthin suppresses the elevation of p38 ^{MAPK} , and Bcl-2 induced by HSV-1 infection in Vero cells. Life Sciences, 2006, 79, 1287-1292.	2.0	32
356	Anti-HIV-1 activities of extracts from the medicinal plant Rhus chinensis. Journal of Ethnopharmacology, 2006, 105, 269-273.	2.0	40
357	Concentricolide, an Anti-HIV Agent from the Ascomycete Daldinia concentrica. Helvetica Chimica Acta, 2006, 89, 127-133.	1.0	62
358	Pharmacokinetics of sifuvirtide, a novel anti-HIV-1 peptide, in monkeys and its inhibitory concentration in vitro. Acta Pharmacologica Sinica, 2005, 26, 1274-1280.	2.8	21
359	A novel heme-containing protein with anti-HIV-1 activity from skin secretions of Bufo andrewsi. Toxicon, 2005, 46, 619-624.	0.8	13
360	Lancifodilactone F: A Novel Nortriterpenoid Possessing a Unique Skeleton from Schisandra lancifolia and Its Anti-HIV Activity. Organic Letters, 2005, 7, 1263-1266.	2.4	55

#	ARTICLE	IF	CITATIONS
361	Lancifodilactone G: A Unique Norriterpenoid Isolated from <i>Schisandra lancifolia</i> and Its Anti-HIV Activity. <i>Organic Letters</i> , 2005, 7, 2145-2148.	2.4	64
362	Enhanced apoptotic action of trichosanthin in HIV-1 infected cells. <i>Biochemical and Biophysical Research Communications</i> , 2005, 331, 1075-1080.	1.0	30
363	The anti-HIV-1 effect of scutellarin. <i>Biochemical and Biophysical Research Communications</i> , 2005, 334, 812-816.	1.0	92
364	Adaptive evolution of primate TRIM5 β , a gene restricting HIV-1 infection. <i>Gene</i> , 2005, 362, 109-116.	1.0	40
365	Xanthohumol, a novel anti-HIV-1 agent purified from Hops. <i>Antiviral Research</i> , 2004, 64, 189-194.	1.9	52
366	Site-directed PEGylation of trichosanthin retained its anti-HIV activity with reduced potency in vitro. <i>Biochemical and Biophysical Research Communications</i> , 2004, 317, 965-971.	1.0	99
367	Zinc coupling potentiates anti-HIV-1 activity of baicalin. <i>Biochemical and Biophysical Research Communications</i> , 2004, 324, 605-610.	1.0	59
368	Xanthohumol, a novel anti-HIV-1 agent purified from Hops <i>Humulus lupulus</i> . <i>Antiviral Research</i> , 2004, 64, 189-194.	1.9	117
369	Molecular characterization of <i>Trimeresurus stejnegeri</i> venom l-amino acid oxidase with potential anti-HIV activity. <i>Biochemical and Biophysical Research Communications</i> , 2003, 309, 598-604.	1.0	107
370	Independency of anti-HIV-1 activity from ribosome-inactivating activity of trichosanthin. <i>Biochemical and Biophysical Research Communications</i> , 2003, 302, 89-94.	1.0	41
371	Anti-HIV-1 property of trichosanthin correlates with its ribosome inactivating activity. <i>FEBS Letters</i> , 2002, 531, 295-298.	1.3	46
372	Antimicrobial peptides from skin secretions of Chinese red belly toad <i>Bombina maxima</i> . <i>Peptides</i> , 2002, 23, 427-435.	1.2	191
373	Relationship between trichosanthin cytotoxicity and its intracellular concentration. <i>Toxicology</i> , 2002, 177, 245-251.	2.0	17