## Palle Bekker Jeppesen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2241483/publications.pdf

Version: 2024-02-01

50244 43868 8,759 138 46 91 citations h-index g-index papers 139 139 139 3565 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Apraglutide, a novel glucagonâ€like peptideâ€2 analog, improves fluid absorption in patients with short bowel syndrome intestinal failure: Findings from a placeboâ€controlled, randomized phase 2 trial. Journal of Parenteral and Enteral Nutrition, 2022, 46, 896-904.	1.3	24
2	Impact on caregivers of adult patients receiving parenteral support for shortâ€bowel syndrome with intestinal failure: A multinational, crossâ€sectional survey. Journal of Parenteral and Enteral Nutrition, 2022, 46, 905-914.	1.3	14
3	Bile acid–farnesoid X receptor–fibroblast growth factor 19 axis in patients with short bowel syndrome: The randomized, glepaglutide phase 2 trial. Journal of Parenteral and Enteral Nutrition, 2022, 46, 923-935.	1.3	6
4	A multi-national survey of experience and attitudes towards commencing home parenteral nutrition for patients with advanced cancer. Clinical Nutrition ESPEN, 2022, 47, 246-251.	0.5	5
5	Discovery of Urinary Biomarkers of Spinach Consumption Using Untargeted LCâ€MS Metabolomics in a Human Intervention Trial. Molecular Nutrition and Food Research, 2022, 66, e2100260.	1.5	2
6	Impact of intestinal failure and parenteral support on adult patients with shortâ€bowel syndrome: A multinational, noninterventional, crossâ€sectional survey. Journal of Parenteral and Enteral Nutrition, 2022, 46, 1650-1659.	1.3	9
7	Apraglutide, a novel onceâ€weekly glucagonâ€like peptideâ€2 analog, improves intestinal fluid and energy absorption in patients with short bowel syndrome: An openâ€label phase 1 and 2 metabolic balance trial. Journal of Parenteral and Enteral Nutrition, 2022, 46, 1639-1649.	1.3	9
8	Effects of glepaglutide, a longâ€acting glucagonâ€like peptideâ€2 analog, on intestinal morphology and perfusion in patients with short bowel syndrome: Findings from a randomized phase 2 trial Journal of Parenteral and Enteral Nutrition, 2022, , .	1.3	5
9	Drug use in patients with short bowel syndrome and intestinal failure Danish Medical Journal, 2022, 69, .	0.5	O
10	Survival in patients initiating home parenteral support due to nonmalignant short bowel syndrome compared with background population. Clinical Nutrition ESPEN, 2022, 50, 170-177.	0.5	5
11	High Parenteral Support Volume Is Associated With Reduced Quality of Life Determined by the Shortâ∈Bowel Syndrome Quality of Life Scale in Nonmalignant Intestinal Failure Patients. Journal of Parenteral and Enteral Nutrition, 2021, 45, 926-932.	1.3	20
12	GLP-1 and Intestinal Diseases. Biomedicines, 2021, 9, 383.	1.4	20
13	Sitagliptin, a dipeptidyl peptidase-4 inhibitor, in patients with short bowel syndrome and colon in continuity: an open-label pilot study. BMJ Open Gastroenterology, 2021, 8, e000604.	1.1	8
14	Renal function in patients with intestinal failure receiving home parenteral support. Journal of Parenteral and Enteral Nutrition, $2021$ , , .	1.3	2
15	Characteristics of adult patients with chronic intestinal failure due to short bowel syndrome: An international multicenter survey. Clinical Nutrition ESPEN, 2021, 45, 433-441.	0.5	21
16	ESPEN practical guideline: Clinical nutrition in chronic intestinal failure. Clinical Nutrition, 2021, 40, 5196-5220.	2.3	74
17	Bovine Milk-Derived Emulsifiers Increase Triglyceride Absorption in Newborn Formula-Fed Pigs. Nutrients, 2021, 13, 410.	1.7	8
18	Impact of Teduglutide on Quality of Life Among Patients With Short Bowel Syndrome and Intestinal Failure. Journal of Parenteral and Enteral Nutrition, 2020, 44, 119-128.	1.3	38

#	Article	IF	Citations
19	Colon polyps in patients with short bowel syndrome before and after teduglutide: Post hoc analysis of the STEPS study series. Clinical Nutrition, 2020, 39, 1774-1777.	2.3	19
20	Differences in methodology impact estimates of survival and dependence on home parenteral support of patients with nonmalignant short bowel syndrome. American Journal of Clinical Nutrition, 2020, 111, 161-169.	2.2	11
21	Enteral Autonomy and Days Off Parenteral Support With Teduglutide Treatment for Short Bowel Syndrome in the STEPS Trials. Journal of Parenteral and Enteral Nutrition, 2020, 44, 697-702.	1.3	26
22	Repeated Metabolic Balance Studies in Patients With Short Bowel Syndrome. Journal of Parenteral and Enteral Nutrition, 2020, 44, 677-687.	1.3	4
23	Citrulline correlations in short bowel syndrome–intestinal failure by patient stratification: Analysis of 24Âweeks of teduglutide treatment from a randomized controlled study. Clinical Nutrition, 2020, 39, 2479-2486.	2.3	14
24	Effect of Glepaglutide, a Longâ€Acting Glucagonâ€Like Peptideâ€2 Analog, on Gastrointestinal Transit Time and Motility in Patients With Short Bowel Syndrome: Findings From a Randomized Trial. Journal of Parenteral and Enteral Nutrition, 2020, 44, 1535-1544.	1.3	24
25	Hospitalizations in Patients With Nonmalignant Shortâ€Bowel Syndrome Receiving Home Parenteral Support. Nutrition in Clinical Practice, 2020, 35, 894-902.	1.1	10
26	Teduglutide for the treatment of adults with intestinal failure associated with short bowel syndrome: pooled safety data from four clinical trials. Therapeutic Advances in Gastroenterology, 2020, 13, 175628482090576.	1.4	28
27	The Long Road to the Development of Effective Therapies for the Short Gut Syndrome: A Personal Perspective. Digestive Diseases and Sciences, 2019, 64, 2717-2735.	1.1	26
28	Effects of glepaglutide, a novel long-acting glucagon-like peptide-2 analogue, on markers of liver status in patients with short bowel syndrome: findings from a randomised phase 2 trial. EBioMedicine, 2019, 46, 444-451.	2.7	19
29	Novel Longâ€Acting GLPâ€⊋ Analogue, FE 203799 (Apraglutide), Enhances Adaptation and Linear Intestinal Growth in a Neonatal Piglet Model of Short Bowel Syndrome with Total Resection of the Ileum. Journal of Parenteral and Enteral Nutrition, 2019, 43, 891-898.	1.3	33
30	Su2010 – Mortality and Outcomes in Patients with Non-Malignant Short Bowel Syndrome Receiving Home Parenteral Support. Gastroenterology, 2019, 156, S-689.	0.6	1
31	Glepaglutide, a novel long-acting glucagon-like peptide-2 analogue, for patients with short bowel syndrome: a randomised phase 2 trial. The Lancet Gastroenterology and Hepatology, 2019, 4, 354-363.	3.7	52
32	The effect of glucagonâ€like peptideâ€1 and glucagonâ€like peptideâ€2 on microcirculation: A systematic review. Microcirculation, 2019, 26, e12367.	1.0	10
33	Effect of Liraglutide Treatment on Jejunostomy Output in Patients With Short Bowel Syndrome: An Open‣abel Pilot Study. Journal of Parenteral and Enteral Nutrition, 2018, 42, 112-121.	1.3	48
34	Home Parenteral Nutrition in Adult Patients With Chronic Intestinal Failure: Catheterâ€Related Complications Over 4 Decades at the Main Danish Tertiary Referral Center. Journal of Parenteral and Enteral Nutrition, 2018, 42, 95-103.	1.3	36
35	Catheterâ€Related Bloodstream Infections in Adults Receiving Home Parenteral Nutrition: Substantial Differences in Incidence Comparing a Strict Microbiological to a Clinically Based Diagnosis. Journal of Parenteral and Enteral Nutrition, 2018, 42, 393-402.	1.3	29
36	Minimal Enteral Nutrition to Improve Adaptation After Intestinal Resection in Piglets and Infants. Journal of Parenteral and Enteral Nutrition, 2018, 42, 446-454.	1.3	8

#	Article	IF	CITATIONS
37	Fasting and Postprandial Plasma Citrulline and the Correlation to Intestinal Function Evaluated by 72â€Hour Metabolic Balance Studies in Short Bowel Jejunostomy Patients With Intestinal Failure. Journal of Parenteral and Enteral Nutrition, 2018, 42, 418-426.	1.3	10
38	Serum carotenoids and macular pigment optical density in patients with intestinal resections and healthy subjects: an exploratory study. Journal of Nutritional Science, 2018, 7, e8.	0.7	2
39	Nutritional Therapy in Adult Short Bowel Syndrome Patients with Chronic Intestinal Failure. Gastroenterology Clinics of North America, 2018, 47, 61-75.	1.0	13
40	Factors Associated With Response to Teduglutide in Patients With Short-Bowel Syndrome and Intestinal Failure. Gastroenterology, 2018, 154, 874-885.	0.6	92
41	Catheter-related bloodstream infections in patients with intestinal failure receiving home parenteral support: risks related to a catheter-salvage strategy. American Journal of Clinical Nutrition, 2018, 107, 743-753.	2.2	26
42	Novel GLP-1/GLP-2 co-agonists display marked effects on gut volume and improves glycemic control in mice. Physiology and Behavior, 2018, 192, 72-81.	1.0	30
43	Glucagon like peptide-2 and neoplasia; a systematic review. Expert Review of Gastroenterology and Hepatology, 2018, 12, 257-264.	1.4	28
44	Reply to AL Buchman. American Journal of Clinical Nutrition, 2018, 108, 1155-1156.	2.2	0
45	Identifying a subpopulation with higher likelihoods of early response to treatment in a heterogeneous rare disease: a post hoc study of response to teduglutide for short bowel syndrome. Therapeutics and Clinical Risk Management, 2018, Volume 14, 1267-1277.	0.9	15
46	Randomised clinical trial: 2% taurolidine versus 0.9% saline locking in patients on home parenteral nutrition. Alimentary Pharmacology and Therapeutics, 2018, 48, 410-422.	1.9	45
47	Singleâ€Center, Adult Chronic Intestinal Failure Cohort Analyzed According to the ESPENâ€Endorsed Recommendations, Definitions, and Classifications. Journal of Parenteral and Enteral Nutrition, 2017, 41, 566-574.	1.3	28
48	Home Parenteral Nutrition in Adult Patients With Chronic Intestinal Failure: The Evolution Over 4 Decades in a Tertiary Referral Center. Journal of Parenteral and Enteral Nutrition, 2017, 41, 1178-1187.	1.3	55
49	The endogenous preproglucagon system is not essential for gut growth homeostasis in mice. Molecular Metabolism, 2017, 6, 681-692.	3.0	31
50	The use of metabolic balance studies in the objective discrimination between intestinal insufficiency and intestinal failure. American Journal of Clinical Nutrition, 2017, 106, ajcn158386.	2.2	7
51	Taurolidine-citrate-heparin lock reduces catheter-related bloodstream infections in intestinal failure patients dependent on home parenteral support: a randomized, placebo-controlled trial. American Journal of Clinical Nutrition, 2017, 106, 839-848.	2.2	53
52	Independence From Parenteral Nutrition and Intravenous Fluid Support During Treatment With Teduglutide Among Patients With Intestinal Failure Associated With Short Bowel Syndrome. Journal of Parenteral and Enteral Nutrition, 2017, 41, 946-951.	1.3	62
53	European Society of Coloproctology consensus on the surgical management of intestinal failure in adults. Colorectal Disease, 2016, 18, 535-548.	0.7	44
54	Long-Term Teduglutide for the Treatment of Patients With Intestinal Failure Associated With Short Bowel Syndrome. Clinical and Translational Gastroenterology, 2016, 7, e142.	1.3	155

#	Article	IF	Citations
55	ESPEN guidelines on chronic intestinal failure in adults. Clinical Nutrition, 2016, 35, 247-307.	2.3	554
56	Clinical nutrition in the hepatogastroenterology curriculum. World Journal of Gastroenterology, 2016, 22, 1729.	1.4	3
57	Short Bowel Syndrome: Pharmacological Improvement of Bowel Function and Adaptation. , 2016, , 79-96.		0
58	Low-Fat, High-Carbohydrate Parenteral Nutrition (PN) May Potentially Reverse Liver Disease in Long-Term PN-Dependent Infants. Digestive Diseases and Sciences, 2015, 60, 252-259.	1.1	20
59	Gut hormones in the treatment of short-bowel syndrome and intestinal failure. Current Opinion in Endocrinology, Diabetes and Obesity, 2015, 22, 14-20.	1.2	60
60	ESPEN endorsed recommendations. Definition and classification of intestinal failure in adults. Clinical Nutrition, 2015, 34, 171-180.	2.3	473
61	Use of Teduglutide to Reduce Parenteral Support in Short Bowel Syndrome. , 2015, , 1913-1927.		0
62	Understanding incretins. Intensive Care Medicine, 2014, 40, 1751-1754.	3.9	5
63	New approaches to the treatments of short bowel syndrome-associated intestinal failure. Current Opinion in Gastroenterology, 2014, 30, 182-188.	1.0	32
64	Acute Effects of the Glucagon‣ike Peptide 2 Analogue, Teduglutide, on Intestinal Adaptation in Short Bowel Syndrome. Journal of Pediatric Gastroenterology and Nutrition, 2014, 58, 694-702.	0.9	36
65	Pharmacologic Options for Intestinal Rehabilitation in Patients With Short Bowel Syndrome. Journal of Parenteral and Enteral Nutrition, 2014, 38, 45S-52S.	1.3	55
66	Bovine Colostrum to Children With Short Bowel Syndrome. Journal of Parenteral and Enteral Nutrition, 2014, 38, 99-106.	1.3	32
67	Su2095 Survival and Cause-Specific Mortality in an Intestinal Failure Cohort Depending on Home Parenteral Nutrition (HPN) in a Referral Centre From 1970 to 2010. Gastroenterology, 2014, 146, S-544-S-545.	0.6	1
68	Spectrum of Short Bowel Syndrome in Adults. Journal of Parenteral and Enteral Nutrition, 2014, 38, 8S-13S.	1.3	130
69	Short Bowel Syndrome in Adults. Journal of Parenteral and Enteral Nutrition, 2014, 38, 60S-64S.	1.3	47
70	Use of Teduglutide to Reduce Parenteral Support in Short Bowel Syndrome., 2014,, 1-17.		0
71	Short bowel syndrome $\hat{a}\in$ characterisation of an orphan condition with many phenotypes. Expert Opinion on Orphan Drugs, 2013, 1, 515-525.	0.5	27
72	The non-surgical treatment of adult patients with short bowel syndrome. Expert Opinion on Orphan Drugs, 2013, 1, 527-538.	0.5	9

#	Article	IF	CITATIONS
73	Glucagon-like peptide-2 stimulates mucosal microcirculation measured by laser Doppler flowmetry in end-jejunostomy short bowel syndrome patients. Regulatory Peptides, 2013, 180, 12-16.	1.9	24
74	Development and validation of the disease-specific Short Bowel Syndrome-Quality of Life (SBS-QoLâ,,¢) scale. Clinical Nutrition, 2013, 32, 789-796.	2.3	45
75	940 Complete Enteral Autonomy and Independence From Parenteral Nutrition/Intravenous Support in Short Bowel Syndrome With Intestinal Failure - Accruing Experience With Teduglutide. Gastroenterology, 2013, 144, S-169.	0.6	5
76	Mo2121 Catheter-Related Bloodstream Infections (CRBSIs) in Adults Intestinal Failure (IF) Patients Depending on Home Parenteral Nutrition (HPN) in a Referral Centre. Gastroenterology, 2013, 144, S-748.	0.6	2
77	Quality of life in patients with short bowel syndrome treated with the new glucagon-like peptide-2 analogue teduglutide – Analyses from a randomised, placebo-controlled study. Clinical Nutrition, 2013, 32, 713-721.	2.3	80
78	Safety and Efficacy of Teduglutide After 52 Weeks of Treatment in Patients With Short Bowel Intestinal Failure. Clinical Gastroenterology and Hepatology, 2013, 11, 815-823.e3.	2.4	135
79	Effect of glucagon-like peptide-2 exposure on bone resorption: Effectiveness of high concentration versus prolonged exposure. Regulatory Peptides, 2013, 181, 4-8.	1.9	28
80	A dose-equivalent comparison of the effects of continuous subcutaneous glucagon-like peptide 2 (GLP-2) infusions versus meal related GLP-2 injections in the treatment of short bowel syndrome (SBS) patients. Regulatory Peptides, 2013, 184, 47-53.	1.9	7
81	The novel use of peptide analogs in short bowel syndrome. Expert Review of Gastroenterology and Hepatology, 2013, 7, 197-199.	1.4	3
82	Acute effects of continuous infusions of glucagon-like peptide (GLP)-1, GLP-2 and the combination (GLP-1+GLP-2) on intestinal absorption in short bowel syndrome (SBS) patients. A placebo-controlled study. Regulatory Peptides, 2013, 184, 30-39.	1.9	69
83	Glucagon-like peptide-2 induces rapid digestive adaptation following intestinal resection in preterm neonates. American Journal of Physiology - Renal Physiology, 2013, 305, G277-G285.	1.6	48
84	Modern treatment of short bowel syndrome. Current Opinion in Clinical Nutrition and Metabolic Care, 2013, 16, 1.	1.3	16
85	Treatment of adult short bowel syndrome patients with teduglutide. Expert Opinion on Pharmacotherapy, 2012, 13, 235-243.	0.9	19
86	Teduglutide, a novel glucagon-like peptide 2 analog, in the treatment of patients with short bowel syndrome. Therapeutic Advances in Gastroenterology, 2012, 5, 159-171.	1.4	81
87	Randomised controlled trial of colostrum to improve intestinal function in patients with short bowel syndrome. European Journal of Clinical Nutrition, 2012, 66, 1059-1065.	1.3	29
88	Teduglutide Reduces Need for Parenteral Support Among Patients With Short Bowel Syndrome With Intestinal Failure. Gastroenterology, 2012, 143, 1473-1481.e3.	0.6	378
89	Mo1179 The Evolution of Treatment of Patients With Intestinal Failure With Home Parenteral Nutrition. Gastroenterology, 2012, 142, S-613-S-614.	0.6	5
90	Etiology and Epidemiology of Catheter Related Bloodstream Infections in Patients Receiving Home Parenteral Nutrition in a Gastromedical Center at a Tertiary Hospital in Denmark. Open Microbiology Journal, 2012, 6, 98-101.	0.2	13

#	Article	IF	Citations
91	The effect of Glucagon-Like Peptide-2 on mesenteric blood flow and cardiac parameters in end-jejunostomy short bowel patients. Regulatory Peptides, 2011, 168, 32-38.	1.9	77
92	Quality of life in patients with diffuse large B-cell lymphoma treated with dose-dense chemotherapy is only affected temporarily. Leukemia and Lymphoma, 2011, 52, 400-408.	0.6	15
93	Randomised placebo-controlled trial of teduglutide in reducing parenteral nutrition and/or intravenous fluid requirements in patients with short bowel syndrome. Gut, 2011, 60, 902-914.	6.1	345
94	ESPEN Guidelines on Parenteral Nutrition: Home Parenteral Nutrition (HPN) in adult patients. Clinical Nutrition, 2009, 28, 467-479.	2.3	365
95	ESPEN Guidelines on Parenteral Nutrition: Gastroenterology. Clinical Nutrition, 2009, 28, 415-427.	2.3	119
96	Effects of treatment with glucagon-like peptide-2 on bone resorption in colectomized patients with distal ileostomy or jejunostomy and short-bowel syndrome. Scandinavian Journal of Gastroenterology, 2008, 43, 1304-1310.	0.6	39
97	Reduction in bone resorption by exogenous glucagon-like peptide-2 administration requires an intact gastrointestinal tract. Scandinavian Journal of Gastroenterology, 2008, 43, 929-937.	0.6	32
98	Quality of Life in Diffuse Large B-Cell Lymphoma Patients Treated with CHOP-14 Based Chemotherapy Is Only Affected Temporarily. Blood, 2008, 112, 2384-2384.	0.6	0
99	Bone resorption is decreased postprandially by intestinal factors and glucagon-like peptide-2 is a possible candidate. Scandinavian Journal of Gastroenterology, 2007, 42, 814-820.	0.6	37
100	Pharmacokinetics of trefoil peptides and their stability in gastrointestinal contents. Peptides, 2007, 28, 1197-1206.	1.2	30
101	Growth Factors in Short-Bowel Syndrome Patients. Gastroenterology Clinics of North America, 2007, 36, 109-121.	1.0	21
102	Home parenteral nutrition in Denmark in the period from 1996 to 2001. Scandinavian Journal of Gastroenterology, 2006, 41, 401-407.	0.6	74
103	Glucagon-Like Peptide-2: Update of the Recent Clinical Trials. Gastroenterology, 2006, 130, S127-S131.	0.6	44
104	The Use of Hormonal Growth Factors in the Treatment of Patients with Short-Bowel Syndrome. Drugs, 2006, 66, 581-589.	4.9	12
105	Short Bowel Syndrome and Intestinal Failure: Consensus Definitions and Overview. Clinical Gastroenterology and Hepatology, 2006, 4, 6-10.	2.4	440
106	Teduglutide (ALX-0600), a dipeptidyl peptidase IV resistant glucagon-like peptide 2 analogue, improves intestinal function in short bowel syndrome patients. Gut, 2005, 54, 1224-1231.	6.1	403
107	Experimental approaches: dietary and hormone therapy. Bailliere's Best Practice and Research in Clinical Gastroenterology, 2003, 17, 1041-1054.	1.0	19
108	Vitamin D status and measurements of markers of bone metabolism in patients with small intestinal resection. Gut, 2003, 52, 653-658.	6.1	63

#	Article	IF	CITATIONS
109	Intestinal insufficiency and failure. Danish Medical Bulletin, 2003, 50, 238-61.	0.1	2
110	Short-term Administration of Glucagon-like Peptide-2. Effects on Bone Mineral Density and Markers of Bone Turnover in Short-Bowel Patients with No Colon. Scandinavian Journal of Gastroenterology, 2002, 37, 392-398.	0.6	91
111	The truncated metabolite GLP-2 (3–33) interacts with the GLP-2 receptor as a partial agonist. Regulatory Peptides, 2002, 103, 9-15.	1.9	73
112	Enhancing bowel adaptation in short bowel syndrome. Current Gastroenterology Reports, 2002, 4, 338-347.	1.1	44
113	Glucagon-like peptide 2 improves nutrient absorption and nutritional status in short-bowel patients with no colon. Gastroenterology, 2001, 120, 806-815.	0.6	490
114	Effect of High-Dose Growth Hormone and Glutamine on Body Composition, Urine Creatinine Excretion, Fatty Acid Absorption, and Essential Fatty Acids Status in Short Bowel Patients. A Randomized, Double-blind, Crossover, Placebo-controlled Study. Scandinavian Journal of Gastroenterology, 2001, 36, 48-54.	0.6	63
115	Reply to M Esteve-Comas and MA Gassull. American Journal of Clinical Nutrition, 2001, 73, 662.	2.2	1
116	Intestinal growth adaptation and glucagon-like peptide 2 in rats with ileal-jejunal transposition or small bowel resection. Digestive Diseases and Sciences, 2001, 46, 379-388.	1.1	57
117	Deficiencies of essential fatty acids, vitamin A and E and changes in plasma lipoproteins in patients with reduced fat absorption or intestinal failure. European Journal of Clinical Nutrition, 2000, 54, 632-642.	1.3	51
118	Reply to KC McCowen, PR Ling, and BR Bistrian. American Journal of Clinical Nutrition, 2000, 71, 1008-1009.	2.2	3
119	In Vivo and in Vitro Degradation of Glucagon-Like Peptide-2 in Humans1. Journal of Clinical Endocrinology and Metabolism, 2000, 85, 2884-2888.	1.8	126
120	Elevated plasma glucagon-like peptide 1 and 2 concentrations in ileum resected short bowel patients with a preserved colon. Gut, 2000, 47, 370-376.	6.1	176
121	Intestinal failure defined by measurements of intestinal energy and wet weight absorption. Gut, 2000, 46, 701-706.	6.1	141
122	Effect of high dose growth hormone with glutamine and no change in diet on intestinal absorption in short bowel patients: a randomised, double blind, crossover, placebo controlled study. Gut, 2000, 47, 199-205.	6.1	173
123	Absorption of calcium and magnesium in patients with intestinal resections treated with medium chain fatty acids. Gut, 2000, 46, 819-823.	6.1	23
124	Potential targets for glucagon-like peptide 2 (GLP-2) in the rat: distribution and binding of i.v. injected 125I-GLP-2. Peptides, 2000, 21, 1511-1517.	1.2	33
125	In Vivo and in Vitro Degradation of Glucagon-Like Peptide-2 in Humans. Journal of Clinical Endocrinology and Metabolism, 2000, 85, 2884-2888.	1.8	124
126	Plasma phospholipid fatty acid pattern in severe liver disease. Journal of Hepatology, 2000, 32, 481-487.	1.8	25

#	Article	IF	CITATION
127	Differences in essential fatty acid requirements by enteral and parenteral routes of administration in patients with fat malabsorption. American Journal of Clinical Nutrition, 1999, 70, 78-84.	2.2	37
128	Impaired meal stimulated glucagon-like peptide 2 response in ileal resected short bowel patients with intestinal failure. Gut, 1999, 45, 559-563.	6.1	149
129	Colonic Digestion and Absorption of Energy From Carbohydrates and Mediumâ€Chain Fat in Small Bowel Failure. Journal of Parenteral and Enteral Nutrition, 1999, 23, S101-5.	1.3	77
130	Quality of life in patients receiving home parenteral nutrition. Gut, 1999, 44, 844-852.	6.1	189
131	Bile Acid Replacement Therapy with Cholylsarcosine for Short-Bowel Syndrome. Scandinavian Journal of Gastroenterology, 1999, 34, 818-823.	0.6	64
132	Human Rectal Absorption of Short- and Medium-chain C2-C10Fatty Acids. Scandinavian Journal of Gastroenterology, 1998, 33, 590-594.	0.6	12
133	Adult Patients Receiving Home Parenteral Nutrition in Denmark from 1991 to 1996: Who Will Benefit from Intestinal Transplantation?. Scandinavian Journal of Gastroenterology, 1998, 33, 839-846.	0.6	54
134	The influence of a preserved colon on the absorption of medium chain fat in patients with small bowel resection. Gut, 1998, 43, 478-483.	6.1	192
135	Effect of intravenous ranitidine and omeprazole on intestinal absorption of water, sodium, and macronutrients in patients with intestinal resection. Gut, 1998, 43, 763-769.	6.1	142
136	Essential fatty acid deficiency in patients receiving home parenteral nutrition. American Journal of Clinical Nutrition, 1998, 68, 126-133.	2.2	71
137	Essential fatty acid deficiency in patients with severe fat malabsorption. American Journal of Clinical Nutrition, 1997, 65, 837-843.	2.2	67
138	Butyrate absorption and lactate secretion in ulcerative colitis. Diseases of the Colon and Rectum, 1995, 38, 519-525.	0.7	25