List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2242457/publications.pdf Version: 2024-02-01



MENCCHAO

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Displacement–strain transformation for a variable cross-section beam based on hypergeometric and Meijer-G functions. Measurement: Journal of the International Measurement Confederation, 2022, 187, 110246. | 2.5 | 4 |
| 2 | Single-pixel panoramic inspection of objects with the assistance of planar mirrors. Optics and Lasers in Engineering, 2022, 150, 106839. | 2.0 | 2 |
| 3 | A single pixel tracking system for microfluidic device monitoring without image processing. Optics and Lasers in Engineering, 2022, 151, 106875. | 2.0 | 4 |
| 4 | Design and optical characterization of compound eye type solar concentrator. Results in Optics, 2022, 6, 100202. | 0.9 | 1 |
| 5 | 3D Printing Ultraflexible Magnetic Actuators via Screw Extrusion Method. Advanced Science, 2022, 9, e2200898. | 5.6 | 27 |
| 6 | Energy conversion mechanisms of a seesaw-type energy harvester. Journal Physics D: Applied Physics, 2022, 55, 255002. | 1.3 | 1 |
| 7 | Magnetic Actuator with Programmable Force Distribution and Selfâ€Sensing for Bidirectional Deformation Control. Advanced Materials Technologies, 2022, 7, . | 3.0 | 5 |
| 8 | A self-adaptive method for the assessment of dynamic measurement uncertainty. Measurement: Journal of the International Measurement Confederation, 2022, 196, 111116. | 2.5 | 4 |
| 9 | Self-adapting model for variable stiffness magnetorheological dampers. Smart Materials and Structures, 2022, 31, 025006. | 1.8 | 5 |
| 10 | Bio-Inspired Bianisotropic Magneto-Sensitive Elastomers with Excellent Multimodal Transformation. ACS Applied Materials & Interfaces, 2022, 14, 20101-20112. | 4.0 | 5 |
| 11 | High-Performance Liquid Metal/Polyborosiloxane Elastomer toward Thermally Conductive Applications. ACS Applied Materials & amp; Interfaces, 2022, 14, 21564-21576. | 4.0 | 23 |
| 12 | Performance enhancement of phase-demodulation <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline" id="d1e144" altimg="si104.svg"><mml:mi>i•</mml:mi>-OTDR using improved two-path DCM algorithm. Optics Communications, 2021, 482, 126616.</mml:math | 1.0 | 9 |
| 13 | Single-pixel imaging in the presence of specular reflections. Applied Optics, 2021, 60, 2633. | 0.9 | 8 |
| 14 | Transmissive Single-Pixel Microscopic Imaging through Scattering Media. Sensors, 2021, 21, 2721. | 2.1 | 10 |
| 15 | Single-pixel imaging of high-temperature objects. Applied Optics, 2021, 60, 4095. | 0.9 | 4 |
| 16 | High-speed and high-accuracy fringe projection profilometry without phase unwrapping. Optics and Lasers in Engineering, 2021, 140, 106518. | 2.0 | 16 |
| 17 | Removing light interference to improve character recognition rate by using single-pixel imaging. Optics and Lasers in Engineering, 2021, 140, 106517. | 2.0 | 15 |
| 18 | High-efficiency single-pixel imaging using discrete Hartley transform. AIP Advances, 2021, 11, . | 0.6 | 4 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Reflection removal detection enabled by single-pixel imaging through the semi-reflective medium. Applied Optics, 2021, 60, 8688. | 0.9 | 1 |
| 20 | Super-resolution and super-robust single-pixel superposition compound eye. Optics and Lasers in Engineering, 2021, 146, 106699. | 2.0 | 20 |
| 21 | An annularly-distributed poly-stable array for broadband vibrational energy. Sensors and Actuators A: Physical, 2021, 332, 113106. | 2.0 | 1 |
| 22 | A Novel \$phi\$-OTDR System With a Phase Demodulation Module Based on Sagnac Balanced Interferometer. Journal of Lightwave Technology, 2021, 39, 7307-7314. | 2.7 | 2 |
| 23 | Self-sensing automotive magnetorheological dampers for low frequency vibration. Smart Materials and Structures, 2021, 30, 115015. | 1.8 | 13 |
| 24 | Tunable double nonlinear design in the energy harvester to enhance energy harvesting. European Physical Journal Plus, 2021, 136, 1. | 1.2 | 1 |
| 25 | A high-speed D-CART online fault diagnosis algorithm for rotor systems. Applied Intelligence, 2020, 50, 29-41. | 3.3 | 23 |
| 26 | Nuisance alarm rate reduction using pulse-width multiplexing <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline" id="d1e620" altimg="si8.svg"><mml:mi mathvariant="normal">Φ</mml:mi>-OTDR with optimized positioning accuracy. Optics Communications, 2020, 456, 124571.</mml:math | 1.0 | 10 |
| 27 | An in-situ self-calibration method for non-contact full-field strain measurement. Measurement: Journal of the International Measurement Confederation, 2020, 162, 107871. | 2.5 | 6 |
| 28 | Target orientation detection based on a neural network with a bionic bee-like compound eye. Optics Express, 2020, 28, 10794. | 1.7 | 23 |
| 29 | Modal learning displacement–strain transformation. Review of Scientific Instruments, 2019, 90, 075113. | 0.6 | 10 |
| 30 | Bistable broadband hybrid generator for ultralow-frequency rectilinear motion. Nano Energy, 2019, 65, 103973. | 8.2 | 25 |
| 31 | A Compact and Flexible Nonbeam-Type Vibrational Energy Harvesting Device With Bistable Characteristics. IEEE/ASME Transactions on Mechatronics, 2019, 24, 282-292. | 3.7 | 11 |
| 32 | Dynamic Visual Measurement of Driver Eye Movements. Sensors, 2019, 19, 2217. | 2.1 | 8 |
| 33 | Interface modeling of magnetorheological elastomers subjected to variable working strain. Soft Matter, 2019, 15, 5574-5584. | 1.2 | 5 |
| 34 | Fourier single-pixel imaging using fewer illumination patterns. Applied Physics Letters, 2019, 114, . | 1.5 | 37 |
| 35 | Design and verification of a seat suspension with variable stiffness and damping. Smart Materials and Structures, 2019, 28, 065015. | 1.8 | 26 |
| 36 | Poly-stable energy harvesting based on synergetic multistable vibration. Communications Physics, 2019. 2 | 2.0 | 37 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Self-updating inverse model for magnetorheological dampers. Smart Materials and Structures, 2019, 28, 115033. | 1.8 | 6 |
| 38 | An Initial Dot Encoding Scheme with Significantly Improved Robustness and Numbers. Applied Sciences (Switzerland), 2019, 9, 4915. | 1.3 | 3 |
| 39 | A Robust and Rapid Camera Calibration Method by One Captured Image. IEEE Transactions on Instrumentation and Measurement, 2019, 68, 4112-4121. | 2.4 | 37 |
| 40 | An effective method for camera calibration in defocus scene with circular gratings. Optics and Lasers in Engineering, 2019, 114, 44-49. | 2.0 | 40 |
| 41 | Multi-camera calibration method based on a multi-plane stereo target. Applied Optics, 2019, 58, 9353. | 0.9 | 29 |
| 42 | Development of a non-piston MR suspension rod for variable mass systems. Smart Materials and Structures, 2018, 27, 065014. | 1.8 | 7 |
| 43 | Pulse-Width Multiplexing Ï•-OTDR for Nuisance-Alarm Rate Reduction. Sensors, 2018, 18, 3509. | 2.1 | 4 |
| 44 | A simple and practical jump error removal method for fringe projection profilometry based on self-alignment technique. Review of Scientific Instruments, 2018, 89, 123109. | 0.6 | 12 |
| 45 | Measurement of Unmanned Aerial Vehicle Attitude Angles Based on a Single Captured Image. Sensors, 2018, 18, 2655. | 2.1 | 18 |
| 46 | A multimodal and multidirectional vibrational energy harvester using a double-branched beam. Applied Physics Letters, 2018, 112, . | 1.5 | 36 |
| 47 | A seesaw-type approach for enhancing nonlinear energy harvesting. Applied Physics Letters, 2018, 112, . | 1.5 | 20 |
| 48 | Catadioptric planar compound eye with large field of view. Optics Express, 2018, 26, 12455. | 1.7 | 15 |
| 49 | Vision measurement error analysis for nonlinear light refraction at high temperature. Applied Optics, 2018, 57, 5556. | 0.9 | 10 |
| 50 | Three-Dimensional Identification for Unbalanced Mass of Rotor Systems in Operation. Applied Sciences (Switzerland), 2018, 8, 173. | 1.3 | 12 |
| 51 | A morphology phase unwrapping method with one code grating. Review of Scientific Instruments, 2018, 89, 073112. | 0.6 | 15 |
| 52 | 10.1063/1.5035348.1., 2018, , . | | 0 |
| 53 | 3D information detection with novel five composite fringe patterns. Modern Physics Letters B, 2017, 31, 1740088. | 1.0 | 5 |
| 54 | Variable stiffness mechanisms of dual parameters changing magnetorheological fluid devices. Smart Materials and Structures, 2017, 26, 125014. | 1.8 | 16 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Black-Box Phase Error Compensation for Digital Phase-Shifting Profilometry. IEEE Transactions on Instrumentation and Measurement, 2017, 66, 2755-2761. | 2.4 | 26 |
| 56 | Camera Calibration Robust to Defocus Using Phase-Shifting Patterns. Sensors, 2017, 17, 2361. | 2.1 | 18 |
| 57 | Modified Gray-Level Coding Method for Absolute Phase Retrieval. Sensors, 2017, 17, 2383. | 2.1 | 16 |
| 58 | Direction-determined phase unwrapping using geometric constraint of the structured light system: The establishment of minimum phase map. Optics Communications, 2017, 402, 14-19. | 1.0 | 7 |
| 59 | Accurate feature detection for out-of-focus camera calibration. Applied Optics, 2016, 55, 7964. | 2.1 | 34 |
| 60 | Quantized phase coding and connected region labeling for absolute phase retrieval. Optics Express, 2016, 24, 28613. | 1.7 | 56 |
| 61 | Design of a compound eye system with planar micolens array and curved folded mirrors. Proceedings of SPIE, 2016, , . | 0.8 | 1 |
| 62 | High-accuracy three-dimensional reconstruction of vibration based on stereo vision. Optical Engineering, 2016, 55, 091410. | 0.5 | 9 |
| 63 | 3D reconstruction for sinusoidal motion based on different feature detection algorithms. , 2015, , . | | 2 |
| 64 | Development of a novel variable stiffness and damping magnetorheological fluid damper. Smart Materials and Structures, 2015, 24, 085021. | 1.8 | 53 |
| 65 | An adaptive tuned vibration absorber based on multilayered MR elastomers. Smart Materials and Structures, 2015, 24, 045045. | 1.8 | 64 |
| 66 | Performance evaluation and comparison of magnetorheological elastomer absorbers working in shear and squeeze modes. Journal of Intelligent Material Systems and Structures, 2015, 26, 1757-1763. | 1.4 | 40 |
| 67 | A Compact Variable Stiffness and Damping Shock Absorber for Vehicle Suspension. IEEE/ASME Transactions on Mechatronics, 2015, 20, 2621-2629. | 3.7 | 77 |
| 68 | Development of precision measurement network of experimental advanced superconducting tokamak. Optical Engineering, 2014, 53, 122406. | 0.5 | 6 |
| 69 | Improvement on object detection accuracy by using two compound eye systems. , 2014, , . | | 2 |
| 70 | Development of an artificial compound eye system for three-dimensional object detection. Applied Optics, 2014, 53, 1166. | 0.9 | 34 |
| 71 | Camera calibration by using fringe patterns and 2D phase-difference pulse detection. Optik, 2014, 125, 671-674. | 1.4 | 14 |
| 72 | Variable stiffness and damping suspension system for train. Proceedings of SPIE, 2014, , . | 0.8 | 15 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Magnetorheological Damper Working in Squeeze Mode. Advances in Mechanical Engineering, 2014, 6, 410158. | 0.8 | 44 |
| 74 | Color-coding and phase-shift method for absolute phase measurement. Optics Communications, 2013, 298-299, 54-58. | 1.0 | 23 |
| 75 | A method for correcting non-linear geometric distortion in ultra-wide-angle imaging system. Optik, 2013, 124, 7014-7021. | 1.4 | 10 |
| 76 | A Novel MR Device with Variable Stiffness and Damping Capability. International Journal of Aerospace and Lightweight Structures (IJALS), 2013, 3, 325. | 0.1 | 6 |
| 77 | Investigation on the mechanism of damping behavior of magnetorheological elastomers. Smart Materials and Structures, 2012, 21, 125015. | 1.8 | 54 |
| 78 | Progress of Instantaneity in Real-Time ROBOCUP Vision System. , 2009, , . | | 0 |