

Albert Lecube

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2243087/albert-lecube-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

163
papers

3,347
citations

33
h-index

51
g-index

210
ext. papers

3,944
ext. citations

4.7
avg, IF

4.95
L-index

#	Paper	IF	Citations
163	Dapagliflozin plus exenatide on patients with type 2 diabetes awaiting bariatric surgery in the DEXBASU study.. <i>Scientific Reports</i> , 2022 , 12, 3236	4.9	0
162	Beyond the Glycaemic Control of Dapagliflozin: Microangiopathy and Non-classical Complications.. <i>Diabetes Therapy</i> , 2022 , 1	3.6	0
161	Liraglutide Improves Forced Vital Capacity in Individuals With Type 2 Diabetes: Data From the Randomized Cross-Over LIRALUNG Study. <i>Diabetes</i> , 2021 ,	0.9	1
160	Bidirectional relationship between diabetes and pulmonary function: a systematic review and meta-analysis. <i>Diabetes and Metabolism</i> , 2021 , 47, 101186	5.4	2
159	Subclinical atheromatosis localization and burden in a low-to-moderate cardiovascular risk population: the ILERVAS study. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2021 , 74, 1042-1053	0.7	4
158	Leading Factors for Weight Gain during COVID-19 Lockdown in a Spanish Population: A Cross-Sectional Study. <i>Nutrients</i> , 2021 , 13,	6.7	16
157	Clinical Usefulness of Anthropometric Indices to Predict the Presence of Prediabetes. Data from the ILERVAS Cohort. <i>Nutrients</i> , 2021 , 13,	6.7	2
156	Obesity in Patients with Type 1 Diabetes: Links, Risks and Management Challenges. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2021 , 14, 2807-2827	3.4	5
155	Prevalence of Obstructive Sleep Apnoea and Its Association With Atherosclerotic Plaques in a Cohort of Subjects With Mild-Moderate Cardiovascular Risk. <i>Archivos De Bronconeumologia</i> , 2021 ,	0.7	2
154	Effect of a Training Program on Hepatic Fat Content and Cardiometabolic Risk in Postmenopausal Women: The Randomized Controlled Trial. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 6409	2.6	0
153	A long and stony road to the correct treatment of obesity. <i>Medicina Clínica (English Edition)</i> , 2021 , 157, 176-177	0.3	
152	Circadian Patterns of Patients with Type 2 Diabetes and Obstructive Sleep Apnea. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	1
151	Prevalence and Predictors of Cerebral Microangiopathy Determined by Pulsatility Index in an Asymptomatic Population From the ILERVAS Project.. <i>Frontiers in Neurology</i> , 2021 , 12, 785640	4.1	1
150	Non-linear association between diabetes mellitus and pulmonary function: a population-based study. <i>Respiratory Research</i> , 2020 , 21, 292	7.3	1
149	SEEDO-SEMERGEN consensus document on continuous care of obesity between Primary Care and Specialist Hospital Units 2019. <i>Medicina Clínica</i> , 2020 , 155, 267.e1-267.e11	1	4
148	Exploring the Possible Impact of Unbalanced Open-Label Drop-In of Glucose-Lowering Medications on EXSCEL Outcomes. <i>Circulation</i> , 2020 , 141, 1360-1370	16.7	8
147	Are Obesity Indices Useful for Detecting Subclinical Atheromatosis in a Middle-Aged Population?. <i>Obesity Facts</i> , 2020 , 13, 29-39	5.1	4

146	Dynamics of Anthropometric Indices in a Large Paired Cohort With 10 Years of Follow-Up: Paving the Way to Sarcopenic Obesity. <i>Frontiers in Endocrinology</i> , 2020 , 11, 209	5.7	4
145	New Metrics to Assess Type 2 Diabetes After Bariatric Surgery: The "Time-Within-Remission Range". <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	3
144	SEEDO-SEMERGEN consensus document on continuous care of obesity between primary care and specialist Hospital units 2019. <i>Medicina Clínica (English Edition)</i> , 2020 , 155, 267.e1-267.e11	0.3	0
143	Protein succination as a potential surrogate biomarker of airway obstruction. The ilervas project. <i>Respiratory Medicine</i> , 2020 , 172, 106124	4.6	1
142	Impact of bariatric surgery on subclinical atherosclerosis in patients with morbid obesity. <i>Surgery for Obesity and Related Diseases</i> , 2020 , 16, 1419-1428	3	3
141	Factors Accounting for Obesity and Its Perception among the Adult Spanish Population: Data from 1,000 Computer-Assisted Telephone Interviews. <i>Obesity Facts</i> , 2020 , 13, 322-332	5.1	6
140	Effect of Type 2 Diabetes Mellitus on the Hypoxia-Inducible Factor 1-Alpha Expression. Is There a Relationship with the Clock Genes?. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	2
139	Mediterranean diet, physical activity and subcutaneous advanced glycation end-products' accumulation: a cross-sectional analysis in the ILERVAS project. <i>European Journal of Nutrition</i> , 2020 , 59, 1233-1242	5.2	7
138	Effect of Glucose Improvement on Nocturnal Sleep Breathing Parameters in Patients with Type 2 Diabetes: The Candy Dreams Study. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	1
137	Effect of Glucose Improvement on Spirometric Maneuvers in Patients With Type 2 Diabetes: The Sweet Breath Study. <i>Diabetes Care</i> , 2019 , 42, 617-624	14.6	7
136	Seasonal variation of body weight loss after bariatric surgery. <i>Chronobiology International</i> , 2019 , 36, 672-680	5.8	5
135	Assessing Motivational Stages and Processes of Change for Weight Management Around Bariatric Surgery: a Multicenter Study. <i>Obesity Surgery</i> , 2019 , 29, 3348-3356	3.7	4
134	Adipose Tissue Protein Glycooxidation is Associated with Weight-Loss Potential. <i>Obesity</i> , 2019 , 27, 1133-1140	14.4	2
133	Skin Autofluorescence Measurement in Subclinical Atheromatous Disease: Results from the ILERVAS Project. <i>Journal of Atherosclerosis and Thrombosis</i> , 2019 , 26, 879-889	4	2
132	Lung function measurements in the prediabetes stage: data from the ILERVAS Project. <i>Acta Diabetologica</i> , 2019 , 56, 1005-1012	3.9	5
131	The influence of sleep apnea syndrome and intermittent hypoxia in carotid adventitial vasa vasorum. <i>PLoS ONE</i> , 2019 , 14, e0211742	3.7	4
130	Effects of Mediterranean Diet and Physical Activity on Pulmonary Function: A Cross-Sectional Analysis in the ILERVAS Project. <i>Nutrients</i> , 2019 , 11,	6.7	16
129	Improved adherence to Mediterranean Diet in adults with type 1 diabetes mellitus. <i>European Journal of Nutrition</i> , 2019 , 58, 2271-2279	5.2	14

128	Preoperative Circulating Succinate Levels as a Biomarker for Diabetes Remission After Bariatric Surgery. <i>Diabetes Care</i> , 2019 , 42, 1956-1965	14.6	27
127	Genetic Testing to Predict Weight Loss and Diabetes Remission and Long-Term Sustainability after Bariatric Surgery: A Pilot Study. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	6
126	Dissimilar Impact of a Mediterranean Diet and Physical Activity on Anthropometric Indices: A Cross-Sectional Study from the ILERVAS Project. <i>Nutrients</i> , 2019 , 11,	6.7	4
125	A Spanish Society joint SECO and SEEDO approach to the Post-operative management of the patients undergoing surgery for obesity. <i>Obesity Surgery</i> , 2019 , 29, 3842-3853	3.7	8
124	Characteristics of atheromatosis in the prediabetes stage: a cross-sectional investigation of the ILERVAS project. <i>Cardiovascular Diabetology</i> , 2019 , 18, 154	8.7	7
123	Sympathetic Hyperactivity and Sleep Disorders in Individuals With Type 2 Diabetes. <i>Frontiers in Endocrinology</i> , 2019 , 10, 752	5.7	1
122	Outcomes of Bariatric Surgery in Patients with Cirrhosis. <i>Obesity Surgery</i> , 2019 , 29, 585-592	3.7	20
121	Seasonal variations of changes in lipid and glucidic variables after bariatric surgery. <i>Chronobiology International</i> , 2019 , 36, 250-257	3.6	2
120	Subcutaneous advanced glycation end-products and lung function according to glucose abnormalities: The ILERVAS Project. <i>Diabetes and Metabolism</i> , 2019 , 45, 595-598	5.4	8
119	Impact of TSH during the first trimester of pregnancy on obstetric and foetal complications: Usefulness of 2.5 mIU/L cut-off value. <i>Clinical Endocrinology</i> , 2018 , 88, 728-734	3.4	16
118	Prevalence of chronic obstructive pulmonary disease (COPD) not diagnosed in a population with cardiovascular risk factors. <i>Medicina Clínica</i> , 2018 , 151, 383-389	1	3
117	Influence of Morbid Obesity and Bariatric Surgery Impact on the Carotid Adventitial Vasa Vasorum Signal. <i>Obesity Surgery</i> , 2018 , 28, 3935-3942	3.7	3
116	Diabetic retinopathy is associated with the presence and burden of subclinical carotid atherosclerosis in type 1 diabetes. <i>Cardiovascular Diabetology</i> , 2018 , 17, 66	8.7	25
115	Prevalence of chronic obstructive pulmonary disease (COPD) not diagnosed in a population with cardiovascular risk factors. <i>Medicina Clínica (English Edition)</i> , 2018 , 151, 383-389	0.3	2
114	Type 1 Diabetic Subjects with Diabetic Retinopathy Show an Unfavorable Pattern of Fat Intake. <i>Nutrients</i> , 2018 , 10,	6.7	6
113	Interindividual differences in the clinical effectiveness of liraglutide in Type 2 diabetes: a real-world retrospective study conducted in Spain. <i>Diabetic Medicine</i> , 2018 , 35, 1605-1612	3.5	5
112	Sleep biosignature of Type 2 diabetes: a case-control study. <i>Diabetic Medicine</i> , 2017 , 34, 79-85	3.5	5
111	Peculiarities of the obese patient with cancer: a national consensus statement by the Spanish Society for the Study of Obesity and the Spanish Society of Medical Oncology. <i>Clinical and Translational Oncology</i> , 2017 , 19, 682-694	3.6	1

110	Prevention, diagnosis, and treatment of obesity. 2016 position statement of the Spanish Society for the Study of Obesity. <i>Endocrinología Diabetes Y Nutrición (English Ed)</i> , 2017 , 64, 15-22	0.1	4
109	Type 2 diabetes, risk of sleep apnea-hypopnea syndrome, and quality of life associated to sleep breathing disorders. <i>Endocrinología Diabetes Y Nutrición (English Ed)</i> , 2017 , 64, 174-176	0.1	
108	LXR-dependent regulation of macrophage-specific reverse cholesterol transport is impaired in a model of genetic diabetes. <i>Translational Research</i> , 2017 , 186, 19-35.e5	11	4
107	Hepatic CD36 downregulation parallels steatosis improvement in morbidly obese undergoing bariatric surgery. <i>International Journal of Obesity</i> , 2017 , 41, 1388-1393	5.5	10
106	Advanced glycation end-products in morbid obesity and after bariatric surgery: When glycemic memory starts to fail. <i>Endocrinología, Diabetes Y Nutrición</i> , 2017 , 64, 4-10	1.3	8
105	Type 2 diabetes, risk of sleep apnea-hypopnea syndrome, and quality of life associated to sleep breathing disorders. <i>Endocrinología, Diabetes Y Nutrición</i> , 2017 , 64, 174-176	1.3	
104	Advanced glycation end-products in morbid obesity and after bariatric surgery: When glycemic memory starts to fail. <i>Endocrinología Diabetes Y Nutrición (English Ed)</i> , 2017 , 64, 4-10	0.1	4
103	Pulmonary Function and Sleep Breathing: Two New Targets for Type 2 Diabetes Care. <i>Endocrine Reviews</i> , 2017 , 38, 550-573	27.2	30
102	Preclinical carotid atherosclerosis in patients with latent autoimmune diabetes in adults (LADA), type 2 diabetes and classical type 1 diabetes. <i>Cardiovascular Diabetology</i> , 2017 , 16, 94	8.7	15
101	Practical Approach to Initiating SGLT2 Inhibitors in Type 2 Diabetes. <i>Diabetes Therapy</i> , 2017 , 8, 953-962	3.6	25
100	Initial Approach to Childhood Obesity in Spain. A Multisociety Expert Panel Assessment. <i>Obesity Surgery</i> , 2017 , 27, 997-1006	3.7	9
99	Long-Term Outcomes in Patients with Morbid Obesity and Type 1 Diabetes Undergoing Bariatric Surgery. <i>Obesity Surgery</i> , 2017 , 27, 856-863	3.7	26
98	Prevention, diagnosis, and treatment of obesity. 2016 position statement of the Spanish Society for the Study of Obesity. <i>Endocrinología, Diabetes Y Nutrición</i> , 2017 , 64 Suppl 1, 15-22	1.3	40
97	Serum Surfactant Protein D as a Biomarker for Measuring Lung Involvement in Obese Patients With Type 2 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017 , 102, 4109-4116	5.6	16
96	Skin Autofluorescence and Subclinical Atherosclerosis in Mild to Moderate Chronic Kidney Disease: A Case-Control Study. <i>PLoS ONE</i> , 2017 , 12, e0170778	3.7	10
95	Randomised intervention study to assess the prevalence of subclinical vascular disease and hidden kidney disease and its impact on morbidity and mortality: The ILERVAS project. <i>Nefrología</i> , 2016 , 36, 389-396	0.4	13
94	Trends in Bariatric Surgery in Spain in the Twenty-First Century: Baseline Results and 1-Month Follow Up of the RICIBA, a National Registry. <i>Obesity Surgery</i> , 2016 , 26, 1836-42	3.7	19
93	Diabetic and dyslipidaemic morbidly obese exhibit more liver alterations compared with healthy morbidly obese. <i>BBA Clinical</i> , 2016 , 5, 54-65		7

92	Global Assessment of the Impact of Type 2 Diabetes on Sleep through Specific Questionnaires. A Case-Control Study. <i>PLoS ONE</i> , 2016 , 11, e0157579	3.7	17
91	The Role of Morbid Obesity in the Promotion of Metabolic Disruptions and Non-Alcoholic Steatohepatitis by Helicobacter Pylori. <i>PLoS ONE</i> , 2016 , 11, e0166741	3.7	9
90	Pregnancy after bariatric surgery: improving outcomes for mother and child. <i>International Journal of Women's Health</i> , 2016 , 8, 721-729	2.8	25
89	Liraglutide in clinical practice: Glycemic control, and predictors of good response. <i>Medicina Clínica</i> , 2016 , 146, 415-6	1	3
88	Hyperinsulinemic Hypoglycemia after Bariatric Surgery: Diagnosis and Management Experience from a Spanish Multicenter Registry. <i>Obesity Facts</i> , 2016 , 9, 41-51	5.1	15
87	Randomised intervention study to assess the prevalence of subclinical vascular disease and hidden kidney disease and its impact on morbidity and mortality: The ILERVAS project. <i>Nefrologia</i> , 2016 , 36, 389-96	1.5	17
86	Haematological parameters and serum trace elements in "healthy" and "unhealthy" morbidly obese patients before and after gastric bypass. <i>Clinical Nutrition</i> , 2015 , 34, 276-83	5.9	7
85	Iodine deficiency is higher in morbid obesity in comparison with late after bariatric surgery and non-obese women. <i>Obesity Surgery</i> , 2015 , 25, 85-9	3.7	22
84	Usefulness of preoperative plasmapheresis in patients with thyrotoxicosis. <i>Medicina Clínica (English Edition)</i> , 2015 , 144, 282-283	0.3	
83	Characterization of sleep breathing pattern in patients with type 2 diabetes: sweet sleep study. <i>PLoS ONE</i> , 2015 , 10, e0119073	3.7	12
82	Obesity as a risk factor in cancer: A national consensus of the Spanish Society for the Study of Obesity and the Spanish Society of Medical Oncology. <i>Clinical and Translational Oncology</i> , 2015 , 17, 763-771	3.6	23
81	Morbidly "Healthy" Obese Are Not Metabolically Healthy but Less Metabolically Imbalanced Than Those with Type 2 Diabetes or Dyslipidemia. <i>Obesity Surgery</i> , 2015 , 25, 1380-91	3.7	11
80	Effect of glycemic control on nocturnal arterial oxygen saturation: a case-control study in type 2 diabetic patients. <i>Journal of Diabetes</i> , 2015 , 7, 133-8	3.8	14
79	Maternal and perinatal outcomes after bariatric surgery: a Spanish multicenter study. <i>Obesity Surgery</i> , 2015 , 25, 436-42	3.7	43
78	Adiponectin upregulates SHBG production: molecular mechanisms and potential implications. <i>Endocrinology</i> , 2014 , 155, 2820-30	4.8	49
77	There is no bubble, but there are conflicts of interests. Efforts to improve the credibility of the scientific process. <i>Endocrinología Y Nutrición (English Edition)</i> , 2014 , 61, 443-444		
76	There is no bubble, but there are conflicts of interests. Efforts to improve the credibility of the scientific process. <i>Endocrinología Y Nutrición: Organo De La Sociedad Espanola De Endocrinología Y Nutrición</i> , 2014 , 61, 443-4		
75	Where are obese people happier?. <i>Endocrinología Y Nutrición (English Edition)</i> , 2014 , 61, 1-2		6

74	Bariatric surgery in morbidly obese patients improves the atherogenic qualitative properties of the plasma lipoproteins. <i>Atherosclerosis</i> , 2014 , 234, 200-5	3.1	21
73	Decreased lipases and fatty acid and glycerol transporter could explain reduced fat in diabetic morbidly obese. <i>Obesity</i> , 2014 , 22, 2379-87	8	8
72	Fibromyalgia and eating disorders in morbid obesity. <i>Endocrinología Y Nutrición (English Edition)</i> , 2014 , 61, 555-556		2
71	Fibromyalgia and eating disorders in morbid obesity. <i>Endocrinología Y Nutrición: Organo De La Sociedad Espanola De Endocrinología Y Nutrición</i> , 2014 , 61, 555-6		3
70	Bariatric surgery outcomes in a European Centre of Excellence (CoE). <i>Obesity Surgery</i> , 2013 , 23, 1324-32	3.7	17
69	Joint Position Statement of the SEEN-SECO-SEEDO-SED Societies on metabolic surgery for type 2 diabetes mellitus. <i>Endocrinología Y Nutrición (English Edition)</i> , 2013 , 60, 547-548		14
68	Internet of things and bariatric surgery follow-up: Comparative study of standard and IoT follow-up. <i>Minimally Invasive Therapy and Allied Technologies</i> , 2013 , 22, 304-11	2.1	20
67	A Bariatric Surgery Programme in Adolescents. Preliminary Results. <i>Cirugía Española (English Edition)</i> , 2013 , 91, 685-687	0.1	
66	Reply letter. <i>Endocrinología Y Nutrición (English Edition)</i> , 2013 , 60, 410-411		
65	Non-islet cell induced hypoglycemia by Big-IGF-2 in a patient with retroperitoneal solitary fibrous tumor and a papillary thyroid carcinoma: An unusual association. <i>Endocrinología Y Nutrición (English Edition)</i> , 2013 , 60, 483-484		1
64	Non-islet-cell-induced hypoglycemia by "big-IGF-2" in a patient with retroperitoneal solitary fibrous tumor and a papillary thyroid carcinoma: An unusual association. <i>Endocrinología Y Nutrición: Organo De La Sociedad Espanola De Endocrinología Y Nutrición</i> , 2013 , 60, 483-4		1
63	Carta respuesta. <i>Endocrinología Y Nutrición: Organo De La Sociedad Espanola De Endocrinología Y Nutrición</i> , 2013 , 60, 410-411		
62	Renaissance of acromegaly after bariatric surgery. <i>Endocrine</i> , 2013 , 43, 239-41	4	4
61	Weight-related quality of life in Spanish obese subjects suitable for bariatric surgery is lower than in their North American counterparts: a case-control study. <i>Obesity Surgery</i> , 2013 , 23, 509-14	3.7	12
60	Soluble CD40 ligand in morbidly obese patients: effect of body mass index on recovery to normal levels after gastric bypass surgery. <i>JAMA Surgery</i> , 2013 , 148, 151-6	5.4	15
59	Proteomic analysis of cerebrospinal fluid from obese women with idiopathic intracranial hypertension: a new approach for identifying new candidates in the pathogenesis of obesity. <i>Journal of Neuroendocrinology</i> , 2012 , 24, 944-52	3.8	12
58	Only C-reactive protein, but not TNF- α or IL6, reflects the improvement in inflammation after bariatric surgery. <i>Obesity Surgery</i> , 2012 , 22, 131-9	3.7	53
57	Alterations in the common pathway of coagulation during weight loss induced by gastric bypass in severely obese patients. <i>Obesity</i> , 2012 , 20, 1048-56	8	18

56	Type 2 diabetes and the lung: A bidirectional relationship. <i>Endocrinología Y Nutrición (English Edition)</i> , 2012 , 59, 95-97		6
55	Breaking therapeutic inertia: Should metabolic surgery be considered one more option for the treatment of type 2 diabetes mellitus?. <i>Endocrinología Y Nutrición (English Edition)</i> , 2012 , 59, 281-283		7
54	A nontargeted proteomic approach to the study of visceral and subcutaneous adipose tissue in human obesity. <i>Molecular and Cellular Endocrinology</i> , 2012 , 363, 10-9	4.4	51
53	Psychometric evaluation of the IWQOL-Lite (Spanish version) when applied to a sample of obese patients awaiting bariatric surgery. <i>Obesity Surgery</i> , 2012 , 22, 802-9	3.7	7
52	Potential role of tumor necrosis factor- α in downregulating sex hormone-binding globulin. <i>Diabetes</i> , 2012 , 61, 372-82	0.9	74
51	Molecular Mechanism of TNF α Induced Down-Regulation of SHBG Expression. <i>Molecular Endocrinology</i> , 2012 , 26, 438-46		42
50	Diabetes is the main factor accounting for hypomagnesemia in obese subjects. <i>PLoS ONE</i> , 2012 , 7, e30599	3.7	44
49	Surgically induced weight loss by gastric bypass improves non alcoholic fatty liver disease in morbid obese patients. <i>World Journal of Hepatology</i> , 2012 , 4, 382-8	3.4	47
48	RICIBA, what do we know about bariatric surgery in Spain?. <i>Endocrinología Y Nutrición (English Edition)</i> , 2011 , 58, 323-324		3
47	ENDOCRINOLOGÍA y NUTRICIÓN a partir de ahora también en inglés. <i>Endocrinología Y Nutrición: Organó De La Sociedad Española De Endocrinología Y Nutrición</i> , 2011 , 58, 1-2		3
46	TNF- α system and lung function impairment in obesity. <i>Cytokine</i> , 2011 , 54, 121-4	4	14
45	Management of patients with hernia or incisional hernia undergoing surgery for morbid obesity. <i>Journal of Obesity</i> , 2011 , 2011, 860942	3.7	7
44	Successful treatment for the Dunnigan-type familial partial lipodystrophy with Roux-en-Y gastric bypass. <i>Clinical Endocrinology</i> , 2011 , 75, 403-4	3.4	17
43	Phagocytic activity is impaired in type 2 diabetes mellitus and increases after metabolic improvement. <i>PLoS ONE</i> , 2011 , 6, e23366	3.7	108
42	Iron in obesity. An ancient micronutrient for a modern disease. <i>Obesity Reviews</i> , 2010 , 11, 322-8	10.6	64
41	Endoscopic Management of Drain Inclusion in the Gastric Pouch after Gastrojejunal Leakage after Laparoscopic Roux-en-Y Gastric Bypass for the Treatment of Morbid Obesity (LRYGBP). <i>Diagnostic and Therapeutic Endoscopy</i> , 2010 , 2010, 891345	0	1
40	Type 2 diabetes impairs pulmonary function in morbidly obese women: a case-control study. <i>Diabetologia</i> , 2010 , 53, 1210-6	10.3	23
39	Asymptomatic sleep-disordered breathing in premenopausal women awaiting bariatric surgery. <i>Obesity Surgery</i> , 2010 , 20, 454-61	3.7	33

38	The relationships between IGF-1 and CRP, NO, leptin, and adiponectin during weight loss in the morbidly obese. <i>Obesity Surgery</i> , 2010 , 20, 623-32	3.7	52
37	Insulin resistance is related to impaired lung function in morbidly obese women: a case-control study. <i>Diabetes/Metabolism Research and Reviews</i> , 2010 , 26, 639-45	7.5	22
36	Lower zinc-alpha2-glycoprotein production by adipose tissue and liver in obese patients unrelated to insulin resistance. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009 , 94, 4499-507	5.6	78
35	Gene expression of paired abdominal adipose AQP7 and liver AQP9 in patients with morbid obesity: relationship with glucose abnormalities. <i>Metabolism: Clinical and Experimental</i> , 2009 , 58, 1762-8 ^{12.7}	12.7	39
34	Glucose abnormalities in non-alcoholic fatty liver disease and chronic hepatitis C virus infection: the role of iron overload. <i>Diabetes/Metabolism Research and Reviews</i> , 2009 , 25, 403-10	7.5	19
33	Increased expression and activity of hepatic lipase in the liver of morbidly obese adult patients in relation to lipid content. <i>Obesity Surgery</i> , 2009 , 19, 894-904	3.7	33
32	Ghrelin and apolipoprotein AIV levels show opposite trends to leptin levels during weight loss in morbidly obese patients. <i>Obesity Surgery</i> , 2009 , 19, 1414-23	3.7	30
31	Lipoprotein lipase expression in livers of morbidly obese patients could be responsible for liver steatosis. <i>Obesity Surgery</i> , 2009 , 19, 608-16	3.7	46
30	Lipoprotein lipase but not hormone-sensitive lipase activities achieve normality after surgically induced weight loss in morbidly obese patients. <i>Obesity Surgery</i> , 2009 , 19, 1150-8	3.7	20
29	Diabetes is an independent risk factor for severe nocturnal hypoxemia in obese patients. A case-control study. <i>PLoS ONE</i> , 2009 , 4, e4692	3.7	25
28	Factors accounting for high ferritin levels in obesity. <i>International Journal of Obesity</i> , 2008 , 32, 1665-9	5.5	46
27	Occult secretion of acth and bilateral adrenalectomy: sometimes the messenger has to be shot. <i>Endocrinologia Y Nutrición: Organo De La Sociedad Espanola De Endocrinologia Y Nutricion</i> , 2008 , 55, 507-9		
26	Response to Heish et al.. <i>American Journal of Gastroenterology</i> , 2008 , 103, 488-488	0.7	
25	Glucose abnormalities are an independent risk factor for nonresponse to antiviral treatment in chronic hepatitis C. <i>American Journal of Gastroenterology</i> , 2007 , 102, 2189-95	0.7	37
24	Glucose abnormalities in patients with hepatitis C virus infection: epidemiology and pathogenesis: response to Lecube et al. <i>Diabetes Care</i> , 2006 , 29, 2558-9; author reply 2559-60	14.6	1
23	Proinflammatory cytokines, insulin resistance, and insulin secretion in chronic hepatitis C patients: a case-control study. Response to Lecube et al. <i>Diabetes Care</i> , 2006 , 29, 2180; author reply 2180-1	14.6	1
22	Sustained virological response correlates with reduction in the incidence of glucose abnormalities in patients with chronic hepatitis C virus infection. <i>Diabetes Care</i> , 2006 , 29, 2462-6	14.6	104
21	Iron deficiency in obese postmenopausal women. <i>Obesity</i> , 2006 , 14, 1724-30	8	99

20	Proinflammatory cytokines, insulin resistance, and insulin secretion in chronic hepatitis C patients: A case-control study. <i>Diabetes Care</i> , 2006 , 29, 1096-101	14.6	50
19	Glucose abnormalities in patients with hepatitis C virus infection: Epidemiology and pathogenesis. <i>Diabetes Care</i> , 2006 , 29, 1140-9	14.6	31
18	Soluble transferrin receptors and ferritin in Type 2 diabetic patients. <i>Diabetic Medicine</i> , 2005 , 22, 97-101	3.5	34
17	Diabetes Is the Main Factor Accounting for the High Ferritin Levels Detected in Chronic Hepatitis C Virus Infection: Response to Sebastiani et al.. <i>Diabetes Care</i> , 2005 , 28, 1838-1839	14.6	
16	Diabetes is the main factor accounting for the high ferritin levels detected in chronic hepatitis C virus infection: response to Lecube et al. <i>Diabetes Care</i> , 2005 , 28, 1838; author reply 1838-9	14.6	3
15	Relapsing paranoid psychosis as the first manifestation of pheochromocytoma. <i>Journal of Clinical Psychiatry</i> , 2005 , 66, 949-50	4.6	8
14	Hepatocyte growth factor in the vitreous fluid of patients with proliferative diabetic retinopathy: its relationship with vascular endothelial growth factor and retinopathy activity. <i>Diabetes Care</i> , 2004 , 27, 287-8	14.6	6
13	High prevalence of glucose abnormalities in patients with hepatitis C virus infection: a multivariate analysis considering the liver injury. <i>Diabetes Care</i> , 2004 , 27, 1171-5	14.6	151
12	Diabetes is the main factor accounting for the high ferritin levels detected in chronic hepatitis C virus infection. <i>Diabetes Care</i> , 2004 , 27, 2669-75	14.6	38
11	Epidemiology, clinical characteristics, outcome, morbidity and mortality in acromegaly based on the Spanish Acromegaly Registry (Registro Espanol de Acromegalia, REA). <i>European Journal of Endocrinology</i> , 2004 , 151, 439-46	6.5	253
10	Intravitreal leptin concentrations in patients with proliferative diabetic retinopathy. <i>Retina</i> , 2004 , 24, 30-5	3.6	9
9	Feocromocitoma extraadrenal maligno: una causa rara de hipertensi3n arterial. <i>Hipertension Y Riesgo Vascular</i> , 2003 , 20, 82-84	0.5	
8	Met3stasis pleural como forma de presentaci3n de un microcarcinoma papilar de tiroides: un caso excepcional. <i>Revista Clinica Espanola</i> , 2003 , 203, 217-218	0.7	
7	Lymphocytic hypophysitis successfully treated with azathioprine: first case report. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2003 , 74, 1581-3	5.5	58
6	Effects of hypolipidemic treatment on serum markers of vascular inflammation in dyslipidemic men. <i>Medical Science Monitor</i> , 2003 , 9, CR114-9	3.2	5
5	Nitric oxide and vascular endothelial growth factor concentrations are increased but not related in vitreous fluid of patients with proliferative diabetic retinopathy. <i>Diabetic Medicine</i> , 2002 , 19, 655-60	3.5	36
4	Deficit of somatostatin-like immunoreactivity in the vitreous fluid of diabetic patients: possible role in the development of proliferative diabetic retinopathy. <i>Diabetes Care</i> , 2002 , 25, 2282-6	14.6	54
3	Free insulin growth factor-I and vascular endothelial growth factor in the vitreous fluid of patients with proliferative diabetic retinopathy. <i>American Journal of Ophthalmology</i> , 2002 , 134, 376-82	4.9	71

2	V804M RET mutation and familial medullary thyroid carcinoma: report of a large family with expression of the disease only in the homozygous gene carriers. <i>Surgery</i> , 2002 , 131, 509-14	3.6	36
1	Características de la versión española del cuestionario de calidad de vida QLSM-H en sujetos adultos con deficiencia de hormona de crecimiento tratados con somatotropina. Estudio piloto. <i>Endocrinología Y Nutricion: Organo De La Sociedad Espanola De Endocrinología Y Nutricion</i> , 2002 , 49, 105-112		2