

Martin Zehl

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2243566/martin-zehl-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

99
papers

2,169
citations

26
h-index

41
g-index

101
ext. papers

2,509
ext. citations

5.4
avg, IF

4.66
L-index

#	Paper	IF	Citations
99	Biosynthetic potential of the endophytic fungus <i>Helotiales</i> sp. BL73 revealed via compound identification and genome mining.. <i>Applied and Environmental Microbiology</i> , 2022 , aem0251021	4.8	0
98	Polyphenol oxidase and enzymatic browning in apricot (L.): Effect on phenolic composition and deduction of main substrates.. <i>Current Research in Food Science</i> , 2022 , 5, 196-206	5.6	3
97	Synthesis and dopamine receptor binding of dihydrexidine and SKF 38393 catecholamine-based analogues. <i>Amino Acids</i> , 2021 , 1	3.5	
96	Effect of Accelerated Aging on the Chemical Signature and Performance of a Multiply-Alkylated Cyclopentane (MAC) Lubricant for Space Applications. <i>Tribology Letters</i> , 2021 , 69, 1	2.8	3
95	Endophytic sp. LN303 from Edelweiss Produces Emestrin and Two New 2-Hydroxy-4 Pyridone Alkaloids. <i>ACS Omega</i> , 2021 , 6, 2184-2191	3.9	6
94	Coupling of the engineered DNA "mutator" to a biosensor as a new paradigm for activation of silent biosynthetic gene clusters in <i>Streptomyces</i> . <i>Nucleic Acids Research</i> , 2021 , 49, 8396-8405	20.1	1
93	Class IV Lasso Peptides Synergistically Induce Proliferation of Cancer Cells and Sensitize Them to Doxorubicin. <i>IScience</i> , 2020 , 23, 101785	6.1	5
92	In Vitro Digestion of Grape Seed Oil Inhibits Phospholipid-Regulating Effects of Oxidized Lipids. <i>Biomolecules</i> , 2020 , 10,	5.9	2
91	spp. From the Marine Sponge : Analyses of Secondary Metabolite Biosynthesis Gene Clusters and Some of Their Products. <i>Frontiers in Microbiology</i> , 2020 , 11, 437	5.7	8
90	Structure-Activity Relationships of Novel Thiazole-Based Modafinil Analogues Acting at Monoamine Transporters. <i>Journal of Medicinal Chemistry</i> , 2020 , 63, 391-417	8.3	9
89	Isolation and Characterization of Acetylcholinesterase Inhibitors from <i>Piper longum</i> and Binding Mode Predictions. <i>Planta Medica</i> , 2020 , 86, 1118-1124	3.1	2
88	Viennamycins: Lipopeptides Produced by a sp. <i>Journal of Natural Products</i> , 2020 , 83, 2381-2389	4.9	5
87	Chemoselective Homologation-Deoxygenation Strategy Enabling the Direct Conversion of Carbonyls into (-)-Halomethyl-Alkanes. <i>Organic Letters</i> , 2020 , 22, 7629-7634	6.2	12
86	Antiplasmodial activity of triterpenes isolated from the methanolic leaf extract of <i>Combretum racemosum</i> P. Beauv. <i>Journal of Ethnopharmacology</i> , 2020 , 247, 112203	5	7
85	N, NQN?-trisubstituted guanidines: Synthesis, characterization and evaluation of their leishmanicidal activity. <i>European Journal of Medicinal Chemistry</i> , 2019 , 171, 116-128	6.8	4
84	Lanostane Triterpenes from <i>Gloeophyllum odoratum</i> and Their Anti-Influenza Effects. <i>Planta Medica</i> , 2019 , 85, 195-202	3.1	6
83	Simultaneous Analysis of Epoxidized and Hydroperoxidized Triacylglycerols in Canola Oil and Margarine by LC-MS. <i>Journal of Agricultural and Food Chemistry</i> , 2019 , 67, 10174-10184	5.7	15

82	The Novel Atypical Dopamine Uptake Inhibitor -CE-123 Partially Reverses the Effort-Related Effects of the Dopamine Depleting Agent Tetrabenazine and Increases Progressive Ratio Responding. <i>Frontiers in Pharmacology</i> , 2019 , 10, 682	5.6	18
81	Peptide-Targeted Polyplexes for Aerosol-Mediated Gene Delivery to CD49f-Overexpressing Tumor Lesions in Lung. <i>Molecular Therapy - Nucleic Acids</i> , 2019 , 18, 774-786	10.7	10
80	Anti-Influenza Triterpene Saponins from the Bark of <i>Burkea africana</i> . <i>Journal of Natural Products</i> , 2018 , 81, 515-523	4.9	23
79	Resveratrol Inhibits Key Steps of Steroid Metabolism in a Human Estrogen-Receptor Positive Breast Cancer Model: Impact on Cellular Proliferation. <i>Frontiers in Pharmacology</i> , 2018 , 9, 742	5.6	9
78	Chemical Composition of and the Effects on Tumor Invasiveness. <i>Frontiers in Pharmacology</i> , 2018 , 9, 304-311	5.6	11
77	spp. From Ethiopia Producing Antimicrobial Compounds: Characterization via Bioassays, Genome Analyses, and Mass Spectrometry. <i>Frontiers in Microbiology</i> , 2018 , 9, 1270	5.7	9
76	Secondary metabolites from lichen as potent inhibitors of advanced glycation end products and vasodilative agents. <i>Phytotherapy Research</i> , 2018 , 32, 182-188	3.2	9
75	Evaluation of Apricot, Bilberry, and Elderberry Pomace Constituents and Their Potential To Enhance the Endothelial Nitric Oxide Synthase (eNOS) Activity. <i>ACS Omega</i> , 2018 , 3, 10545-10553	3.9	5
74	Simultaneous quantification of estrogens, their precursors and conjugated metabolites in human breast cancer cells by LC-HRMS without derivatization. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017 , 138, 344-350	3.5	15
73	HPTLC Bioautography Guided Isolation of β -Glucosidase Inhibiting Compounds from <i>Justicia secunda</i> Vahl (Acanthaceae). <i>Phytochemical Analysis</i> , 2017 , 28, 87-92	3.4	12
72	Isolation of eudesmanes from <i>Pluchea odorata</i> and evaluation of their effects on cancer cell growth and tumor invasiveness in vitro. <i>Phytochemistry</i> , 2017 , 141, 37-47	4	4
71	Metabolism of Curcumin in Human Breast Cancer Cells: Impact of Sulfation on Cytotoxicity. <i>Planta Medica</i> , 2017 , 83, 1028-1034	3.1	9
70	Heterocyclic Analogues of Modafinil as Novel, Atypical Dopamine Transporter Inhibitors. <i>Journal of Medicinal Chemistry</i> , 2017 , 60, 9330-9348	8.3	10
69	Acetylated Furostene Glycosides from <i>Solanum gilo</i> Fruits. <i>Planta Medica</i> , 2017 , 83, 1227-1232	3.1	4
68	The Impacts of Genistein and Daidzein on Estrogen Conjugations in Human Breast Cancer Cells: A Targeted Metabolomics Approach. <i>Frontiers in Pharmacology</i> , 2017 , 8, 699	5.6	28
67	Allspice and Clove As Source of Triterpene Acids Activating the G Protein-Coupled Bile Acid Receptor TGR5. <i>Frontiers in Pharmacology</i> , 2017 , 8, 468	5.6	17
66	New flavonoids from the underground parts of <i>Eriosema laurentii</i> . <i>Phytochemistry Letters</i> , 2016 , 18, 144-149	4.9	0
65	Triterpenoic Acids From Apple Pomace Enhance the Activity of the Endothelial Nitric Oxide Synthase (eNOS). <i>Journal of Agricultural and Food Chemistry</i> , 2016 , 64, 185-94	5.7	16

64	Trophosome of the Deep-Sea Tubeworm <i>Riftia pachyptila</i> Inhibits Bacterial Growth. <i>PLoS ONE</i> , 2016 , 11, e0146446	3.7	5
63	A novel heterocyclic compound targeting the dopamine transporter improves performance in the radial arm maze and modulates dopamine receptors D1-D3. <i>Behavioural Brain Research</i> , 2016 , 312, 127-374	3.74	6
62	Rare phenolic structures found in the aerial parts of <i>Eriosema laurentii</i> De Wild. <i>Phytochemistry</i> , 2016 , 128, 5-11	4	6
61	Estrogenic properties of spices of the traditional Cameroonian dish "Nkui" in ovariectomized Wistar rats. <i>Journal of Complementary and Integrative Medicine</i> , 2016 , 13, 151-62	1.5	6
60	Selective anticancer activity of the novel thiobenzanilide 63T against human lung adenocarcinoma cells. <i>Toxicology in Vitro</i> , 2016 , 37, 148-161	3.6	3
59	Quantitation of phenylpropanoids and iridoids in insulin-sensitising extracts of <i>Leonurus sibiricus</i> L. (Lamiaceae). <i>Phytochemical Analysis</i> , 2016 , 27, 23-31	3.4	14
58	A eudesmane-type sesquiterpene isolated from <i>Pluchea odorata</i> (L.) Cass. combats three hallmarks of cancer cells: Unrestricted proliferation, escape from apoptosis and early metastatic outgrowth in vitro. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2015 , 777, 79-90	3.3	5
57	Cytotoxicity of cardiotonic steroids in sensitive and multidrug-resistant leukemia cells and the link with Na(+)/K(+)-ATPase. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2015 , 150, 97-111	5.1	24
56	Flavonoids as chemotaxonomic markers in the genus <i>Drosera</i> . <i>Phytochemistry</i> , 2015 , 118, 74-82	4	18
55	Identification of new P-glycoprotein inhibitors derived from cardiotonic steroids. <i>Biochemical Pharmacology</i> , 2015 , 93, 11-24	6	31
54	Preparative isolation of oleocanthal, tyrosol, and hydroxytyrosol from olive oil by HPLC. <i>Food Chemistry</i> , 2015 , 170, 154-9	8.5	27
53	Influence of <i>Rheum rhabonticum</i> , <i>Cimicifuga racemosa</i> and <i>Trifolium pratense</i> extracts on breast cancer cell proliferation. <i>Zeitschrift Fur Phytotherapie: Offizielles Organ Der Ges F Phytotherapie E V</i> , 2015 , 36, 157-163	0.1	2
52	Acetylcholinesterase inhibitors from galbanum, the oleo gum-resin of <i>Ferula gummosa</i> Boiss.. <i>Phytochemistry Letters</i> , 2014 , 10, lxxxii-lxxxvii	1.9	17
51	<i>Equisetum arvense</i> (common horsetail) modulates the function of inflammatory immunocompetent cells. <i>BMC Complementary and Alternative Medicine</i> , 2014 , 14, 283	4.7	22
50	Lupinalbin A as the most potent estrogen receptor β and aryl hydrocarbon receptor agonist in <i>Eriosema laurentii</i> de Wild. (Leguminosae). <i>BMC Complementary and Alternative Medicine</i> , 2014 , 14, 294	4.7	9
49	Activity-guided isolation of NF- κ B inhibitors and PPAR β agonists from the root bark of <i>Lycium chinense</i> Miller. <i>Journal of Ethnopharmacology</i> , 2014 , 152, 470-7	5	49
48	Cytotoxic constituents from <i>Lobaria scrobiculata</i> and a comparison of two bioassays for their evaluation. <i>Journal of Natural Products</i> , 2014 , 77, 1069-73	4.9	10
47	Secundarellone A, B, and C from the leaves of <i>Justicia secunda</i> VAHL. <i>Phytochemistry Letters</i> , 2014 , 10, cxxix-cxxxii	1.9	5

46	Walnut leaf extract inhibits PTP1B and enhances glucose-uptake in vitro. <i>Journal of Ethnopharmacology</i> , 2014 , 152, 599-602	5	29
45	Influence of vinegar and wine processing on the alkaloid content and composition of the traditional Chinese medicine <i>Corydalis Rhizoma</i> (Yanhusuo). <i>Molecules</i> , 2014 , 19, 11487-504	4.8	36
44	FBXO22 protein is required for optimal synthesis of the N-methyl-D-aspartate (NMDA) receptor coagonist D-serine. <i>Journal of Biological Chemistry</i> , 2014 , 289, 33904-15	5.4	12
43	Measuring the hydrogen/deuterium exchange of proteins at high spatial resolution by mass spectrometry: overcoming gas-phase hydrogen/deuterium scrambling. <i>Accounts of Chemical Research</i> , 2014 , 47, 3018-27	24.3	68
42	Plant extracts in cell-based anti-inflammatory assays: Pitfalls and considerations related to removal of activity masking bulk components. <i>Phytochemistry Letters</i> , 2014 , 10, xli-xlvii	1.9	4
41	Extracts from <i>Leonurus sibiricus</i> L. increase insulin secretion and proliferation of rat INS-1E insulinoma cells. <i>Journal of Ethnopharmacology</i> , 2013 , 150, 85-94	5	24
40	LC-NMR, NMR, and LC-MS identification and LC-DAD quantification of flavonoids and ellagic acid derivatives in <i>Drosera peltata</i> . <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2013 , 932, 111-6	3.2	33
39	Structure-activity relationship analysis of bufadienolide-induced in vitro growth inhibitory effects on mouse and human cancer cells. <i>Journal of Natural Products</i> , 2013 , 76, 1078-84	4.9	48
38	Hellebrin and its aglycone form hellebrigenin display similar in vitro growth inhibitory effects in cancer cells and binding profiles to the alpha subunits of the Na ⁺ /K ⁺ -ATPase. <i>Molecular Cancer</i> , 2013 , 12, 33	42.1	32
37	Traditionally used <i>Veronica officinalis</i> inhibits proinflammatory mediators via the NF- κ B signalling pathway in a human lung cell line. <i>Journal of Ethnopharmacology</i> , 2013 , 145, 118-26	5	16
36	Compounds from gum ammoniacum with acetylcholinesterase inhibitory activity. <i>Scientia Pharmaceutica</i> , 2013 , 81, 793-805	4.3	16
35	2-deprenyl-rheediaxanthone B isolated from <i>Metaxya rostrata</i> induces active cell death in colorectal tumor cells. <i>PLoS ONE</i> , 2013 , 8, e65745	3.7	7
34	The Herbal Drug <i>Melampyrum pratense</i> L. (Koch): Isolation and Identification of Its Bioactive Compounds Targeting Mediators of Inflammation. <i>Evidence-based Complementary and Alternative Medicine</i> , 2013 , 2013, 395316	2.3	25
33	Catechol alkenyls from <i>Semecarpus anacardium</i> : acetylcholinesterase inhibition and binding mode predictions. <i>Journal of Ethnopharmacology</i> , 2012 , 139, 142-8	5	30
32	HPLC determination of flavonoid glycosides in Mongolian <i>Dianthus versicolor</i> Fisch. (Caryophyllaceae) compared with quantification by UV spectrophotometry. <i>Phytochemical Analysis</i> , 2012 , 23, 254-9	3.4	10
31	Towards modernization of the formulation of the traditional uighur medicine herbal preparation abnormal savda munziq. <i>Evidence-based Complementary and Alternative Medicine</i> , 2012 , 2012, 863101	2.3	5
30	GABA(A) receptor modulators from the Chinese herbal drug <i>Junci Medulla</i> --the pith of <i>Juncus effusus</i> . <i>Planta Medica</i> , 2012 , 78, 455-8	3.1	14
29	Identification of ostruthin from <i>Peucedanum ostruthium</i> rhizomes as an inhibitor of vascular smooth muscle cell proliferation. <i>Journal of Natural Products</i> , 2011 , 74, 1513-6	4.9	18

28	Antiparasitic compounds from <i>Cupania cinerea</i> with activities against <i>Plasmodium falciparum</i> and <i>Trypanosoma brucei rhodesiense</i> . <i>Journal of Natural Products</i> , 2011 , 74, 559-66	4.9	36
27	An aqueous birch leaf extract of <i>Betula pendula</i> inhibits the growth and cell division of inflammatory lymphocytes. <i>Journal of Ethnopharmacology</i> , 2011 , 136, 444-51	5	16
26	Flavonoid C- and O-glycosides from the Mongolian medicinal plant <i>Dianthus versicolor</i> Fisch. <i>Carbohydrate Research</i> , 2011 , 346, 1868-75	2.9	19
25	Identification and quantification of flavonoids and ellagic acid derivatives in therapeutically important <i>Drosera</i> species by LC-DAD, LC-NMR, NMR, and LC-MS. <i>Analytical and Bioanalytical Chemistry</i> , 2011 , 400, 2565-76	4.4	48
24	Quantification of flavonoid glycosides in an aqueous extract from the traditional Mongolian medicinal plant <i>Dianthus versicolor</i> FISCH. <i>Journal of Separation Science</i> , 2011 , 34, 292-8	3.4	5
23	Ferruginenes A-C from <i>Rhododendron ferrugineum</i> and their cytotoxic evaluation. <i>Journal of Natural Products</i> , 2011 , 74, 712-7	4.9	26
22	Identification and quantification of coumarins in <i>Peucedanum ostruthium</i> (L.) Koch by HPLC-DAD and HPLC-DAD-MS. <i>Journal of Agricultural and Food Chemistry</i> , 2011 , 59, 4371-7	5.7	40
21	Transfer-messenger RNA controls the translation of cell-cycle and stress proteins in <i>Streptomyces</i> . <i>EMBO Reports</i> , 2010 , 11, 119-25	6.5	19
20	Loss of ammonia during electron-transfer dissociation of deuterated peptides as an inherent gauge of gas-phase hydrogen scrambling. <i>Analytical Chemistry</i> , 2010 , 82, 9755-62	7.8	37
19	Extracts from the Mongolian traditional medicinal plants <i>Dianthus versicolor</i> Fisch. and <i>Lilium pumilum</i> Delile stimulate bile flow in an isolated perfused rat liver model. <i>Journal of Ethnopharmacology</i> , 2010 , 131, 555-61	5	15
18	Rapid structural identification of cytotoxic bufadienolide sulfates in toad venom from <i>Bufo melanostictus</i> by LC-DAD-MS(n) and LC-SPE-NMR. <i>Journal of Natural Products</i> , 2010 , 73, 603-8	4.9	32
17	Comparison of toad venoms from different <i>Bufo</i> species by HPLC and LC-DAD-MS/MS. <i>Journal of Ethnopharmacology</i> , 2010 , 131, 368-76	5	63
16	Phosphorylation of mouse serine racemase regulates D-serine synthesis. <i>FEBS Letters</i> , 2010 , 584, 2937-43	4.8	31
15	Feedback inactivation of D-serine synthesis by NMDA receptor-elicited translocation of serine racemase to the membrane. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 7589-94	11.5	65
14	Protein hydrogen exchange measured at single-residue resolution by electron transfer dissociation mass spectrometry. <i>Analytical Chemistry</i> , 2009 , 81, 5577-84	7.8	186
13	Chitosan-tripolyphosphate nanoparticles as a possible skin drug delivery system for aciclovir with enhanced stability. <i>Journal of Pharmacy and Pharmacology</i> , 2009 , 61, 1609-16	4.8	17
12	Electron transfer dissociation facilitates the measurement of deuterium incorporation into selectively labeled peptides with single residue resolution. <i>Journal of the American Chemical Society</i> , 2008 , 130, 17453-9	16.4	139
11	Mass spectrometric evidence of covalently-bound tetrahydrolipstatin at the catalytic serine of <i>Streptomyces rimosus</i> lipase. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2007 , 1770, 163-70	4	14

10	Multistage and tandem mass spectrometry of glycosylated triterpenoid saponins isolated from <i>Bacopa monnieri</i> : comparison of the information content provided by different techniques. <i>Analytical Chemistry</i> , 2007 , 79, 8214-21	7.8	28
9	Comparison of CID spectra of singly charged polypeptide antibiotic precursor ions obtained by positive-ion vacuum MALDI IT/RTOF and TOF/RTOF, AP-MALDI-IT and ESI-IT mass spectrometry. <i>Journal of Mass Spectrometry</i> , 2006 , 41, 421-47	2.2	40
8	Characterization of moenomycin antibiotic complex by multistage MALDI-IT/RTOF-MS and ESI-IT-MS. <i>Journal of the American Society for Mass Spectrometry</i> , 2006 , 17, 1081-1090	3.5	16
7	Instrumental parameters in the MALDI-TOF mass spectrometric analysis of quaternary protein structures. <i>Analytical Chemistry</i> , 2005 , 77, 103-10	7.8	32
6	Structural characterization of extracellular lipase from <i>Streptomyces rimosus</i> : assignment of disulfide bridge pattern by mass spectrometry. <i>Biological Chemistry</i> , 2004 , 385, 1147-56	4.5	8
5	Determination of glycopeptide structures by multistage mass spectrometry with low-energy collision-induced dissociation: comparison of electrospray ionization quadrupole ion trap and matrix-assisted laser desorption/ionization quadrupole ion trap reflectron time-of-flight	2.2	84
4	Ultraviolet matrix-assisted laser desorption/ionization time-of-flight mass spectrometry of intact hemoglobin complex from whole human blood. <i>Rapid Communications in Mass Spectrometry</i> , 2004 , 18, 1932-8	2.2	19
3	Characterization of covalently inhibited extracellular lipase from <i>Streptomyces rimosus</i> by matrix-assisted laser desorption/ionization time-of-flight and matrix-assisted laser desorption/ionization quadrupole ion trap reflectron time-of-flight mass spectrometry: localization	2.2	12
2	Investigation of sample preparation and instrumental parameters in the matrix-assisted laser desorption/ionization time-of-flight mass spectrometry of noncovalent peptide/peptide complexes. <i>Rapid Communications in Mass Spectrometry</i> , 2003 , 17, 1931-40	2.2	24
1	Design of multistable RNA molecules. <i>Rna</i> , 2001 , 7, 254-65	5.8	113