

Barry R Lentz

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2243972/barry-r-lentz-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

130
papers

6,410
citations

44
h-index

77
g-index

152
ext. papers

6,736
ext. citations

2.8
avg, IF

5.74
L-index

#	Paper	IF	Citations
130	Jan Hermans (1933-2018): Red-blooded biophysicists study hemoglobin. <i>Proteins: Structure, Function and Bioinformatics</i> , 2019 , 87, 171-173	4.2	
129	Depth-Dependent Membrane Ordering by Hemagglutinin Fusion Peptide Promotes Fusion. <i>Journal of Physical Chemistry B</i> , 2017 , 121, 1640-1648	3.4	16
128	The lateral diffusion and fibrinogen induced clustering of platelet integrin $\alpha\text{IIb}\beta\text{3}$ reconstituted into physiologically mimetic GUVs. <i>Integrative Biology (United Kingdom)</i> , 2015 , 7, 402-11	3.7	15
127	Factor Xa dimerization competes with prothrombinase complex formation on platelet-like membrane surfaces. <i>Biochemical Journal</i> , 2015 , 467, 37-46	3.8	4
126	Phosphatidylserine-Dependent Catalysis of Stalk and Pore Formation by Synaptobrevin JMR-TMD Peptide. <i>Biophysical Journal</i> , 2015 , 109, 1863-72	2.9	10
125	Phosphatidylserine and FVa regulate FXa structure. <i>Biochemical Journal</i> , 2014 , 459, 229-39	3.8	8
124	The transmembrane domain peptide of vesicular stomatitis virus promotes both intermediate and pore formation during PEG-mediated vesicle fusion. <i>Biophysical Journal</i> , 2014 , 107, 1318-26	2.9	9
123	pH Alters PEG-mediated fusion of phosphatidylethanolamine-containing vesicles. <i>Biophysical Journal</i> , 2014 , 107, 1327-38	2.9	11
122	Soluble phosphatidylserine binds to two sites on human factor IXa in a Ca^{2+} dependent fashion to specifically regulate structure and activity. <i>PLoS ONE</i> , 2014 , 9, e100006	3.7	2
121	Ca^{2+} switches the effect of PS-containing membranes on Factor Xa from activating to inhibiting: implications for initiation of blood coagulation. <i>Biochemical Journal</i> , 2014 , 462, 591-601	3.8	12
120	Membrane modulates affinity for calcium ion to create an apparent cooperative binding response by annexin a5. <i>Biophysical Journal</i> , 2013 , 104, 2437-47	2.9	14
119	A novel assay for detecting fusion pore formation: implications for the fusion mechanism. <i>Biochemistry</i> , 2013 , 52, 8510-7	3.2	2
118	Wild-type and mutant hemagglutinin fusion peptides alter bilayer structure as well as kinetics and activation thermodynamics of stalk and pore formation differently: mechanistic implications. <i>Biophysical Journal</i> , 2013 , 105, 2495-506	2.9	31
117	Phosphatidylserine-induced factor Xa dimerization and binding to factor Va are competing processes in solution. <i>Biochemistry</i> , 2013 , 52, 143-51	3.2	7
116	Fusion peptides promote formation of bilayer cubic phases in lipid dispersions. An x-ray diffraction study. <i>Biophysical Journal</i> , 2013 , 104, 1029-37	2.9	25
115	2013 ,		7
114	A simple method for correction of circular dichroism spectra obtained from membrane-containing samples. <i>Biochemistry</i> , 2012 , 51, 1005-8	3.2	11

113	Activation thermodynamics of poly(ethylene glycol)-mediated model membrane fusion support mechanistic models of stalk and pore formation. <i>Biophysical Journal</i> , 2012 , 102, 2751-60	2.9	31
112	Phosphatidylserine inhibits and calcium promotes model membrane fusion. <i>Biophysical Journal</i> , 2012 , 103, 1880-9	2.9	24
111	Hemagglutinin fusion peptide mutants in model membranes: structural properties, membrane physical properties, and PEG-mediated fusion. <i>Biophysical Journal</i> , 2011 , 101, 1095-104	2.9	29
110	Modulation of prothrombinase assembly and activity by phosphatidylethanolamine. <i>Journal of Biological Chemistry</i> , 2011 , 286, 35535-35542	5.4	14
109	Modulation of Prothrombinase Assembly and Activity by Phosphatidylethanolamine. <i>Blood</i> , 2011 , 118, 4344-4344	2.2	
108	The Interaction of Soluble Phospholipids with Coagulation Factor VIIa. <i>Blood</i> , 2010 , 116, 4421-4421	2.2	
107	Nematode Antocoagulant Protein c2 (NAPc2) Interferes with Factor Xa Dimerization: Structural Alteration of Factor Xa Upon Dimerization.. <i>Blood</i> , 2010 , 116, 1128-1128	2.2	
106	Functional and structural characterization of factor Xa dimer in solution. <i>Biophysical Journal</i> , 2009 , 96, 974-86	2.9	10
105	Factor XA binding to phosphatidylserine-containing membranes produces an inactive membrane-bound dimer. <i>Biophysical Journal</i> , 2009 , 97, 2232-41	2.9	13
104	Membrane Phosphatidylserine and Plasma Calcium Levels Switch Factor Xa From An Inactive Dimer to An Active Monomer.. <i>Blood</i> , 2009 , 114, 3180-3180	2.2	
103	Modulation of Prothrombinase Assembly and Activity by Phosphatidylethanolamine.. <i>Blood</i> , 2009 , 114, 4207-4207	2.2	
102	Factor Xa Dimerization and Prothrombinase Complex Formation Are Competitive Process On a Membrane Surface.. <i>Blood</i> , 2009 , 114, 2123-2123	2.2	
101	A phosphatidylserine binding site in factor Va C1 domain regulates both assembly and activity of the prothrombinase complex. <i>Blood</i> , 2008 , 112, 2795-802	2.2	34
100	Analysis of membrane fusion as a two-state sequential process: evaluation of the stalk model. <i>Biophysical Journal</i> , 2007 , 92, 4012-29	2.9	30
99	PEG as a tool to gain insight into membrane fusion. <i>European Biophysics Journal</i> , 2007 , 36, 315-26	1.9	117
98	Neuronal SNAREs do not trigger fusion between synthetic membranes but do promote PEG-mediated membrane fusion. <i>Biophysical Journal</i> , 2006 , 90, 1661-75	2.9	125
97	Seeing is believing: the stalk intermediate. <i>Biophysical Journal</i> , 2006 , 91, 2747-8	2.9	3
96	Identification of Amino Acid Residues in the C1 Domain of Human Factor Va2 That Affect Phosphatidylserine-Triggered Cofactor Activity.. <i>Blood</i> , 2006 , 108, 1711-1711	2.2	

95	The phosphatidylserine binding site of the factor Va C2 domain accounts for membrane binding but does not contribute to the assembly or activity of a human factor Xa-factor Va complex. <i>Biochemistry</i> , 2005 , 44, 711-8	3.2	23
94	Properties and structures of the influenza and HIV fusion peptides on lipid membranes: implications for a role in fusion. <i>Biophysical Journal</i> , 2005 , 89, 3183-94	2.9	56
93	Efficient thrombin generation requires molecular phosphatidylserine, not a membrane surface. <i>Biochemistry</i> , 2005 , 44, 16998-7006	3.2	28
92	C6PS Regulates the Inactivation of Factor Va by Activated Protein C.. <i>Blood</i> , 2005 , 106, 1023-1023	2.2	1
91	Phosphatidylserine (PS) Binding Sites in Kringle Modules Regulate the Domain Organization and Conformation of Bovine Prothrombin.. <i>Blood</i> , 2005 , 106, 1952-1952	2.2	
90	Roles of curvature and hydrophobic interstice energy in fusion: studies of lipid perturbant effects. <i>Biochemistry</i> , 2004 , 43, 3507-17	3.2	52
89	Energetics of vesicle fusion intermediates: comparison of calculations with observed effects of osmotic and curvature stresses. <i>Biophysical Journal</i> , 2004 , 86, 2951-64	2.9	74
88	On the analysis of elastic deformations in hexagonal phases. <i>Biophysical Journal</i> , 2004 , 86, 3324-8	2.9	11
87	Mutation of the Hydrophobic Residues in Factor Va2 C1 Domain Affects the Phosphatidylserine Mediated Prothrombin Activation.. <i>Blood</i> , 2004 , 104, 1733-1733	2.2	
86	Effects of water soluble phosphotidylserine on bovine factor Xa: functional and structural changes plus dimerization. <i>Biophysical Journal</i> , 2003 , 84, 1238-51	2.9	20
85	Exposure of platelet membrane phosphatidylserine regulates blood coagulation. <i>Progress in Lipid Research</i> , 2003 , 42, 423-38	14.3	252
84	Cooperative roles of factor V(a) and phosphatidylserine-containing membranes as cofactors in prothrombin activation. <i>Journal of Biological Chemistry</i> , 2003 , 278, 5679-84	5.4	26
83	Localization of phosphatidylserine binding sites to structural domains of factor Xa. <i>Journal of Biological Chemistry</i> , 2002 , 277, 1855-63	5.4	35
82	Soluble phosphatidylserine triggers assembly in solution of a prothrombin-activating complex in the absence of a membrane surface. <i>Journal of Biological Chemistry</i> , 2002 , 277, 29765-73	5.4	28
81	VSV transmembrane domain (TMD) peptide promotes PEG-mediated fusion of liposomes in a conformationally sensitive fashion. <i>Biochemistry</i> , 2002 , 41, 14925-34	3.2	46
80	Kinetics of lipid rearrangements during poly(ethylene glycol)-mediated fusion of highly curved unilamellar vesicles. <i>Biochemistry</i> , 2002 , 41, 1241-9	3.2	49
79	Pyrene cholesterol reports the transient appearance of nonlamellar intermediate structures during fusion of model membranes. <i>Biochemistry</i> , 2002 , 41, 5913-9	3.2	12
78	Role of procoagulant lipids in human prothrombin activation. 1. Prothrombin activation by factor X(a) in the absence of factor V(a) and in the absence and presence of membranes. <i>Biochemistry</i> , 2002 , 41, 935-49	3.2	33

77	Phosphatidylserine binding alters the conformation and specifically enhances the cofactor activity of bovine factor Va. <i>Biochemistry</i> , 2002 , 41, 5675-84	3.2	32
76	Role of procoagulant lipids in human prothrombin activation. 2. Soluble phosphatidylserine upregulates and directs factor X(a) to appropriate peptide bonds in prothrombin. <i>Biochemistry</i> , 2002 , 41, 950-7	3.2	30
75	Specificity of soluble phospholipid binding sites on human factor Xa. <i>Biochemistry</i> , 2002 , 41, 7751-62	3.2	16
74	Influence of gp41 fusion peptide on the kinetics of poly(ethylene glycol)-mediated model membrane fusion. <i>Biochemistry</i> , 2002 , 41, 10866-76	3.2	39
73	Filling potholes on the path to fusion pores. <i>Biophysical Journal</i> , 2002 , 82, 555-7	2.9	31
72	Osmotic and curvature stress affect PEG-induced fusion of lipid vesicles but not mixing of their lipids. <i>Biophysical Journal</i> , 2002 , 82, 2090-100	2.9	65
71	The rate of lipid transfer during fusion depends on the structure of fluorescent lipid probes: a new chain-labeled lipid transfer probe pair. <i>Biochemistry</i> , 2001 , 40, 8292-9	3.2	46
70	A novel fluorescence assay to study propeptide interaction with gamma-glutamyl carboxylase. <i>Biochemistry</i> , 2001 , 40, 11723-33	3.2	28
69	Influence of lipid composition on physical properties and peg-mediated fusion of curved and uncurved model membrane vesicles: "nature's own" fusogenic lipid bilayer. <i>Biochemistry</i> , 2001 , 40, 4340-8	3.2	159
68	Effects of hemagglutinin fusion peptide on poly(ethylene glycol)-mediated fusion of phosphatidylcholine vesicles. <i>Biochemistry</i> , 2001 , 40, 14243-51	3.2	27
67	Protein machines and lipid assemblies: current views of cell membrane fusion. <i>Current Opinion in Structural Biology</i> , 2000 , 10, 607-15	8.1	130
66	Commentary: Lipids and Liposomes can do More Than Carry Drugs: Phosphatidylserine as a Regulator of Blood Coagulation. <i>Journal of Liposome Research</i> , 1999 , 9, ix-xv	6.1	6
65	Poly(ethylene glycol) (PEG)-mediated fusion between pure lipid bilayers: a mechanism in common with viral fusion and secretory vesicle release?. <i>Molecular Membrane Biology</i> , 1999 , 16, 279-96	3.4	97
64	Partial glycosylation at asparagine-2181 of the second C-type domain of human factor V modulates assembly of the prothrombinase complex. <i>Biochemistry</i> , 1999 , 38, 11448-54	3.2	38
63	Secretory and viral fusion may share mechanistic events with fusion between curved lipid bilayers. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998 , 95, 9274-9	11.5	83
62	Evolution of lipidic structures during model membrane fusion and the relation of this process to cell membrane fusion. <i>Biochemistry</i> , 1997 , 36, 6251-9	3.2	170
61	Outer leaflet-packing defects promote poly(ethylene glycol)-mediated fusion of large unilamellar vesicles. <i>Biochemistry</i> , 1997 , 36, 421-31	3.2	58
60	Acyl chain unsaturation and vesicle curvature alter outer leaflet packing and promote poly(ethylene glycol)-mediated membrane fusion. <i>Biochemistry</i> , 1997 , 36, 5827-36	3.2	75

59	Transbilayer lipid redistribution accompanies poly(ethylene glycol) treatment of model membranes but is not induced by fusion. <i>Biochemistry</i> , 1997 , 36, 2076-83	3.2	32
58	Fluorescence resonance energy transfer study of shape changes in membrane-bound bovine prothrombin and meizothrombin. <i>Biochemistry</i> , 1997 , 36, 4701-11	3.2	28
57	Partially purified Echis carinatus venom cleaves active-site-mutated bovine prothrombin at two sites. <i>Thrombosis Research</i> , 1997 , 85, 369-75	8.2	3
56	Construction, properties and specific fluorescent labeling of a bovine prothrombin mutant engineered with a free C-terminal cysteine. <i>Protein Engineering, Design and Selection</i> , 1996 , 9, 545-53	1.9	1
55	Soluble phospholipids enhance factor Xa-catalyzed prothrombin activation in solution. <i>Biochemistry</i> , 1996 , 35, 7482-91	3.2	58
54	A slight asymmetry in the transbilayer distribution of lysophosphatidylcholine alters the surface properties and poly(ethylene glycol)-mediated fusion of dipalmitoylphosphatidylcholine large unilamellar vesicles. <i>Biochemistry</i> , 1996 , 35, 12602-11	3.2	32
53	Fluorescence lifetimes of diphenylhexatriene-containing probes reflect local probe concentrations: Application to the measurement of membrane fusion. <i>Journal of Fluorescence</i> , 1995 , 5, 29-38	2.4	3
52	Are acidic lipid domains induced by extrinsic protein binding to membranes?. <i>Molecular Membrane Biology</i> , 1995 , 12, 65-7	3.4	6
51	A method for quantitative interpretation of fluorescence detection of poly(ethylene glycol)-mediated 1-palmitoyl-2-[[[2-[4-(phenyl-trans-1,3,5-hexatrienyl) phenyl]ethyl]oxyl]carbonyl]3-sn-phosphatidylcholine (DPHpPC) transfer and fusion between phospholipid vesicles in the dehydrated state. <i>Journal of Fluorescence</i> , 1994 , 4, 153-63	2.4	10
50	Polymer-induced membrane fusion: potential mechanism and relation to cell fusion events. <i>Chemistry and Physics of Lipids</i> , 1994 , 73, 91-106	3.7	122
49	Phosphatidylserine-containing membranes alter the thermal stability of prothrombin's catalytic domain: a differential scanning calorimetric study. <i>Biochemistry</i> , 1994 , 33, 5460-8	3.2	18
48	Phospholipid-Specific Conformational Changes in Human Prothrombin upon Binding to Procoagulant Acidic Lipid Membranes. <i>Thrombosis and Haemostasis</i> , 1994 , 71, 596-604	7	34
47	Poly(ethylene glycol)-induced fusion and rupture of dipalmitoylphosphatidylcholine large, unilamellar extruded vesicles. <i>Biochemistry</i> , 1993 , 32, 9172-80	3.2	54
46	Fluorescence lifetime measurements to monitor membrane lipid mixing. <i>Methods in Enzymology</i> , 1993 , 220, 42-50	1.7	6
45	Use of fluorescent probes to monitor molecular order and motions within liposome bilayers. <i>Chemistry and Physics of Lipids</i> , 1993 , 64, 99-116	3.7	319
44	Modulation of poly(ethylene glycol)-induced fusion by membrane hydration: importance of interbilayer separation. <i>Biochemistry</i> , 1992 , 31, 2653-61	3.2	91
43	Bilayer curvature and certain amphipaths promote poly(ethylene glycol)-induced fusion of dipalmitoylphosphatidylcholine unilamellar vesicles. <i>Biochemistry</i> , 1992 , 31, 2643-53	3.2	100
42	Structural comparisons of meizothrombin and its precursor prothrombin in the presence or absence of procoagulant membranes. <i>Biochemistry</i> , 1992 , 31, 6990-6	3.2	9

41	Determination of the rate of rapid lipid transfer induced by poly(ethylene glycol) using the SLM Fourier transform phase and modulation spectrofluorometer. <i>Journal of Fluorescence</i> , 1991 , 1, 105-12	2.4	7
40	Poly(ethylene glycol)-induced lipid mixing but not fusion between synthetic phosphatidylcholine large unilamellar vesicles. <i>Biochemistry</i> , 1991 , 30, 4193-200	3.2	46
39	Evidence from total internal reflection fluorescence microscopy for calcium-independent binding of prothrombin to negatively charged planar phospholipid membranes. <i>Biochemistry</i> , 1991 , 30, 10991-9	3.2	25
38	Mechanism of poly(ethylene glycol)-induced lipid transfer between phosphatidylcholine large unilamellar vesicles: a fluorescent probe study. <i>Biochemistry</i> , 1991 , 30, 6780-7	3.2	37
37	Evaluation of membrane phase behavior as a tool to detect extrinsic protein-induced domain formation: binding of prothrombin to phosphatidylserine/phosphatidylcholine vesicles. <i>Biochemistry</i> , 1990 , 29, 6720-9	3.2	45
36	Membrane fluidity as detected by diphenylhexatriene probes. <i>Chemistry and Physics of Lipids</i> , 1989 , 50, 171-190	3.7	359
35	A new model to describe extrinsic protein binding to phospholipid membranes of varying composition: application to human coagulation proteins. <i>Biochemistry</i> , 1989 , 28, 7453-61	3.2	86
34	The kinetic mechanism of cation-catalyzed phosphatidylglycerol transbilayer migration implies close contact between vesicles as an intermediate state. <i>Biochemistry</i> , 1989 , 28, 4575-80	3.2	8
33	Concentration Dependence of DPHpPC Fluorescence Lifetime: Photophysics and Utility for Monitoring Membrane Fusion 1988 , 557-566		1
32	Spontaneous fusion of phosphatidylcholine small unilamellar vesicles in the fluid phase. <i>Biochemistry</i> , 1987 , 26, 5389-97	3.2	103
31	Fusion and phase separation monitored by lifetime changes of a fluorescent phospholipid probe. <i>Biochemistry</i> , 1986 , 25, 1021-6	3.2	41
30	Rate and extent of poly(ethylene glycol)-induced large vesicle fusion monitored by bilayer and internal contents mixing. <i>Biochemistry</i> , 1986 , 25, 6678-88	3.2	47
29	Phospholipid lateral organization in synthetic membranes as monitored by pyrene-labeled phospholipids: effects of temperature and prothrombin fragment 1 binding. <i>Biochemistry</i> , 1986 , 25, 567-74	3.2	63
28	Association of factor V activity with membranous vesicles released from human platelets: requirement for platelet stimulation. <i>Thrombosis Research</i> , 1985 , 39, 49-61	8.2	60
27	Expression of coagulant activity in human platelets: release of membranous vesicles providing platelet factor 1 and platelet factor 3. <i>Thrombosis Research</i> , 1985 , 39, 63-79	8.2	99
26	Comparison of the abilities of synthetic and platelet-derived membranes to enhance thrombin formation. <i>Thrombosis Research</i> , 1985 , 39, 711-24	8.2	42
25	Comparison of lipid binding and kinetic properties of normal, variant, and gamma-carboxyglutamic acid modified human factor IX and factor IXa. <i>Biochemistry</i> , 1985 , 24, 8064-9	3.2	30
24	Phase behavior of membranes reconstituted from dipentadecanoylphosphatidylcholine and the Mg ²⁺ -dependent, Ca ²⁺ -stimulated adenosinetriphosphatase of sarcoplasmic reticulum: evidence for a disrupted lipid domain surrounding protein. <i>Biochemistry</i> , 1985 , 24, 433-42	3.2	49

23	Advantages and limitations of 1-palmitoyl-2-[[2-[4-(6-phenyl-trans-1,3,5-hexatrienyl)phenyl]ethyl]carbonyl]-3- sn-phosphatidylcholine as a fluorescent membrane probe. <i>Biochemistry</i> , 1985 , 24, 6178-85	3.2	78
22	Calcium-dependent and calcium-independent interactions of prothrombin fragment 1 with phosphatidylglycerol/phosphatidylcholine unilamellar vesicles. <i>Biochemistry</i> , 1985 , 24, 6997-7005	3.2	22
21	Morphology and phase behavior of two types of unilamellar vesicles prepared from synthetic phosphatidylcholines studied by freeze-fracture electron microscopy and calorimetry. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1985 , 812, 493-502	3.8	23
20	Quinine as a fluorescence lifetime standard: Conditions for effectively homogeneous decay. <i>Chemical Physics Letters</i> , 1984 , 104, 163-167	2.5	18
19	Phase behavior of large unilamellar vesicles composed of synthetic phospholipids. <i>Biochemistry</i> , 1984 , 23, 2353-62	3.2	82
18	Lipid-Protein Interactions in Sarcoplasmic Reticulum: A Disrupted Secondary Lipid Layer Surrounds the Ca-ATPase. <i>Biophysical Journal</i> , 1982 , 37, 30-2	2.9	9
17	Transbilayer redistribution of phosphatidylglycerol in small, unilamellar vesicles induced by specific divalent cations. <i>Biochemistry</i> , 1982 , 21, 6799-807	3.2	20
16	Phase behavior of mixed phosphatidylglycerol/phosphatidylcholine multilamellar and unilamellar vesicles. <i>Biochemistry</i> , 1982 , 21, 4212-9	3.2	32
15	Effect of lipid membrane structure on the adenosine 5'-triphosphate hydrolyzing activity of the calcium-stimulated adenosinetriphosphatase of sarcoplasmic reticulum. <i>Biochemistry</i> , 1981 , 20, 6810-7	3.2	60
14	Acyl chain order and lateral domain formation in mixed phosphatidylcholine--sphingomyelin multilamellar and unilamellar vesicles. <i>Biochemistry</i> , 1981 , 20, 6803-9	3.2	51
13	A model for the effect of lipid oxidation on diphenylhexatriene fluorescence in phospholipid vesicles. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1981 , 645, 17-23	3.8	43
12	Differentiation of factor V-like coagulant activity from catalytic phospholipid-like surface activity in membrane fractions derived from human platelets. <i>Thrombosis Research</i> , 1981 , 22, 603-21	8.2	14
11	The platelet membrane as a catalytic surface in thrombin generation: availability of platelet factor 1 and platelet factor 3. <i>Annals of the New York Academy of Sciences</i> , 1981 , 370, 348-58	6.5	11
10	Cholesterol-phosphatidylcholine interactions in multilamellar vesicles. <i>Biochemistry</i> , 1980 , 19, 1943-54	3.2	201
9	Large vesicle contamination in small, unilamellar vesicles. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1980 , 597, 92-9	3.8	57
8	Determination of phosphatidylglycerol asymmetry in small, unilamellar vesicles by chemical modification. <i>Biochemistry</i> , 1980 , 19, 2555-9	3.2	38
7	Fluorescence depolarization studies of phase transitions and fluidity in phospholipid bilayers. 1. Single component phosphatidylcholine liposomes. <i>Biochemistry</i> , 1976 , 15, 4521-8	3.2	452
6	Fluorescence depolarization studies of phase transitions and fluidity in phospholipid bilayers. 2. Two-component phosphatidylcholine liposomes. <i>Biochemistry</i> , 1976 , 15, 4529-37	3.2	380

- 5 Structure of liquid water. III. Thermodynamic properties of liquid deuterium oxide. *The Journal of Physical Chemistry*, **1975**, 79, 2352-2361 9
- 4 Structure of liquid water. II. Improved statistical thermodynamic treatment and implications of a cluster model. *The Journal of Physical Chemistry*, **1974**, 78, 1531-1550 46
- 3 Vibrational frequencies of water clusters. *The Journal of Physical Chemistry*, **1974**, 78, 1844-1847 4
- 2 Water molecule interactions. Stability of cyclic polymers. *Journal of Chemical Physics*, **1973**, 58, 5296-5303, 9 88
- 1 "Squiggle-H₂O". An enquiry into the importance of solvation effects in phosphate ester and anhydride reactions. *Biochimica Et Biophysica Acta - Bioenergetics*, **1970**, 223, 1-15 4.6 108