

Naveen A Reddy

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2244731/publications.pdf>

Version: 2024-02-01

112
papers

17,002
citations

25034

57
h-index

23533

111
g-index

113
all docs

113
docs citations

113
times ranked

4848
citing authors

#	ARTICLE	IF	CITATIONS
1	CANDELS: THE COSMIC ASSEMBLY NEAR-INFRARED DEEP EXTRAGALACTIC LEGACY SURVEY. <i>Astrophysical Journal, Supplement Series</i> , 2011, 197, 35.	7.7	1,590
2	CANDELS: THE COSMIC ASSEMBLY NEAR-INFRARED DEEP EXTRAGALACTIC LEGACY SURVEY—THE <i>HUBBLE SPACE TELESCOPE</i> OBSERVATIONS, IMAGING DATA PRODUCTS, AND MOSAICS. <i>Astrophysical Journal, Supplement Series</i> , 2011, 197, 36.	7.7	1,549
3	The Mass–Metallicity Relation at $z \approx 2$. <i>Astrophysical Journal</i> , 2006, 644, 813-828.	4.5	879
4	THE STRUCTURE AND KINEMATICS OF THE CIRCUMGALACTIC MEDIUM FROM FAR-ULTRAVIOLET SPECTRA OF $z \approx 2-3$ GALAXIES. <i>Astrophysical Journal</i> , 2010, 717, 289-322.	4.5	866
5	STRONG NEBULAR LINE RATIOS IN THE SPECTRA OF $z \approx 2-3$ STAR FORMING GALAXIES: FIRST RESULTS FROM KBSS-MOSFIRE. <i>Astrophysical Journal</i> , 2014, 795, 165.	4.5	508
6	A Survey of Star-forming Galaxies in the $1.4 < z < 2.5$ Redshift Desert: Overview. <i>Astrophysical Journal</i> , 2004, 604, 534-550.	4.5	502
7	A STEEP FAINT-END SLOPE OF THE UV LUMINOSITY FUNCTION AT $z \approx 2-3$: IMPLICATIONS FOR THE GLOBAL STELLAR MASS DENSITY AND STAR FORMATION IN LOW-MASS HALOS. <i>Astrophysical Journal</i> , 2009, 692, 778-803.	4.5	475
8	The Stellar, Gas, and Dynamical Masses of Star-forming Galaxies at $z \approx 2$. <i>Astrophysical Journal</i> , 2006, 646, 107-132.	4.5	442
9	Multiwavelength Constraints on the Cosmic Star Formation History from Spectroscopy: The Rest-frame Ultraviolet, $H\beta$, and Infrared Luminosity Functions at Redshifts $1.9 < z < 3.4$. <i>Astrophysical Journal, Supplement Series</i> , 2008, 175, 48-85.	4.5	360
10	$H\beta$ Observations of a Large Sample of Galaxies at $z \approx 2$: Implications for Star Formation in High-redshift Galaxies. <i>Astrophysical Journal</i> , 2006, 647, 128-139.	4.5	344
11	RECONCILING THE STELLAR AND NEBULAR SPECTRA OF HIGH-REDSHIFT GALAXIES*. <i>Astrophysical Journal</i> , 2016, 826, 159.	4.5	314
12	THE MOSFIRE DEEP EVOLUTION FIELD (MOSDEF) SURVEY: REST-FRAME OPTICAL SPECTROSCOPY FOR ≈ 1500 $z \approx 1.37$ – 3.8 GALAXIES AT $1.37 < z < 3.8$. <i>Astrophysical Journal, Supplement Series</i> , 2015, 218, 15.	7.7	312
13	DUST OBSCURATION AND METALLICITY AT HIGH REDSHIFT: NEW INFERENCES FROM UV, $H\beta$, AND $8 \mu\text{m}$ OBSERVATIONS OF $z \approx 2$ STAR-FORMING GALAXIES. <i>Astrophysical Journal</i> , 2010, 712, 1070-1091.	4.5	309
14	DIFFUSE $\text{Ly}\beta$ EMITTING HALOS: A GENERIC PROPERTY OF HIGH-REDSHIFT STAR-FORMING GALAXIES. <i>Astrophysical Journal</i> , 2011, 736, 160.	4.5	298
15	The Spatial Clustering of Star-forming Galaxies at Redshifts $1.4 < z < 3.5$. <i>Astrophysical Journal</i> , 2005, 619, 697-713.	4.5	291
16	Star Formation and Extinction in Redshift $z \approx 2$ Galaxies: Inferences from Spitzer/MIPS Observations. <i>Astrophysical Journal</i> , 2006, 644, 792-812.	4.5	287
17	Ultraviolet to Mid-infrared Observations of Star-forming Galaxies at $z \approx 2$: Stellar Masses and Stellar Populations. <i>Astrophysical Journal</i> , 2005, 626, 698-722.	4.5	280
18	THE MOSDEF SURVEY: MEASUREMENTS OF BALMER DECREMENTS AND THE DUST ATTENUATION CURVE AT REDSHIFTS $1.4 < z < 2.6$. <i>Astrophysical Journal</i> , 2015, 806, 259.	4.5	278

#	ARTICLE	IF	CITATIONS
19	THE GASEOUS ENVIRONMENT OF HIGH- z GALAXIES: PRECISION MEASUREMENTS OF NEUTRAL HYDROGEN IN THE CIRCUMGALACTIC MEDIUM OF $z \sim 2-3$ GALAXIES IN THE KECK BARYONIC STRUCTURE SURVEY. <i>Astrophysical Journal</i> , 2012, 750, 67.	4.5	267
20	THE CHARACTERISTIC STAR FORMATION HISTORIES OF GALAXIES AT REDSHIFTS $z \sim 2-7$. <i>Astrophysical Journal</i> , 2012, 754, 25.	4.5	256
21	CANDELS: THE EVOLUTION OF GALAXY REST-FRAME ULTRAVIOLET COLORS FROM $z = 8$ TO 4. <i>Astrophysical Journal</i> , 2012, 756, 164.	4.5	256
22	THE RELATION BETWEEN STAR FORMATION RATE AND STELLAR MASS FOR GALAXIES AT $3.5 < z < 6.5$ IN CANDELS. <i>Astrophysical Journal</i> , 2015, 799, 183.	4.5	253
23	The Connection between Galaxies and Intergalactic Absorption Lines at Redshift $2 < z < 3$. <i>Astrophysical Journal</i> , 2005, 629, 636-653.	4.5	240
24	PHYSICAL CONDITIONS IN A YOUNG, UNREDDENED, LOW-METALLICITY GALAXY AT HIGH REDSHIFT. <i>Astrophysical Journal</i> , 2010, 719, 1168-1190.	4.5	239
25	THE MOSDEF SURVEY: ELECTRON DENSITY AND IONIZATION PARAMETER AT $z \sim 2.3$. <i>Astrophysical Journal</i> , 2016, 816, 23.	4.5	218
26	THE MOSDEF SURVEY: MASS, METALLICITY, AND STAR-FORMATION RATE AT $z \sim 2.3$. <i>Astrophysical Journal</i> , 2015, 799, 138.	4.5	211
27	Optical Selection of Star-forming Galaxies at Redshifts $1 < z < 3$. <i>Astrophysical Journal</i> , 2004, 607, 226-240.	4.5	201
28	The Keck Lyman Continuum Spectroscopic Survey (KLCS): The Emergent Ionizing Spectrum of Galaxies at $z \sim 3$. <i>Astrophysical Journal</i> , 2018, 869, 123.	4.5	201
29	A Spectroscopic Survey of Redshift $1.4 < z < 3.0$ Galaxies in the GOODS-North Field: Survey Description, Catalogs, and Properties. <i>Astrophysical Journal</i> , 2006, 653, 1004-1026.	4.5	198
30	THE MOSDEF SURVEY: EXCITATION PROPERTIES OF $z \sim 2.3$ STAR-FORMING GALAXIES. <i>Astrophysical Journal</i> , 2015, 801, 88.	4.5	196
31	Nebular Emission Line Ratios in $z \sim 3$ Star-forming Galaxies with KBSS-MOSFIRE: Exploring the Impact of Ionization, Excitation, and Nitrogen-to-Oxygen Ratio. <i>Astrophysical Journal</i> , 2017, 836, 164.	4.5	192
32	A Census of Optical and Near-Infrared Selected Star-forming and Passively Evolving Galaxies at Redshift $z \sim 2$. <i>Astrophysical Journal</i> , 2005, 633, 748-767.	4.5	176
33	THE $Ly\alpha$ PROPERTIES OF FAINT GALAXIES AT $z \sim 2-3$ WITH SYSTEMIC REDSHIFTS AND VELOCITY DISPERSIONS FROM KECK-MOSFIRE. <i>Astrophysical Journal</i> , 2014, 795, 33.	4.5	151
34	AN HST/WFC3-IR MORPHOLOGICAL SURVEY OF GALAXIES AT $z = 1.5-3.6$. I. SURVEY DESCRIPTION AND MORPHOLOGICAL PROPERTIES OF STAR-FORMING GALAXIES. <i>Astrophysical Journal</i> , 2012, 745, 85.	4.5	150
35	The HDUV Survey: A Revised Assessment of the Relationship between UV Slope and Dust Attenuation for High-redshift Galaxies. <i>Astrophysical Journal</i> , 2018, 853, 56.	4.5	148
36	THE RELATIONSHIP BETWEEN STELLAR POPULATIONS AND $Ly\alpha$ EMISSION IN LYMAN BREAK GALAXIES. <i>Astrophysical Journal</i> , 2010, 711, 693-710.	4.5	141

#	ARTICLE	IF	CITATIONS
37	The Physical Nature of Rest-UV Galaxy Morphology during the Peak Epoch of Galaxy Formation. <i>Astrophysical Journal</i> , 2007, 656, 1-26.	4.5	133
38	Q1549-C25: A CLEAN SOURCE OF LYMAN-CONTINUUM EMISSION AT $z=3.15$. <i>Astrophysical Journal Letters</i> , 2016, 826, L24.	8.3	131
39	The MOSDEF Survey: The Evolution of the Mass-Metallicity Relation from $z = 0$ to $z \sim 3.3^*$. <i>Astrophysical Journal</i> , 2021, 914, 19.	4.5	124
40	The MOSDEF survey: direct-method metallicities and ISM conditions at $z \sim 1.5-3.5$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 491, 1427-1455.	4.4	116
41	THE MOSDEF SURVEY: OPTICAL ACTIVE GALACTIC NUCLEUS DIAGNOSTICS AT $z \sim 2.3$. <i>Astrophysical Journal</i> , 2015, 801, 35.	4.5	111
42	The MOSDEF Survey: A Stellar Mass-SFR-Metallicity Relation Exists at $z \sim 2.3$. <i>Astrophysical Journal</i> , 2018, 858, 99.	4.5	108
43	THE MOSDEF SURVEY: DISSECTING THE STAR FORMATION RATE VERSUS STELLAR MASS RELATION USING $H\alpha$ AND $H\beta$ EMISSION LINES AT $z \sim 2$. <i>Astrophysical Journal</i> , 2015, 815, 98.	4.5	101
44	THE CONNECTION BETWEEN REDDENING, GAS COVERING FRACTION, AND THE ESCAPE OF IONIZING RADIATION AT HIGH REDSHIFT. <i>Astrophysical Journal</i> , 2016, 828, 108.	4.5	95
45	X-Ray and Radio Emission from Ultraviolet-selected Star-forming Galaxies at Redshifts $1.5 < z < 3.0$ in the GOODS-North Field. <i>Astrophysical Journal</i> , 2004, 603, L13-L16.	4.5	94
46	The MOSDEF Survey: Direct Observational Constraints on the Ionizing Photon Production Efficiency, Γ_{ion} , at $z \sim 2$. <i>Astrophysical Journal</i> , 2018, 855, 42.	4.5	88
47	A HST/WFC3-IR MORPHOLOGICAL SURVEY OF GALAXIES AT $z = 1.5-3.6$. II. THE RELATION BETWEEN MORPHOLOGY AND GAS-PHASE KINEMATICS. <i>Astrophysical Journal</i> , 2012, 759, 29.	4.5	85
48	The MOSDEF Survey: Significant Evolution in the Rest-frame Optical Emission Line Equivalent Widths of Star-forming Galaxies at $z = 1.4-3.8$. <i>Astrophysical Journal</i> , 2018, 869, 92.	4.5	83
49	THE MOSDEF SURVEY: AGN MULTI-WAVELENGTH IDENTIFICATION, SELECTION BIASES, AND HOST GALAXY PROPERTIES. <i>Astrophysical Journal</i> , 2017, 835, 27.	4.5	79
50	A massive, quiescent, population II galaxy at a redshift of 2.1. <i>Nature</i> , 2016, 540, 248-251.	27.8	78
51	The MOSDEF Survey: The Variation of the Dust Attenuation Curve with Metallicity. <i>Astrophysical Journal</i> , 2020, 899, 117.	4.5	77
52	SPECTROSCOPIC MEASUREMENTS OF THE FAR-ULTRAVIOLET DUST ATTENUATION CURVE AT $z \sim 3^*$. <i>Astrophysical Journal</i> , 2016, 828, 107.	4.5	75
53	THE BURSTY STAR FORMATION HISTORIES OF LOW-MASS GALAXIES AT $0.4 < z < 1$ REVEALED BY STAR FORMATION RATES MEASURED FROM $H\beta$ AND FUV. <i>Astrophysical Journal</i> , 2016, 833, 37.	4.5	69
54	Column Density, Kinematics, and Thermal State of Metal-bearing Gas within the Virial Radius of $z \sim 2$ Star-forming Galaxies in the Keck Baryonic Structure Survey. <i>Astrophysical Journal</i> , 2019, 885, 61.	4.5	69

#	ARTICLE	IF	CITATIONS
55	High velocity dispersion in a rare grand-design spiral galaxy at redshift $z = 2.18$. <i>Nature</i> , 2012, 487, 338-340.	27.8	64
56	THE MOSDEF SURVEY: DYNAMICAL AND BARYONIC MASSES AND KINEMATIC STRUCTURES OF STAR-FORMING GALAXIES AT $1.4 < z < 2.6$. <i>Astrophysical Journal</i> , 2016, 819, 80.	4.5	61
57	THE AVERAGE PHYSICAL PROPERTIES AND STAR FORMATION HISTORIES OF THE UV-BRIGHTEST STAR-FORMING GALAXIES AT $z < 3.7$. <i>Astrophysical Journal</i> , 2011, 733, 99.	4.5	59
58	INVESTIGATING $H\alpha$, UV, AND IR STAR-FORMATION RATE DIAGNOSTICS FOR A LARGE SAMPLE OF $z < 3$ GALAXIES. <i>Astrophysical Journal</i> , 2015, 804, 149.	4.5	58
59	A HIGH FRACTION OF $Ly\alpha$ EMITTERS AMONG GALAXIES WITH EXTREME EMISSION LINE RATIOS AT $z < 2$. <i>Astrophysical Journal</i> , 2016, 830, 52.	4.5	56
60	An uncontaminated measurement of the escaping Lyman continuum at $z < 3$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021, 505, 2447-2467.	4.4	56
61	THE MASS-METALLICITY RELATION OF A $z < 2$ PROTOCLUSTER WITH MOSFIRE. <i>Astrophysical Journal</i> , 2013, 774, 130.	4.5	55
62	The Redshift Evolution of Rest-UV Spectroscopic Properties in Lyman-break Galaxies at $z < 4$. <i>Astrophysical Journal</i> , 2018, 860, 75.	4.5	55
63	THE MOSDEF SURVEY: DETECTION OF $[O III]\lambda 4363$ AND THE DIRECT-METHOD OXYGEN ABUNDANCE OF A STAR-FORMING GALAXY AT $z = 3.08$. <i>Astrophysical Journal Letters</i> , 2016, 825, L23.	8.3	52
64	The MOSDEF-LRIS Survey: The Interplay Between Massive Stars and Ionized Gas in High-Redshift Star-Forming Galaxies I. <i>Monthly Notices of the Royal Astronomical Society</i> , 0, , .	4.4	50
65	The MOSDEF Survey: A Census of AGN-driven Ionized Outflows at $z = 1.4 - 3.8$. <i>Astrophysical Journal</i> , 2019, 886, 11.	4.5	50
66	Dust Attenuation, Star Formation, and Metallicity in $z < 3$ Galaxies from KBSS-MOSFIRE. <i>Astrophysical Journal</i> , 2019, 871, 128.	4.5	49
67	THE MOSDEF SURVEY: THE STRONG AGREEMENT BETWEEN $H\alpha$ AND UV-TO-FIR STAR FORMATION RATES FOR $z < 2$ STAR-FORMING GALAXIES*. <i>Astrophysical Journal Letters</i> , 2016, 820, L23.	8.3	47
68	The MOSDEF Survey: The First Direct Measurements of the Nebular Dust Attenuation Curve at High Redshift*. <i>Astrophysical Journal</i> , 2020, 902, 123.	4.5	46
69	SPECTROSCOPIC CONFIRMATION OF A PROTOCLUSTER AT $z \approx 3.786$. <i>Astrophysical Journal</i> , 2016, 823, 11.	4.5	44
70	DISCOVERY OF A VERY LARGE STRUCTURE AT $z = 3.78$. <i>Astrophysical Journal</i> , 2014, 796, 126.	4.5	43
71	The MOSDEF Survey: Metallicity Dependence of PAH Emission at High Redshift and Implications for $z < 2$ Inferred IR Luminosities and Star Formation Rates at $z < 2$. <i>Astrophysical Journal</i> , 2017, 837, 157.	4.5	42
72	The Diversity of Diffuse $Ly\alpha$ Nebulae around Star-forming Galaxies at High Redshift. <i>Astrophysical Journal</i> , 2017, 837, 172.	4.5	41

#	ARTICLE	IF	CITATIONS
73	The MOSDEF Survey: Sulfur Emission-line Ratios Provide New Insights into Evolving Interstellar Medium Conditions at High Redshift. <i>Astrophysical Journal Letters</i> , 2019, 881, L35.	8.3	41
74	HERSCHEL DETECTION OF DUST EMISSION FROM UV-LUMINOUS STAR-FORMING GALAXIES AT $z \approx 4.3$. <i>Astrophysical Journal Letters</i> , 2012, 758, L31.	8.3	40
75	The MOSDEF Survey: The Prevalence and Properties of Galaxy-wide AGN-driven Outflows at $z \approx 2$. <i>Astrophysical Journal</i> , 2017, 849, 48.	4.5	38
76	The MOSDEF Survey: Broad Emission Lines at $z = 1.4 - 3.8$. <i>Astrophysical Journal</i> , 2019, 873, 102.	4.5	38
77	The MOSDEF-LRIS Survey: The connection between massive stars and ionized gas in individual galaxies at $z \approx 2$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 499, 1652-1665.	4.4	38
78	Morphologies of Galaxies in and around a Protocluster at $z = 2.300$. <i>Astrophysical Journal</i> , 2007, 668, 23-44.	4.5	37
79	The Keck Baryonic Structure Survey: using foreground/background galaxy pairs to trace the structure and kinematics of circumgalactic neutral hydrogen at $z \approx 2$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 499, 1721-1746.	4.4	37
80	The MOSDEF Survey: Kinematic and Structural Evolution of Star-forming Galaxies at $1.4 < z < 3.8$. <i>Astrophysical Journal</i> , 2020, 894, 91.	4.5	34
81	The Effects of Stellar Population and Gas Covering Fraction on the Emergent Ly α Emission of High-redshift Galaxies*. <i>Astrophysical Journal</i> , 2022, 926, 31.	4.5	34
82	STELLAR POPULATIONS OF ULTRAVIOLET-SELECTED ACTIVE GALACTIC NUCLEI HOST GALAXIES AT $z \approx 2 - 3$. <i>Astrophysical Journal</i> , 2012, 760, 74.	4.5	31
83	The star formation burstiness and ionizing efficiency of low-mass galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2022, 511, 4464-4479.	4.4	30
84	The MOSDEF Survey: The Metallicity Dependence of X-Ray Binary Populations at $z \approx 2$. <i>Astrophysical Journal</i> , 2019, 885, 65.	4.5	28
85	The MOSDEF survey: a comprehensive analysis of the rest-optical emission-line properties of $z \approx 2.3$ star-forming galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021, 502, 2600-2614.	4.4	28
86	The redshift evolution of rest-UV spectroscopic properties to $z \approx 5$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 493, 3194-3211.	4.4	24
87	The MOSDEF Survey: First Measurement of Nebular Oxygen Abundance at $z \approx 4$. <i>Astrophysical Journal Letters</i> , 2017, 846, L30.	8.3	23
88	The First Robust Constraints on the Relationship between Dust-to-gas Ratio and Metallicity in Luminous Star-forming Galaxies at High Redshift*. <i>Astrophysical Journal Letters</i> , 2020, 903, L16.	8.3	23
89	The MOSDEF Survey: The Nature of Mid-infrared Excess Galaxies and a Comparison of IR and UV Star Formation Tracers at $z \approx 2$. <i>Astrophysical Journal</i> , 2018, 866, 63.	4.5	21
90	The KBSS-KCWI survey: the connection between extended Ly α haloes and galaxy azimuthal angle at $z \approx 2 - 3$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021, 508, 19-43.	4.4	20

#	ARTICLE	IF	CITATIONS
91	The MOSDEF Survey: Neon as a Probe of ISM Physical Conditions at High Redshift [*] . <i>Astrophysical Journal Letters</i> , 2020, 902, L16.	8.3	20
92	PROBING HIGH-REDSHIFT GALAXY FORMATION AT THE HIGHEST LUMINOSITIES: NEW INSIGHTS FROM DEIMOS SPECTROSCOPY. <i>Astrophysical Journal</i> , 2013, 771, 25.	4.5	19
93	A Census of Galaxy Constituents in a Coma Progenitor Observed at $z \approx 3$. <i>Astrophysical Journal</i> , 2019, 871, 83.	4.5	19
94	The MOSDEF Survey: [S iii] as a New Probe of Evolving Interstellar Medium Conditions*. <i>Astrophysical Journal Letters</i> , 2020, 888, L11.	8.3	19
95	The MOSDEF Survey: Environmental Dependence of the Gas-phase Metallicity of Galaxies at $1.4 \leq z \leq 2.6$ *. <i>Astrophysical Journal</i> , 2021, 908, 120.	4.5	18
96	The MOSFIRE Deep Evolution Field Survey: Implications of the Lack of Evolution in the Dust Attenuation-Mass Relation to $z \approx 2$ *. <i>Astrophysical Journal</i> , 2022, 926, 145.	4.5	15
97	The MOSDEF Survey: No Significant Enhancement in Star Formation or Deficit in Metallicity in Merging Galaxy Pairs at $1.5 \leq z \leq 3.5$. <i>Astrophysical Journal</i> , 2019, 874, 18.	4.5	14
98	The MOSDEF survey: the mass-metallicity relationship and the existence of the FMR at $z \approx 1.5$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021, 506, 1237-1249.	4.4	11
99	The MOSDEF Survey: Stellar Continuum Spectra and Star Formation Histories of Active, Transitional, and Quiescent Galaxies at $1.4 \leq z \leq 2.6$. <i>Astrophysical Journal Letters</i> , 2018, 867, L16.	8.3	8
100	The MOSDEF survey: differences in SFR and metallicity for morphologically selected mergers at $z \approx 2$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 501, 137-145.	4.4	8
101	The MOSDEF-LRIS Survey: Probing the ISM/CGM Structure of Star-forming Galaxies at $z \approx 2$ Using Rest-LIV Spectroscopy. <i>Astrophysical Journal</i> , 2021, 920, 95.	4.5	8
102	The MOSDEF survey: an improved Voronoi binning technique on spatially resolved stellar populations at $z \approx 2$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 498, 5009-5029.	4.4	7
103	Variation of the nebular dust attenuation curve with the properties of local star-forming galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021, 506, 3588-3595.	4.4	7
104	Infrared Spectral Energy Distributions and Dust Masses of Sub-solar Metallicity Galaxies at $z \approx 2.3$. <i>Astrophysical Journal</i> , 2022, 928, 68.	4.5	7
105	ASASSN-18am/SN2018gk: an overluminous Type IIb supernova from a massive progenitor. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021, 503, 3472-3491.	4.4	6
106	The MOSDEF Survey: calibrating the relationship between $H\alpha$ star formation rate and radio continuum luminosity at $1.4 \leq z \leq 2.6$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 498, 3648-3657.	4.4	5
107	Reconciling the results of the $z \approx 2$ MOSDEF and KBSS-MOSFIRE Surveys. <i>Monthly Notices of the Royal Astronomical Society</i> , 2022, 513, 3871-3892.	4.4	5
108	Discovery of a Very Large (≈ 20 kpc) Galaxy at $z \approx 3.72$ *. <i>Astrophysical Journal</i> , 2018, 862, 24.	4.5	4

#	ARTICLE	IF	CITATIONS
109	The MOSDEF survey: the dependence of H α -to-UV SFR ratios on SFR and size at $z \sim 2$. Monthly Notices of the Royal Astronomical Society, 2021, 508, 1431-1445.	4.4	4
110	Searching for the connection between ionizing-photon escape and the surface density of star formation at $z \sim 3$. Monthly Notices of the Royal Astronomical Society, 2022, 516, 2062-2073.	4.4	4
111	The MOSDEF-LRIS survey: connection between galactic-scale outflows and the properties of $z \sim 2$ star-forming galaxies. Monthly Notices of the Royal Astronomical Society, 2022, 515, 841-856.	4.4	4
112	Galaxy Formation and Evolution. Space Science Reviews, 2016, 202, 79-109.	8.1	3