

JosÃ© LÃ³pez Miranda

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2245720/publications.pdf>

Version: 2024-02-01

372
papers

16,088
citations

17429

63
h-index

29127

104
g-index

398
all docs

398
docs citations

398
times ranked

18652
citing authors

#	ARTICLE	IF	CITATIONS
1	An altered microbiota pattern precedes Type 2 diabetes mellitus development: From the CORDIOPREV study. <i>Journal of Advanced Research</i> , 2022, 35, 99-108.	4.4	22
2	Pro-vegetarian food patterns and cardiometabolic risk in the PREDIMED-Plus study: a cross-sectional baseline analysis. <i>European Journal of Nutrition</i> , 2022, 61, 357-372.	1.8	13
3	A plasma fatty acid profile associated to type 2 diabetes development: from the CORDIOPREV study. <i>European Journal of Nutrition</i> , 2022, 61, 843-857.	1.8	4
4	Chronodisruption and diet associated with increased cardiometabolic risk in coronary heart disease patients: the CORDIOPREV study. <i>Translational Research</i> , 2022, 242, 79-92.	2.2	15
5	Factors associated with successful dietary changes in an energy-reduced Mediterranean diet intervention: a longitudinal analysis in the PREDIMED-Plus trial. <i>European Journal of Nutrition</i> , 2022, 61, 1457-1475.	1.8	8
6	Diabetes Remission Is Modulated by Branched Chain Amino Acids According to the Diet Consumed: From the CORDIOPREV Study. <i>Molecular Nutrition and Food Research</i> , 2022, 66, e2100652.	1.5	2
7	Integrative development of a short screening questionnaire of highly processed food consumption (sQ-HPF). <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2022, 19, 6.	2.0	1
8	Long-term consumption of a mediterranean diet or a low-fat diet on kidney function in coronary heart disease patients: The CORDIOPREV randomized controlled trial. <i>Clinical Nutrition</i> , 2022, 41, 552-559.	2.3	23
9	Adopting a High-Polyphenolic Diet Is Associated with an Improved Glucose Profile: Prospective Analysis within the PREDIMED-Plus Trial. <i>Antioxidants</i> , 2022, 11, 316.	2.2	5
10	Situation in 2020 of the requirements for the use of PCSK9 inhibitors in Spain: Results of a national survey. <i>ClÃnica E InvestigaciÃ³n En Arteriosclerosis (English Edition)</i> , 2022, 34, 10-18.	0.1	0
11	A Pilot Study on the Feasibility of Developing and Implementing a Mobile App for the Acquisition of Clinical Knowledge and Competencies by Medical Students Transitioning from Preclinical to Clinical Years. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 2777.	1.2	2
12	Understanding the adipose tissue acetylome in obesity and insulin resistance. <i>Translational Research</i> , 2022, 246, 15-32.	2.2	4
13	Long-term effect of a dietary intervention with two-healthy dietary approaches on food intake and nutrient density in coronary patients: results from the CORDIOPREV trial. <i>European Journal of Nutrition</i> , 2022, 61, 3019-3036.	1.8	6
14	Prospective associations between a priori dietary patterns adherence and kidney function in an elderly Mediterranean population at high cardiovascular risk. <i>European Journal of Nutrition</i> , 2022, 61, 3095-3108.	1.8	3
15	Contribution of cardio-vascular risk factors to depressive status in the PREDIMED-PLUS Trial. A cross-sectional and a 2-year longitudinal study. <i>PLoS ONE</i> , 2022, 17, e0265079.	1.1	3
16	One-year changes in fruit and vegetable variety intake and cardiometabolic risk factors changes in a middle-aged Mediterranean population at high cardiovascular risk. <i>European Journal of Clinical Nutrition</i> , 2022, 76, 1393-1402.	1.3	6
17	Long-term secondary prevention of cardiovascular disease with a Mediterranean diet and a low-fat diet (CORDIOPREV): a randomised controlled trial. <i>Lancet, The</i> , 2022, 399, 1876-1885.	6.3	169
18	Dairy Product Consumption and Changes in Cognitive Performance: Two-Year Analysis of the PREDIMED-Plus Cohort. <i>Molecular Nutrition and Food Research</i> , 2022, 66, e2101058.	1.5	6

#	ARTICLE	IF	CITATIONS
19	High density lipoprotein subfractions and extent of coronary atherosclerotic lesions: From the cordioprev study. <i>Clinica Chimica Acta</i> , 2022, 533, 89-95.	0.5	1
20	Vitamin D Endocrine System and COVID-19: Treatment with Calcifediol. <i>Nutrients</i> , 2022, 14, 2716.	1.7	19
21	Laparoscopic Sleeve Gastrectomy in Patients with Severe Obesity Restores Adaptive Responses Leading to Nonalcoholic Steatohepatitis. <i>International Journal of Molecular Sciences</i> , 2022, 23, 7830.	1.8	4
22	Reduction in Circulating Advanced Glycation End Products by Mediterranean Diet Is Associated with Increased Likelihood of Type 2 Diabetes Remission in Patients with Coronary Heart Disease: From the Cordioprev Study. <i>Molecular Nutrition and Food Research</i> , 2021, 65, e1901290.	1.5	31
23	Dietary habits, lipoprotein metabolism and cardiovascular disease: From individual foods to dietary patterns. <i>Critical Reviews in Food Science and Nutrition</i> , 2021, 61, 1651-1669.	5.4	52
24	MiRNAs profile as biomarkers of nutritional therapy for the prevention of type 2 diabetes mellitus: From the CORDIOPREV study. <i>Clinical Nutrition</i> , 2021, 40, 1028-1038.	2.3	21
25	A set of miRNAs predicts T2DM remission in patients with coronary heart disease: from the CORDIOPREV study. <i>Molecular Therapy - Nucleic Acids</i> , 2021, 23, 255-263.	2.3	9
26	Dietary folate intake and metabolic syndrome in participants of PREDIMED-Plus study: a cross-sectional study. <i>European Journal of Nutrition</i> , 2021, 60, 1125-1136.	1.8	12
27	Influence of Obesity in the miRNome: miR-4454, a Key Regulator of Insulin Response Via Splicing Modulation in Prostate. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, e469-e484.	1.8	20
28	Potential Role of Insulin Growth-Factor-Binding Protein 2 as Therapeutic Target for Obesity-Related Insulin Resistance. <i>International Journal of Molecular Sciences</i> , 2021, 22, 1133.	1.8	24
29	Lipoprotein(a), LDL-cholesterol, and hypertension: predictors of the need for aortic valve replacement in familial hypercholesterolaemia. <i>European Heart Journal</i> , 2021, 42, 2201-2211.	1.0	33
30	miR-223-3p as a potential biomarker and player for adipose tissue dysfunction preceding type 2 diabetes onset. <i>Molecular Therapy - Nucleic Acids</i> , 2021, 23, 1035-1052.	2.3	35
31	Association between cholesterol efflux capacity and peripheral artery disease in coronary heart disease patients with and without type 2 diabetes: from the CORDIOPREV study. <i>Cardiovascular Diabetology</i> , 2021, 20, 72.	2.7	7
32	High Fruit and Vegetable Consumption and Moderate Fat Intake Are Associated with Higher Carotenoid Concentration in Human Plasma. <i>Antioxidants</i> , 2021, 10, 473.	2.2	7
33	Milk and Dairy Products Intake Is Related to Cognitive Impairment at Baseline in Predimed Plus Trial. <i>Molecular Nutrition and Food Research</i> , 2021, 65, e2000728.	1.5	8
34	Consumption of caffeinated beverages and kidney function decline in an elderly Mediterranean population with metabolic syndrome. <i>Scientific Reports</i> , 2021, 11, 8719.	1.6	13
35	Psychological and metabolic risk factors in older adults with a previous history of eating disorder: A cross-sectional study from the Predimed-Plus study. <i>European Eating Disorders Review</i> , 2021, 29, 575-587.	2.3	2
36	A microbiota-based predictive model for type 2 diabetes remission induced by dietary intervention: From the CORDIOPREV study. <i>Clinical and Translational Medicine</i> , 2021, 11, e326.	1.7	3

#	ARTICLE	IF	CITATIONS
37	Quality and Quantity of Protein Intake Influence Incidence of Type 2 Diabetes Mellitus in Coronary Heart Disease Patients: From the CORDIOPREV Study. <i>Nutrients</i> , 2021, 13, 1217.	1.7	10
38	Variety in fruits and vegetables, diet quality and lifestyle in an older adult mediterranean population. <i>Clinical Nutrition</i> , 2021, 40, 1510-1518.	2.3	27
39	Longitudinal changes in adherence to the portfolio and DASH dietary patterns and cardiometabolic risk factors in the PREDIMED-Plus study. <i>Clinical Nutrition</i> , 2021, 40, 2825-2836.	2.3	24
40	Calcifediol Treatment and Hospital Mortality Due to COVID-19: A Cohort Study. <i>Nutrients</i> , 2021, 13, 1760.	1.7	71
41	Dianas terapéuticas en el tratamiento de las dislipemias: de las estatinas a los inhibidores de PCSK9. Necesidades no cubiertas. <i>Clínica E Investigación En Arteriosclerosis</i> , 2021, 33, 46-52.	0.4	2
42	TEMPORARY REMOVAL: Glutaminolysis-induced mTORC1 activation drives non-alcoholic steatohepatitis progression. <i>Journal of Hepatology</i> , 2021, , .	1.8	3
43	Olive Oil Intake and Cardiovascular Disease Prevention: “Seek and You Shall Find” Current Cardiology Reports, 2021, 23, 64.	1.3	14
44	Angiotensin-Converting Enzyme Inhibitors and Angiotensin Receptor Blockers Withdrawal Is Associated with Higher Mortality in Hospitalized Patients with COVID-19. <i>Journal of Clinical Medicine</i> , 2021, 10, 2642.	1.0	9
45	Coenzyme Q10 and Cardiovascular Diseases. <i>Antioxidants</i> , 2021, 10, 906.	2.2	36
46	Alternative Foods in Cardio-Healthy Dietary Models that Improve Postprandial Lipemia and Insulinemia in Obese People. <i>Nutrients</i> , 2021, 13, 2225.	1.7	2
47	Use of Different Food Classification Systems to Assess the Association between Ultra-Processed Food Consumption and Cardiometabolic Health in an Elderly Population with Metabolic Syndrome (PREDIMED-Plus Cohort). <i>Nutrients</i> , 2021, 13, 2471.	1.7	46
48	Beta cell functionality and hepatic insulin resistance are major contributors to type 2 diabetes remission and starting pharmacological therapy: from CORDIOPREV randomized controlled trial. <i>Translational Research</i> , 2021, 238, 12-24.	2.2	10
49	Polyphenol intake and cardiovascular risk in the PREDIMED-Plus trial. A comparison of different risk equations. <i>Revista Espanola De Cardiología (English Ed)</i> , 2021, , .	0.4	2
50	Fruit and Vegetable Consumption is Inversely Associated with Plasma Saturated Fatty Acids at Baseline in Predimed Plus Trial. <i>Molecular Nutrition and Food Research</i> , 2021, 65, 2100363.	1.5	3
51	Owning a Pet Is Associated with Changes in the Composition of Gut Microbiota and Could Influence the Risk of Metabolic Disorders in Humans. <i>Animals</i> , 2021, 11, 2347.	1.0	3
52	Validity of the energy-restricted Mediterranean Diet Adherence Screener. <i>Clinical Nutrition</i> , 2021, 40, 4971-4979.	2.3	57
53	Mediterranean Diet Reduces Atherosclerosis Progression in Coronary Heart Disease: An Analysis of the CORDIOPREV Randomized Controlled Trial. <i>Stroke</i> , 2021, 52, 3440-3449.	1.0	56
54	Physical activity and metabolic syndrome severity among older adults at cardiovascular risk: 1-Year trends. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 2870-2886.	1.1	6

#	ARTICLE	IF	CITATIONS
55	Impaired mRNA splicing and proteostasis in preadipocytes in obesity-related metabolic disease. <i>ELife</i> , 2021, 10, .	2.8	10
56	Influence of dietary intervention on microvascular endothelial function in coronary patients and atherothrombotic risk of recurrence. <i>Scientific Reports</i> , 2021, 11, 20301.	1.6	5
57	Glycemic Dysregulations Are Associated With Worsening Cognitive Function in Older Participants at High Risk of Cardiovascular Disease: Two-Year Follow-up in the PREDIMED-Plus Study. <i>Frontiers in Endocrinology</i> , 2021, 12, 754347.	1.5	8
58	Evolution of Metabolic Phenotypes of Obesity in Coronary Patients after 5 Years of Dietary Intervention: From the CORDIOPREV Study. <i>Nutrients</i> , 2021, 13, 4046.	1.7	3
59	Real world evidence of calcifediol or vitamin D prescription and mortality rate of COVID-19 in a retrospective cohort of hospitalized Andalusian patients. <i>Scientific Reports</i> , 2021, 11, 23380.	1.6	39
60	Mediterranean, DASH, and MIND Dietary Patterns and Cognitive Function: The 2-Year Longitudinal Changes in an Older Spanish Cohort. <i>Frontiers in Aging Neuroscience</i> , 2021, 13, 782067.	1.7	21
61	Prediabetes diagnosis criteria, type 2 diabetes risk and dietary modulation: The CORDIOPREV study. <i>Clinical Nutrition</i> , 2020, 39, 492-500.	2.3	13
62	Diet quality and nutrient density in subjects with metabolic syndrome: Influence of socioeconomic status and lifestyle factors. A cross-sectional assessment in the PREDIMED-Plus study. <i>Clinical Nutrition</i> , 2020, 39, 1161-1173.	2.3	28
63	Adherence to a priori dietary indexes and baseline prevalence of cardiovascular risk factors in the PREDIMED-Plus randomised trial. <i>European Journal of Nutrition</i> , 2020, 59, 1219-1232.	1.8	24
64	High sleep variability predicts a blunted weight loss response and short sleep duration a reduced decrease in waist circumference in the PREDIMED-Plus Trial. <i>International Journal of Obesity</i> , 2020, 44, 330-339.	1.6	22
65	Nutrient adequacy and diet quality in a Mediterranean population with metabolic syndrome: A cross-sectional study. <i>Clinical Nutrition</i> , 2020, 39, 853-861.	2.3	3
66	Cross-sectional association between non-soy legume consumption, serum uric acid and hyperuricemia: the PREDIMED-Plus study. <i>European Journal of Nutrition</i> , 2020, 59, 2195-2206.	1.8	8
67	Long-term dietary adherence and changes in dietary intake in coronary patients after intervention with a Mediterranean diet or a low-fat diet: the CORDIOPREV randomized trial. <i>European Journal of Nutrition</i> , 2020, 59, 2099-2110.	1.8	45
68	Association between dairy product consumption and hyperuricemia in an elderly population with metabolic syndrome. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 214-222.	1.1	14
69	Carbohydrate quality changes and concurrent changes in cardiovascular risk factors: a longitudinal analysis in the PREDIMED-Plus randomized trial. <i>American Journal of Clinical Nutrition</i> , 2020, 111, 291-306.	2.2	50
70	Fibroblast growth factor 23 predicts carotid atherosclerosis in individuals without kidney disease. The CORDIOPREV study. <i>European Journal of Internal Medicine</i> , 2020, 74, 79-85.	1.0	11
71	A Diet-Dependent Microbiota Profile Associated with Incident Type 2 Diabetes: From the CORDIOPREV Study. <i>Molecular Nutrition and Food Research</i> , 2020, 64, 2000730.	1.5	7
72	Clinical profile of patients treated with evolocumab in lipid/internal medicine units of Spain. Observational study (RETOSS-IMU). <i>ClÃnica E InvestigaciÃ³n En Arteriosclerosis (English Edition)</i> , 2020, 32, 183-192.	0.1	0

#	ARTICLE	IF	CITATIONS
73	Dietary Quality Changes According to the Preceding Maximum Weight: A Longitudinal Analysis in the PREDIMED-Plus Randomized Trial. <i>Nutrients</i> , 2020, 12, 3023.	1.7	4
74	Dietary Intervention Modulates the Expression of Splicing Machinery in Cardiovascular Patients at High Risk of Type 2 Diabetes Development: From the CORDIOPREV Study. <i>Nutrients</i> , 2020, 12, 3528.	1.7	7
75	Mediterranean Diet and Endothelial Function: A Review of its Effects at Different Vascular Bed Levels. <i>Nutrients</i> , 2020, 12, 2212.	1.7	30
76	Ceruloplasmin and Coronary Heart Diseaseâ€”A Systematic Review. <i>Nutrients</i> , 2020, 12, 3219.	1.7	14
77	Coenzyme Q10 Supplementation for the Reduction of Oxidative Stress: Clinical Implications in the Treatment of Chronic Diseases. <i>International Journal of Molecular Sciences</i> , 2020, 21, 7870.	1.8	71
78	â€œEffect of calcifediol treatment and best available therapy versus best available therapy on intensive care unit admission and mortality among patients hospitalized for COVID-19: A pilot randomized clinical studyâ€”, <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2020, 203, 105751.	1.2	538
79	Mediterranean diet and endothelial function in patients with coronary heart disease: An analysis of the CORDIOPREV randomized controlled trial. <i>PLoS Medicine</i> , 2020, 17, e1003282.	3.9	77
80	Biological senescence risk score. A practical tool to predict biological senescence status. <i>European Journal of Clinical Investigation</i> , 2020, 50, e13305.	1.7	4
81	Coenzyme Q10 as an antioxidant in the elderly. , 2020, , 165-171.		0
82	Physical fitness and physical activity association with cognitive function and quality of life: baseline cross-sectional analysis of the PREDIMED-Plus trial. <i>Scientific Reports</i> , 2020, 10, 3472.	1.6	47
83	Endothelial Dysfunction and Advanced Glycation End Products in Patients with Newly Diagnosed Versus Established Diabetes: From the CORDIOPREV Study. <i>Nutrients</i> , 2020, 12, 238.	1.7	29
84	Postprandial Lipemia Modulates Pancreatic Alpha-Cell Function in the Prediction of Type 2 Diabetes Development: The CORDIOPREV Study. <i>Journal of Agricultural and Food Chemistry</i> , 2020, 68, 1266-1275.	2.4	4
85	Incidence of cardiovascular events and changes in the estimated risk and treatment of familial hypercholesterolemia: the SAFEHEART registry. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2020, 73, 828-834.	0.4	3
86	Perfil clÃnico de los pacientes tratados con evolocumab en unidades de lÃpidos/medicina interna en EspaÃa. Estudio observacional (RETOSS-IMU). <i>ClÃnica E InvestigaciÃn En Arteriosclerosis</i> , 2020, 32, 183-192.	0.4	4
87	Adipose tissue depotâ€specific intracellular and extracellular cues contributing to insulin resistance in obese individuals. <i>FASEB Journal</i> , 2020, 34, 7520-7539.	0.2	30
88	Age-dependent effect of metabolic phenotypes on carotid atherosclerotic disease in coronary heart disease patients (CORDIOPREV study). <i>BMC Geriatrics</i> , 2020, 20, 151.	1.1	7
89	Metabolic Syndrome Features and Excess Weight Were Inversely Associated with Nut Consumption after 1-Year Follow-Up in the PREDIMED-Plus Study. <i>Journal of Nutrition</i> , 2020, 150, 3161-3170.	1.3	19
90	Interplay between gonadal hormones and postnatal overfeeding in defining sex-dependent differences in gut microbiota architecture. <i>Aging</i> , 2020, 12, 19979-20000.	1.4	14

#	ARTICLE	IF	CITATIONS
91	The Effect of Physical Activity and High Body Mass Index on Health-Related Quality of Life in Individuals with Metabolic Syndrome. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 3728.	1.2	7
92	The Mediterranean Diet. , 2020, , 17-31.		1
93	Effects of Coenzyme Q10 Supplementation on Elderly People. , 2020, , 347-365.		0
94	Effect of a Lifestyle Intervention Program With Energy-Restricted Mediterranean Diet and Exercise on Weight Loss and Cardiovascular Risk Factors: One-Year Results of the PREDIMED-Plus Trial. <i>Diabetes Care</i> , 2019, 42, 777-788.	4.3	239
95	Low Intake of Vitamin E Accelerates Cellular Aging in Patients With Established Cardiovascular Disease: The CORDIOPREV Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2019, 74, 770-777.	1.7	30
96	Indications of PCSK9 inhibitors in clinical practice. Recommendations of the Spanish Society of Arteriosclerosis (SEA), 2019. <i>Clínica e Investigación En Arteriosclerosis (English Edition)</i> , 2019, 31, 128-139.	0.1	6
97	Total and Subtypes of Dietary Fat Intake and Its Association with Components of the Metabolic Syndrome in a Mediterranean Population at High Cardiovascular Risk. <i>Nutrients</i> , 2019, 11, 1493.	1.7	41
98	Estándares SEA 2019 para el control global del riesgo cardiovascular. <i>Clínica e Investigación En Arteriosclerosis</i> , 2019, 31, 1-43.	0.4	8
99	Effect of Oral Nutritional Supplements with Sucromalt and Isomaltulose versus Standard Formula on Glycaemic Index, Entero-Insular Axis Peptides and Subjective Appetite in Patients with Type 2 Diabetes: A Randomised Cross-Over Study. <i>Nutrients</i> , 2019, 11, 1477.	1.7	16
100	Effect of a Nutritional and Behavioral Intervention on Energy-Reduced Mediterranean Diet Adherence Among Patients With Metabolic Syndrome. <i>JAMA - Journal of the American Medical Association</i> , 2019, 322, 1486.	3.8	100
101	Lifestyle factors modulate postprandial hypertriglyceridemia: From the CORDIOPREV study. <i>Atherosclerosis</i> , 2019, 290, 118-124.	0.4	12
102	Indicaciones de los inhibidores de PCSK9 en la práctica clínica. Recomendaciones de la Sociedad Española de Arteriosclerosis (SEA), 2019. <i>Clínica e Investigación En Arteriosclerosis</i> , 2019, 31, 128-139.	0.4	28
103	Dysregulation of the Splicing Machinery Is Associated to the Development of Nonalcoholic Fatty Liver Disease. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 3389-3402.	1.8	52
104	Toward a new clinical classification of patients with familial hypercholesterolemia: One perspective from Spain. <i>Atherosclerosis</i> , 2019, 287, 89-92.	0.4	29
105	Apolipoprotein E genetic variants interact with Mediterranean diet to modulate postprandial hypertriglyceridemia in coronary heart disease patients: CORDIOPREV study. <i>European Journal of Clinical Investigation</i> , 2019, 49, e13146.	1.7	14
106	Serum Magnesium is associated with Carotid Atherosclerosis in patients with high cardiovascular risk (CORDIOPREV Study). <i>Scientific Reports</i> , 2019, 9, 8013.	1.6	13
107	Postprandial Hypertriglyceridaemia Revisited in the Era of Non-fasting Lipid Profiles: Executive Summary of a 2019 Expert Panel Statement. <i>Current Vascular Pharmacology</i> , 2019, 17, 538-540.	0.8	23
108	Nut Consumptions as a Marker of Higher Diet Quality in a Mediterranean Population at High Cardiovascular Risk. <i>Nutrients</i> , 2019, 11, 754.	1.7	11

#	ARTICLE	IF	CITATIONS
109	Associations between Dietary Polyphenols and Type 2 Diabetes in a Cross-Sectional Analysis of the PREDIMED-Plus Trial: Role of Body Mass Index and Sex. <i>Antioxidants</i> , 2019, 8, 537.	2.2	31
110	Clinical Utility of Ghrelin-O-Acyltransferase (GOAT) Enzyme as a Diagnostic Tool and Potential Therapeutic Target in Prostate Cancer. <i>Journal of Clinical Medicine</i> , 2019, 8, 2056.	1.0	8
111	The Fluid Aspect of the Mediterranean Diet in the Prevention and Management of Cardiovascular Disease and Diabetes: The Role of Polyphenol Content in Moderate Consumption of Wine and Olive Oil. <i>Nutrients</i> , 2019, 11, 2833.	1.7	129
112	Cohort Profile: Design and methods of the PREDIMED-Plus randomized trial. <i>International Journal of Epidemiology</i> , 2019, 48, 387-388o.	0.9	179
113	Sex Differences in the Gut Microbiota as Potential Determinants of Gender Predisposition to Disease. <i>Molecular Nutrition and Food Research</i> , 2019, 63, e1800870.	1.5	103
114	Dieta mediterránea hipocalórica y factores de riesgo cardiovascular: análisis transversal de PREDIMED-Plus. <i>Revista Española De Cardiología</i> , 2019, 72, 925-934.	0.6	28
115	Extra virgin olive oil: More than a healthy fat. <i>European Journal of Clinical Nutrition</i> , 2019, 72, 8-17.	1.3	128
116	Adherence to an Energy-restricted Mediterranean Diet Score and Prevalence of Cardiovascular Risk Factors in the PREDIMED-Plus: A Cross-sectional Study. <i>Revista Española De Cardiología (English Ed)</i> , 2019, 72, 925-934.	0.4	26
117	Coenzyme Q ₁₀ : From bench to clinic in aging diseases, a translational review. <i>Critical Reviews in Food Science and Nutrition</i> , 2019, 59, 2240-2257.	5.4	62
118	Postprandial endotoxemia may influence the development of type 2 diabetes mellitus: From the CORDIOPREV study. <i>Clinical Nutrition</i> , 2019, 38, 529-538.	2.3	25
119	Effects of dietary fat on insulin secretion in subjects with the metabolic syndrome. <i>European Journal of Endocrinology</i> , 2019, 180, 321-328.	1.9	13
120	Postprandial Hypertriglyceridaemia Revisited in the Era of Non-Fasting Lipid Profile Testing: A 2019 Expert Panel Statement, Narrative Review. <i>Current Vascular Pharmacology</i> , 2019, 17, 515-537.	0.8	19
121	Postprandial Hypertriglyceridaemia Revisited in the Era of Non-Fasting Lipid Profile Testing: A 2019 Expert Panel Statement, Main Text. <i>Current Vascular Pharmacology</i> , 2019, 17, 498-514.	0.8	38
122	Mediterranean Diet Supplemented With Coenzyme Q ₁₀ Modulates the Postprandial Metabolism of Advanced Glycation End Products in Elderly Men and Women. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2018, 73, glw214.	1.7	30
123	Quantitative evaluation of capillaroscopic microvascular changes in patients with established coronary heart disease. <i>Medicina Clínica (English Edition)</i> , 2018, 150, 131-137.	0.1	4
124	Mediterranean diet improves endothelial function in patients with diabetes and prediabetes: A report from the CORDIOPREV study. <i>Atherosclerosis</i> , 2018, 269, 50-56.	0.4	47
125	New diet trials and cardiovascular risk. <i>Current Opinion in Cardiology</i> , 2018, 33, 423-428.	0.8	8
126	Mediterranean Diet, Glucose Homeostasis, and Inflammasome Genetic Variants: The CORDIOPREV Study. <i>Molecular Nutrition and Food Research</i> , 2018, 62, e1700960.	1.5	22

#	ARTICLE	IF	CITATIONS
127	Beneficial effect of CETP gene polymorphism in combination with a Mediterranean diet influencing lipid metabolism in metabolic syndrome patients: CORDIOPREV study. <i>Clinical Nutrition</i> , 2018, 37, 229-234.	2.3	23
128	Evaluación cuantitativa de los cambios microvasculares capilares en pacientes con cardiopatía isquémica establecida. <i>Medicina Clínica</i> , 2018, 150, 131-137.	0.3	6
129	Endotoxemia is modulated by quantity and quality of dietary fat in older adults. <i>Experimental Gerontology</i> , 2018, 109, 119-125.	1.2	13
130	Changes in Splicing Machinery Components Influence, Precede, and Early Predict the Development of Type 2 Diabetes: From the CORDIOPREV Study. <i>EBioMedicine</i> , 2018, 37, 356-365.	2.7	29
131	Documento de recomendaciones de la SEA 2018. El estilo de vida en la prevención cardiovascular. <i>Clínica E Investigación En Arteriosclerosis</i> , 2018, 30, 280-310.	0.4	20
132	Long-term consumption of a Mediterranean diet improves postprandial lipemia in patients with type 2 diabetes: the Cordioprev randomized trial. <i>American Journal of Clinical Nutrition</i> , 2018, 108, 963-970.	2.2	31
133	Seafood Consumption, Omega-3 Fatty Acids Intake, and Life-Time Prevalence of Depression in the PREDIMED-Plus Trial. <i>Nutrients</i> , 2018, 10, 2000.	1.7	43
134	Document of recommendations of the SEA 2018. Lifestyle in cardiovascular prevention. <i>Clínica E Investigación En Arteriosclerosis (English Edition)</i> , 2018, 30, 280-310.	0.1	5
135	A plasma circulating miRNAs profile predicts type 2 diabetes mellitus and prediabetes: from the CORDIOPREV study. <i>Experimental and Molecular Medicine</i> , 2018, 50, 1-12.	3.2	80
136	Plasma ghrelin O ⁶ -acyltransferase (GOAT) enzyme levels: A novel non-invasive diagnosis tool for patients with significant prostate cancer. <i>Journal of Cellular and Molecular Medicine</i> , 2018, 22, 5688-5697.	1.6	17
137	Type 2 diabetes and cognitive impairment in an older population with overweight or obesity and metabolic syndrome: baseline cross-sectional analysis of the PREDIMED-plus study. <i>Scientific Reports</i> , 2018, 8, 16128.	1.6	64
138	Alpha cell function interacts with diet to modulate prediabetes and Type 2 diabetes. <i>Journal of Nutritional Biochemistry</i> , 2018, 62, 247-256.	1.9	10
139	Influence of gender and menopausal status on gut microbiota. <i>Maturitas</i> , 2018, 116, 43-53.	1.0	153
140	Comparison of Low-Density Lipoprotein Cholesterol Assessment by Martin/Hopkins Estimation, Friedewald Estimation, and Preparative Ultracentrifugation. <i>JAMA Cardiology</i> , 2018, 3, 749.	3.0	105
141	Circulating miRNAs as Predictive Biomarkers of Type 2 Diabetes Mellitus Development in Coronary Heart Disease Patients from the CORDIOPREV Study. <i>Molecular Therapy - Nucleic Acids</i> , 2018, 12, 146-157.	2.3	80
142	Mediterranean diet and quality of life: Baseline cross-sectional analysis of the PREDIMED-PLUS trial. <i>PLoS ONE</i> , 2018, 13, e0198974.	1.1	100
143	Frying oils with high natural or added antioxidants content, which protect against postprandial oxidative stress, also protect against DNA oxidation damage. <i>European Journal of Nutrition</i> , 2017, 56, 1597-1607.	1.8	16
144	Cost-effectiveness of a cascade screening program for the early detection of familial hypercholesterolemia. <i>Journal of Clinical Lipidology</i> , 2017, 11, 260-271.	0.6	87

#	ARTICLE	IF	CITATIONS
145	Dietary fat quantity and quality modifies advanced glycation end products metabolism in patients with metabolic syndrome. <i>Molecular Nutrition and Food Research</i> , 2017, 61, 1601029.	1.5	30
146	Differential menopause- versus aging-induced changes in oxidative stress and circadian rhythm gene markers. <i>Mechanisms of Ageing and Development</i> , 2017, 164, 41-48.	2.2	16
147	Lifestyle recommendations for the prevention and management of metabolic syndrome: an international panel recommendation. <i>Nutrition Reviews</i> , 2017, 75, 307-326.	2.6	294
148	HDL cholesterol efflux normalised to apoA-I is associated with future development of type 2 diabetes: from the CORDIOPREV trial. <i>Scientific Reports</i> , 2017, 7, 12499.	1.6	9
149	Consumption of Two Healthy Dietary Patterns Restored Microbiota Dysbiosis in Obese Patients with Metabolic Dysfunction. <i>Molecular Nutrition and Food Research</i> , 2017, 61, 1700300.	1.5	107
150	APOE genotype influences insulin resistance, apolipoprotein CII and CIII according to plasma fatty acid profile in the Metabolic Syndrome. <i>Scientific Reports</i> , 2017, 7, 6274.	1.6	31
151	Effect of Dietary Lipids on Endotoxemia Influences Postprandial Inflammatory Response. <i>Journal of Agricultural and Food Chemistry</i> , 2017, 65, 7756-7763.	2.4	32
152	The cytoskeletal protein septin 11 is associated with human obesity and is involved in adipocyte lipid storage and metabolism. <i>Diabetologia</i> , 2017, 60, 324-335.	2.9	28
153	Clinical efficacy and safety of achieving very low LDL-cholesterol concentrations with the PCSK9 inhibitor evolocumab: a prespecified secondary analysis of the FOURIER trial. <i>Lancet</i> , The, 2017, 390, 1962-1971.	6.3	487
154	Breast cancer is associated to impaired glucose/insulin homeostasis in premenopausal obese/overweight patients. <i>Oncotarget</i> , 2017, 8, 81462-81474.	0.8	27
155	Nutrients in Energy and One-Carbon Metabolism: Learning from Metformin Users. <i>Nutrients</i> , 2017, 9, 121.	1.7	33
156	Serum metabolites in non-alcoholic fatty-liver disease development or reversion; a targeted metabolomic approach within the PREDIMED trial. <i>Nutrition and Metabolism</i> , 2017, 14, 58.	1.3	22
157	Lipoprotein (a) Management: Lifestyle and Hormones. <i>Current Medicinal Chemistry</i> , 2017, 24, 979-988.	1.2	3
158	Impact of the Content of Fatty Acids of Oral Fat Tolerance Tests on Postprandial Triglyceridemia: Systematic Review and Meta-Analysis. <i>Nutrients</i> , 2016, 8, 580.	1.7	33
159	Influence of Obesity and Metabolic Disease on Carotid Atherosclerosis in Patients with Coronary Artery Disease (CordioPrev Study). <i>PLoS ONE</i> , 2016, 11, e0153096.	1.1	10
160	Polymorphism, Carbohydrates, Fat, and Type 2 Diabetes. , 2016, , 301-311.		0
161	Mediterranean Diet Reduces Serum Advanced Glycation End Products and Increases Antioxidant Defenses in Elderly Adults: A Randomized Controlled Trial. <i>Journal of the American Geriatrics Society</i> , 2016, 64, 901-904.	1.3	36
162	Metabolic Syndrome and Cardiovascular Disease after Hematopoietic Cell Transplantation: Screening and Preventive Practice Recommendations from the CIBMTR and EBMT. <i>Biology of Blood and Marrow Transplantation</i> , 2016, 22, 1493-1503.	2.0	55

#	ARTICLE	IF	CITATIONS
163	CORonary Diet Intervention with Olive oil and cardiovascular PREvention study (the CORDIOPREV) Tj ETQq1 1 0.784314 rgBT /Overl	1.2	133
164	Assessment of postprandial triglycerides in clinical practice: Validation in a general population and coronary heart disease patients. <i>Journal of Clinical Lipidology</i> , 2016, 10, 1163-1171.	0.6	22
165	Chrelin O-acyltransferase (GOAT) enzyme is overexpressed in prostate cancer, and its levels are associated with patient's metabolic status: Potential value as a non-invasive biomarker. <i>Cancer Letters</i> , 2016, 383, 125-134.	3.2	30
166	Telomerase RNA Component Genetic Variants Interact With the Mediterranean Diet Modifying the Inflammatory Status and its Relationship With Aging: CORDIOPREV Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2016, 73, glw194.	1.7	17
167	Epigenetics and nutrition-related epidemics of metabolic diseases: Current perspectives and challenges. <i>Food and Chemical Toxicology</i> , 2016, 96, 191-204.	1.8	27
168	TNFA gene variants related to the inflammatory status and its association with cellular aging: From the CORDIOPREV study. <i>Experimental Gerontology</i> , 2016, 83, 56-62.	1.2	11
169	Interaction of an S100A9 gene variant with saturated fat and carbohydrates to modulate insulin resistance in 3 populations of different ancestries. <i>American Journal of Clinical Nutrition</i> , 2016, 104, 508-517.	2.2	11
170	A dysregulation of glucose metabolism control is associated with carotid atherosclerosis in patients with coronary heart disease (CORDIOPREV-DIAB study). <i>Atherosclerosis</i> , 2016, 253, 178-185.	0.4	14
171	Lack of cortistatin or somatostatin differentially influences DMBA-induced mammary gland tumorigenesis in mice in an obesity-dependent mode. <i>Breast Cancer Research</i> , 2016, 18, 29.	2.2	5
172	Mediterranean Diet and Cardiovascular Risk: Beyond Traditional Risk Factors. <i>Critical Reviews in Food Science and Nutrition</i> , 2016, 56, 788-801.	5.4	37
173	Virgin olive oil rich in phenolic compounds modulates the expression of atherosclerosis-related genes in vascular endothelium. <i>European Journal of Nutrition</i> , 2016, 55, 519-527.	1.8	16
174	Two Healthy Diets Modulate Gut Microbial Community Improving Insulin Sensitivity in a Human Obese Population. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 233-242.	1.8	223
175	New non-invasive method for early detection of metabolic syndrome in the working population. <i>European Journal of Cardiovascular Nursing</i> , 2016, 15, 549-558.	0.4	27
176	The gut microbial community in metabolic syndrome patients is modified by diet. <i>Journal of Nutritional Biochemistry</i> , 2016, 27, 27-31.	1.9	166
177	The insulin resistance phenotype (muscle or liver) interacts with the type of diet to determine changes in disposition index after 2 years of intervention: the CORDIOPREV-DIAB randomised clinical trial. <i>Diabetologia</i> , 2016, 59, 67-76.	2.9	66
178	Intestinal Microbiota Is Influenced by Gender and Body Mass Index. <i>PLoS ONE</i> , 2016, 11, e0154090.	1.1	511
179	Prevalence, Treatment, and Control of Hypercholesterolemia in High Cardiovascular Risk Patients: Evidences from a Systematic Literature Review in Spain. <i>Advances in Therapy</i> , 2015, 32, 944-961.	1.3	35
180	Chronic consumption of a low-fat diet improves cardiometabolic risk factors according to theCLOCKgene in patients with coronary heart disease. <i>Molecular Nutrition and Food Research</i> , 2015, 59, 2556-2564.	1.5	27

#	ARTICLE	IF	CITATIONS
181	Sensitivity and Specificity Improvement in Abdominal Obesity Diagnosis Using Cluster Analysis during Waist Circumference Cut-Off Point Selection. <i>Journal of Diabetes Research</i> , 2015, 2015, 1-14.	1.0	29
182	Effects of the Mediterranean Diet Supplemented With Coenzyme Q10 on Metabolomic Profiles in Elderly Men and Women. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2015, 70, 78-84.	1.7	47
183	Monounsaturated Fatty Acidâ€“Enriched High-Fat Diets Impede Adipose NLRP3 Inflammasomeâ€“Mediated IL-1 β Secretion and Insulin Resistance Despite Obesity. <i>Diabetes</i> , 2015, 64, 2116-2128.	0.3	229
184	Proteasome Dysfunction Associated to Oxidative Stress and Proteotoxicity in Adipocytes Compromises Insulin Sensitivity in Human Obesity. <i>Antioxidants and Redox Signaling</i> , 2015, 23, 597-612.	2.5	68
185	Early Modification in Drainage of Interleukin-1 β and Tumor Necrosis Factor- α Best Predicts Surgical-Site Infection After Cervical Neck Dissection for Oral Cancer. <i>Journal of Oral and Maxillofacial Surgery</i> , 2015, 73, 1189-1198.	0.5	12
186	Proteome from patients with metabolic syndrome is regulated by quantity and quality of dietary lipids. <i>BMC Genomics</i> , 2015, 16, 509.	1.2	16
187	Statins do not increase the risk of developing type 2 diabetes in familial hypercholesterolemia: The SAFEHEART study. <i>International Journal of Cardiology</i> , 2015, 201, 79-84.	0.8	32
188	Insulin resistance determines a differential response to changes in dietary fat modification on metabolic syndrome risk factors: the LIPGENE study. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 1509-1517.	2.2	54
189	Effects of functional olive oil enriched with its own phenolic compounds on endothelial function in hypertensive patients. A randomised controlled trial. <i>Food Chemistry</i> , 2015, 167, 30-35.	4.2	92
190	Obesity Alters Gene Expression for GH/IGF-I Axis in Mouse Mammary Fat Pads: Differential Role of Cortistatin and Somatostatin. <i>PLoS ONE</i> , 2015, 10, e0120955.	1.1	7
191	Editorial Nutritional Therapy in Metabolic Syndrome. <i>Current Vascular Pharmacology</i> , 2014, 11, 838-841.	0.8	1
192	Epidemiologic Behavior and Estimation of an Optimal Cut-Off Point for Homeostasis Model Assessment-2 Insulin Resistance: A Report from a Venezuelan Population. <i>International Scholarly Research Notices</i> , 2014, 2014, 1-10.	0.9	26
193	Dietary fat alters the expression of cortistatin and ghrelin systems in the PBMCs of elderly subjects: Putative implications in the postprandial inflammatory response. <i>Molecular Nutrition and Food Research</i> , 2014, 58, 1897-1906.	1.5	15
194	Polymorphism at the TNF α gene interacts with Mediterranean diet to influence triglyceride metabolism and inflammation status in metabolic syndrome patients: From the CORDIOPREV clinical trial. <i>Molecular Nutrition and Food Research</i> , 2014, 58, 1519-1527.	1.5	38
195	Beneficial effect of <i>CLOCK</i> gene polymorphism rs1801260 in combination with low-fat diet on insulin metabolism in the patients with metabolic syndrome. <i>Chronobiology International</i> , 2014, 31, 401-408.	0.9	59
196	Impact of geographical region on urinary metabolomic and plasma fatty acid profiles in subjects with the metabolic syndrome across Europe: the LIPGENE study. <i>British Journal of Nutrition</i> , 2014, 111, 424-431.	1.2	17
197	Optimal Waist Circumference Cut-Off Point for Multiple Risk Factor Aggregation: Results from the Maracaibo City Metabolic Syndrome Prevalence Study. <i>Epidemiology Research International</i> , 2014, 2014, 1-9.	0.2	10
198	Coenzyme Q10 as an Antioxidant in the Elderly. , 2014, , 109-117.		2

#	ARTICLE	IF	CITATIONS
199	Metabolic phenotypes of obesity influence triglyceride and inflammation homeostasis. <i>European Journal of Clinical Investigation</i> , 2014, 44, 1053-1064.	1.7	45
200	Lipoprotein(a) Levels in Familial Hypercholesterolemia. <i>Journal of the American College of Cardiology</i> , 2014, 63, 1982-1989.	1.2	283
201	Dietary fat differentially influences the lipids storage on the adipose tissue in metabolic syndrome patients. <i>European Journal of Nutrition</i> , 2014, 53, 617-626.	1.8	14
202	Postprandial oxidative stress is modulated by dietary fat in adipose tissue from elderly people. <i>Age</i> , 2014, 36, 507-517.	3.0	10
203	Circulating CD45+/CD3+ lymphocyte-derived microparticles map lipid-rich atherosclerotic plaques in familial hypercholesterolaemia patients. <i>Thrombosis and Haemostasis</i> , 2014, 111, 111-121.	1.8	76
204	Effect of dietary fat modification on subcutaneous white adipose tissue insulin sensitivity in patients with metabolic syndrome. <i>Molecular Nutrition and Food Research</i> , 2014, 58, 2177-2188.	1.5	25
205	Peripheral blood mononuclear cells as in vivo model for dietary intervention induced systemic oxidative stress. <i>Food and Chemical Toxicology</i> , 2014, 72, 178-186.	1.8	20
206	Elevated GH/IGF-I promotes mammary tumors in high-fat, but not low-fat, fed mice. <i>Carcinogenesis</i> , 2014, 35, 2467-2473.	1.3	12
207	Influence of endothelial dysfunction on telomere length in subjects with metabolic syndrome: LIPGENE study. <i>Age</i> , 2014, 36, 9681.	3.0	12
208	Olive oil phenolic compounds decrease the postprandial inflammatory response by reducing postprandial plasma lipopolysaccharide levels. <i>Food Chemistry</i> , 2014, 162, 161-171.	4.2	48
209	Dietary fat modifies lipid metabolism in the adipose tissue of metabolic syndrome patients. <i>Genes and Nutrition</i> , 2014, 9, 409.	1.2	20
210	Postprandial Activation of P53-Dependent DNA Repair Is Modified by Mediterranean Diet Supplemented With Coenzyme Q10 in Elderly Subjects. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2014, 69, 886-893.	1.7	18
211	Top Single Nucleotide Polymorphisms Affecting Carbohydrate Metabolism in Metabolic Syndrome: From the LIPGENE Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, E384-E389.	1.8	25
212	Effect of frying oils on the postprandial endoplasmic reticulum stress in obese people. <i>Molecular Nutrition and Food Research</i> , 2014, 58, 2239-2242.	1.5	10
213	Hypertriglyceridemia Influences the Degree of Postprandial Lipemic Response in Patients with Metabolic Syndrome and Coronary Artery Disease: From the Cordioprev Study. <i>PLoS ONE</i> , 2014, 9, e96297.	1.1	25
214	LDL and HDL Subfractions, Dysfunctional HDL: Treatment Options. <i>Current Pharmaceutical Design</i> , 2014, 20, 6249-6255.	0.9	18
215	Nutrigenetics, Metabolic Syndrome Risk and Personalized Nutrition. <i>Current Vascular Pharmacology</i> , 2014, 11, 946-953.	0.8	13
216	Relevance of Postprandial Lipemia in Metabolic Syndrome. <i>Current Vascular Pharmacology</i> , 2014, 11, 920-927.	0.8	3

#	ARTICLE	IF	CITATIONS
217	Gene-nutrient interactions on the phosphoenolpyruvate carboxykinase influence insulin sensitivity in metabolic syndrome subjects. <i>Clinical Nutrition</i> , 2013, 32, 630-635.	2.3	10
218	The antioxidants in oils heated at frying temperature, whether natural or added, could protect against postprandial oxidative stress in obese people. <i>Food Chemistry</i> , 2013, 138, 2250-2259.	4.2	46
219	Endoplasmic reticulum stress in adipose tissue determines postprandial lipoprotein metabolism in metabolic syndrome patients. <i>Molecular Nutrition and Food Research</i> , 2013, 57, 2166-2176.	1.5	7
220	Endothelial Aging Associated with Oxidative Stress Can Be Modulated by a Healthy Mediterranean Diet. <i>International Journal of Molecular Sciences</i> , 2013, 14, 8869-8889.	1.8	75
221	Antioxidant system response is modified by dietary fat in adipose tissue of metabolic syndrome patients. <i>Journal of Nutritional Biochemistry</i> , 2013, 24, 1717-1723.	1.9	36
222	It is time to define metabolically obese but normal-weight (MONW) individuals. <i>Clinical Endocrinology</i> , 2013, 79, 314-315.	1.2	25
223	Emerging approaches for the treatment of hypertriglyceridemia. <i>Expert Opinion on Pharmacotherapy</i> , 2013, 14, 1869-1873.	0.9	6
224	Postprandial antioxidant gene expression is modified by Mediterranean diet supplemented with coenzyme Q10 in elderly men and women. <i>Age</i> , 2013, 35, 159-170.	3.0	38
225	An acute intake of a walnut-enriched meal improves postprandial adiponectin response in healthy young adults. <i>Nutrition Research</i> , 2013, 33, 1012-1018.	1.3	34
226	Lipid metabolism after an oral fat test meal is affected by age-associated features of metabolic syndrome, but not by age. <i>Atherosclerosis</i> , 2013, 226, 258-262.	0.4	15
227	Postprandial changes in the proteome are modulated by dietary fat in patients with metabolic syndrome. <i>Journal of Nutritional Biochemistry</i> , 2013, 24, 318-324.	1.9	29
228	Obesity and body fat classification in the metabolic syndrome: Impact on cardiometabolic risk metabotype. <i>Obesity</i> , 2013, 21, E154-61.	1.5	78
229	Oxidative stress is associated with the number of components of metabolic syndrome: LIPGENE study. <i>Experimental and Molecular Medicine</i> , 2013, 45, e28-e28.	3.2	89
230	Nutraceuticals and coronary heart disease. <i>Current Opinion in Cardiology</i> , 2013, 28, 475-482.	0.8	14
231	International Physical Activity Questionnaire Overestimation is Ameliorated by Individual Analysis of the Scores. <i>American Journal of Therapeutics</i> , 2013, 20, 448-458.	0.5	22
232	Postprandial metabolism: from research to clinical practice. <i>Clinical Lipidology</i> , 2013, 8, 395-398.	0.4	0
233	A Period 2 Genetic Variant Interacts with Plasma SFA to Modify Plasma Lipid Concentrations in Adults with Metabolic Syndrome. <i>Journal of Nutrition</i> , 2012, 142, 1213-1218.	1.3	29
234	Moderate-to-high-intensity training and a hypocaloric Mediterranean diet enhance endothelial progenitor cells and fitness in subjects with the metabolic syndrome. <i>Clinical Science</i> , 2012, 123, 361-373.	1.8	67

#	ARTICLE	IF	CITATIONS
235	Expression of proinflammatory, proatherogenic genes is reduced by the Mediterranean diet in elderly people. <i>British Journal of Nutrition</i> , 2012, 108, 500-508.	1.2	119
236	Association of Cellular Adhesion Molecules and Oxidative Stress with Endothelial Function in Obstructive Sleep Apnea. <i>Internal Medicine</i> , 2012, 51, 363-368.	0.3	29
237	Mediterranean diet reduces senescence-associated stress in endothelial cells. <i>Age</i> , 2012, 34, 1309-1316.	3.0	78
238	The leptin receptor Gln223Arg polymorphism (rs1137101) mediates the postprandial lipaemic response, but only in males. <i>Atherosclerosis</i> , 2012, 225, 135-141.	0.4	10
239	Utilización de productos naturales de la dieta con efectos bioactivos con fines terapéuticos a nivel poblacional. <i>Clínica E Investigación En Arteriosclerosis</i> , 2012, 24, 1-2.	0.4	0
240	Epidemiologic Behavior of Obesity in the Maracaibo City Metabolic Syndrome Prevalence Study. <i>PLoS ONE</i> , 2012, 7, e35392.	1.1	14
241	Mediterranean Diet and Cardiovascular Risk. , 2012, , .		1
242	Long chain omega-3 fatty acids and cardiovascular disease: a systematic review. <i>British Journal of Nutrition</i> , 2012, 107, S201-S213.	1.2	279
243	Insulin receptor substrate-2 gene variants in subjects with metabolic syndrome: Association with plasma monounsaturated and polyunsaturated fatty acid levels and insulin resistance. <i>Molecular Nutrition and Food Research</i> , 2012, 56, 309-315.	1.5	7
244	Dietary fat modifies the postprandial inflammatory state in subjects with metabolic syndrome: the LIPGENE study. <i>Molecular Nutrition and Food Research</i> , 2012, 56, 854-865.	1.5	77
245	Mediterranean Diet Supplemented With Coenzyme Q10 Modifies the Expression of Proinflammatory and Endoplasmic Reticulum Stress-Related Genes in Elderly Men and Women. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2012, 67A, 3-10.	1.7	72
246	Mediterranean diet supplemented with coenzyme Q10 induces postprandial changes in p53 in response to oxidative DNA damage in elderly subjects. <i>Age</i> , 2012, 34, 389-403.	3.0	53
247	Dietary oil modifies the plasma proteome during aging in the rat. <i>Age</i> , 2012, 34, 341-358.	3.0	9
248	Nutrigenetics of the lipoprotein metabolism. <i>Molecular Nutrition and Food Research</i> , 2012, 56, 171-183.	1.5	25
249	Metabolic syndrome: Evidences for a personalized nutrition. <i>Molecular Nutrition and Food Research</i> , 2012, 56, 67-76.	1.5	30
250	Effects of rs7903146 Variation in the Tcf7l2 Gene in the Lipid Metabolism of Three Different Populations. <i>PLoS ONE</i> , 2012, 7, e43390.	1.1	29
251	Mediterranean Diet Rich in Olive Oil and Obesity, Metabolic Syndrome and Diabetes Mellitus. <i>Current Pharmaceutical Design</i> , 2011, 17, 769-777.	0.9	149
252	Calpain-10 interacts with plasma saturated fatty acid concentrations to influence insulin resistance in individuals with the metabolic syndrome. <i>American Journal of Clinical Nutrition</i> , 2011, 93, 1136-1141.	2.2	25

#	ARTICLE	IF	CITATIONS
253	A variant near the melanocortin-4 receptor gene regulates postprandial lipid metabolism in a healthy Caucasian population. <i>British Journal of Nutrition</i> , 2011, 106, 468-471.	1.2	11
254	Genetic variations at the lipoprotein lipase gene influence plasma lipid concentrations and interact with plasma n-6 polyunsaturated fatty acids to modulate lipid metabolism. <i>Atherosclerosis</i> , 2011, 218, 416-422.	0.4	27
255	Rab18 Dynamics in Adipocytes in Relation to Lipogenesis, Lipolysis and Obesity. <i>PLoS ONE</i> , 2011, 6, e22931.	1.1	108
256	POSTPRANDIAL EFFECTS OF THE MEDITERRANEAN DIET ON OXIDANT AND ANTIOXIDANT STATUS IN ELDERLY MEN AND WOMEN. <i>Journal of the American Geriatrics Society</i> , 2011, 59, 938-940.	1.3	24
257	Eficacia de las estatinas en el manejo de la dislipemia. Un paso adelante. <i>Revista Espanola De Cardiologia Suplementos</i> , 2011, 11, 14-20.	0.2	0
258	Gene variations of nitric oxide synthase regulate the effects of a saturated fat rich meal on endothelial function. <i>Clinical Nutrition</i> , 2011, 30, 234-238.	2.3	14
259	Postprandial antioxidant effect of the Mediterranean diet supplemented with coenzyme Q10 in elderly men and women. <i>Age</i> , 2011, 33, 579-590.	3.0	48
260	R353Q polymorphism in the factor VII gene and cardiovascular risk in Heterozygous Familial Hypercholesterolemia: a case-control study. <i>Lipids in Health and Disease</i> , 2011, 10, 50.	1.2	7
261	Clinical characteristics and evaluation of LDL-cholesterol treatment of the Spanish Familial Hypercholesterolemia Longitudinal Cohort Study (SAFEHEART). <i>Lipids in Health and Disease</i> , 2011, 10, 94.	1.2	121
262	The insulin sensitivity response is determined by the interaction between the G972R polymorphism of the insulin receptor substrate 1 gene and dietary fat. <i>Molecular Nutrition and Food Research</i> , 2011, 55, 328-335.	1.5	18
263	Postprandial inflammatory response in adipose tissue of patients with metabolic syndrome after the intake of different dietary models. <i>Molecular Nutrition and Food Research</i> , 2011, 55, 1759-1770.	1.5	44
264	Interleukin 1B Variant -1473G/C (rs1143623) Influences Triglyceride and Interleukin 6 Metabolism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011, 96, E816-E820.	1.8	27
265	NOS3 Glu298Asp Polymorphism Interacts with Virgin Olive Oil Phenols to Determine the Postprandial Endothelial Function in Patients with the Metabolic Syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011, 96, E1694-E1702.	1.8	24
266	Olive Oil and Haemostasis: Platelet Function, Thrombogenesis and Fibrinolysis. <i>Current Pharmaceutical Design</i> , 2011, 17, 778-785.	0.9	42
267	Mediterranean diet reduces endothelial damage and improves the regenerative capacity of endothelium. <i>American Journal of Clinical Nutrition</i> , 2011, 93, 267-274.	2.2	141
268	Transcriptomic Coordination in the Human Metabolic Network Reveals Links between n-3 Fat Intake, Adipose Tissue Gene Expression and Metabolic Health. <i>PLoS Computational Biology</i> , 2011, 7, e1002223.	1.5	36
269	Glucokinase Regulatory Protein Genetic Variant Interacts with Omega-3 PUFA to Influence Insulin Resistance and Inflammation in Metabolic Syndrome. <i>PLoS ONE</i> , 2011, 6, e20555.	1.1	27
270	Nutrigenetics of the Postprandial Lipoprotein Metabolism: Evidences From Human Intervention Studies. <i>Current Vascular Pharmacology</i> , 2011, 9, 287-291.	0.8	27

#	ARTICLE	IF	CITATIONS
271	Liquid chromatography-mass spectrometry methods for urinary biomarker detection in metabonomic studies with application to nutritional studies. <i>Biomedical Chromatography</i> , 2010, 24, 737-743.	0.8	36
272	Pre-exercise Intake of Different Carbohydrates Modifies Ischemic Reactive Hyperemia After a Session of Anaerobic, But Not After Aerobic Exercise. <i>Journal of Strength and Conditioning Research</i> , 2010, 24, 1623-1632.	1.0	3
273	Effects of dietary fat modification on oxidative stress and inflammatory markers in the LIPGENE study. <i>British Journal of Nutrition</i> , 2010, 104, 1357-1362.	1.2	39
274	Dietary fat modifications and blood pressure in subjects with the metabolic syndrome in the LIPGENE dietary intervention study. <i>British Journal of Nutrition</i> , 2010, 104, 160-163.	1.2	18
275	The Maracaibo City Metabolic Syndrome Prevalence Study: Design and Scope. <i>American Journal of Therapeutics</i> , 2010, 17, 288-294.	0.5	41
276	Gene expression changes in mononuclear cells in patients with metabolic syndrome after acute intake of phenol-rich virgin olive oil. <i>BMC Genomics</i> , 2010, 11, 253.	1.2	136
277	The stromal-vascular fraction of adipose tissue contributes to major differences between subcutaneous and visceral fat depots. <i>Proteomics</i> , 2010, 10, 3356-3366.	1.3	70
278	APOA1 and APOA4 Gene Polymorphisms Influence the Effects of Dietary Fat on LDL Particle Size and Oxidation in Healthy Young Adults. <i>Journal of Nutrition</i> , 2010, 140, 773-778.	1.3	36
279	A Low-Fat, High-Complex Carbohydrate Diet Supplemented with Long-Chain (n-3) Fatty Acids Alters the Postprandial Lipoprotein Profile in Patients with Metabolic Syndrome. <i>Journal of Nutrition</i> , 2010, 140, 1595-1601.	1.3	49
280	ABCA1 Gene Variants Regulate Postprandial Lipid Metabolism in Healthy Men. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2010, 30, 1051-1057.	1.1	36
281	Leptin Receptor Polymorphisms Interact with Polyunsaturated Fatty Acids to Augment Risk of Insulin Resistance and Metabolic Syndrome in Adults. <i>Journal of Nutrition</i> , 2010, 140, 238-244.	1.3	69
282	The Beneficial Effects of Virgin Olive Oil on Nuclear Transcription Factor kappaB and Other Inflammatory Markers. , 2010, , 1067-1070.		0
283	Effects of variations in the APOA1/C3/A4/A5 gene cluster on different parameters of postprandial lipid metabolism in healthy young men. <i>Journal of Lipid Research</i> , 2010, 51, 63-73.	2.0	46
284	Gene-nutrient interactions with dietary fat modulate the association between genetic variation of the ACSL1 gene and metabolic syndrome. <i>Journal of Lipid Research</i> , 2010, 51, 1793-1800.	2.0	53
285	ACC2 gene polymorphisms, metabolic syndrome, and gene-nutrient interactions with dietary fat. <i>Journal of Lipid Research</i> , 2010, 51, 3500-3507.	2.0	27
286	Postprandial oxidative stress is modified by dietary fat: evidence from a human intervention study. <i>Clinical Science</i> , 2010, 119, 251-261.	1.8	70
287	Serum Vitamin D Concentration Does Not Predict Insulin Action or Secretion in European Subjects With the Metabolic Syndrome. <i>Diabetes Care</i> , 2010, 33, 923-925.	4.3	82
288	Lipoprotein profile, plasma Ischemia Modified Albumin and LDL density change in the course of postprandial lipemia. Insights from the LIPGENE study. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2010, 70, 201-208.	0.6	14

#	ARTICLE	IF	CITATIONS
289	n-3 PUFA and lipotoxicity. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2010, 1801, 362-366.	1.2	44
290	Dietary fat differentially influences regulatory endothelial function during the postprandial state in patients with metabolic syndrome: From the LIPGENE study. <i>Atherosclerosis</i> , 2010, 209, 533-538.	0.4	54
291	NOS3 gene polymorphisms are associated with risk markers of cardiovascular disease, and interact with omega-3 polyunsaturated fatty acids. <i>Atherosclerosis</i> , 2010, 211, 539-544.	0.4	50
292	Update on genetics of postprandial lipemia. <i>Atherosclerosis Supplements</i> , 2010, 11, 39-43.	1.2	54
293	Association between glucokinase regulatory protein (GCKR) and apolipoprotein A5 (APOA5) gene polymorphisms and triacylglycerol concentrations in fasting, postprandial, and fenofibrate-treated states. <i>American Journal of Clinical Nutrition</i> , 2009, 89, 391-399.	2.2	52
294	The effect of the plasma n-3/n-6 polyunsaturated fatty acid ratio on the dietary LDL phenotype transformation – Insights from the LIPGENE study. <i>Clinical Nutrition</i> , 2009, 28, 510-515.	2.3	17
295	Olive oil and walnut breakfasts reduce the postprandial inflammatory response in mononuclear cells compared with a butter breakfast in healthy men. <i>Atherosclerosis</i> , 2009, 204, e70-e76.	0.4	149
296	Efecto de la sensibilidad a la insulina en marcadores de hemostasia tras el consumo de dietas con distintos tipos de grasa en varones jóvenes sanos. <i>Clínica E Investigación En Arteriosclerosis</i> , 2009, 21, 11-16.	0.4	0
297	Efecto de la cantidad y el tipo de grasa de la dieta en la respuesta posprandial de la concentración de proteína C reactiva en el síndrome metabólico. <i>Clínica E Investigación En Arteriosclerosis</i> , 2009, 21, 281-286.	0.4	1
298	A dose of fructose induces oxidative stress during endurance and strength exercise. <i>Journal of Sports Sciences</i> , 2009, 27, 1323-1334.	1.0	9
299	LIPGENE food-exchange model for alteration of dietary fat quantity and quality in free-living participants from eight European countries. <i>British Journal of Nutrition</i> , 2009, 101, 750-759.	1.2	70
300	The effect of apoE genotype and sex on ApoE plasma concentration is determined by dietary fat in healthy subjects. <i>British Journal of Nutrition</i> , 2009, 101, 1745-1752.	1.2	12
301	Fructose modifies the hormonal response and modulates lipid metabolism during aerobic exercise after glucose supplementation. <i>Clinical Science</i> , 2009, 116, 137-145.	1.8	6
302	Dietary, Physiological, and Genetic Impacts on Postprandial Lipid Metabolism. <i>Frontiers in Neuroscience</i> , 2009, , 417-460.	0.0	8
303	Influence of genetic factors in the modulation of postprandial lipemia. <i>Atherosclerosis Supplements</i> , 2008, 9, 49-55.	1.2	47
304	A monounsaturated fatty acid-rich diet reduces macrophage uptake of plasma oxidised low-density lipoprotein in healthy young men. <i>British Journal of Nutrition</i> , 2008, 100, 569-575.	1.2	25
305	Adiponectin Gene Variants Are Associated with Insulin Sensitivity in Response to Dietary Fat Consumption in Caucasian Men. <i>Journal of Nutrition</i> , 2008, 138, 1609-1614.	1.3	57
306	Postprandial triacylglycerol metabolism is modified by the presence of genetic variation at the perilipin (PLIN) locus in 2 white populations. <i>American Journal of Clinical Nutrition</i> , 2008, 87, 744-752.	2.2	27

#	ARTICLE	IF	CITATIONS
307	Chronic dietary fat intake modifies the postprandial response of hemostatic markers to a single fatty test meal. <i>American Journal of Clinical Nutrition</i> , 2008, 87, 317-322.	2.2	47
308	Two Independent Apolipoprotein A5 Haplotypes Modulate Postprandial Lipoprotein Metabolism in a Healthy Caucasian Population. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 2280-2285.	1.8	44
309	Olive Oil and Haemostasis. <i>Current Nutrition and Food Science</i> , 2007, 3, 175-182.	0.3	1
310	An Apolipoprotein A-II Polymorphism (-265T/C, rs5082) Regulates Postprandial Response to a Saturated Fat Overload in Healthy Men. <i>Journal of Nutrition</i> , 2007, 137, 2024-2028.	1.3	39
311	Intake of phenol-rich virgin olive oil improves the postprandial prothrombotic profile in hypercholesterolemic patients. <i>American Journal of Clinical Nutrition</i> , 2007, 86, 341-346.	2.2	87
312	Scavenger Receptor Class B Type I (SCARB1) c.1119C>T Polymorphism Affects Postprandial Triglyceride Metabolism in Men. <i>Journal of Nutrition</i> , 2007, 137, 578-582.	1.3	23
313	Dietary, physiological, genetic and pathological influences on postprandial lipid metabolism. <i>British Journal of Nutrition</i> , 2007, 98, 458-473.	1.2	267
314	The APOB-516C/T polymorphism is associated with differences in insulin sensitivity in healthy males during the consumption of diets with different fat content. <i>British Journal of Nutrition</i> , 2007, 97, 622-627.	1.2	10
315	The APOB 516C/T polymorphism has no effect on lipid and apolipoprotein response following changes in dietary fat intake in a healthy population. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2007, 17, 224-229.	1.1	14
316	The chronic intake of a Mediterranean diet enriched in virgin olive oil, decreases nuclear transcription factor β B activation in peripheral blood mononuclear cells from healthy men. <i>Atherosclerosis</i> , 2007, 194, e141-e146.	0.4	96
317	A MUFA-Rich Diet Improves Postprandial Glucose, Lipid and GLP-1 Responses in Insulin-Resistant Subjects. <i>Journal of the American College of Nutrition</i> , 2007, 26, 434-444.	1.1	187
318	Peroxisome proliferator-activated receptor α polymorphisms and postprandial lipemia in healthy men. <i>Journal of Lipid Research</i> , 2007, 48, 1402-1408.	2.0	35
319	The influence of olive oil on human health: not a question of fat alone. <i>Molecular Nutrition and Food Research</i> , 2007, 51, 1199-1208.	1.5	190
320	Olive oil and the haemostatic system. <i>Molecular Nutrition and Food Research</i> , 2007, 51, 1249-1259.	1.5	39
321	Dietary fat, genes and insulin sensitivity. <i>Journal of Molecular Medicine</i> , 2007, 85, 213-226.	1.7	31
322	Postprandial Lipemia is Modified by the Presence of the APOB-516C/T Polymorphism in a Healthy Caucasian Population. <i>Lipids</i> , 2007, 42, 143-150.	0.7	12
323	Aceite de oliva y prevenci3n cardiovascular: m3s que una grasa. <i>Cl3nica E Investigaci3n En Arteriosclerosis</i> , 2006, 18, 195-205.	0.4	6
324	A single nucleotide polymorphism of the apolipoprotein A2 gene 1131T>C modulates postprandial lipoprotein metabolism. <i>Atherosclerosis</i> , 2006, 189, 163-168.	0.4	30

#	ARTICLE	IF	CITATIONS
325	The Mediterranean and CHO diets decrease VCAM-1 and E-selectin expression induced by modified low-density lipoprotein in HUVECs. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2006, 16, 524-530.	1.1	19
326	Postprandial lipoprotein metabolism, genes and risk of cardiovascular disease. <i>Current Opinion in Lipidology</i> , 2006, 17, 132-138.	1.2	64
327	Genetic and nutrient determinants of the metabolic syndrome. <i>Current Opinion in Cardiology</i> , 2006, 21, 185-193.	0.8	88
328	Monounsaturated Fat and Cardiovascular Risk. <i>Nutrition Reviews</i> , 2006, 64, S2-S12.	2.6	30
329	Monounsaturated Fat and Cardiovascular Risk. <i>Nutrition Reviews</i> , 2006, 64, 2-12.	2.6	8
330	Olive oil and haemostasis: a review on its healthy effects. <i>Public Health Nutrition</i> , 2006, 9, 1083-1088.	1.1	24
331	The Apolipoprotein E Gene Promoter (ϵ 219G/T) Polymorphism Determines Insulin Sensitivity in Response to Dietary Fat in Healthy Young Adults. <i>Journal of Nutrition</i> , 2005, 135, 2535-2540.	1.3	24
332	The Ala54Thr polymorphism of the fatty acid-binding protein 2 gene is associated with a change in insulin sensitivity after a change in the type of dietary fat. <i>American Journal of Clinical Nutrition</i> , 2005, 82, 196-200.	2.2	49
333	The ϵ 514 C/T polymorphism in the hepatic lipase gene promoter is associated with insulin sensitivity in a healthy young population. <i>Journal of Molecular Endocrinology</i> , 2005, 34, 331-338.	1.1	17
334	A Polymorphism Exon 1 Variant at the Locus of the Scavenger Receptor Class B Type I (SCARB1) Gene Is Associated with Differences in Insulin Sensitivity in Healthy People during the Consumption of an Olive Oil-Rich Diet. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005, 90, 2297-2300.	1.8	45
335	Phenolic Content of Virgin Olive Oil Improves Ischemic Reactive Hyperemia in Hypercholesterolemic Patients. <i>Journal of the American College of Cardiology</i> , 2005, 46, 1864-1868.	1.2	214
336	The Ala54Thr polymorphism of the fatty acid-binding protein 2 gene is associated with a change in insulin sensitivity after a change in the type of dietary fat. <i>American Journal of Clinical Nutrition</i> , 2005, 82, 196-200.	2.2	19
337	Butter and walnuts, but not olive oil, elicit postprandial activation of nuclear transcription factor β in peripheral blood mononuclear cells from healthy men. <i>American Journal of Clinical Nutrition</i> , 2004, 80, 1487-1491.	2.2	139
338	Apolipoprotein E gene promoter ϵ 219G ϵ T polymorphism increases LDL-cholesterol concentrations and susceptibility to oxidation in response to a diet rich in saturated fat. <i>American Journal of Clinical Nutrition</i> , 2004, 80, 1404-1409.	2.2	33
339	The Effect of Dietary Fat on LDL Size Is Influenced by Apolipoprotein E Genotype in Healthy Subjects. <i>Journal of Nutrition</i> , 2004, 134, 2517-2522.	1.3	40
340	The Influence of Lipoprotein Lipase Gene Variation on Postprandial Lipoprotein Metabolism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004, 89, 4721-4728.	1.8	49
341	Effect of simvastatin in familial hypercholesterolemia on the affinity of electronegative low-density lipoprotein subfractions to the low-density lipoprotein receptor. <i>American Journal of Cardiology</i> , 2004, 93, 414-420.	0.7	43
342	Influence of the ϵ 514C/T polymorphism in the promoter of the hepatic lipase gene on postprandial lipoprotein metabolism. <i>Atherosclerosis</i> , 2004, 174, 73-79.	0.4	27

#	ARTICLE	IF	CITATIONS
343	The apo A-I gene promoter region polymorphism determines the severity of hyperlipidemia after heart transplantation. <i>Clinical Transplantation</i> , 2003, 17, 56-62.	0.8	6
344	The influence of the apolipoprotein E gene promoter (âˆ²219G/ T) polymorphism on postprandial lipoprotein metabolism in young normolipemic males. <i>Journal of Lipid Research</i> , 2003, 44, 2059-2064.	2.0	40
345	Effects of Virgin Olive Oil Phenolic Compounds on LDL Oxidation and Vasorelaxation Activity. <i>Therapie</i> , 2003, 58, 133-137.	0.6	17
346	Polymorphism exon 1 variant at the locus of the scavenger receptor class B type I gene: influence on plasma LDL cholesterol in healthy subjects during the consumption of diets with different fat contents. <i>American Journal of Clinical Nutrition</i> , 2003, 77, 809-813.	2.2	57
347	Effects of the human apolipoprotein A-I promoter G-A mutation on postprandial lipoprotein metabolism. <i>American Journal of Clinical Nutrition</i> , 2002, 76, 319-325.	2.2	36
348	Protective effect of dietary monounsaturated fat on arteriosclerosis: beyond cholesterol. <i>Atherosclerosis</i> , 2002, 163, 385-398.	0.4	145
349	Grado de respuesta del colesterol LDL a la alimentaci3n en varones con hipercolesterolemia segun sus valores basales. <i>Medicina ClÃnica</i> , 2002, 118, 737-740.	0.3	0
350	Mediterranean and Low-Fat Diets Improve Endothelial Function in Hypercholesterolemic Men. <i>Annals of Internal Medicine</i> , 2001, 134, 1115.	2.0	227
351	Low-fat and highâ€“monounsaturated fatty acid diets decrease plasma cholesterol ester transfer protein concentrations in young, healthy, normolipemic men. <i>American Journal of Clinical Nutrition</i> , 2000, 72, 36-41.	2.2	73
352	Genetic variations of the apolipoprotein E gene determine the plasma triglyceride levels after heart transplantation. <i>Journal of Heart and Lung Transplantation</i> , 2000, 19, 765-770.	0.3	5
353	The apolipoprotein A-IV-360His polymorphism determines the dietary fat clearance in normal subjects. <i>Atherosclerosis</i> , 2000, 153, 209-217.	0.4	29
354	Circulating levels of endothelial function are modulated by dietary monounsaturated fat. <i>Atherosclerosis</i> , 1999, 145, 351-358.	0.4	109
355	Human apolipoprotein A-I gene promoter mutation influences plasma low density lipoprotein cholesterol response to dietary fat saturation. <i>Atherosclerosis</i> , 1998, 137, 367-376.	0.4	53
356	Plasma Lipid Response to Hypolipidemic Diets in Young Healthy Non-Obese Men Varies with Body Mass Index. <i>Journal of Nutrition</i> , 1998, 128, 1144-1149.	1.3	38
357	Dietary fat clearance is modulated by genetic variation in apolipoprotein A-IV gene locus. <i>Journal of Lipid Research</i> , 1998, 39, 2493-2500.	2.0	40
358	Comparison of Bezafibrate Versus Lovastatin or Lowering Plasma Insulin, Fibrinogen, and Plasminogen Activator Inhibitor-1 Concentrations in Hyperlipemic Heart Transplant Patients. <i>American Journal of Cardiology</i> , 1997, 80, 836-840.	0.7	35
359	Effect of 347-Serine Mutation in Apoprotein A-IV on Plasma LDL Cholesterol Response to Dietary Fat. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997, 17, 1532-1538.	1.1	48
360	Comparison of lovastatin and bezafibrate on lipoprotein(a) plasma levels in cardiac transplant recipients. <i>American Journal of Cardiology</i> , 1995, 75, 648-650.	0.7	13

#	ARTICLE	IF	CITATIONS
361	Effect of apolipoprotein E and A-IV phenotypes on the low density lipoprotein response to HMG CoA reductase inhibitor therapy. <i>Atherosclerosis</i> , 1995, 113, 157-166.	0.4	163
362	Gene-diet interaction in determining plasma lipid response to dietary intervention. <i>Atherosclerosis</i> , 1995, 118, S11-S27.	0.4	95
363	Effect of fat feeding on human intestinal apolipoprotein B mRNA levels and editing. <i>Lipids and Lipid Metabolism</i> , 1994, 1214, 143-147.	2.6	15
364	Low-density lipoprotein metabolism in rats treated with cyclosporine. <i>Metabolism: Clinical and Experimental</i> , 1993, 42, 678-683.	1.5	34
365	Distribution of β -Carotene and Vitamin A in Lipoprotein Fractions of Ferret Serum.. <i>Annals of the New York Academy of Sciences</i> , 1993, 691, 232-237.	1.8	14
366	â€œIn vitroâ€™ action of histamine and cimetidine on amylase secretion in the rat pancreas. <i>Biopharmaceutics and Drug Disposition</i> , 1992, 13, 369-374.	1.1	1
367	Effect of cyclosporin on plasma lipoproteins in bone marrow transplantation patients. <i>Clinical Biochemistry</i> , 1992, 25, 379-386.	0.8	26
368	Effect of cyclosporin on plasma lipoprotein lipase activity in rats. <i>Clinical Biochemistry</i> , 1992, 25, 387-394.	0.8	13
369	THE EFFECT OF CYCLOSPORINE ON EXOCRINE FUNCTION OF THE RAT PANCREASâ€”AN IN VITRO STUDY. <i>Transplantation</i> , 1991, 51, 562-565.	0.5	4
370	Obesity and Body Fat Classification in the Metabolic Syndrome: Impact on Cardiometabolic Risk Metabotype. <i>Obesity</i> , , .	1.5	8
371	A Gene Variation at the ZPR1 Locus (rs964184) Interacts With the Type of Diet to Modulate Postprandial Triglycerides in Patients With Coronary Artery Disease: From the Coronary Diet Intervention With Olive Oil and Cardiovascular Prevention Study. <i>Frontiers in Nutrition</i> , 0, 9, .	1.6	3
372	Role of NAFLD on the Health Related QoL Response to Lifestyle in Patients With Metabolic Syndrome: The PREDIMED Plus Cohort. <i>Frontiers in Endocrinology</i> , 0, 13, .	1.5	7