

# Christiane Querfeld

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2250006/publications.pdf>

Version: 2024-02-01

103  
papers

3,919  
citations

147801

31  
h-index

133252

59  
g-index

104  
all docs

104  
docs citations

104  
times ranked

3463  
citing authors

#	ARTICLE	IF	CITATIONS
1	Mogamulizumab versus vorinostat in previously treated cutaneous T-cell lymphoma (MAVORIC): an international, open-label, randomised, controlled phase 3 trial. <i>Lancet Oncology</i> , The, 2018, 19, 1192-1204.	10.7	398
2	Cutaneous Lymphoma International Consortium Study of Outcome in Advanced Stages of Mycosis Fungoides and SÅ©zary Syndrome: Effect of Specific Prognostic Markers on Survival and Development of a Prognostic Model. <i>Journal of Clinical Oncology</i> , 2015, 33, 3766-3773.	1.6	328
3	Primary cutaneous T-cell lymphoma (mycosis fungoides and SÅ©zary syndrome). <i>Journal of the American Academy of Dermatology</i> , 2014, 70, 205.e1-205.e16.	1.2	287
4	Primary cutaneous T-cell lymphoma (mycosis fungoides and SÅ©zary syndrome). <i>Journal of the American Academy of Dermatology</i> , 2014, 70, 223.e1-223.e17.	1.2	249
5	Autoimmune Bullous Skin Disorders with Immune Checkpoint Inhibitors Targeting PD-1 and PD-L1. <i>Cancer Immunology Research</i> , 2016, 4, 383-389.	3.4	247
6	SÅ©zary syndrome: Immunopathogenesis, literature review of therapeutic options, and recommendations for therapy by the United States Cutaneous Lymphoma Consortium (USCLC). <i>Journal of the American Academy of Dermatology</i> , 2011, 64, 352-404.	1.2	154
7	Long-term Follow-up of Patients With Early-Stage Cutaneous T-Cell Lymphoma Who Achieved Complete Remission With Psoralen Plus UV-A Monotherapy. <i>Archives of Dermatology</i> , 2005, 141, 305-311.	1.4	139
8	Phase I Study of the CD47 Blocker TTI-621 in Patients with Relapsed or Refractory Hematologic Malignancies. <i>Clinical Cancer Research</i> , 2021, 27, 2190-2199.	7.0	110
9	Alemtuzumab for relapsed and refractory erythrodermic cutaneous T-cell lymphoma: a single institution experience from the Robert H. Lurie Comprehensive Cancer Center. <i>Leukemia and Lymphoma</i> , 2009, 50, 1969-1976.	1.3	102
10	Outcome of Patients Treated With a Single-Fraction Dose of Palliative Radiation for Cutaneous T-Cell Lymphoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2013, 85, 747-753.	0.8	91
11	The Selective Protein Kinase C $\hat{2}$ Inhibitor Enzastaurin Induces Apoptosis in Cutaneous T-Cell Lymphoma Cell Lines through the AKT Pathway. <i>Journal of Investigative Dermatology</i> , 2006, 126, 1641-1647.	0.7	89
12	Pembrolizumab-associated sarcoidosis. <i>JAAD Case Reports</i> , 2016, 2, 290-293.	0.8	80
13	Targeting CD47 in SÅ©zary syndrome with SIRPÎ±Fc. <i>Blood Advances</i> , 2019, 3, 1145-1153.	5.2	77
14	Results of an open-label multicenter phase 2 trial of lenalidomide monotherapy in refractory mycosis fungoides and SÅ©zary syndrome. <i>Blood</i> , 2014, 123, 1159-1166.	1.4	76
15	Primary cutaneous B-cell lymphomas. <i>Journal of the American Academy of Dermatology</i> , 2013, 69, 343.e1-343.e11.	1.2	73
16	Primary T Cells from Cutaneous T-cell Lymphoma Skin Explants Display an Exhausted Immune Checkpoint Profile. <i>Cancer Immunology Research</i> , 2018, 6, 900-909.	3.4	73
17	Mycosis fungoides with large cell transformation: clinicopathological features and prognostic factors. <i>Pathology</i> , 2014, 46, 610-616.	0.6	55
18	Targeting CD47 as a cancer therapeutic strategy: the cutaneous T-cell lymphoma experience. <i>Current Opinion in Oncology</i> , 2018, 30, 332-337.	2.4	55

#	ARTICLE	IF	CITATIONS
19	Tumor microenvironment in mycosis fungoides and SÅ©zary syndrome. <i>Current Opinion in Oncology</i> , 2016, 28, 88-96.	2.4	53
20	Progression of undiagnosed cutaneous lymphoma after anti-â€‘tumor necrosis factor-alpha therapy. <i>Journal of the American Academy of Dermatology</i> , 2018, 78, 1068-1076.	1.2	46
21	Preliminary Results of a Phase 1 Trial Evaluating MRG-106, a Synthetic microRNA Antagonist (LNA) Tj ETQq1 1 0.784314 rgBT /Overlo 1.4 44	1.4	44
22	Comparison of selective retinoic acid receptor-â€‘ and retinoic X receptor-â€‘mediated efficacy, tolerance, and survival in cutaneous t-cell lymphoma. <i>Journal of the American Academy of Dermatology</i> , 2004, 51, 25-32.	1.2	43
23	Intralesional TTI-621, a novel biologic targeting the innate immune checkpoint CD47, in patients with relapsed or refractory mycosis fungoides or SÅ©zary syndrome: a multicentre, phase 1 study. <i>Lancet Haematology</i> , 2021, 8, e808-e817.	4.6	42
24	Primary cutaneous lymphomas: a review with current treatment options. <i>Blood Reviews</i> , 2003, 17, 131-142.	5.7	40
25	Bexarotene in the treatment of cutaneous T-cell lymphoma. <i>Expert Opinion on Pharmacotherapy</i> , 2006, 7, 907-915.	1.8	40
26	Effect of cabazitaxel on macrophages improves CD47-targeted immunotherapy for triple-negative breast cancer. , 2021, 9, e002022.		40
27	Hematopoietic Stem Cell Transplant for Mycosis Fungoides and SÅ©zary Syndrome. <i>Dermatologic Clinics</i> , 2015, 33, 807-818.	1.7	39
28	Treatment of early-â€‘stage mycosis fungoides: results from the PROspective Cutaneous Lymphoma International Prognostic Index (PROCLIPi) study*. <i>British Journal of Dermatology</i> , 2021, 184, 722-730.	1.5	39
29	Multicenter Case Series of Indolent Small/Medium-Sized CD8+ Lymphoid Proliferations With Predilection for the Ear and Face. <i>American Journal of Dermatopathology</i> , 2014, 36, 402-408.	0.6	38
30	Management of cutaneous T cell lymphoma: new and emerging targets and treatment options. <i>Cancer Management and Research</i> , 2012, 4, 75.	1.9	35
31	Cutaneous manifestations of human T-cell lymphotropic virus type-1-associated adult T-cell leukemia/lymphoma: A single-center, retrospective study. <i>Journal of the American Academy of Dermatology</i> , 2015, 72, 293-301.e2.	1.2	35
32	Primary cutaneous and systemic anaplastic large cell lymphoma: clinicopathologic aspects and therapeutic options. <i>Oncology</i> , 2010, 24, 574-87.	0.5	35
33	The spectrum of cutaneous T-cell lymphomas: new insights into biology and therapy. <i>Current Opinion in Hematology</i> , 2005, 12, 273-278.	2.5	32
34	Multicenter phase II trial of enzastaurin in patients with relapsed or refractory advanced cutaneous T-cell lymphoma. <i>Leukemia and Lymphoma</i> , 2011, 52, 1474-1480.	1.3	32
35	Long-â€‘term follow-â€‘up and management of small and medium-â€‘sized <scp>CD</scp>4<sup>+</sup> T cell lymphoma and <scp>CD</scp>8<sup>+</sup> lymphoid proliferations of acral sites: a multicenter experience. <i>International Journal of Dermatology</i> , 2016, 55, 1248-1254.	1.0	31
36	Multicenter Phase II Trial of Temozolomide in Mycosis Fungoides/SÅ©zary Syndrome: Correlation with <i>O</i><i>6</i>-Methylguanine-DNA Methyltransferase and Mismatch Repair Proteins. <i>Clinical Cancer Research</i> , 2011, 17, 5748-5754.	7.0	29

#	ARTICLE	IF	CITATIONS
37	Clinical Outcome and Prognosis of Young Patients with Mycosis Fungoides. <i>Pediatric Dermatology</i> , 2017, 34, 547-553.	0.9	25
38	The PROVe Study: US Real-World Experience with Chloromethine/Mechlorethamine Gel in Combination with Other Therapies for Patients with Mycosis Fungoides Cutaneous T-Cell Lymphoma. <i>American Journal of Clinical Dermatology</i> , 2021, 22, 407-414.	6.7	24
39	Sorafenib-induced eruption resembling pityriasis rubra pilaris. <i>Journal of the American Academy of Dermatology</i> , 2011, 65, 452-453.	1.2	23
40	Reflectance confocal microscopy features of mycosis fungoides and SÅ©zary syndrome: correlation with histopathologic and Tâ€cell receptor rearrangement studies. <i>Journal of Cutaneous Pathology</i> , 2016, 43, 505-515.	1.3	23
41	Lack of Systemic Absorption of Topical Mechlorethamine Gel in Patients with Mycosis Fungoides Cutaneous T-Cell Lymphoma. <i>Journal of Investigative Dermatology</i> , 2021, 141, 1601-1604.e2.	0.7	22
42	Phase 1 Study of the Safety and Efficacy of MRG-106, a Synthetic Inhibitor of microRNA-155, in CTCL Patients. <i>Blood</i> , 2017, 130, 820-820.	1.4	22
43	Real-world experience with mechlorethamine gel in patients with mycosis fungoides-cutaneous lymphoma: Preliminary findings from a prospective observational study. <i>Journal of the American Academy of Dermatology</i> , 2020, 83, 928-930.	1.2	21
44	Mogamulizumab efficacy is underscored by its associated rash that mimics cutaneous T-cell lymphoma: a retrospective single-centre case series. <i>British Journal of Dermatology</i> , 2022, 186, 153-166.	1.5	20
45	Phase 1 Trial of Cobomarsen, an Inhibitor of Mir-155, in Cutaneous T Cell Lymphoma. <i>Blood</i> , 2018, 132, 2903-2903.	1.4	20
46	Targeting macrophages for enhancing CD47 blockadeâ€elicited lymphoma clearance and overcoming tumor-induced immunosuppression. <i>Blood</i> , 2022, 139, 3290-3302.	1.4	20
47	Phase II trial of subcutaneous injections of human recombinant interleukin-2 for the treatment of mycosis fungoides and SÅ©zary syndrome. <i>Journal of the American Academy of Dermatology</i> , 2007, 56, 580-583.	1.2	18
48	The Use of Central Pathology Review With Digital Slide Scanning in Advanced-stage Mycosis Fungoides and SÅ©zary Syndrome. <i>American Journal of Surgical Pathology</i> , 2018, 42, 726-734.	3.7	17
49	Clinical manifestations and pathogenesis of cutaneous lymphomas: current status and future directions. <i>British Journal of Haematology</i> , 2017, 176, 16-36.	2.5	16
50	Multi-Kinase Inhibitor with Anti-p38Î³ Activity in Cutaneous T-Cell Lymphoma. <i>Journal of Investigative Dermatology</i> , 2018, 138, 2377-2387.	0.7	16
51	Primary Cutaneous CD30+ Lymphoproliferative Disorders: a Comprehensive Review. <i>Current Hematologic Malignancy Reports</i> , 2020, 15, 333-342.	2.3	15
52	Graftâ€versusâ€host diseaseâ€like erythroderma: a manifestation of thymomaâ€associated multiorgan autoimmunity. <i>Journal of Cutaneous Pathology</i> , 2015, 42, 663-668.	1.3	13
53	Cutaneous Gamma-Delta T-Cell Lymphoma Successfully Treated With Brentuximab Vedotin. <i>JAMA Dermatology</i> , 2016, 152, 1388.	4.1	12
54	Rituximab, lenalidomide and pembrolizumab in refractory primary cutaneous diffuse large Bâ€cell lymphoma, leg type. <i>British Journal of Haematology</i> , 2019, 187, e79-e82.	2.5	12

#	ARTICLE	IF	CITATIONS
55	Cutaneous Hemophagocytosis After Alemtuzumab Injection in a Patient With S�zary Syndrome. <i>JAMA Dermatology</i> , 2014, 150, 1021.	4.1	11
56	Intralesional Administration of the CD47 Antagonist TTI-621 (SIRP�Fc) Induces Responses in Both Injected and Non-Injected Lesions in Patients with Relapsed/Refractory Mycosis Fungoides and S�zary Syndrome: Interim Results of a Multicenter Phase I Trial. <i>Blood</i> , 2018, 132, 1653-1653.	1.4	11
57	High risk of relapsed disease in patients with NK/T-cell chronic active Epstein-Barr virus disease outside of Asia. <i>Blood Advances</i> , 2022, 6, 452-459.	5.2	11
58	Primary cytotoxic T-cell lymphomas harbor recurrent targetable alterations in the JAK-STAT pathway. <i>Blood</i> , 2021, 138, 2435-2440.	1.4	10
59	Primary Cutaneous T-Cell Lymphomas: Mycosis Fungoides and Sezary Syndrome. <i>Cancer Treatment and Research</i> , 2019, 176, 225-248.	0.5	9
60	CD30-Positive Lymphoproliferative Disorders. <i>Cancer Treatment and Research</i> , 2019, 176, 249-268.	0.5	9
61	Post hoc Analysis of a Randomized, Controlled, Phase 2 Study to Assess Response Rates with Chlormethine/Mechlorethamine Gel in Patients with Stage IA�IIA Mycosis Fungoides. <i>Dermatology</i> , 2022, 238, 347-357.	2.1	9
62	MicroRNA Regulation of T-Cell Exhaustion in Cutaneous T Cell Lymphoma. <i>Journal of Investigative Dermatology</i> , 2022, 142, 603-612.e7.	0.7	9
63	Integrating novel systemic therapies for the treatment of mycosis fungoides and S�zary syndrome. <i>Best Practice and Research in Clinical Haematology</i> , 2018, 31, 322-335.	1.7	8
64	Dupilumab as a therapy option for treatment refractory mogamulizumab-associated rash. <i>JAAD Case Reports</i> , 2021, 14, 37-42.	0.8	8
65	Expression of immune checkpoint molecules programmed death protein 1, programmed death�ligand 1 and inducible T�cell co�stimulator in mycosis fungoides and S�zary syndrome: association with disease stage and clinical outcome*. <i>British Journal of Dermatology</i> , 2022, 187, 234-243.	1.5	8
66	Chlormethine Gel for Patients with Mycosis Fungoides Cutaneous T�Cell Lymphoma: A Review of Efficacy and Safety in Clinical Trial and Real-World Settings. <i>Advances in Therapy</i> , 2022, 39, 3979-4002.	2.9	8
67	Targeting microRNA in hematologic malignancies. <i>Current Opinion in Oncology</i> , 2020, 32, 535-544.	2.4	7
68	Identification of a Distinct miRNA Regulatory Network in the Tumor Microenvironment of Transformed Mycosis Fungoides. <i>Cancers</i> , 2021, 13, 5854.	3.7	7
69	Disseminated Mantle-Cell Lymphoma Presenting as a Petechial Maculopapular Eruption. <i>JAMA Dermatology</i> , 2014, 150, 94.	4.1	6
70	Phase 1 Results of Anti-PD-Ligand 1 (Durvalumab) & Lenalidomide in Patients with Cutaneous T Cell Lymphoma and Correlation with Programmed Death Ligand 1 Expression and Gene Expression Profile. <i>Blood</i> , 2019, 134, 4024-4024.	1.4	6
71	Leukaemic variants of cutaneous T-cell lymphoma: Erythrodermic mycosis fungoides and S�zary syndrome. <i>Best Practice and Research in Clinical Haematology</i> , 2019, 32, 239-252.	1.7	5
72	The impact of gender, age, race/ethnicity, and stage on quality of life in a spectrum of cutaneous lymphomas. <i>Supportive Care in Cancer</i> , 2021, 29, 6669-6679.	2.2	5

#	ARTICLE	IF	CITATIONS
73	Mycosis fungoides-derived exosomes promote cell motility and are enriched with microRNA-155 and microRNA-1246, and their plasma cell-free expression may serve as a potential biomarker for disease burden. <i>British Journal of Dermatology</i> , 2021, 185, 999-1012.	1.5	5
74	T Cells in CTCL Have an Exhausted Phenotype While Cutaneous Dendritic Cells Display a Normally Activated Mature Phenotype. <i>Blood</i> , 2014, 124, 1695-1695.	1.4	5
75	Cutaneous T-Cell lymphomas: a review with emphasis on new treatment approaches. <i>Seminars in Cutaneous Medicine and Surgery</i> , 2003, 22, 150-161.	1.6	4
76	Use of chlormethine 0.04% gel for mycosis fungoides after treatment with topical chlormethine 0.02% gel: A phase 2 extension study. <i>Journal of the American Academy of Dermatology</i> , 2021, , .	1.2	4
77	A phase 1 dose-escalation trial of intratumoral TTI-621, a novel immune checkpoint inhibitor targeting CD47, in subjects with relapsed or refractory percutaneously-accessible solid tumors and mycosis fungoides.. <i>Journal of Clinical Oncology</i> , 2017, 35, TPS3101-TPS3101.	1.6	4
78	Graft-versus-host disease-like erythroderma: a manifestation of thymoma-associated multiorgan autoimmunity. <i>Journal of Cutaneous Pathology</i> , 2015, 42, 923-928.	1.3	3
79	The emerging role of microRNA<scp>RNAs</scp> in the molecular diagnosis of mycosis fungoides. <i>British Journal of Dermatology</i> , 2019, 180, 984-985.	1.5	3
80	Safety of Mogamulizumab in Mycosis Fungoides and SÅ©zary Syndrome: Final Results from the Phase 3 Mavoric Study. <i>Blood</i> , 2019, 134, 5300-5300.	1.4	3
81	Phase II Multicenter Trial of Lenalidomide: Clinical and Immunomodulatory Effects in Patients with CTCL. <i>Blood</i> , 2011, 118, 1638-1638.	1.4	3
82	Pralatrexate in Relapsed/Refractory HTLV-1 Associated Adult T-Cell Lymphoma/Leukemia: A New York City Multi-Institutional Experience.. <i>Blood</i> , 2012, 120, 2735-2735.	1.4	3
83	Emerging drugs for the treatment of cutaneous T-cell lymphoma. <i>Expert Opinion on Emerging Drugs</i> , 2022, 27, 45-54.	2.4	3
84	Genomic Analysis of Cutaneous CD30-Positive Lymphoproliferative Disorders. <i>JID Innovations</i> , 2022, 2, 100068.	2.4	2
85	Co-Inhibition of IL-2, IL-9 and IL-15 By the Novel Immunomodulator, Bnz-1, Provides Clinical Efficacy in Patients with Refractory Cutaneous T Cell Lymphoma in a Phase 1/2 Clinical Trial. <i>Blood</i> , 2020, 136, 37-37.	1.4	2
86	Tnf± Promotes an Immunosuppressive Microenvironment in Cutaneous T Cell Lymphoma and Regulates PD-L1 Expression. <i>Blood</i> , 2020, 136, 33-34.	1.4	2
87	Chlormethine Gel Versus Chlormethine Ointment for Treatment of Patients with Mycosis Fungoides: A Post-Hoc Analysis of Clinical Trial Data. <i>American Journal of Clinical Dermatology</i> , 2022, 23, 561-570.	6.7	2
88	Mechanisms of resistance to mogamulizumab. <i>Blood</i> , 2022, 139, 3674-3676.	1.4	2
89	The regulation of PD-L1 expression by miRNAs in cutaneous T-cell lymphoma. <i>European Journal of Cancer</i> , 2018, 101, S9.	2.8	1
90	PHASE 1/2 TRIAL OF ANTI-PD-LIGAND 1 (DURVALUMAB) +/- LENALIDOMIDE IN PATIENTS WITH CUTANEOUS T CELL LYMPHOMA: PRELIMINARY RESULTS OF PHASE 1 AND CORRELATIVE STUDIES. <i>Hematological Oncology</i> , 2019, 37, 519-520.	1.7	1

#	ARTICLE	IF	CITATIONS
91	The great masquerader mimicking plasma cell myeloma. <i>Blood</i> , 2019, 134, 1481-1481.	1.4	1
92	Role of p38 <sup>β</sup> - NFATc4 - IL17A Pathway As a Potential Therapeutic Target in Cutaneous T Cell Lymphoma. <i>Blood</i> , 2016, 128, 2725-2725.	1.4	1
93	High-Depth, Targeted, Next Generation Sequencing Identifies Novel Genetic Alterations in Cutaneous T-Cell Lymphoma. <i>Blood</i> , 2015, 126, 1485-1485.	1.4	1
94	Phase 1/2 Trial of Durvalumab and Lenalidomide in Patients with Cutaneous T Cell Lymphoma (CTCL): Preliminary Results of Phase I Results and Correlative Studies. <i>Blood</i> , 2018, 132, 2931-2931.	1.4	1
95	Diagnostic and therapeutic challenges of primary cutaneous lymphomas. <i>Oncology</i> , 2009, 23, 1167-8.	0.5	1
96	Local Lymph Node Micrometastasis in a Patient With Negative Sentinel Lymph Node Biopsies After Lymphatic Mapping With Wide Local Excision of Primary Melanoma on the Head/Neck Area. <i>American Journal of Dermatopathology</i> , 2011, 33, 745-748.	0.6	0
97	Ten-year pruritic eruption in a Japanese man. <i>International Journal of Dermatology</i> , 2015, 54, 635-636.	1.0	0
98	Clinicopathologic Features, Prognosis, and Therapeutic Responses in Patients with Granulomatous Mycosis Fungoides: A Single Center Experience From Memorial Sloan Kettering Cancer Center.. <i>Blood</i> , 2012, 120, 2643-2643.	1.4	0
99	Dissecting the Roles of p38 <sup>β</sup> and p38 <sup>γ</sup> in Cutaneous T Cell Lymphoma. <i>Blood</i> , 2018, 132, 2866-2866.	1.4	0
100	Genomic Analysis of Cutaneous CD30-Positive Lymphoproliferative Disorders. <i>Blood</i> , 2021, 138, 4487-4487.	1.4	0
101	In Depth Analysis of Blastic Plasmacytoid Dendritic Cell Neoplasm Based on a Comprehensive Literature Database of Cases. <i>Blood</i> , 2021, 138, 4383-4383.	1.4	0
102	The Involvement of STAT/SOCS Signaling in miRNA-Induced T Cell Exhaustion in Cutaneous T-Cell Lymphoma. <i>Blood</i> , 2020, 136, 1-1.	1.4	0
103	Mycosis fungoides and Sezary syndrome. , 0, , 432-448.		0