

Sunmi Kim

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2250531/sunmi-kim-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

73
papers

2,383
citations

26
h-index

47
g-index

74
ext. papers

2,888
ext. citations

8.2
avg, IF

4.88
L-index

#	Paper	IF	Citations
73	Within- and between-person variability of urinary phthalate metabolites and bisphenol analogues over seven days: Considerations of biomonitoring study design.. <i>Environmental Research</i> , 2022 , 209, 112885	7.9	1
72	Sex, menopause, and age differences in the associations of persistent organic pollutants with thyroid hormones, thyroxine-binding globulin, and peripheral deiodinase activity: A cross-sectional study of the general Korean adult population.. <i>Environmental Research</i> , 2022 , 212, 113143	7.9	0
71	Exposure to several polychlorinated biphenyls (PCBs) is associated with chronic kidney disease among general adults: Korean National Environmental Health Survey (KoNEHS) 2015-2017. <i>Chemosphere</i> , 2022 , 303, 134998	8.4	1
70	Exposure to polycyclic aromatic hydrocarbons and volatile organic compounds is associated with a risk of obesity and diabetes mellitus among Korean adults: Korean National Environmental Health Survey (KoNEHS) 2015-2017. <i>International Journal of Hygiene and Environmental Health</i> , 2021 , 240, 113886	6.9	1
69	Investigation on Sex Hormone-Disruption Effects of Two Novel Brominated Flame Retardants (DBDPE and BTBPE) in Male Zebrafish (<i>Danio rerio</i>) and Two Human Cell Lines (H295R and MVLN). <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 3837	2.6	2
68	Exposure to Phthalates and Alternative Plasticizers Is Associated with Methylation Changes of ESR1 and PGR in Uterine Leiomyoma: The ELENA Study. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 4234	2.6	
67	Associations of urinary concentrations of phthalate metabolites, bisphenol A, and parabens with obesity and diabetes mellitus in a Korean adult population: Korean National Environmental Health Survey (KoNEHS) 2015-2017. <i>Environment International</i> , 2021 , 146, 106227	12.9	22
66	Exposure to phthalates and bisphenol analogues among childbearing-aged women in Korea: Influencing factors and potential health risks. <i>Chemosphere</i> , 2021 , 264, 128425	8.4	7
65	Association of exposure to polycyclic aromatic hydrocarbons and heavy metals with thyroid hormones in general adult population and potential mechanisms. <i>Science of the Total Environment</i> , 2021 , 762, 144227	10.2	7
64	Variability of urinary creatinine, specific gravity, and osmolality over the course of pregnancy: Implications in exposure assessment among pregnant women. <i>Environmental Research</i> , 2021 , 198, 110473	7.9	1
63	Investigation on Combined Inhalation Exposure Scenarios to Biocidal Mixtures: Biocidal and Household Chemical Products in South Korea. <i>Toxics</i> , 2021 , 9,	4.7	3
62	Thyroxine-binding globulin, peripheral deiodinase activity, and thyroid autoantibody status in association of phthalates and phenolic compounds with thyroid hormones in adult population. <i>Environment International</i> , 2020 , 140, 105783	12.9	11
61	Human exposure to legacy and emerging flame retardants in indoor dust: A multiple-exposure assessment of PBDEs. <i>Science of the Total Environment</i> , 2020 , 719, 137386	10.2	28
60	Influence of Vegetarian Dietary Intervention on Urinary Paraben Concentrations: A Pilot Study with Temple StaySParticipants. <i>Toxics</i> , 2020 , 8,	4.7	8
59	Environment-Wide Association Study of CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2020 , 15, 766-775	6.9	12
58	Brominated Flame Retardants (BFRs). <i>Current Topics in Environmental Health and Preventive Medicine</i> , 2020 , 359-373	0.3	
57	Urinary levels of phthalates and DINCH metabolites in Korean and Thai pregnant women across three trimesters. <i>Science of the Total Environment</i> , 2020 , 711, 134822	10.2	11

56	Association of exposure to phthalates and environmental phenolics with markers of kidney function: Korean National Environmental Health Survey (KoNEHS) 2015-2017. <i>Environment International</i> , 2020 , 143, 105877	12.9	10
55	Exposure to organophosphate esters, phthalates, and alternative plasticizers in association with uterine fibroids. <i>Environmental Research</i> , 2020 , 189, 109874	7.9	13
54	Dietary contribution to body burden of bisphenol A and bisphenol S among mother-children pairs. <i>Science of the Total Environment</i> , 2020 , 744, 140856	10.2	6
53	Parabens in breast milk and possible sources of exposure among lactating women in Korea. <i>Environmental Pollution</i> , 2019 , 255, 113142	9.3	17
52	Urinary metabolites of dibutyl phthalate and benzophenone-3 are potential chemical risk factors of chronic kidney function markers among healthy women. <i>Environment International</i> , 2019 , 124, 354-360	12.9	25
51	Endocrine disruption by several aniline derivatives and related mechanisms in a human adrenal H295R cell line and adult male zebrafish. <i>Ecotoxicology and Environmental Safety</i> , 2019 , 180, 326-332	7	12
50	Distribution of fipronil in humans, and adverse health outcomes of in utero fipronil sulfone exposure in newborns. <i>International Journal of Hygiene and Environmental Health</i> , 2019 , 222, 524-532	6.9	25
49	Association of urinary phthalate metabolites and phenolics with adipokines and insulin resistance related markers among women of reproductive age. <i>Science of the Total Environment</i> , 2019 , 688, 1319-1326	10.2	17
48	Urinary phthalate metabolites among children in Saudi Arabia: Occurrences, risks, and their association with oxidative stress markers. <i>Science of the Total Environment</i> , 2019 , 654, 1350-1357	10.2	30
47	Effects of gemfibrozil on sex hormones and reproduction related performances of <i>Oryzias latipes</i> following long-term (155 d) and short-term (21 d) exposure. <i>Ecotoxicology and Environmental Safety</i> , 2019 , 173, 174-181	7	7
46	Comparison of thyroid hormone disruption potentials by bisphenols A, S, F, and Z in embryo-larval zebrafish. <i>Chemosphere</i> , 2019 , 221, 115-123	8.4	53
45	Association between maternal exposure to major phthalates, heavy metals, and persistent organic pollutants, and the neurodevelopmental performances of their children at 1 to 2 years of age-CHECK cohort study. <i>Science of the Total Environment</i> , 2018 , 624, 377-384	10.2	97
44	Urinary parabens and triclosan concentrations and associated exposure characteristics in a Korean population-A comparison between night-time and first-morning urine. <i>International Journal of Hygiene and Environmental Health</i> , 2018 , 221, 632-641	6.9	33
43	Placental transfer of persistent organic pollutants and feasibility using the placenta as a non-invasive biomonitoring matrix. <i>Science of the Total Environment</i> , 2018 , 612, 1498-1505	10.2	40
42	Perfluoroalkyl substances (PFASs) in breast milk from Korea: Time-course trends, influencing factors, and infant exposure. <i>Science of the Total Environment</i> , 2018 , 612, 286-292	10.2	55
41	Perfluoroalkyl acids in serum of Korean children: Occurrences, related sources, and associated health outcomes. <i>Science of the Total Environment</i> , 2018 , 645, 958-965	10.2	10
40	Prenatal contribution of 2, 2', 4, 4'-tetrabromodiphenyl ether (BDE-47) to total body burden in young children. <i>Science of the Total Environment</i> , 2018 , 616-617, 510-516	10.2	7
39	Current status of organochlorine pesticides (OCPs) and polychlorinated biphenyls (PCBs) exposure among mothers and their babies of Korea-CHECK cohort study. <i>Science of the Total Environment</i> , 2018 , 618, 674-681	10.2	23

38	Bisphenol A exposure through receipt handling and its association with insulin resistance among female cashiers. <i>Environment International</i> , 2018 , 117, 268-275	12.9	23
37	Urinary levels of phthalate metabolites and associations with demographic characteristics in Korean adults. <i>Environmental Science and Pollution Research</i> , 2017 , 24, 14669-14681	5.1	7
36	Urinary phthalate metabolites over the first 15 months of life and risk assessment - CHECK cohort study. <i>Science of the Total Environment</i> , 2017 , 607-608, 881-887	10.2	15
35	Quantification of Malondialdehyde in Human Urine by HPLC-DAD and Derivatization with 2,4-Dinitrophenylhydrazine. <i>Bulletin of the Korean Chemical Society</i> , 2017 , 38, 642-645	1.2	6
34	Considering common sources of exposure in association studies - Urinary benzophenone-3 and DEHP metabolites are associated with altered thyroid hormone balance in the NHANES 2007-2008. <i>Environment International</i> , 2017 , 107, 25-32	12.9	41
33	Alteration of sex hormone levels and steroidogenic pathway by several low molecular weight phthalates and their metabolites in male zebrafish (<i>Danio rerio</i>) and/or human adrenal cell (H295R) line. <i>Journal of Hazardous Materials</i> , 2016 , 320, 45-54	12.8	34
32	Occurrence and prenatal exposure to persistent organic pollutants using meconium in Korea: Feasibility of meconium as a non-invasive human matrix. <i>Environmental Research</i> , 2016 , 147, 8-15	7.9	20
31	Increased Urinary Phthalate Levels in Women with Uterine Leiomyoma: A Case-Control Study. <i>International Journal of Environmental Research and Public Health</i> , 2016 , 13,	4.6	20
30	Elevated levels of short carbon-chain PFCAs in breast milk among Korean women: Current status and potential challenges. <i>Environmental Research</i> , 2016 , 148, 351-359	7.9	46
29	The association of asthma, total IgE, and blood lead and cadmium levels. <i>Journal of Allergy and Clinical Immunology</i> , 2016 , 138, 1701-1703.e6	11.5	22
28	Synthetic musk compounds and benzotriazole ultraviolet stabilizers in breast milk: Occurrence, time-course variation and infant health risk. <i>Environmental Research</i> , 2015 , 140, 466-73	7.9	30
27	Cloning metallothionein gene in Zacco platypus and its potential as an exposure biomarker against cadmium. <i>Environmental Monitoring and Assessment</i> , 2015 , 187, 447	3.1	3
26	Concentrations of phthalate metabolites in breast milk in Korea: estimating exposure to phthalates and potential risks among breast-fed infants. <i>Science of the Total Environment</i> , 2015 , 508, 13-9	10.2	57
25	Association between Several Persistent Organic Pollutants and Thyroid Hormone Levels in Cord Blood Serum and Bloodspot of the Newborn Infants of Korea. <i>PLoS ONE</i> , 2015 , 10, e0125213	3.7	33
24	Association between Several Persistent Organic Pollutants in Serum and Adipokine Levels in Breast Milk among Lactating Women of Korea. <i>Environmental Science & Technology</i> , 2015 , 49, 8033-40	10.3	12
23	Tissue-specific antioxidant responses in pale chub (<i>Zacco platypus</i>) exposed to copper and benzo[a]pyrene. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2014 , 92, 540-5	2.7	14
22	In vitro and in vivo toxicities of sediment and surface water in an area near a major steel industry of Korea: endocrine disruption, reproduction, or survival effects combined with instrumental analysis. <i>Science of the Total Environment</i> , 2014 , 470-471, 1509-16	10.2	22
21	Urinary phthalate metabolites among elementary school children of Korea: sources, risks, and their association with oxidative stress marker. <i>Science of the Total Environment</i> , 2014 , 472, 49-55	10.2	52

20	Instrumental and bioanalytical measures of dioxin-like compounds and activities in sediments of the Pohang Area, Korea. <i>Science of the Total Environment</i> , 2014 , 470-471, 1517-25	10.2	17
19	Occurrences of major polybrominated diphenyl ethers (PBDEs) in maternal and fetal cord blood sera in Korea. <i>Science of the Total Environment</i> , 2014 , 491-492, 219-26	10.2	37
18	Occurrence and exposure assessment of polychlorinated biphenyls and organochlorine pesticides from homemade baby food in Korea. <i>Science of the Total Environment</i> , 2014 , 470-471, 1370-5	10.2	16
17	Histone deacetylase inhibitors selectively target homology dependent DNA repair defective cells and elevate non-homologous endjoining activity. <i>PLoS ONE</i> , 2014 , 9, e87203	3.7	16
16	Infant exposure to polybrominated diphenyl ethers (PBDEs) via consumption of homemade baby food in Korea. <i>Environmental Research</i> , 2014 , 134, 396-401	7.9	13
15	Contamination of polychlorinated biphenyls and organochlorine pesticides in breast milk in Korea: time-course variation, influencing factors, and exposure assessment. <i>Chemosphere</i> , 2013 , 93, 1578-85	8.4	29
14	Polybrominated diphenyl ethers (PBDEs) in breast milk of Korea in 2011: current contamination, time course variation, influencing factors and health risks. <i>Environmental Research</i> , 2013 , 126, 76-83	7.9	37
13	Association between several persistent organic pollutants and thyroid hormone levels in serum among the pregnant women of Korea. <i>Environment International</i> , 2013 , 59, 442-8	12.9	65
12	Urinary levels of N-acetyl-S-(2-carbamoyl-ethyl)-cysteine (AAMA), an acrylamide metabolite, in Korean children and their association with food consumption. <i>Science of the Total Environment</i> , 2013 , 456-457, 17-23	10.2	22
11	Effects of bisphenol s exposure on endocrine functions and reproduction of zebrafish. <i>Environmental Science & Technology</i> , 2013 , 47, 8793-800	10.3	227
10	Urinary paraben concentrations among pregnant women and their matching newborn infants of Korea, and the association with oxidative stress biomarkers. <i>Science of the Total Environment</i> , 2013 , 461-462, 214-21	10.2	110
9	Major perfluoroalkyl acid (PFAA) concentrations and influence of food consumption among the general population of Daegu, Korea. <i>Science of the Total Environment</i> , 2012 , 438, 42-8	10.2	21
8	Serum concentrations of major perfluorinated compounds among the general population in Korea: dietary sources and potential impact on thyroid hormones. <i>Environment International</i> , 2012 , 45, 78-85	12.9	103
7	Risk assessment of chlortetracycline, oxytetracycline, sulfamethazine, sulfathiazole, and erythromycin in aquatic environment: are the current environmental concentrations safe?. <i>Ecotoxicology</i> , 2012 , 21, 2031-50	2.9	87
6	Perfluorooctane sulfonic acid exposure increases cadmium toxicity in early life stage of zebrafish, <i>Danio rerio</i> . <i>Environmental Toxicology and Chemistry</i> , 2011 , 30, 870-7	3.8	26
5	Trans-placental transfer of thirteen perfluorinated compounds and relations with fetal thyroid hormones. <i>Environmental Science & Technology</i> , 2011 , 45, 7465-72	10.3	175
4	Hydroxylated polybrominated diphenyl ethers and bisphenol A in pregnant women and their matching fetuses: placental transfer and potential risks. <i>Environmental Science & Technology</i> , 2010 , 44, 5233-9	10.3	133
3	Endocrine disruption and consequences of chronic exposure to ibuprofen in Japanese medaka (<i>Oryzias latipes</i>) and freshwater cladocerans <i>Daphnia magna</i> and <i>Moina macrocopa</i> . <i>Aquatic Toxicology</i> , 2010 , 98, 256-264	5.1	184

2	Molecular cloning of <i>Daphnia magna</i> catalase and its biomarker potential against oxidative stresses. <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , 2010 , 152, 263-9	3.2	12
1	Exposure to Bisphenol A, S, and F and its Association with Obesity and Diabetes Mellitus in General Adults of Korea: Korean National Environmental Health Survey (KoNEHS) 2015-2017. <i>Exposure and Health</i> ,1	8.8	0