Margarida Lima

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2251844/publications.pdf

Version: 2024-02-01

69 papers

2,350 citations

257450 24 h-index 214800 47 g-index

70 all docs

70 docs citations

70 times ranked 3797 citing authors

#	Article	IF	CITATIONS
1	Platelet forward scatter index: Usefulness to evaluate the platelet size and to discriminate subtypes of inherited thrombocytopenias. International Journal of Laboratory Hematology, 2022, 44, .	1.3	O
2	IL-31 and IL-8 in Cutaneous T-Cell Lymphoma: Looking for Their Role in Itch. Advances in Hematology, 2021, 2021, 1-12.	1.0	9
3	Flow cytometric characterization of the saphenous veins endothelial cells in patients with chronic venous disease and in patients undergoing bypass surgery: an exploratory study. Heart and Vessels, 2020, 35, 1-13.	1.2	2
4	<i>KIT</i> D816V Positive Acute Mast Cell Leukemia Associated with Normal Karyotype Acute Myeloid Leukemia. Case Reports in Hematology, 2018, 2018, 1-16.	0.4	2
5	A pilot study on the usefulness of peripheral blood flow cytometry for the diagnosis of lower risk myelodysplastic syndromes: the "MDS thermometer― BMC Hematology, 2018, 18, 6.	2.6	7
6	Systemic mastocytosis with KIT V560G mutation presenting as recurrent episodes of vascular collapse: response to disodium cromoglycate and disease outcome. Allergy, Asthma and Clinical Immunology, 2017, 13, 21.	2.0	5
7	CD56-Negative Aggressive NK Cell Leukemia Relapsing as Multiple Cranial Nerve Palsies: Case Report and Literature Review. Case Reports in Hematology, 2017, 2017, 1-9.	0.4	1
8	Dopaminergic Receptors and Tyrosine Hydroxylase Expression in Peripheral Blood Mononuclear Cells: A Distinct Pattern in Central Obesity. PLoS ONE, 2016, 11, e0147483.	2.5	24
9	Classification and clinical behavior of blastic plasmacytoid dendritic cell neoplasms according to their maturation-associated immunophenotypic profile. Oncotarget, 2015, 6, 19204-19216.	1.8	93
10	Lymphocyte Gene Expression Signatures from Patients and Mouse Models of Hereditary Hemochromatosis Reveal a Function of HFE as a Negative Regulator of CD8+ T-Lymphocyte Activation and Differentiation In Vivo. PLoS ONE, 2015, 10, e0124246.	2.5	26
11	Extranodal NK/T cell lymphoma and aggressive NK cell leukaemia: evidence for their origin on CD56+bright CD16–/+dim NK cells. Pathology, 2015, 47, 503-514.	0.6	14
12	Polyacrylic acid coated and non-coated iron oxide nanoparticles are not genotoxic to human T lymphocytes. Toxicology Letters, 2015, 234, 67-73.	0.8	27
13	Quality assessment program for <scp>E</scp> uro <scp>F</scp> low protocols: Summary results of fourâ∈year (2010â€"2013) quality assurance rounds. Cytometry Part A: the Journal of the International Society for Analytical Cytology, 2015, 87, 145-156.	1.5	144
14	Peroxiredoxin 2, glutathione peroxidase, and catalase in the cytosol and membrane of erythrocytes under H ₂ O ₂ induced oxidative stress. Free Radical Research, 2015, 49, 990-1003.	3.3	53
15	T and NK Cell Phenotypic Abnormalities in Systemic Sclerosis: a Cohort Study and a Comprehensive Literature Review. Clinical Reviews in Allergy and Immunology, 2015, 49, 347-369.	6.5	32
16	Aggressive mature natural killer cell neoplasms: report on a series of 12 European patients with emphasis on flow cytometry based immunophenotype and DNA content of neoplastic natural killer cells. Leukemia and Lymphoma, 2015, 56, 103-112.	1.3	25
17	Waldenström's macroglobulinemia - a review. Revista Da Associação Médica Brasileira, 2014, 60, 490-499.	0.7	2
18	Adult mastocytosis: a review of the Santo António Hospital 's experience and an evaluation of World Health Organization criteria for the diagnosis of systemic disease. Anais Brasileiros De Dermatologia, 2014, 89, 59-66.	1.1	8

#	Article	IF	CITATIONS
19	Effectiveness of Aprepitant in Patients with Refractory Pruritus Secondary to Sézary Syndrome. Journal of Clinical & Experimental Dermatology Research, 2014, 3, .	0.1	O
20	Aggressive Mature Natural Killer Cell Neoplasms: From EBV-Infection to Disease Etiopathogeny. Journal of Blood Disorders & Transfusion, 2014, 05, .	0.1	0
21	Broadened T-cell Repertoire Diversity in ivlg-treated SLE Patients is Also Related to the Individual Status of Regulatory T-cells. Journal of Clinical Immunology, 2013, 33, 349-360.	3.8	22
22	Aggressive mature natural killer cell neoplasms: from epidemiology to diagnosis. Orphanet Journal of Rare Diseases, 2013, 8, 95.	2.7	67
23	Group B Streptococcus Hijacks the Host Plasminogen System to Promote Brain Endothelial Cell Invasion. PLoS ONE, 2013, 8, e63244.	2.5	28
24	Circulating Endothelial Cells in Patients with Venous Thromboembolism and Myeloproliferative Neoplasms. PLoS ONE, 2013, 8, e81574.	2.5	16
25	Neutropenia in a Patient With Rheumatoid Arthritis Associated With alpha-beta/gamma-delta T-Cell Large Granular Lymphocyte Lymphoproliferative Disorder Manifesting as Felty's Syndrome: From Diagnosis to Therapy. Journal of Medical Cases, 2013, , .	0.7	0
26	Neonatal Alloimmune Neutropenia. Journal of Pediatric Hematology/Oncology, 2012, 34, 497-499.	0.6	12
27	CD8-positive primary cutaneous peripheral T-cell lymphoma, unspecified. European Journal of Dermatology, 2012, 22, 131-132.	0.6	1
28	Aprepitant: Evidence of its effectiveness in patients with refractory pruritus continues. Journal of the American Academy of Dermatology, 2012, 66, e14-e15.	1.2	54
29	Can the level of CD52 expression on Sézary cells be used to predict the response of Sézary syndrome to alemtuzumab?. Journal of the American Academy of Dermatology, 2012, 67, 1083-1085.	1.2	7
30	A Case of Blastic Plasmacytoid Dendritic Cell Neoplasm. Annals of Dermatology, 2012, 24, 235.	0.9	5
31	EuroFlow antibody panels for standardized n-dimensional flow cytometric immunophenotyping of normal, reactive and malignant leukocytes. Leukemia, 2012, 26, 1908-1975.	7.2	738
32	Primary cutaneous CD30 positive anaplastic large cell lymphoma – Report of a case treated with bexarotene. Leukemia Research, 2011, 35, e190-e192.	0.8	13
33	Active regulatory T-cells contribute to broadened T-cell repertoire diversity in ivlg-treated SLE patients. Journal of Translational Medicine, 2011, 9, .	4.4	1
34	Red nose: Primary cutaneous marginal zone B-cell lymphoma. Leukemia Research, 2010, 34, 682-684.	0.8	6
35	Neutrophil and monocyte activation in chronic kidney disease patients under hemodialysis and its relationship with resistance to recombinant human erythropoietin and to the hemodialysis procedure. Hemodialysis International, 2010, 14, 295-301.	0.9	26
36	Leg ulcer and thigh telangiectasia associated with natural killer cell CD56– large granular lymphocyte leukemia in a patient with pseudo-Felty syndrome. Journal of the American Academy of Dermatology, 2010, 62, 496-501.	1.2	6

3

#	Article	IF	Citations
37	Chemokine receptor repertoire reflects mature T-cell lymphoproliferative disorder clinical presentation. Blood Cells, Molecules, and Diseases, 2009, 42, 57-63.	1.4	6
38	Inflammation, T-Cell Phenotype, and Inflammatory Cytokines in Chronic Kidney Disease Patients Under Hemodialysis and its Relationship to Resistance to Recombinant Human Erythropoietin Therapy. Journal of Clinical Immunology, 2008, 28, 268-275.	3.8	77
39	Evaluation of functional single nucleotide polymorphisms of different genes coding for the immunoregulatory molecules in patients with monoclonal large granular lymphocyte lymphocytosis. Human Immunology, 2008, 69, 101-107.	2.4	0
40	IL-7 serum levels and lymphopenia in hemodialysis patients, non-responders to recombinant human erythropoietin therapy. Blood Cells, Molecules, and Diseases, 2008, 41, 134-135.	1.4	4
41	Monoclonal TCR-VÎ ² 13.1+/CD4+/NKa+/CD8â ² /+dim T-LGL lymphocytosis: evidence for an antigen-driven chronic T-cell stimulation origin. Blood, 2007, 109, 4890-4898.	1.4	72
42	Postzoster cutaneous pseudolymphoma in a patient with B-cell chronic lymphocytic leukaemia. Journal of the European Academy of Dermatology and Venereology, 2007, 21, 1112-1114.	2.4	15
43	Granulomatous slack skin. European Journal of Dermatology, 2007, 17, 435-8.	0.6	10
44	$TCR\hat{l}^3\hat{l}'+$ large granular lymphocyte leukemias reflect the spectrum of normal antigen-selected $TCR\hat{l}^3\hat{l}'+$ T-cells. Leukemia, 2006, 20, 505-513.	7.2	86
45	The European Competence Network on Mastocytosis. Wiener Klinische Wochenschrift, 2004, 116, 647-651.	1.9	23
46	Atopic Dermatitis-Like Non-Erythrodermic Leukemic Variant of CD3â^'/+dimCD4+Cutaneous T-Cell Lymphoma Preceded by Cutaneous Papular Xanthomatosis. Leukemia and Lymphoma, 2004, 45, 597-603.	1.3	8
47	Mutations in the \hat{l}^2 3 gene giving rise to type I Glanzmann thrombasthenia in two families in Portugal. Platelets, 2004, 15, 15-22.	2.3	2
48	Clinicobiological, Immunophenotypic, and Molecular Characteristics of Monoclonal CD56â^'/+dim Chronic Natural Killer Cell Large Granular Lymphocytosis. American Journal of Pathology, 2004, 165, 1117-1127.	3.8	60
49	Guess what: Chronic $13q14.3 < sup > + < sup > CD5 < sup > \hat{a}^2 < sup > CD23 < sup > + < sup > ymphocytic leukemia in blood and t(11;14)(q13;q32) < sup > + < sup > CD5 < sup > + < sup > CD23 < sup > \hat{a}^2 < sup > mantle cell lymphoma in lymph nodes!. Cytometry Part B - Clinical Cytometry, 2003, 51B, 41-44.}$	1.5	10
50	Large B-cell lymphoma of the skin arising on a background of polyclonal B-cell hyperplasia. Journal of the European Academy of Dermatology and Venereology, 2003, 17, 104-105.	2.4	1
51	TCRαβ+/CD4+ Large Granular Lymphocytosis. American Journal of Pathology, 2003, 163, 763-771.	3.8	104
52	Immunophenotype and TCR-VÎ 2 repertoire of peripheral blood T-cells in acute infectious mononucleosis. Blood Cells, Molecules, and Diseases, 2003, 30, 1-12.	1.4	33
53	Non-cytotoxic Gamma-delta Peripheral T-cell Lymphoma Affecting the Mandibular and Parotidal Lymph Nodes and the Skin. Leukemia and Lymphoma, 2003, 44, 525-529.	1.3	6
54	Hematological Remission and Long Term Hematological Control of Acute Myeloblastic Leukemia Induced and Maintained by Granulocyte-colony Stimulating Factor (G-CSF) Therapy. Leukemia and Lymphoma, 2003, 44, 2137-2142.	1.3	10

#	Article	IF	CITATIONS
55	Chronic Eosinophilic Leukaemia Presenting with Erythroderma, Mild Eosinophilia and Hyper-lgE: Clinical, Immunological and Cytogenetic Features and Therapeutic Approach. Acta Haematologica, 2002, 107, 108-112.	1.4	27
56	The "ex Vivo―Patterns of CD2/CD7, CD57/CD11c, CD38/CD11b, CD45RA/CD45RO, and CD11a/HLA-DR Expression Identify Acute/Early and Chronic/Late NK-Cell Activation States. Blood Cells, Molecules, and Diseases, 2002, 28, 181-190.	1.4	36
57	Cd8+ $ v\hat{l}^25.1$ +large granular lymphocyte leukemia associated with autoimmune cytopenias, rheumatoid arthritis and vascular mammary skin lesions: successful response to 2-deoxycoformycin Hematological Oncology, 2002, 20, 87-93.	1.7	13
58	Abnormal NK Cell Lymphocytosis Detected after Splenectomy: Association with Repeated Infections, Relapsing Neutropenia, and Persistent Polyclonal B-Cell Proliferation. International Journal of Hematology, 2002, 75, 484-488.	1.6	3
59	Philadelphia-positive T-cell acute lymphoblastic leukemia with polymyositis, migratory polyarthritis and hypercalcemia following a chronic myeloid leukemia. Annals of Hematology, 2002, 81, 174-177.	1.8	16
60	Intraclonal diversity in a Sezary syndrome with a differential response to 2-deoxycoformycin of the two lymphoma cell populations. British Journal of Haematology, 2002, 119, 629-633.	2.5	1
61	Immunophenotypic Characterization of Normal Blood CD56+lo Versus CD56+hi NK-Cell Subsets and Its Impact on the Understanding of Their Tissue Distribution and Functional Propertiesa~†. Blood Cells, Molecules, and Diseases, 2001, 27, 731-743.	1.4	55
62	Immunophenotypic Analysis of the TCR-VÎ ² Repertoire in 98 Persistent Expansions of CD3+/TCR-αÎ ² + Large Granular Lymphocytes. American Journal of Pathology, 2001, 159, 1861-1868.	3.8	113
63	Aggressive Natural-Killer Cell Lymphoma Presenting with Skin Lesions, Breast Nodule, Suprarenal Masses and Life-Threatening Pericardial and Pleural Effusions. Leukemia and Lymphoma, 2001, 42, 1385-1391.	1.3	8
64	Immunophenotypic Aberrations, DNA Content, and Cell Cycle Analysis of Plasma Cells in Patients with Myeloma and Monoclonal Gammopathies. Blood Cells, Molecules, and Diseases, 2000, 26, 634-645.	1.4	33
65	Pure Red Cell Aplasia Associated to Clonal CD8+ T-Cell Large Granular Lymphocytosis: Dependence on Cyclosporin A Therapy. Acta Haematologica, 1998, 100, 207-210.	1.4	11
66	A comprehensive knowledge-based system for laboratory hematology. Computer Methods and Programs in Biomedicine, 1997, 54, 69-76.	4.7	3
67	Decreased expression of bcl-2 (p26) in CD8(+) lymphocytes of patients with T-cell lymphoproliferative disorders of large granular lymphocytes., 1997, 15, 81-91.		1
68	BCL-2 oncoprotein (p26) in splenic lymphoma with villous lymphocytes: A comparative study with other chronic B-cell disorders., 1997, 56, 122-125.		0
69	Cytogenetic findings in a patient presenting simultaneously with chronic lymphocytic leukemia and acute myeloid leukemia. Cancer Genetics and Cytogenetics, 1996, 87, 38-40.	1.0	26