

Ines Diaz-Laviada

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2252771/publications.pdf>

Version: 2024-02-01

63
papers

10,640
citations

159585

30
h-index

128289

60
g-index

64
all docs

64
docs citations

64
times ranked

22411
citing authors

#	ARTICLE	IF	CITATIONS
1	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). <i>Autophagy</i> , 2016, 12, 1-222.	9.1	4,701
2	Guidelines for the use and interpretation of assays for monitoring autophagy. <i>Autophagy</i> , 2012, 8, 445-544.	9.1	3,122
3	Anti-tumoral action of cannabinoids on hepatocellular carcinoma: role of AMPK-dependent activation of autophagy. <i>Cell Death and Differentiation</i> , 2011, 18, 1099-1111.	11.2	224
4	Induction of apoptosis in prostate tumor PC-3 cells and inhibition of xenograft prostate tumor growth by the vanilloid capsaicin. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2006, 11, 89-99.	4.9	186
5	Phospholipase C-mediated hydrolysis of phosphatidylcholine is an important step in PDGF-stimulated DNA synthesis. <i>Cell</i> , 1990, 61, 1113-1120.	28.9	179
6	Activation of phosphoinositide 3-kinase/PKB pathway by CB1 and CB2 cannabinoid receptors expressed in prostate PC-3 cells. Involvement in Raf-1 stimulation and NGF induction. <i>Cellular Signalling</i> , 2003, 15, 851-859.	3.6	147
7	Apoptosis induced by capsaicin in prostate PC-3 cells involves ceramide accumulation, neutral sphingomyelinase, and JNK activation. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2007, 12, 2013-2024.	4.9	140
8	δ^9 -Tetrahydrocannabinol induces apoptosis in human prostate PC-3 cells via a receptor-independent mechanism. <i>FEBS Letters</i> , 1999, 458, 400-404.	2.8	135
9	Expression of the transient receptor potential vanilloid 1 (TRPV1) in LNCaP and PC-3 prostate cancer cells and in human prostate tissue. <i>European Journal of Pharmacology</i> , 2005, 515, 20-27.	3.5	114
10	Involvement of PPAR δ in the antitumoral action of cannabinoids on hepatocellular carcinoma. <i>Cell Death and Disease</i> , 2013, 4, e618-e618.	6.3	92
11	Evidence for a role of phosphatidylcholine-hydrolysing phospholipase C in the regulation of protein kinase C by ras and src oncogenes. <i>EMBO Journal</i> , 1990, 9, 3907-3912.	7.8	91
12	Inhibition of human tumour prostate PC-3 cell growth by cannabinoids R(+)-Methanandamide and JWH-015: Involvement of CB2. <i>British Journal of Cancer</i> , 2009, 101, 940-950.	6.4	84
13	Spisulosine (ES-285) induces prostate tumor PC-3 and LNCaP cell death by de novo synthesis of ceramide and PKC α activation. <i>European Journal of Pharmacology</i> , 2008, 584, 237-245.	3.5	66
14	Induction of the endoplasmic reticulum stress protein GADD153/CHOP by capsaicin in prostate PC-3 cells: A microarray study. <i>Biochemical and Biophysical Research Communications</i> , 2008, 372, 785-791.	2.1	66
15	Capsaicin, a component of red peppers, induces expression of androgen receptor via PI3K and MAPK pathways in prostate LNCaP cells. <i>FEBS Letters</i> , 2009, 583, 141-147.	2.8	66
16	The Potential Antitumor Effects of Capsaicin. , 2014, 68, 181-208.		62
17	Combination of the natural product capsaicin and docetaxel synergistically kills human prostate cancer cells through the metabolic regulator AMP-activated kinase. <i>Cancer Cell International</i> , 2019, 19, 54.	4.1	58
18	The pepper's natural ingredient capsaicin induces autophagy blockage in prostate cancer cells. <i>Oncotarget</i> , 2016, 7, 1569-1583.	1.8	54

#	ARTICLE	IF	CITATIONS
19	Enhancement of androgen receptor expression induced by (R)-methanandamide in prostate LNCaP cells. <i>FEBS Letters</i> , 2003, 555, 561-566.	2.8	50
20	Effect of capsaicin on prostate cancer cells. <i>Future Oncology</i> , 2010, 6, 1545-1550.	2.4	50
21	Signal Transduction Activated by Cannabinoid Receptors. <i>Mini-Reviews in Medicinal Chemistry</i> , 2005, 5, 619-630.	2.4	47
22	Capsaicin Targets Lipogenesis in HepG2 Cells Through AMPK Activation, AKT Inhibition and PPARs Regulation. <i>International Journal of Molecular Sciences</i> , 2019, 20, 1660.	4.1	43
23	Synthetic cannabinoid quinones: Preparation, in vitro antiproliferative effects and in vivo prostate antitumor activity. <i>European Journal of Medicinal Chemistry</i> , 2013, 70, 111-119.	5.5	42
24	The vanilloid capsaicin induces IL-6 secretion in prostate PC-3 cancer cells. <i>Cytokine</i> , 2011, 54, 330-337.	3.2	40
25	Hierarchical Self-Assembly of BODIPY Dyes as a Tool to Improve the Antitumor Activity of Capsaicin in Prostate Cancer. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 17235-17239.	13.8	39
26	Up-Regulated Expression of LAMP2 and Autophagy Activity during Neuroendocrine Differentiation of Prostate Cancer LNCaP Cells. <i>PLoS ONE</i> , 2016, 11, e0162977.	2.5	38
27	Characterization of an anandamide degradation system in prostate epithelial PC-3 cells: synthesis of new transporter inhibitors as tools for this study. <i>British Journal of Pharmacology</i> , 2004, 141, 457-467.	5.4	37
28	Vasoactive intestinal peptide (VIP) induces c-fos expression in LNCaP prostate cancer cells through a mechanism that involves Ca ²⁺ signalling. Implications in angiogenesis and neuroendocrine differentiation. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2005, 1744, 224-233.	4.1	37
29	Ceramide-induced translocation of protein kinase C ζ in primary cultures of astrocytes. <i>FEBS Letters</i> , 1997, 415, 271-274.	2.8	36
30	Insulin receptor substrate-4 signaling in quiescent rat hepatocytes and in regenerating rat liver. <i>Hepatology</i> , 2003, 37, 1461-1469.	7.3	36
31	Induction of nerve growth factor synthesis by sphingomyelinase and ceramide in primary astrocyte cultures. <i>Molecular Brain Research</i> , 1997, 52, 90-97.	2.3	35
32	Androgen Deprivation Induces Reprogramming of Prostate Cancer Cells to Stem-Like Cells. <i>Cells</i> , 2020, 9, 1441.	4.1	32
33	Capsaicin exerts synergistic antitumor effect with sorafenib in hepatocellular carcinoma cells through AMPK activation. <i>Oncotarget</i> , 2017, 8, 87684-87698.	1.8	32
34	Targeting AMP-activated kinase impacts hepatocellular cancer stem cells induced by long-term treatment with sorafenib. <i>Molecular Oncology</i> , 2019, 13, 1311-1331.	4.6	31
35	The cannabinoid WIN 55,212-2 prevents neuroendocrine differentiation of LNCaP prostate cancer cells. <i>Prostate Cancer and Prostatic Diseases</i> , 2016, 19, 248-257.	3.9	30
36	Preclinical evaluation of azathioprine plus buthionine sulfoximine in the treatment of human hepatocarcinoma and colon carcinoma. <i>World Journal of Gastroenterology</i> , 2011, 17, 3899.	3.3	30

#	ARTICLE	IF	CITATIONS
37	Effect of <i>Escherichia coli</i> lipopolysaccharide on the microviscosity of liver plasma membranes and hepatocyte suspensions and monolayers. <i>Cell Biochemistry and Function</i> , 1987, 5, 55-61.	2.9	28
38	The endocannabinoid system in prostate cancer. <i>Nature Reviews Urology</i> , 2011, 8, 553-561.	3.8	26
39	Expression of functionally active cannabinoid receptor CB1 in the human prostate gland. <i>Prostate</i> , 2003, 54, 95-102.	2.3	24
40	Regulation of nerve growth factor secretion and mRNA expression by bacterial lipopolysaccharide in primary cultures of rat astrocytes. , 1997, 49, 569-575.		23
41	$\hat{\imath}^9$ -Tetrahydrocannabinol increases nerve growth factor production by prostate PC-3 cells. <i>FEBS Journal</i> , 2001, 268, 531-535.	0.2	22
42	Adenylyl cyclase system is affected differently by endurance physical training in heart and adipose tissue. <i>Biochemical Pharmacology</i> , 1996, 51, 1321-1329.	4.4	21
43	The cannabinoid R(+)-methanandamide induces IL-6 secretion by prostate cancer PC3 cells. <i>Journal of Immunotoxicology</i> , 2009, 6, 249-256.	1.7	18
44	Dysregulated lipid metabolism in hepatocellular carcinoma cancer stem cells. <i>Molecular Biology Reports</i> , 2020, 47, 2635-2647.	2.3	18
45	Identification of a novel 2-oxindole fluorinated derivative as in vivo antitumor agent for prostate cancer acting via AMPK activation. <i>Scientific Reports</i> , 2018, 8, 4370.	3.3	17
46	Binding studies and localization of <i>Escherichia coli</i> lipopolysaccharide in cultured hepatocytes by an immunocolloidal-gold technique. <i>The Histochemical Journal</i> , 1991, 23, 221-228.	0.6	15
47	Phosphatidylcholine-phospholipase C mediates the induction of nerve growth factor in cultured glial cells. <i>FEBS Letters</i> , 1995, 364, 301-304.	2.8	15
48	Cardiac $\hat{\imath}^2$ -adrenoceptors, G-proteins and adenylyl cyclase regulation during myocardial hypertrophy. <i>Cellular Signalling</i> , 1993, 5, 169-179.	3.6	14
49	Involvement of Cannabinoids in Cellular Proliferation. <i>Mini-Reviews in Medicinal Chemistry</i> , 2005, 5, 97-106.	2.4	14
50	Novel Cancer Chemotherapy Hits by Molecular Topology: Dual Akt and Beta-Catenin Inhibitors. <i>PLoS ONE</i> , 2015, 10, e0124244.	2.5	14
51	cAMP signalling mechanisms with aging in the <i>Ceratitis capitata</i> brain. <i>Mechanisms of Ageing and Development</i> , 1997, 97, 45-53.	4.6	13
52	Adaptations of the $\hat{\imath}^2$ -adrenoceptor-adenylyl cyclase system in rat skeletal muscle to endurance physical training. <i>Pflugers Archiv European Journal of Physiology</i> , 1997, 434, 809-814.	2.8	13
53	The red pepper's spicy ingredient capsaicin activates AMPK in HepG2 cells through CaMKK $\hat{\imath}^2$. <i>PLoS ONE</i> , 2019, 14, e0211420.	2.5	13
54	Evidence for the Lack of Involvement of Sphingomyelin Hydrolysis in the Tumor Necrosis Factor-Induced Secretion of Nerve Growth Factor in Primary Astrocyte Cultures. <i>Journal of Neurochemistry</i> , 2002, 71, 498-505.	3.9	10

#	ARTICLE	IF	CITATIONS
55	Immunocytochemical Localization of Bacterial Lipopolysaccharide with Colloidal-Gold Probes in Different Target Cells. <i>Advances in Experimental Medicine and Biology</i> , 1990, 256, 199-202.	1.6	10
56	Involvement of cytochrome b5 in the cytotoxic response to Escherichia coli Lipopolysaccharide. <i>Molecular and Cellular Biochemistry</i> , 1989, 87, 79-84.	3.1	7
57	Effect of Endurance Physical Training on Rat Liver Adenylyl Cyclase System. <i>Cellular Signalling</i> , 1996, 8, 317-322.	3.6	6
58	Selbstanordnung von BODIPY-Farbstoffen als Werkzeug, um die Antitumoraktivität von Capsaicin bei Prostatakrebs zu erhöhen. <i>Angewandte Chemie</i> , 2018, 130, 17481-17485.	2.0	6
59	The Natural Chemotherapeutic Capsaicin Activates AMPK through LKB1 Kinase and TRPV1 Receptors in Prostate Cancer Cells. <i>Pharmaceutics</i> , 2022, 14, 329.	4.5	6
60	Levels and activity of brain protein kinase C δ and ϵ during the aging of the medfly. <i>Mechanisms of Ageing and Development</i> , 1996, 92, 21-29.	4.6	5
61	Addition of phosphatidylcholine-phospholipase C induces cellular redistribution and phosphorylation of protein kinase C δ in C 6 glial cells. <i>Neuroscience Letters</i> , 1996, 219, 68-70.	2.1	5
62	Increase in Ischemia-Modified Albumin and Pregnancy-Associated Plasma Protein-A in COVID-19 Patients. <i>Journal of Clinical Medicine</i> , 2021, 10, 5474.	2.4	5
63	Role of Capsaicin in Prostate Cancer. , 2013, , 47-65.		0