Bao-Ping Zhai

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2252788/publications.pdf

Version: 2024-02-01

31 papers	650	14	23
	citations	h-index	g-index
35	35	35	521
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Prediction of migratory routes of the invasive fall armyworm in eastern China using a trajectory analytical approach. Pest Management Science, 2020, 76, 454-463.	3.4	134
2	Outbreaks of the Brown Planthopper Nilaparvata lugens ($St\tilde{A}$ *I) in the Yangtze River Delta: Immigration or Local Reproduction?. PLoS ONE, 2014, 9, e88973.	2.5	67
3	Long-term seasonal forecasting of a major migrant insect pest: the brown planthopper in the Lower Yangtze River Valley. Journal of Pest Science, 2019, 92, 417-428.	3.7	53
4	Determining the migration duration of rice leaf folder (Cnaphalocrocis medinalis (Guenée)) moths using a trajectory analytical approach. Scientific Reports, 2017, 7, 39853.	3.3	32
5	Relationship between exposure to an insecticide and fluctuating asymmetry in a damselfly (Odonata,) Tj ETQq $1\ 1$	0,784314 2.0	rgBT /Overl
6	The Influence of Typhoon Khanun on the Return Migration of Nilaparvata lugens (StåI) in Eastern China. PLoS ONE, 2013, 8, e57277.	2.5	27
7	An Advanced Numerical Trajectory Model Tracks a Corn Earworm Moth Migration Event in Texas, USA. Insects, 2018, 9, 115.	2.2	22
8	The â€~migratory connectivity' concept, and its applicability to insect migrants. Movement Ecology, 2020, 8, 48.	2.8	21
9	Ovarian development status and population characteristics of <i><scp>S</scp>ogatella furcifera</i> (<scp>H</scp> orváth) and <i><scp>N</scp>ilaparvata lugens</i> (<scp>S</scp> tål): implications for pest forecasting. Journal of Applied Entomology, 2014, 138, 67-77.	1.8	20
10	Cnaphalocrocis medinalis Moths Decide to Migrate when Suffering Nutrient Shortage on the First Day after Emergence. Insects, 2019, 10, 364.	2.2	18
11	Migration patterns and winter population dynamics of rice planthoppers in Indochina: New perspectives from field surveys and atmospheric trajectories. Agricultural and Forest Meteorology, 2019, 265, 99-109.	4.8	18
12	Are Outbreaks of Nilaparvata lugens (StåI) Associated With Global Warming?. Environmental Entomology, 2010, 39, 1705-1714.	1.4	17
13	Annual Fluctuations of Early Immigrant Populations of <i>Sogatella furcifera </i> (Hemiptera:) Tj ETQq1 1 0.784314	ł rgBT /Ove 1:8	erlock 10 <mark>Tf</mark>
14	Effects of larval density and food stress on lifeâ€history traits of ⟨i⟩⟨scp⟩C⟨/scp⟩naphalocrocis medinalis⟨/i⟩ (⟨scp⟩L⟨/scp⟩epidoptera: ⟨scp⟩P⟨/scp⟩yralidae). Journal of Applied Entomology, 2015, 139, 370-380.	1.8	16
15	Geographic Variation of Diapause and Sensitive Stages of Photoperiodic Response in <i>Laodelphax striatellus</i> Fallén (Hemiptera: Delphacidae). Journal of Insect Science, 2016, 16, 13.	1.5	16
16	Brown planthopper <i>Nilaparvata lugens</i> was concentrated at the rear of the typhoon Soudelor in Eastern China in August 2015. Insect Science, 2018, 25, 916-926.	3.0	14
17	Effect of light colours and weather conditions on captures of <i><scp>S</scp>ogatella furcifera</i> (<scp>H</scp> orváth) and <i><scp>N</scp>ilaparvata lugens</i> (<scp>S</scp> tål). Journal of Applied Entomology, 2014, 138, 743-753.	1.8	13
18	Female bias in an immigratory population of Cnaphalocrocis medinalis moths based on field surveys and laboratory tests. Scientific Reports, 2019, 9, 18388.	3.3	13

#	Article	IF	CITATIONS
19	Plagues of Desert Locusts: Very Low Invasion Risk to China. Insects, 2020, 11, 628.	2.2	13
20	Multiscale analyses on a massive immigration process of Sogatella furcifera (Horv \tilde{A}_i th) in south-central China: influences of synoptic-scale meteorological conditions and topography. International Journal of Biometeorology, 2018, 62, 1389-1406.	3.0	12
21	The Early Northward Migration of the White-Backed Planthopper (Sogatella furcifera) is Often Hindered by Heavy Precipitation in Southern China during the Preflood Season in May and June. Insects, 2019, 10, 158.	2.2	10
22	Teleconnection between the early immigration of brown planthopper (Nilaparvata lugens StåI) and ENSO indices: implication for its medium- and long-term forecast. Acta Ecologica Sinica, 2007, 27, 3144-3154.	1.9	9
23	Reproduction–Flight Relationship in the Beet Armyworm, <i>Spodoptera exigua</i> (Lepidoptera:) Tj ETQq1 1 ().784314 1.4	rgBJ /Overlo
24	The Influence of Sogatella furcifera (Hemiptera: Delphacidae) Migratory Events on the Southern Rice Black-Streaked Dwarf Virus Epidemics. Journal of Economic Entomology, 2017, 110, 854-864.	1.8	9
25	The Influence of the Topography of the Ailao Mountains on Congregated Landings of Airborne Sogatella furcifera (Hemiptera: Delphacidae) Populations. Environmental Entomology, 2017, 46, 747-756.	1.4	8
26	Male nutritional status does not impact the reproductive potential of female <i>Cnaphalocrocis medinalis</i> moths under conditions of nutrient shortage. Insect Science, 2022, 29, 467-477.	3.0	6
27	A series of abnormal climatic conditions caused the most severe outbreak of first-generation adults of the meadow moth (Loxostege sticticalis L.) in China. International Journal of Biometeorology, 2016, 60, 789-800.	3.0	5
28	Migration Analysis of Sogatella furcifera (Hemiptera: Delphacidae) in the Northeastern Hunan Province in June. Environmental Entomology, 2017, 46, 757-765.	1.4	5
29	Reproduction does not impede the stopover departure to ensure a potent migration in <i>Cnaphalocrocis medinalis</i>	3.0	4
30	Drying soil in North China drove the outbreak range expansion of meadow moth by facilitating long-distance migration. Scientific Reports, 2016, 6, 30370.	3.3	2
31	NUMERICAL SIMULATION OF THE PATHWAYS OF MIGRATING INSECTS. Insect Science, 1999, 6, 83-91.	3.0	0