

Mario S Di Bitetti

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2252999/publications.pdf>

Version: 2024-02-01

63
papers

4,034
citations

126907

33
h-index

128289

60
g-index

63
all docs

63
docs citations

63
times ranked

3423
citing authors

#	ARTICLE	IF	CITATIONS
1	Density, habitat use and activity patterns of ocelots (<i>Leopardus pardalis</i>) in the Atlantic Forest of Misiones, Argentina. <i>Journal of Zoology</i> , 2006, 270, 060606025751026-???	1.7	218
2	Niche partitioning and species coexistence in a Neotropical felid assemblage. <i>Acta Oecologica</i> , 2010, 36, 403-412.	1.1	207
3	Home-range use by the tufted capuchin monkey (<i>Cebus apella nigrinus</i>) in a subtropical rainforest of Argentina. <i>Journal of Zoology</i> , 2001, 253, 33-45.	1.7	167
4	Social foraging and the finder's share in capuchin monkeys, <i>Cebus apella</i> . <i>Animal Behaviour</i> , 2001, 62, 47-56.	1.9	164
5	The effect of habitat fragmentation on the genetic structure of a top predator: loss of diversity and high differentiation among remnant populations of Atlantic Forest jaguars (<i>Panthera onca</i>). <i>Molecular Ecology</i> , 2010, 19, 4906-4921.	3.9	162
6	Estimating Puma Densities from Camera Trapping across Three Study Sites: Bolivia, Argentina, and Belize. <i>Journal of Mammalogy</i> , 2008, 89, 408-418.	1.3	161
7	Experimental analysis of food detection in capuchin monkeys: effects of distance, travel speed, and resource size. <i>Behavioral Ecology and Sociobiology</i> , 1997, 41, 17-24.	1.4	153
8	Publish (in English) or perish: The effect on citation rate of using languages other than English in scientific publications. <i>Ambio</i> , 2017, 46, 121-127.	5.5	150
9	When will the stork arrive? Patterns of birth seasonality in neotropical primates. <i>American Journal of Primatology</i> , 2000, 50, 109-130.	1.7	144
10	Food-associated Calls of Tufted Capuchin Monkeys (<i>Cebus Apella Nigrinus</i>) Are Functionally Referential Signals. <i>Behaviour</i> , 2003, 140, 565-592.	0.8	130
11	Impact of yellow fever outbreaks on two howler monkey species (<i>Alouatta guariba</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 34 475-480.	1.7	123
12	Evidence for an important social role of allogrooming in a platyrrhine primate. <i>Animal Behaviour</i> , 1997, 54, 199-211.	1.9	117
13	Time Partitioning Favors the Coexistence of Sympatric Crab-Eating Foxes (<i>Cerdocyon thous</i>) and Pampas Foxes (<i>Lycalopex gymnocercus</i>). <i>Journal of Mammalogy</i> , 2009, 90, 479-490.	1.3	108
14	A biodiversity hotspot losing its top predator: The challenge of jaguar conservation in the Atlantic Forest of South America. <i>Scientific Reports</i> , 2016, 6, 37147.	3.3	108
15	Space Use and Movement of a Neotropical Top Predator: The Endangered Jaguar. <i>PLoS ONE</i> , 2016, 11, e0168176.	2.5	103
16	Differential impact of landscape transformation on pumas (<i>Puma concolor</i>) and jaguars (<i>Panthera onca</i>) in the Upper Paran Atlantic Forest. <i>Diversity and Distributions</i> , 2011, 17, 422-436.	4.1	96
17	Sleeping site preferences in tufted capuchin monkeys (<i>Cebus apella nigrinus</i>). <i>American Journal of Primatology</i> , 2000, 50, 257-274.	1.7	94
18	Assessing global patterns in mammalian carnivore occupancy and richness by integrating local camera trap surveys. <i>Global Ecology and Biogeography</i> , 2017, 26, 918-929.	5.8	93

#	ARTICLE	IF	CITATIONS
19	Food-associated calls and audience effects in tufted capuchin monkeys, <i>Cebus apella nigrinus</i> . <i>Animal Behaviour</i> , 2005, 69, 911-919.	1.9	90
20	Differential Responses to Hunting in Two Sympatric Species of Brocket Deer (<i>Mazama americana</i>) <i>Tj ETQq0 0 0 rgBT /Overlock 10</i>	1.6	84
21	Comparing capture-recapture, mark-resight, and spatial mark-resight models for estimating puma densities via camera traps. <i>Journal of Mammalogy</i> , 2014, 95, 382-391.	1.3	84
22	Reproductive Socioecology of Tufted Capuchins (<i>Cebus apella nigrinus</i>) in Northeastern Argentina. <i>International Journal of Primatology</i> , 2001, 22, 127-142.	1.9	78
23	Protection Affects the Abundance and Activity Patterns of Pumas in the Atlantic Forest. <i>Journal of Mammalogy</i> , 2009, 90, 926-934.	1.3	77
24	Local and continental correlates of the abundance of a neotropical cat, the ocelot (<i>Leopardus</i>) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50</i>	1.1	76
25	When will the stork arrive? Patterns of birth seasonality in neotropical primates. <i>American Journal of Primatology</i> , 2000, 50, 109.	1.7	70
26	The Group Life Cycle and Demography of Brown Capuchin Monkeys (<i>Cebus [apella] nigrinus</i>) in IguazÃ© National Park, Argentina. , 2012, , 185-212.		61
27	<scp>ATLANTIC</scp> â€™<scp>PRIMATES</scp>: a dataset of communities and occurrences of primates in the Atlantic Forests of South America. <i>Ecology</i> , 2019, 100, e02525.	3.2	55
28	NEOTROPICAL XENARTHTRANS: a data set of occurrence of xenarthran species in the Neotropics. <i>Ecology</i> , 2019, 100, e02663.	3.2	54
29	<scp>ATLANTIC</scp> â€™<scp>CAMTRAPS</scp>: a dataset of medium and large terrestrial mammal communities in the Atlantic Forest of South America. <i>Ecology</i> , 2017, 98, 2979-2979.	3.2	52
30	Understanding species persistence for defining conservation actions: A management landscape for jaguars in the Atlantic Forest. <i>Biological Conservation</i> , 2013, 159, 422-433.	4.1	50
31	Are howler monkey species ecologically equivalent? Trophic niche overlap in syntopic <i>Alouatta guariba clamitans</i> and <i>Alouatta caraya</i> . <i>American Journal of Primatology</i> , 2010, 72, 173-186.	1.7	48
32	Puma density, habitat use and conflict with humans in the Argentine Chaco. <i>Journal for Nature Conservation</i> , 2016, 31, 9-15.	1.8	43
33	Yellow fever impact on brown howler monkeys (<i>Alouatta guariba clamitans</i>) in Argentina: a metamodelling approach based on population viability analysis and epidemiological dynamics. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2015, 110, 865-876.	1.6	41
34	Habitat selection in reintroduced giant anteaters: the critical role of conservation areas. <i>Journal of Mammalogy</i> , 2015, 96, 1024-1035.	1.3	36
35	Infant hybrids in a newly formed mixed-species group of howler monkeys (<i>Alouatta guariba clamitans</i>) <i>Tj ETQq1 1 0,784314 rgBT /Overlock 35</i>	1.1	35
36	Ranging Patterns of Two Syntopic Howler Monkey Species (<i>Alouatta guariba</i> and <i>A. caraya</i>) in Northeastern Argentina. <i>International Journal of Primatology</i> , 2010, 31, 363-381.	1.9	34

#	ARTICLE	IF	CITATIONS
37	THE DISTRIBUTION OF GROOMING AMONG FEMALE PRIMATES: TESTING HYPOTHESES WITH THE SHANNON-WIENER DIVERSITY INDEX. <i>Behaviour</i> , 2000, 137, 1517-1540.	0.8	33
38	Allonursing in Tufted Capuchin Monkeys (<i>Cebus nigrinus</i>): Milk or Pacifier?. <i>Folia Primatologica</i> , 2007, 79, 79-92.	0.7	33
39	Roaring Behavior of Two Syntopic Howler Species (<i>Alouatta caraya</i> and <i>A. guariba clamitans</i>): Evidence Supports the Mate Defense Hypothesis. <i>International Journal of Primatology</i> , 2012, 33, 338-355.	1.9	33
40	Infanticide in black capuchin monkeys (<i>Cebus apella nigrinus</i>) in Iguaz� National Park, Argentina. <i>American Journal of Primatology</i> , 2008, 70, 473-484.	1.7	32
41	Daily activity patterns and habitat use of the lowland tapir (<i>Tapirus terrestris</i>) in the Atlantic Forest. <i>Mammalian Biology</i> , 2014, 79, 376-383.	1.5	32
42	Daily activity pattern of reintroduced giant anteaters (<i>Myrmecophaga tridactyla</i>): effects of seasonality and experience. <i>Mammalia</i> , 2017, 81, .	0.7	31
43	Using detection dogs and genetic analyses of scat to expand knowledge and assist felid conservation in Misiones, Argentina. <i>Integrative Zoology</i> , 2014, 9, 623-639.	2.6	28
44	Effects of cattle on habitat use and diel activity of large native herbivores in a South American rangeland. <i>Journal for Nature Conservation</i> , 2020, 58, 125900.	1.8	26
45	NEOTROPICAL CARNIVORES: a data set on carnivore distribution in the Neotropics. <i>Ecology</i> , 2020, 101, e03128.	3.2	26
46	Population density of Geoffroy's cat in scrublands of central Argentina. <i>Journal of Zoology</i> , 2011, 283, 37-44.	1.7	23
47	NEOTROPICAL ALIEN MAMMALS: a data set of occurrence and abundance of alien mammals in the Neotropics. <i>Ecology</i> , 2020, 101, e03115.	3.2	22
48	Using Species Distribution Modeling to Assess Factors that Determine the Distribution of Two Parapatric Howlers (<i>Alouatta</i> spp.) in South America. <i>International Journal of Primatology</i> , 2015, 36, 18-32.	1.9	21
49	Participatory networks for large-scale monitoring of large carnivores: pumas and jaguars of the Upper Paran�; Atlantic Forest. <i>Oryx</i> , 2011, 45, 534-545.	1.0	20
50	Noninvasive techniques provide novel insights for the elusive bush dog (<i>Speothos venaticus</i>). <i>Wildlife Society Bulletin</i> , 2014, 38, 862-873.	1.6	17
51	Comparing capuchins and coatis: causes and consequences of differing movement ecology in two sympatric mammals. <i>Animal Behaviour</i> , 2013, 86, 331-338.	1.9	16
52	Influence of seasonality, group size, and presence of a congener on activity patterns of howler monkeys. <i>Journal of Mammalogy</i> , 2012, 93, 645-657.	1.3	15
53	The effect of anthropic pressures and elevation on the large and medium-sized terrestrial mammals of the subtropical mountain forests (Yungas) of NW Argentina. <i>Mammalian Biology</i> , 2013, 78, 21-27.	1.5	12
54	Population Status of Primates in the Atlantic Forest of Argentina. <i>International Journal of Primatology</i> , 2015, 36, 244-258.	1.9	11

#	ARTICLE	IF	CITATIONS
55	Traditional Versus Multivariate Methods for Identifying Jaguar, Puma, and Large Canid Tracks. <i>Journal of Wildlife Management</i> , 2010, 74, 1141-1151.	1.8	10
56	Excavations of giant armadillos alter environmental conditions and provide new resources for a range of animals. <i>Journal of Zoology</i> , 2020, 311, 227-238.	1.7	9
57	Experimental testing of reciprocal effects of nutrition and parasitism in wild black capuchin monkeys. <i>Scientific Reports</i> , 2017, 7, 12778.	3.3	8
58	Grooming site preferences in black capuchin monkeys: Hygienic vs. social functions revisited. <i>American Journal of Primatology</i> , 2021, 83, e23336.	1.7	3
59	Argentina: wildfires jeopardize rewilding. <i>Nature</i> , 2022, 604, 246-246.	27.8	3
60	Enemies or good neighbors? No indication of spatial or temporal avoidance between two sympatric South American canids. <i>Journal of Zoology</i> , 2022, 317, 170-184.	1.7	2
61	<i>Cebus nigratus</i> impact the seedling assemblage below their main sleeping sites. <i>Studies on Neotropical Fauna and Environment</i> , 2013, 48, 142-146.	1.0	1
62	Capybara responses to varying levels of predation risk. <i>Animal Behaviour</i> , 2022, 190, 1-9.	1.9	1
63	High dependence on protected areas by the endangered giant armadillo in Argentina. <i>Journal for Nature Conservation</i> , 2022, 68, 126228.	1.8	0