Matyas Orsak

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2253703/publications.pdf Version: 2024-02-01



MATVAS ODSAK

#	Article	IF	CITATIONS
1	Phenotypic, molecular and biochemical evaluation of somatic hybrids between Solanum tuberosum and S. bulbocastanum. Scientific Reports, 2022, 12, 4484.	1.6	6
2	Acrylamide formation in red-, purple- and yellow-fleshed potatoes by frying and baking. Journal of Food Composition and Analysis, 2022, 110, 104529.	1.9	15
3	Potential Role and Involvement of Antioxidants and Other Secondary Metabolites of Wheat in the Infection Process and Resistance to Fusarium spp Agronomy, 2021, 11, 2235.	1.3	9
4	Variation of the total content of polyphenols and phenolic acids in einkorn, emmer, spelt and common wheat grain as a function of genotype, wheat species and crop year. Plant, Soil and Environment, 2019, 65, 260-266.	1.0	23
5	Chlorogenic acid content in potato tubers with colored flesh as affected by a genotype, location and long-term storage. Plant, Soil and Environment, 2019, 65, 355-360.	1.0	7
6	Effect of salt stress on growth, electrolyte leakage, Na ⁺ and K ⁺ content in selected plant species. Plant, Soil and Environment, 2019, 65, 90-96.	1.0	103
7	Carotenoid changes of colored-grain wheat flours during bun-making. Food Chemistry, 2019, 277, 725-734.	4.2	31
8	Free and esterified carotenoids in pigmented wheat, tritordeum and barley grains. Food Chemistry, 2018, 240, 670-678.	4.2	73
9	Tocotrienols and tocopherols in colored-grain wheat, tritordeum and barley. Food Chemistry, 2018, 240, 725-735.	4.2	54
10	The effect of genotype, weather conditions and cropping system on antioxidant activity and content of selected antioxidant compounds in wheat with coloured grain. Plant, Soil and Environment, 2018, 64, 530-538.	1.0	19
11	Genetics and chemistry of pigments in wheat grain – A review. Journal of Cereal Science, 2017, 74, 145-154.	1.8	106
12	Selenium in colour-grained winter wheat and spring tritordeum. Plant, Soil and Environment, 2017, 63, 315-321.	1.0	7
13	Influence of germination temperatures on the chemical composition of wheat (Triticum aestivum L.) seeds. Czech Journal of Food Sciences, 2017, 35, 143-148.	0.6	3
14	Safety of Potato Consumption in Slovak Region Contaminated by Heavy Metals due to Previous Mining Activity. Journal of Food Quality, 2017, 2017, 1-11.	1.4	8
15	Carotenoids in potatoes - a short overview. Plant, Soil and Environment, 2016, 62, 474-481.	1.0	24
16	A simple method for assessing hyaluronic acid production by cumulus-oocyte complexes. Czech Journal of Animal Science, 2016, 61, 251-261.	0.5	5
17	Carotenoid profile and retention in yellow-, purple- and red-fleshed potatoes after thermal processing. Food Chemistry, 2016, 197, 992-1001.	4.2	44
18	Endogenously produced hydrogen sulfide is involved in porcine oocyte maturation inÂvitro. Nitric Oxide - Biology and Chemistry, 2015, 51, 24-35.	1.2	12

MATYAS ORSAK

#	Article	IF	CITATIONS
19	Effect of cultivar, flesh colour, location and year of cultivation on the glycoalkaloid content in potato tubers. Plant, Soil and Environment, 2014, 60, 512-517.	1.0	13
20	Effect of cultivar, location and method of cultivation on the content of chlorogenic acid in potatoes with different flesh colour. Plant, Soil and Environment, 2013, 59, 465-471.	1.0	23
21	Spring, einkorn and emmer wheat species - potential rich sources of free ferulic acid and other phenolic compounds. Plant, Soil and Environment, 2012, 58, 347-353.	1.0	11
22	Antioxidant activity of grain of einkorn (Triticum mono-coccum L.), emmer (Triticum dicoccum) Tj ETQq0 0 0 rgBT 2012, 58, 15-21.	/Overlock 1.0	10 Tf 50 62 35
23	Impact of selected factors – Cultivar, storage, cooking and baking on the content of anthocyanins in coloured-flesh potatoes. Food Chemistry, 2012, 133, 1107-1116.	4.2	121
24	Contents of major phenolic and flavonoid antioxidants in selected Czech honey. Czech Journal of Food Sciences, 2010, 28, 412-426.	0.6	54
25	Evaluation of antioxidant activity and total phenolics of selected Czech honeys. LWT - Food Science and Technology, 2010, 43, 52-58.	2.5	143
26	Effect of selected factors on the content of ascorbic acid in potatoes with different tuber flesh colour. Plant, Soil and Environment, 2009, 55, 281-287.	1.0	21
27	Cultivar differences of total anthocyanins and anthocyanidins in red and purple-fleshed potatoes and their relation to antioxidant activity. Food Chemistry, 2009, 114, 836-843.	4.2	141
28	The influence of flesh colour and growing locality on polyphenolic content and antioxidant activity in potatoes. Scientia Horticulturae, 2008, 117, 109-114.	1.7	77
29	Differences in phenolic content and antioxidant activity in yellow and purple-fleshed potatoes grown in the Czech Republic. Plant, Soil and Environment, 2008, 54, 1-6.	1.0	19
30	The effect of selected factors on the content of protein and nitrates in potato tubers. Plant, Soil and Environment, 2005, 51, 431-438.	1.0	34
31	Effect of accelerated ageing on the content and composition of polyphenolic complex of wheat (Triticum aestivum L.) grains. Plant, Soil and Environment, 2003, 49, 1-7.	1.0	8
32	Yacon [Smallanthus sonchifolia (Poepp. et Endl.) H. Robinson] chemical composition and use - a review. Plant, Soil and Environment, 2003, 49, 283-290.	1.0	100
33	Effect of white fleece on the selected quality parameters of early potato (Solanum tuberosum L.) tubers. Plant, Soil and Environment, 2003, 49, 370-377.	1.0	22
34	Buckwheat—the source of antioxidant activity in functional foods. Food Research International, 2002, 35, 207-211.	2.9	309