Creighton T Tuzon

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2253861/publications.pdf

Version: 2024-02-01

687363 940533 21 827 13 16 citations h-index g-index papers 21 21 21 1178 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	Effect of Periodized Resistance Training on Skeletal Muscle During Androgen Deprivation Therapy for Prostate Cancer: A Pilot Randomized Trial. Integrative Cancer Therapies, 2021, 20, 153473542110354.	2.0	4
2	FGF signaling patterns cell fate at the interface between tendon and bone. Development (Cambridge), 2019, 146, .	2.5	28
3	Nuclear Fibroblast Growth Factor Receptor Signaling in Skeletal Development and Disease. Current Osteoporosis Reports, 2019, 17, 138-146.	3.6	18
4	Challenges to Clinical Trial Design for Emerging Regenerative Technologies. , 2018, , .		0
5	The SUV4-20 inhibitor A-196 verifies a role for epigenetics in genomic integrity. Nature Chemical Biology, 2017, 13, 317-324.	8.0	98
6	FGFR2 mutations in bent bone dysplasia syndrome activate nucleolar stress and perturb cell fate determination. Human Molecular Genetics, 2017, 26, 3253-3270.	2.9	18
7	Ribosome biogenesis is dynamically regulated during osteoblast differentiation. Gene, 2017, 612, 29-35.	2.2	13
8	Acute Response of PGC- $1\hat{l}_{\pm}$ and IGF-1 Isoforms to Maximal Eccentric Exercise in Skeletal Muscle of Postmenopausal Women. Journal of Strength and Conditioning Research, 2016, 30, 1161-1170.	2.1	11
9	Bent bone dysplasia syndrome reveals nucleolar activity for FGFR2 in ribosomal DNA transcription. Human Molecular Genetics, 2014, 23, 5659-5671.	2.9	36
10	The PR-Set7 binding domain of Riz1 is required for the H4K20me1-H3K9me1 <i>trans</i> -tail †histone code†and Riz1 tumor suppressor function. Nucleic Acids Research, 2014, 42, 3580-3589.	14.5	25
11	Concerted Activities of Distinct H4K20 Methyltransferases at DNA Double-Strand Breaks Regulate 53BP1 Nucleation and NHEJ-Directed Repair. Cell Reports, 2014, 8, 430-438.	6.4	77
12	Eccentric Exercise Induces the Acute mRNA Expression of PGC- 11 ± 4 in Skeletal Muscle of Postmenopausal Women. Medicine and Science in Sports and Exercise, 2014, 46, 754.	0.4	0
13	Abstract LB-133: Orchestrated recruitment of histone methyltransferases to DNA double strand breaks facilitates 53BP1 binding and proficient repair. , 2014, , .		0
14	The Saccharomyces cerevisiae Telomerase Subunit Est3 Binds Telomeres in a Cell Cycle– and Est1–Dependent Manner and Interacts Directly with Est1 In Vitro. PLoS Genetics, 2011, 7, e1002060.	3.5	43
15	Mammalian Tethered Catalysis: a novel in vivo approach to identify and characterize histone postâ€translational modification binding proteins. FASEB Journal, 2010, 24, 460.4.	0.5	0
16	Telomerase and Tel1p Preferentially Associate with Short Telomeres in S. cerevisiae. Molecular Cell, 2007, 27, 550-561.	9.7	173
17	A flexible protein linker improves the function of epitope-tagged proteins inSaccharomyces cerevisiae. Yeast, 2007, 24, 39-45.	1.7	86
18	S. cerevisiae Tel1p and Mre11p Are Required for Normal Levels of Est1p and Est2p Telomere Association. Molecular Cell, 2006, 24, 603-610.	9.7	106

CREIGHTON T TUZON

#	Article	lF	CITATIONS
19	The fission yeast heterochromatin protein Rik1 is required for telomere clustering during meiosis. Journal of Cell Biology, 2004, 165, 759-765.	5.2	52
20	Age-dependent Decline in Mitogenic Stimulation of Hepatocytes. Journal of Biological Chemistry, 1999, 274, 11424-11430.	3.4	39
21	Age-dependent decline in EGF-induced signaling is independent of intracellular thiols. Age, 1999, 22, 167-173.	3.0	O