

Deborah De Geyter

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2253990/publications.pdf>

Version: 2024-02-01

15
papers

201
citations

1163117

8
h-index

1058476

14
g-index

15
all docs

15
docs citations

15
times ranked

265
citing authors

#	ARTICLE	IF	CITATIONS
1	Clinical features of Legionnairesâ€™ disease at three Belgian university hospitals, a retrospective study. <i>Acta Clinica Belgica</i> , 2022, 77, 753-759.	1.2	4
2	Fear for CoViD-19 and reluctance to work among health care workers during the epidemic, a prospective monocentric cohort study. <i>American Journal of Infection Control</i> , 2022, 50, 312-318.	2.3	3
3	Undetectable viral RNA in follicular fluid, cumulus cells, and endometrial tissue samples in SARS-CoV-2â€™positive women. <i>Fertility and Sterility</i> , 2022, 117, 771-780.	1.0	23
4	Validation of the ColibrÃ—Instrument for Automated Preparation of MALDI-TOF MS Targets for Yeast Identification. <i>Journal of Clinical Microbiology</i> , 2022, 60, .	3.9	6
5	Lemierreâ€™s syndrome in adulthood, a case report and systematic review. <i>Acta Clinica Belgica</i> , 2021, 76, 324-334.	1.2	9
6	SARS-CoV-2 seroprevalence among employees of a university hospital in Belgium during the 2020 COVID-19 outbreak (COVEMUZ-study). <i>Epidemiology and Infection</i> , 2021, 149, 1-24.	2.1	2
7	SARS-CoV-2 RNA and antibodies in tear fluid. <i>BMJ Open Ophthalmology</i> , 2021, 6, e000733.	1.6	10
8	Evaluation of four laboratory-based SARS-CoV-2 IgG antibody immunoassays. <i>Diagnostic Microbiology and Infectious Disease</i> , 2021, 100, 115313.	1.8	10
9	Comparison of Two Commercial Colorimetric Broth Microdilution Tests for <i>Candida</i> Susceptibility Testing: Sensititre YeastOne versus MICRONAUT-AM. <i>Journal of Fungi (Basel, Switzerland)</i> , 2021, 7, 356.	3.5	9
10	Antimicrobial susceptibility testing of <i>Eggerthella lenta</i> blood culture isolates at a university hospital in Belgium from 2004 to 2018. <i>Anaerobe</i> , 2021, 69, 102348.	2.1	3
11	Optimization of MALDI-ToF mass spectrometry for yeast identification: a multicenter study. <i>Medical Mycology</i> , 2020, 58, 639-649.	0.7	25
12	Encrusted Uropathy: A Comprehensive Overviewâ€™To the Bottom of the Crust. <i>Frontiers in Medicine</i> , 2020, 7, 609024.	2.6	4
13	Evaluation of the Copan Myco-TB kit for the decontamination of respiratory samples for the detection of <i>Mycobacteria</i> . <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2018, 37, 711-714.	2.9	1
14	Extensive evaluation of fastidious anaerobic bacteria recovery from the Copan eSwabâ€™ transport system. <i>Journal of Microbiological Methods</i> , 2018, 144, 73-78.	1.6	13
15	The sink as a potential source of transmission of carbapenemase-producing <i>Enterobacteriaceae</i> in the intensive care unit. <i>Antimicrobial Resistance and Infection Control</i> , 2017, 6, 24.	4.1	79