## Mark A Tully

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2255677/publications.pdf

Version: 2024-02-01

205 papers 9,933 citations

45 h-index 90 g-index

215 all docs

215 docs citations

215 times ranked

13923 citing authors

#	Article	IF	CITATIONS
1	Changes in physical activity and sedentary behaviours from before to during the COVID-19 pandemic lockdown: a systematic review. BMJ Open Sport and Exercise Medicine, 2021, 7, e000960.	1.4	746
2	How many steps/day are enough? For older adults and special populations. International Journal of Behavioral Nutrition and Physical Activity, 2011, 8, 80.	2.0	734
3	How many steps/day are enough? for adults. International Journal of Behavioral Nutrition and Physical Activity, 2011, 8, 79.	2.0	733
4	Consequences of physical inactivity in older adults: A systematic review of reviews and metaâ€analyses. Scandinavian Journal of Medicine and Science in Sports, 2020, 30, 816-827.	1.3	455
5	Changes in Physical Activity and Sedentary Behavior in Response to COVID-19 and Their Associations with Mental Health in 3052 US Adults. International Journal of Environmental Research and Public Health, 2020, 17, 6469.	1.2	441
6	Validity of the Global Physical Activity Questionnaire (GPAQ) in assessing levels and change in moderate-vigorous physical activity and sedentary behaviour. BMC Public Health, 2014, 14, 1255.	1.2	362
7	Correlates of symptoms of anxiety and depression and mental wellbeing associated with COVID-19: a cross-sectional study of UK-based respondents. Psychiatry Research, 2020, 291, 113138.	1.7	290
8	Health-Related Behaviors Among School-Aged Children and Adolescents During the Spanish Covid-19 Confinement. Frontiers in Pediatrics, 2020, 8, 573.	0.9	192
9	COVID-19 Confinement and Health Risk Behaviors in Spain. Frontiers in Psychology, 2020, 11, 1426.	1.1	185
10	Associations of moderate to vigorous physical activity and sedentary behavior with depressive and anxiety symptoms in self-isolating people during the COVID-19 pandemic: A cross-sectional survey in Brazil. Psychiatry Research, 2020, 292, 113339.	1.7	176
11	Failure of a numerical quality assessment scale to identify potential risk of bias in a systematic review: a comparison study. BMC Research Notes, 2015, 8, 224.	0.6	170
12	Walking Exercise for Chronic Musculoskeletal Pain: Systematic Review and Meta-Analysis. Archives of Physical Medicine and Rehabilitation, 2015, 96, 724-734.e3.	0.5	164
13	The relationship between physical activity and mental health in a sample of the UK public: A cross-sectional study during the implementation of COVID-19 social distancing measures. Mental Health and Physical Activity, 2020, 19, 100345.	0.9	162
14	Alcohol use and mental health during COVID-19 lockdown: A cross-sectional study in a sample of UK adults. Drug and Alcohol Dependence, 2021, 219, 108488.	1.6	159
15	Challenges in the Practice of Sexual Medicine in the Time of COVID-19 in the United Kingdom. Journal of Sexual Medicine, 2020, 17, 1229-1236.	0.3	154
16	The validation of Fitbit Zipâ,,¢ physical activity monitor as a measure of free-living physical activity. BMC Research Notes, 2014, 7, 952.	0.6	151
17	Copenhagen Consensus statement 2019: physical activity and ageing. British Journal of Sports Medicine, 2019, 53, 856-858.	3.1	145
18	Effect of accelerated rehabilitation on function after ankle sprain: randomised controlled trial. BMJ: British Medical Journal, 2010, 340, c1964-c1964.	2.4	143

#	Article	IF	CITATIONS
19	Use of Corticosteroids in Coronavirus Disease 2019 Pneumonia: A Systematic Review of the Literature. Frontiers in Medicine, 2020, 7, 170.	1.2	141
20	Potential health-related behaviors for pre-school and school-aged children during COVID-19 lockdown: A narrative review. Preventive Medicine, 2021, 143, 106349.	1.6	139
21	Training effects of short bouts of stair climbing on cardiorespiratory fitness, blood lipids, and homocysteine in sedentary young women. British Journal of Sports Medicine, 2005, 39, 590-593.	3.1	138
22	Brisk walking, fitness, and cardiovascular risk: A randomized controlled trial in primary care. Preventive Medicine, 2005, 41, 622-628.	1.6	126
23	The effectiveness of physical activity interventions in socio-economically disadvantaged communities: A systematic review. Preventive Medicine, 2012, 54, 371-380.	1.6	104
24	Impact of the COVID-19 Pandemic on Loneliness and Social Isolation: A Multi-Country Study. International Journal of Environmental Research and Public Health, 2021, 18, 9982.	1.2	97
25	Connectivity and physical activity: using footpath networks to measure the walkability of built environments. Environment and Planning B: Planning and Design, 2016, 43, 130-151.	1.7	88
26	Handgrip strength and health outcomes: Umbrella review of systematic reviews with meta-analyses of observational studies. Journal of Sport and Health Science, 2021, 10, 290-295.	3.3	85
27	Prevalence and correlates of physical activity in a sample of UK adults observing social distancing during the COVID-19 pandemic. BMJ Open Sport and Exercise Medicine, 2020, 6, e000850.	1.4	78
28	The PRICE study (Protection Rest Ice Compression Elevation): design of a randomised controlled trial comparing standard versus cryokinetic ice applications in the management of acute ankle sprain [ISRCTN13903946]. BMC Musculoskeletal Disorders, 2007, 8, 125.	0.8	76
29	Biomarkers associated with sedentary behaviour in older adults: A systematic review. Ageing Research Reviews, 2017, 35, 87-111.	5.0	76
30	A unified approach to loneliness. Lancet, The, 2020, 395, 114.	6.3	75
31	The association between screen time and mental health during COVID-19: A cross sectional study. Psychiatry Research, 2020, 292, 113333.	1.7	75
32	Pedometer-driven Walking for Chronic Low Back Pain. Clinical Journal of Pain, 2013, 29, 972-981.	0.8	71
33	Consensus statement: loneliness in older adults, the 21st century social determinant of health?. BMJ Open, 2020, 10, e034967.	0.8	71
34	Epidemiology of Adolescent Rugby Injuries: A Systematic Review. Journal of Athletic Training, 2011, 46, 555-565.	0.9	69
35	A review of behaviour change theories and techniques used in group based self-management programmes for chronic low back pain and arthritis. Manual Therapy, 2015, 20, 727-735.	1.6	67
36	Supervised walking in comparison with fitness training for chronic back pain in physiotherapy. Pain, 2015, 156, 131-147.	2.0	64

#	Article	IF	CITATIONS
37	Physiotherapy for Sleep Disturbance in People With Chronic Low Back Pain: Results of a Feasibility Randomized Controlled Trial. Archives of Physical Medicine and Rehabilitation, 2013, 94, 2083-2092.	0.5	62
38	Comparison of physical activity levels in Spanish adults with chronic conditions before and during COVID-19 quarantine. European Journal of Public Health, 2021, 31, 161-166.	0.1	62
39	Randomised controlled trial of home-based walking programmes at and below current recommended levels of exercise in sedentary adults. Journal of Epidemiology and Community Health, 2007, 61, 778-783.	2.0	58
40	Urban greenways have the potential to increase physical activity levels cost-effectively. European Journal of Public Health, 2014, 24, 190-195.	0.1	56
41	Direct healthcare costs of sedentary behaviour in the UK. Journal of Epidemiology and Community Health, 2019, 73, 625-629.	2.0	56
42	Peer-led walking programme to increase physical activity in inactive 60- to 70-year-olds: Walk with Me pilot RCT. Public Health Research, 2019, 7, 1-124.	0.5	55
43	"They should stay at their desk until the work's done†a qualitative study examining perceptions of sedentary behaviour in a desk-based occupational setting. BMC Research Notes, 2015, 8, 683.	0.6	54
44	Behaviour change techniques in home-based cardiac rehabilitation: a systematic review. British Journal of General Practice, 2016, 66, e747-e757.	0.7	52
45	"Hidden―Social Networks in Behavior Change Interventions. American Journal of Public Health, 2015, 105, 513-516.	1.5	50
46	The effectiveness of interventions aimed at increasing physical activity in adults with persistent musculoskeletal pain: a systematic review and meta-analysis. BMC Musculoskeletal Disorders, 2017, 18, 482.	0.8	49
47	Comparing accelerometer, pedometer and a questionnaire for measuring physical activity in bronchiectasis: a validity and feasibility study. Respiratory Research, 2017, 18, 16.	1.4	48
48	The Association Between Sedentary Behavior and Sarcopenia Among Adults Aged ≥65 Years in Low- and Middle-Income Countries. International Journal of Environmental Research and Public Health, 2020, 17, 1708.	1.2	47
49	Interventions promoting active transport to school in children: A systematic review and meta-analysis. Preventive Medicine, 2019, 123, 232-241.	1.6	45
50	Physical Activity Loyalty Cards for Behavior Change. American Journal of Preventive Medicine, 2013, 45, 56-63.	1.6	44
51	Joint prevalence of physical activity and sitting time during COVID-19 among US adults in April 2020. Preventive Medicine Reports, 2020, 20, 101256.	0.8	43
52	Sedentary behaviour and physical activity in bronchiectasis: a cross-sectional study. BMC Pulmonary Medicine, 2015, 15, 61.	0.8	42
53	Accelerometer-Measured Sedentary and Physical Activity Time and Their Correlates in European Older Adults: The SITLESS Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2020, 75, 1754-1762.	1.7	42
54	Moderate to vigorous physical activity and sedentary behavior changes in self-isolating adults during the COVID-19 pandemic in Brazil: a cross-sectional survey exploring correlates. Sport Sciences for Health, 2022, 18, 155-163.	0.4	42

#	Article	IF	Citations
55	Exploring the use of a gamified intervention for encouraging physical activity in adolescents: a qualitative longitudinal study in Northern Ireland. BMJ Open, 2018, 8, e019663.	0.8	37
56	Predicting Functional Recovery after Acute Ankle Sprain. PLoS ONE, 2013, 8, e72124.	1.1	37
57	Associations between Physical Activity, Sitting Time, and Time Spent Outdoors with Mental Health during the First COVID-19 Lock Down in Austria. International Journal of Environmental Research and Public Health, 2021, 18, 9168.	1.2	36
58	The effectiveness and complexity of interventions targeting sedentary behaviour across the lifespan: a systematic review and meta-analysis. International Journal of Behavioral Nutrition and Physical Activity, 2020, 17, 53.	2.0	35
59	Individual Characteristics Associated with Mismatches between Self-Reported and Accelerometer-Measured Physical Activity. PLoS ONE, 2014, 9, e99636.	1.1	34
60	Coproduction for feasibility and pilot randomised controlled trials: learning outcomes for community partners, service users and the research team. Research Involvement and Engagement, 2018, 4, 32.	1.1	34
61	Physical activity assessment in practice: a mixed methods study of GPPAQ use in primary care. BMC Family Practice, 2014, 15, 11.	2.9	33
62	Physical activity interventions for disease-related physical and mental health during and following treatment in people with non-advanced colorectal cancer. The Cochrane Library, 2020, 2020, CD012864.	1.5	31
63	Knowledge of UK physical activity guidelines: Implications for better targeted health promotion. Preventive Medicine, 2014, 65, 33-39.	1.6	30
64	Behavioural incentive interventions for health behaviour change in young people (5–18†years old): A systematic review and meta-analysis. Preventive Medicine, 2018, 110, 55-66.	1.6	30
65	Physical activity and the rejuvenation of Connswater (PARC study): protocol for a natural experiment investigating the impact of urban regeneration on public health. BMC Public Health, 2013, 13, 774.	1.2	29
66	The Back 2 Activity Trial: education and advice versus education and advice plus a structured walking programme for chronic low back pain. BMC Musculoskeletal Disorders, 2010, 11, 163.	0.8	28
67	The SITLESS project: exercise referral schemes enhanced by self-management strategies to battle sedentary behaviour in older adults: study protocol for a randomised controlled trial. Trials, 2017, 18, 221.	0.7	28
68	A lesson in business: cost-effectiveness analysis of a novel financial incentive intervention for increasing physical activity in the workplace. BMC Public Health, 2013, 13, 953.	1.2	27
69	Addressing inequalities in physical activity participation: Implications for public health policy and practice. Preventive Medicine, 2015, 72, 64-69.	1.6	27
70	Identifying solutions to increase participation in physical activity interventions within a socio-economically disadvantaged community: a qualitative study. International Journal of Behavioral Nutrition and Physical Activity, $2014$ , $11$ , $68$ .	2.0	26
71	Individual factors and perceived community characteristics in relation to mental health and mental well-being. BMC Public Health, 2015, 15, 1237.	1.2	26
72	Secondary prevention lifestyle interventions initiated within 90 days after TIA or 'minor' stroke: a systematic review and meta-analysis of rehabilitation programmes. British Journal of General Practice, 2017, 67, e57-e66.	0.7	26

#	Article	IF	CITATIONS
73	COVID-19 Staff Wellbeing Survey: longitudinal survey of psychological well-being among health and social care staff in Northern Ireland during the COVID-19 pandemic. BJPsych Open, 2021, 7, e159.	0.3	26
74	A systematic review of interventions aimed at increasing physical activity in adults with chronic musculoskeletal pain—protocol. Systematic Reviews, 2014, 3, 106.	2.5	25
75	Association of objective sedentary behaviour and self-rated health in English older adults. BMC Research Notes, 2019, 12, 12.	0.6	24
76	Stroke Prevention Rehabilitation Intervention Trial of Exercise (SPRITE) - a randomised feasibility study. BMC Cardiovascular Disorders, 2017, 17, 290.	0.7	23
77	Perceptions of exercise among people who have not attended cardiac rehabilitation following myocardial infarction. Journal of Health Psychology, 2009, 14, 924-932.	1.3	22
78	UNISTEP (University Students Exercise and Physical Activity) Study: A Pilot Study of the Effects of Accumulating 10,000 Steps on Health and Fitness Among University Students. Journal of Physical Activity and Health, 2011, 8, 663-667.	1.0	21
79	The effect of different COVID-19 public health restrictions on mobility: A systematic review. PLoS ONE, 2021, 16, e0260919.	1.1	21
80	A walking programme and a supervised exercise class versus usual physiotherapy for chronic low back pain: a single-blinded randomised controlled trial. (The Supervised Walking In comparison to) Tj ETQq0 0	0 rg <b>δλί</b> δΟνε	erlo <b>elo</b> 10 Tf 50
81	Demand response to improved walking infrastructure: A study into the economics of walking and health behaviour change. Social Science and Medicine, 2015, 143, 107-116.	1.8	20
82	What are the recommendations for returning athletes who have experienced long term COVID-19 symptoms?. Annals of Medicine, 2021, 53, 1935-1944.	1.5	20
83	A randomised control trial of experiential learning to promote physical activity. Education for Primary Care, 2013, 24, 427-435.	0.2	18
84	Network methods to support user involvement in qualitative data analyses: an introduction to Participatory Theme Elicitation. Trials, 2017, 18, 559.	0.7	18
85	Changes in Sitting Time, Screen Exposure and Physical Activity during COVID-19 Lockdown in South American Adults: A Cross-Sectional Study. International Journal of Environmental Research and Public Health, 2021, 18, 5239.	1.2	18
86	Functional management of ankle sprains: what volume and intensity of walking is undertaken in the first week postinjury. British Journal of Sports Medicine, 2012, 46, 877-882.	3.1	17
87	A comparison of road- and footpath-based walkability indices and their associations with active travel. Journal of Transport and Health, 2017, 6, 119-127.	1.1	17
88	Sedentary behavior, physical activity, and mental health in older adults: An isotemporal substitution model. Scandinavian Journal of Medicine and Science in Sports, 2020, 30, 1957-1965.	1.3	17
89	The Effect of Chair-Based Exercise on Physical Function in Older Adults: A Systematic Review and Meta-Analysis. International Journal of Environmental Research and Public Health, 2021, 18, 1902.	1.2	17
90	Is Sedentary Behavior or Physical Activity Associated With Loneliness in Older Adults? Results of the European-Wide SITLESS Study. Journal of Aging and Physical Activity, 2020, 28, 549-555.	0.5	17

#	Article	IF	CITATIONS
91	Physical activity, sedentary behaviour and fetal macrosomia in uncomplicated pregnancies: A prospective cohort study. Midwifery, 2014, 30, 1202-1209.	1.0	16
92	The association between balance and free-living physical activity in an older community-dwelling adult population: a systematic review and meta-analysis. BMC Public Health, 2018, 18, 431.	1.2	16
93	Prevalence and correlates of multiple suicide attempts among adolescents aged 12–15 years from 61 countries in Africa, Asia, and the Americas. Journal of Psychiatric Research, 2021, 144, 45-53.	1.5	16
94	Objectively quantified physical activity and sedentary behaviour in a young UAE population. BMJ Open Sport and Exercise Medicine, 2021, 7, e000957.	1.4	16
95	The effect of community-based interventions for cardiovascular disease secondary prevention on behavioural risk factors. Preventive Medicine, 2018, 114, 24-38.	1.6	15
96	Associations of sedentary behavior bouts with communityâ€dwelling older adults' physical function. Scandinavian Journal of Medicine and Science in Sports, 2021, 31, 153-162.	1.3	15
97	Cardiac rehabilitation uptake following myocardial infarction: cross-sectional study in primary care. British Journal of General Practice, 2010, 60, 431-435.	0.7	14
98	Steps to a better Belfast: physical activity assessment and promotion in primary care. British Journal of Sports Medicine, 2014, 48, 1558-1563.	3.1	14
99	Physical activity and exercise interventions for disease-related physical and mental health during and following treatment in people with non-advanced colorectal cancer. The Cochrane Library, 0, , .	1.5	14
100	A feasibility study of â€The StepSmart Challenge' to promote physical activity in adolescents. Pilot and Feasibility Studies, 2019, 5, 132.	0.5	14
101	The Association Between Physical Activity and Cataracts Among 17,777 People Aged 15–69 Years Residing in Spain. Ophthalmic Epidemiology, 2020, 27, 272-277.	0.8	14
102	Designing Age-Friendly Communities: Exploring Qualitative Perspectives on Urban Green Spaces and Ageing in Two Indian Megacities. International Journal of Environmental Research and Public Health, 2021, 18, 1491.	1.2	14
103	Investigating the physical activity, health, wellbeing, social and environmental effects of a new urban greenway: a natural experiment (the PARC study). International Journal of Behavioral Nutrition and Physical Activity, 2021, 18, 142.	2.0	14
104	Physiotherapy for sleep disturbance in chronic low back pain: a feasibility randomised controlled trial. BMC Musculoskeletal Disorders, 2010, 11, 70.	0.8	13
105	Effectiveness and cost-effectiveness of a physical activity loyalty scheme for behaviour change maintenance: a cluster randomised controlled trial. BMC Public Health, 2016, 16, 618.	1.2	13
106	Social return on investment analysis of an urban greenway. Cities and Health, 2022, 6, 693-710.	1.6	13
107	Hand-Washing Practices among Adolescents Aged 12–15 Years from 80 Countries. International Journal of Environmental Research and Public Health, 2021, 18, 138.	1.2	13
108	Pok $\tilde{A}$ @mon GO or Pok $\tilde{A}$ @mon Gone: How can cities respond to trends in technology linking people and space?. Cities and Health, 2017, 1, 89-94.	1.6	12

#	Article	IF	Citations
109	Bullying victimization and obesogenic behaviour among adolescents aged 12 to 15 years from 54 low― and middleâ€income countries. Pediatric Obesity, 2021, 16, e12700.	1.4	12
110	Food insecurity (hunger) and fast-food consumption among 180 164 adolescents aged 12–15 years from sixty-eight countries. British Journal of Nutrition, 2022, 127, 470-477.	1.2	12
111	An orientation free adaptive step detection algorithm using a smart phone in physical activity monitoring. Health and Technology, 2012, 2, 249-258.	2.1	11
112	Exploring lay views on physical activity and their implications for public health policy. A case study from East Belfast. Social Science and Medicine, 2014, 114, 73-80.	1.8	11
113	From one pandemic to another: emerging lessons from COVID-19 for tackling physical inactivity in cities. Cities and Health, 2021, 5, S181-S184.	1.6	11
114	The association between light intensity physical activity with gait speed in older adults (≥ 50Âyears). A longitudinal analysis using the English Longitudinal Study of Ageing (ELSA). Aging Clinical and Experimental Research, 2020, 32, 2279-2285.	1.4	11
115	Transitioning into the workforce during the COVID-19 pandemic: Understanding the experiences of student diagnostic radiographers. Radiography, 2022, 28, 142-147.	1.1	11
116	Shared decision-making (SHARE-D) for healthy behaviour change: a feasibility study in general practice. BJGP Open, 2018, 2, bjgpopen18X101517.	0.9	11
117	Activity monitoring using an intelligent mobile phone. , 2010, , .		10
118	Promoting physical activity among community groups of older women in socio-economically disadvantaged areas: randomised feasibility study. Trials, 2019, 20, 234.	0.7	10
119	The effects of interventions with physical activity components on adolescent mental health: Systematic review and meta-analysis. Mental Health and Physical Activity, 2020, 19, 100359.	0.9	10
120	Validity of the Sedentary Behavior Questionnaire in European Older Adults Using English, Spanish, German and Danish Versions. Measurement in Physical Education and Exercise Science, 2022, 26, 1-14.	1.3	10
121	Physical multimorbidity and depression: A mediation analysis of influential factors among 34,129 adults aged ≥50 years from low―and middleâ€income countries. Depression and Anxiety, 2022, 39, 376	-386.	10
122	Applying the Transtheoretical Model to Physical Activity Behavior in Individuals With Non-Cystic Fibrosis Bronchiectasis. Respiratory Care, 2016, 61, 68-77.	0.8	9
123	Cost-effectiveness of exercise referral schemes enhanced by self-management strategies to battle sedentary behaviour in older adults: protocol for an economic evaluation alongside the SITLESS three-armed pragmatic randomised controlled trial. BMJ Open, 2018, 8, e022266.	0.8	9
124	COVID-19 Confinement and Sexual Activity in Spain: A Cross-Sectional Study. International Journal of Environmental Research and Public Health, 2021, 18, 2559.	1.2	9
125	Sleep problems and mild cognitive impairment among adults aged ≥50Âyears from low- and middle-income countries. Experimental Gerontology, 2021, 154, 111513.	1.2	9
126	Association between physical multimorbidity and sleep problems in 46 low- and middle-income countries. Maturitas, 2022, 160, 23-31.	1.0	9

#	Article	IF	CITATIONS
127	Statin prescription initiation and lifestyle behaviour: a primary care cohort study. BMC Family Practice, 2016, 17, 77.	2.9	8
128	Study protocol: healthy urban living and ageing in place (HULAP): an international, mixed methods study examining the associations between physical activity, built and social environments for older adults the UK and Brazil. BMC Public Health, 2018, 18, 1135.	1.2	8
129	Exercise referral schemes enhanced by self-management strategies to reduce sedentary behaviour and increase physical activity among community-dwelling older adults from four European countries: protocol for the process evaluation of the SITLESS randomised controlled trial. BMJ Open, 2019, 9, e027073.	0.8	8
130	Objectively measured far vision impairment and sarcopenia among adults aged ≥ 65Âyears from six land middle-income countries. Aging Clinical and Experimental Research, 2021, 33, 2995-3003.	ow- 1.4	8
131	Changes in dietary fat intake and associations with mental health in a UK public sample during the COVID-19 pandemic. Journal of Public Health, 2021, , .	1.0	8
132	Association of objective visual impairment with suicidal ideation and suicide attempts among adults aged ≥50 years in low/middle-income countries. British Journal of Ophthalmology, 2022, 106, 1610-1616.	2.1	8
133	Is Physical Activity Associated With Loneliness or Social Isolation in Older Adults? Results of a Longitudinal Analysis Using the Irish Longitudinal Study on Ageing. Journal of Aging and Physical Activity, 2021, 29, 562-572.	0.5	8
134	Prevalence of erectile dysfunction in male survivors of cancer: a systematic review and meta-analysis of cross-sectional studies. British Journal of General Practice, 2021, 71, e372-e380.	0.7	8
135	The Mediating Role of Self-Regulation and Self-Efficacy on Physical Activity Change in Community-Dwelling Older Adults (≥65 Years): An Experimental Cross-Lagged Analysis Using Data From SITLESS. Journal of Aging and Physical Activity, 2021, 29, 931-940.	0.5	8
136	Effects of resistance training on self-reported disability in older adults with functional limitations or disability – a systematic review and meta-analysis. European Review of Aging and Physical Activity, 2019, 16, 24.	1.3	7
137	Engaging Teachers and School Leaders in Participatory Data Analysis for the Development of a School-Based Mental Health Intervention. School Mental Health, 2021, 13, 312-324.	1.1	7
138	Physical activity, sedentary behaviour and cannabis use in 15,822 US adults: cross-sectional analyses from NHANES. Public Health, 2021, 193, 76-82.	1.4	7
139	Consequences of Choosing Different Settings When Processing Hip-Based Accelerometry Data From Older Adults: A Practical Approach Using Baseline Data From the SITLESS Study. Journal for the Measurement of Physical Behaviour, 2020, 3, 89-99.	0.5	7
140	Correlates of Physical Activity among Adults with Sight Loss in High-Income-Countries: A Systematic Review. International Journal of Environmental Research and Public Health, 2021, 18, 11763.	1.2	7
141	Systematic review of physical activity interventions assessing physical and mental health outcomes on patients with severe mental illness (SMI) within secure forensic settings. Journal of Psychiatric and Mental Health Nursing, 2022, 29, 630-646.	1.2	7
142	Walk with Me: a protocol for a pilot RCT of a peer-led walking programme to increase physical activity in inactive older adults. Pilot and Feasibility Studies, 2018, 4, 117.	0.5	6
143	Implementing community-based health promotion in socio-economically disadvantaged areas: a qualitative study. Journal of Public Health, 2020, 42, 839-847.	1.0	6
144	Increase in Regular Leisure-Time Physical Activity in Spanish Adults Between 1987 and 2017. American Journal of Preventive Medicine, 2021, 61, e73-e79.	1.6	6

#	Article	IF	CITATIONS
145	A loyalty scheme to encourage physical activity in office workers: a cluster RCT. Public Health Research, 2019, 7, 1-114.	0.5	6
146	Is There an Association Between Self-Reported Physical Activity and Self-Rated Vision Over Time? Results From the Irish Longitudinal Study of Ageing. Journal of Aging and Physical Activity, 2020, 28, 774-781.	0.5	6
147	Sleep duration and sarcopenia in adults aged ≥ 65Âyears from low and middle-income countries. Agir Clinical and Experimental Research, 2022, 34, 1573-1581.	ng 1.4	6
148	Fishing Participation, Motivators and Barriers among UK Anglers with Disabilities: Opportunities and Implications for Green Social Prescribing. International Journal of Environmental Research and Public Health, 2022, 19, 4730.	1.2	6
149	Group-Based Physical Activity Interventions Targeting Enjoyment in Older Adults: A Systematic Review. Journal of Ageing and Longevity, 2022, 2, 113-129.	0.1	6
150	Time to â€~re-think' physical activity promotion for young people? Results from a repeated cross-sectional study. BMC Public Health, 2017, 17, 208.	1.2	5
151	Sedentary behaviours and cognitive function among community dwelling adults aged 50+Âyears: Results from the Irish longitudinal study of ageing. Mental Health and Physical Activity, 2020, 19, 100344.	0.9	5
152	Anxiety symptoms and mild cognitive impairment among community-dwelling older adults from low-and middle-income countries. Journal of Affective Disorders, 2021, 291, 57-64.	2.0	5
153	Exploration of sedentary behaviour among GPs: a cross-sectional study. BJGP Open, 2022, 6, BJGPO.2021.0196.	0.9	5
154	Physical activity buddies: a network analysis of social aspects of physical activity in adults. Lancet, The, 2012, 380, S51.	6.3	4
155	Built environment interventions for increasing physical activity in adults and children. The Cochrane Library, 0, , .	1.5	4
156	Benzene tricarboxamide derivatives with lipid and ethylene glycol chains self-assemble into distinct nanostructures driven by molecular packing. Chemical Communications, 2021, 57, 8360-8363.	2.2	4
157	Active Travel and Mild Cognitive Impairment among Older Adults from Low- and Middle-Income Countries. Journal of Clinical Medicine, 2021, 10, 1243.	1.0	4
158	Ejaculation Disorders in Male Patients with Cancer: A Systematic Review and Meta-Analysis of Prevalence. Journal of Urology, 2021, 206, 1361-1372.	0.2	4
159	Public Understanding of Coercive Control in Northern Ireland. Journal of Family Violence, 2023, 38, 39-50.	2.1	4
160	Assessing the Impact of a New Urban Greenway Using Mobile, Wearable Technology-Elicited Walk- and Bike-Along Interviews. Sustainability, 2022, 14, 1873.	1.6	4
161	The Association of Physical Activity Fragmentation with Physical Function in Older Adults: Analysis from the SITLESS Study. Journal of Ageing and Longevity, 2022, 2, 63-73.	0.1	4
162	Do skeletal muscle composition and gene expression as well as acute exercise-induced serum adaptations in older adults depend on fitness status?. BMC Geriatrics, 2021, 21, 697.	1.1	4

#	Article	IF	CITATIONS
163	Will the new field hockey rules lead to more injuries?. British Journal of Sports Medicine, 2003, 37, 373-373.	3.1	3
164	Evaluating a community-based walking intervention for hypertensive older people in Taiwan: a randomized controlled trial. Preventive Medicine, 2007, 44, 466.	1.6	3
165	Factors that influence participation in physical activity for anxiety or depression: a synthesis of qualitative evidence. The Cochrane Library, 2020, , .	1.5	3
166	Physical activity and visual difficulties in 36 low- and middle-income countries. Eye, 2022, 36, 585-593.	1.1	3
167	Changes in physical activity predict changes in a comprehensive model of balance in older community-dwelling adults. A longitudinal analysis of the TILDA study. Journal of Frailty, Sarcopenia and Falls, 2019, 4, 102-110.	0.4	3
168	Body Mass Index and Mild Cognitive Impairment Among Middle-Aged and Older Adults from Low- and Middle-Income Countries. Journal of Alzheimer's Disease, 2022, 85, 1095-1105.	1.2	3
169	Physical multimorbidity predicts the onset and persistence of anxiety: A prospective analysis of the Irish Longitudinal Study on Ageing. Journal of Affective Disorders, 2022, 309, 71-76.	2.0	3
170	Physical Activity Promotion in Primary Care: Bridging the Gap Between Research and Practice. American Journal of Preventive Medicine, 2005, 29, 242.	1.6	2
171	Could occupational physical activity mitigate the link between moderate kidney dysfunction and coronary heart disease?. International Journal of Cardiology, 2014, 177, 1036-1041.	0.8	2
172	Correlates of sport participation in adults with long-standing illness or disability. BMJ Open Sport and Exercise Medicine, 2015, 1, e000003.	1.4	2
173	Systematic review of the use of behaviour change techniques (BCTs) in home-based cardiac rehabilitation programmes for patients with cardiovascular disease—protocol. Systematic Reviews, 2015, 4, 164.	2.5	2
174	Same old song and dance: an exploratory study of portrayal of physical activity in television programmes aimed at young adolescents. BMC Research Notes, 2018, 11, 458.	0.6	2
175	Brief Standing Desk Intervention to Reduce Sedentary Behavior at a Physical Activity Conference in 2016. American Journal of Public Health, 2018, 108, 1197-1199.	1.5	2
176	MobiQ: A modular Android application for collecting social interaction, repeated survey, GPS and photographic data. SoftwareX, 2018, 7, 143-149.	1.2	2
177	Anxiety symptoms among informal caregivers in 47 low- and middle-income countries: A cross-sectional analysis of community-based surveys. Journal of Affective Disorders, 2022, 298, 532-539.	2.0	2
178	The Association of Objective and Subjective Vision Impairment With Self-Reported Time Spent in Sedentary Behaviors in Low- and Middle-Income Countries. Journal of Physical Activity and Health, 2022, 19, 47-55.	1.0	2
179	LETTER TO THE EDITOR. Medical Teacher, 2008, 30, 437-439.	1.0	1
180	Physical activity monitors: clinical and research applications. Physical Therapy Reviews, 2010, 15, 133-134.	0.3	1

#	Article	IF	CITATIONS
181	Factors that influence participation in physical activity for people with bipolar disorder: a synthesis of qualitative evidence. The Cochrane Library, 0, , .	1.5	1
182	Associations between obesity and ocular health in Spanish adults. Lifestyle Medicine, 2020, 1, e5.	0.3	1
183	Older Adults' Experiences of a Physical Activity and Sedentary Behaviour Intervention: A Nested Qualitative Study in the SITLESS Multi-Country Randomised Clinical Trial. International Journal of Environmental Research and Public Health, 2021, 18, 4730.	1.2	1
184	Association between Diabetes and Dental Caries in Spanish Adults: A Cross-Sectional Study Including 23,089 Adults. Oral, 2021, 1, 281-289.	0.6	1
185	A study protocol for a randomised controlled feasibility trial of an intervention to increase activity and reduce sedentary behaviour in people with severe mental illness: Walking fOR Health (WORtH) Study. Pilot and Feasibility Studies, 2021, 7, 205.	0.5	1
186	Association between back and neck pain and workplace absenteeism in the USA: the role played by walking, standing, and sitting difficulties. European Spine Journal, 2022, 31, 926.	1.0	1
187	OUP accepted manuscript. European Journal of Public Health, 2022, , .	0.1	1
188	GPs' perspectives regarding their sedentary behaviour and physical activity: a qualitative interview study. BJGP Open, 2022, 6, BJGPO.2022.0008.	0.9	1
189	Changes in Health-Related Behaviours and Mental Health in a UK Public Sample during the First Set of COVID-19 Public Health Restrictions. International Journal of Environmental Research and Public Health, 2022, 19, 3959.	1.2	1
190	Development and modelling of a school-based mental health intervention: the co-production of the R.E.A.C.T. programme. Current Psychology, $0$ , , .	1.7	1
191	Inpatient care utilisation and expenditure associated with objective physical activity: econometric analysis of the UK Biobank. European Journal of Health Economics, 0, , .	1.4	1
192	Reading or listening to review summaries - which method will produce greater understanding of the key outcomes in a cochrane review?. Trials, $2015$ , $16$ , .	0.7	0
193	Life-saving first aid tips in the palm of your hands…courtesy of the Red Cross. British Journal of Sports Medicine, 2016, 50, 1554-1555.	3.1	0
194	Infographics: Winning road cycle races: a Team Sky perspective. British Journal of Sports Medicine, 2018, 52, 633-634.	3.1	0
195	Consequences Of Physical Inactivity In Older People: An Umbrella Review Of Meta-analyses. Medicine and Science in Sports and Exercise, 2019, 51, 1005-1005.	0.2	0
196	The Association Between Objectively Measured Vision Impairment and Self-Reported Physical Activity Among 34,129 Adults Aged $3\%$ 450 Years in Six Low- and Middle-Income Countries. Journal of Aging and Physical Activity, 2021, , 1-7.	0.5	0
197	Reducing sedentary behaviour and cognitive function in community-dwelling older people: Study protocol for a randomized feasibility study. Aging and Health Research, 2021, 1, 100005.	0.5	0
198	The Journal of Ageing and Longevity: Taking a Holistic View of the Human Healthspan. Journal of Ageing and Longevity, 2021, $1,1$ -2.	0.1	0

#	Article	IF	CITATIONS
199	The CADENCE pilot trial – Promoting physical activity in bladder cancer survivors: A protocol paper. Contemporary Clinical Trials Communications, 2021, 22, 100809.	0.5	O
200	Individual Characteristics Associated with Active Travel in Low and High Income Groups in the UK. International Journal of Environmental Research and Public Health, 2021, 18, 10360.	1.2	0
201	New Boundaries, New Uncertainties: COVID-19 as both Barrier and Gateway to Engagement with Online Mental Health Training and Support. , 0, , .		0
202	Alcohol use in self-isolation during the COVID-19 pandemic: A cross-sectional survey in Brazil. Trends in Psychiatry and Psychotherapy, 2021, , .	0.4	0
203	Reply by Authors. Journal of Urology, 2021, 206, 1372-1372.	0.2	0
204	Sleep problems and subjective cognitive complaints among middle-aged and older adults in 45 low- and middle-income countries. Aging Clinical and Experimental Research, 2022, , 1.	1.4	0
205	Community-based exercise enhanced by a self-management programme to promote independent living in older adults: a pragmatic randomised controlled trial. Age and Ageing, 2022, 51, .	0.7	0