

Mark A Tully

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2255677/publications.pdf>

Version: 2024-02-01

205
papers

9,933
citations

53751

45
h-index

45285

90
g-index

215
all docs

215
docs citations

215
times ranked

13923
citing authors

#	ARTICLE	IF	CITATIONS
1	Public Understanding of Coercive Control in Northern Ireland. <i>Journal of Family Violence</i> , 2023, 38, 39-50.	2.1	4
2	Social return on investment analysis of an urban greenway. <i>Cities and Health</i> , 2022, 6, 693-710.	1.6	13
3	Physical activity and visual difficulties in 36 low- and middle-income countries. <i>Eye</i> , 2022, 36, 585-593.	1.1	3
4	Food insecurity (hunger) and fast-food consumption among 180 164 adolescents aged 12â€“15 years from sixty-eight countries. <i>British Journal of Nutrition</i> , 2022, 127, 470-477.	1.2	12
5	Association of objective visual impairment with suicidal ideation and suicide attempts among adults aged â‰¥50 years in low/middle-income countries. <i>British Journal of Ophthalmology</i> , 2022, 106, 1610-1616.	2.1	8
6	Validity of the Sedentary Behavior Questionnaire in European Older Adults Using English, Spanish, German and Danish Versions. <i>Measurement in Physical Education and Exercise Science</i> , 2022, 26, 1-14.	1.3	10
7	Moderate to vigorous physical activity and sedentary behavior changes in self-isolating adults during the COVID-19 pandemic in Brazil: a cross-sectional survey exploring correlates. <i>Sport Sciences for Health</i> , 2022, 18, 155-163.	0.4	42
8	Transitioning into the workforce during the COVID-19 pandemic: Understanding the experiences of student diagnostic radiographers. <i>Radiography</i> , 2022, 28, 142-147.	1.1	11
9	Anxiety symptoms among informal caregivers in 47 low- and middle-income countries: A cross-sectional analysis of community-based surveys. <i>Journal of Affective Disorders</i> , 2022, 298, 532-539.	2.0	2
10	Sleep problems and subjective cognitive complaints among middle-aged and older adults in 45 low- and middle-income countries. <i>Aging Clinical and Experimental Research</i> , 2022, , 1.	1.4	0
11	Association between back and neck pain and workplace absenteeism in the USA: the role played by walking, standing, and sitting difficulties. <i>European Spine Journal</i> , 2022, 31, 926.	1.0	1
12	The Association of Objective and Subjective Vision Impairment With Self-Reported Time Spent in Sedentary Behaviors in Low- and Middle-Income Countries. <i>Journal of Physical Activity and Health</i> , 2022, 19, 47-55.	1.0	2
13	Body Mass Index and Mild Cognitive Impairment Among Middle-Aged and Older Adults from Low- and Middle-Income Countries. <i>Journal of Alzheimer's Disease</i> , 2022, 85, 1095-1105.	1.2	3
14	Sleep duration and sarcopenia in adults agedâ‰¥65 years from low and middle-income countries. <i>Aging Clinical and Experimental Research</i> , 2022, 34, 1573-1581.	1.4	6
15	Association between physical multimorbidity and sleep problems in 46 low- and middle-income countries. <i>Maturitas</i> , 2022, 160, 23-31.	1.0	9
16	Assessing the Impact of a New Urban Greenway Using Mobile, Wearable Technology-Elicited Walk- and Bike-Along Interviews. <i>Sustainability</i> , 2022, 14, 1873.	1.6	4
17	OUP accepted manuscript. <i>European Journal of Public Health</i> , 2022, , .	0.1	1
18	GPSâ€™ perspectives regarding their sedentary behaviour and physical activity: a qualitative interview study. <i>BJGP Open</i> , 2022, 6, BJGPO.2022.0008.	0.9	1

#	ARTICLE	IF	CITATIONS
19	Changes in Health-Related Behaviours and Mental Health in a UK Public Sample during the First Set of COVID-19 Public Health Restrictions. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 3959.	1.2	1
20	Physical multimorbidity and depression: A mediation analysis of influential factors among 34,129 adults aged 50+ years from low- and middle-income countries. <i>Depression and Anxiety</i> , 2022, 39, 376-386.	2.0	10
21	The Association of Physical Activity Fragmentation with Physical Function in Older Adults: Analysis from the SITLESS Study. <i>Journal of Ageing and Longevity</i> , 2022, 2, 63-73.	0.1	4
22	Exploration of sedentary behaviour among GPs: a cross-sectional study. <i>BJGP Open</i> , 2022, 6, BJGPO.2021.0196.	0.9	5
23	Fishing Participation, Motivators and Barriers among UK Anglers with Disabilities: Opportunities and Implications for Green Social Prescribing. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 4730.	1.2	6
24	Physical multimorbidity predicts the onset and persistence of anxiety: A prospective analysis of the Irish Longitudinal Study on Ageing. <i>Journal of Affective Disorders</i> , 2022, 309, 71-76.	2.0	3
25	Systematic review of physical activity interventions assessing physical and mental health outcomes on patients with severe mental illness (SMI) within secure forensic settings. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2022, 29, 630-646.	1.2	7
26	Group-Based Physical Activity Interventions Targeting Enjoyment in Older Adults: A Systematic Review. <i>Journal of Ageing and Longevity</i> , 2022, 2, 113-129.	0.1	6
27	Community-based exercise enhanced by a self-management programme to promote independent living in older adults: a pragmatic randomised controlled trial. <i>Age and Ageing</i> , 2022, 51, .	0.7	0
28	From one pandemic to another: emerging lessons from COVID-19 for tackling physical inactivity in cities. <i>Cities and Health</i> , 2021, 5, S181-S184.	1.6	11
29	Handgrip strength and health outcomes: Umbrella review of systematic reviews with meta-analyses of observational studies. <i>Journal of Sport and Health Science</i> , 2021, 10, 290-295.	3.3	85
30	Comparison of physical activity levels in Spanish adults with chronic conditions before and during COVID-19 quarantine. <i>European Journal of Public Health</i> , 2021, 31, 161-166.	0.1	62
31	Bullying victimization and obesogenic behaviour among adolescents aged 12 to 15+ years from 54 low- and middle-income countries. <i>Pediatric Obesity</i> , 2021, 16, e12700.	1.4	12
32	Potential health-related behaviors for pre-school and school-aged children during COVID-19 lockdown: A narrative review. <i>Preventive Medicine</i> , 2021, 143, 106349.	1.6	139
33	Associations of sedentary behavior bouts with community-dwelling older adults' physical function. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2021, 31, 153-162.	1.3	15
34	The Association Between Objectively Measured Vision Impairment and Self-Reported Physical Activity Among 34,129 Adults Aged 50 Years in Six Low- and Middle-Income Countries. <i>Journal of Aging and Physical Activity</i> , 2021, , 1-7.	0.5	0
35	Changes in physical activity and sedentary behaviours from before to during the COVID-19 pandemic lockdown: a systematic review. <i>BMJ Open Sport and Exercise Medicine</i> , 2021, 7, e000960.	1.4	746
36	Benzene tricarboxamide derivatives with lipid and ethylene glycol chains self-assemble into distinct nanostructures driven by molecular packing. <i>Chemical Communications</i> , 2021, 57, 8360-8363.	2.2	4

#	ARTICLE	IF	CITATIONS
37	The Effect of Chair-Based Exercise on Physical Function in Older Adults: A Systematic Review and Meta-Analysis. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 1902.	1.2	17
38	Designing Age-Friendly Communities: Exploring Qualitative Perspectives on Urban Green Spaces and Ageing in Two Indian Megacities. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 1491.	1.2	14
39	Alcohol use and mental health during COVID-19 lockdown: A cross-sectional study in a sample of UK adults. <i>Drug and Alcohol Dependence</i> , 2021, 219, 108488.	1.6	159
40	Engaging Teachers and School Leaders in Participatory Data Analysis for the Development of a School-Based Mental Health Intervention. <i>School Mental Health</i> , 2021, 13, 312-324.	1.1	7
41	Objectively measured far vision impairment and sarcopenia among adults aged 65 years from six low- and middle-income countries. <i>Ageing Clinical and Experimental Research</i> , 2021, 33, 2995-3003.	1.4	8
42	COVID-19 Confinement and Sexual Activity in Spain: A Cross-Sectional Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 2559.	1.2	9
43	Active Travel and Mild Cognitive Impairment among Older Adults from Low- and Middle-Income Countries. <i>Journal of Clinical Medicine</i> , 2021, 10, 1243.	1.0	4
44	Reducing sedentary behaviour and cognitive function in community-dwelling older people: Study protocol for a randomized feasibility study. <i>Ageing and Health Research</i> , 2021, 1, 100005.	0.5	0
45	Changes in dietary fat intake and associations with mental health in a UK public sample during the COVID-19 pandemic. <i>Journal of Public Health</i> , 2021, , .	1.0	8
46	Physical activity, sedentary behaviour and cannabis use in 15,822 US adults: cross-sectional analyses from NHANES. <i>Public Health</i> , 2021, 193, 76-82.	1.4	7
47	Older Adults' Experiences of a Physical Activity and Sedentary Behaviour Intervention: A Nested Qualitative Study in the SITLESS Multi-Country Randomised Clinical Trial. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 4730.	1.2	1
48	Changes in Sitting Time, Screen Exposure and Physical Activity during COVID-19 Lockdown in South American Adults: A Cross-Sectional Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 5239.	1.2	18
49	The Journal of Ageing and Longevity: Taking a Holistic View of the Human Healthspan. <i>Journal of Ageing and Longevity</i> , 2021, 1, 1-2.	0.1	0
50	The CADENCE pilot trial "Promoting physical activity in bladder cancer survivors: A protocol paper. <i>Contemporary Clinical Trials Communications</i> , 2021, 22, 100809.	0.5	0
51	Ejaculation Disorders in Male Patients with Cancer: A Systematic Review and Meta-Analysis of Prevalence. <i>Journal of Urology</i> , 2021, 206, 1361-1372.	0.2	4
52	Is Physical Activity Associated With Loneliness or Social Isolation in Older Adults? Results of a Longitudinal Analysis Using the Irish Longitudinal Study on Ageing. <i>Journal of Aging and Physical Activity</i> , 2021, 29, 562-572.	0.5	8
53	COVID-19 Staff Wellbeing Survey: longitudinal survey of psychological well-being among health and social care staff in Northern Ireland during the COVID-19 pandemic. <i>BJPsych Open</i> , 2021, 7, e159.	0.3	26
54	Anxiety symptoms and mild cognitive impairment among community-dwelling older adults from low- and middle-income countries. <i>Journal of Affective Disorders</i> , 2021, 291, 57-64.	2.0	5

#	ARTICLE	IF	CITATIONS
55	Associations between Physical Activity, Sitting Time, and Time Spent Outdoors with Mental Health during the First COVID-19 Lock Down in Austria. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 9168.	1.2	36
56	Increase in Regular Leisure-Time Physical Activity in Spanish Adults Between 1987 and 2017. <i>American Journal of Preventive Medicine</i> , 2021, 61, e73-e79.	1.6	6
57	Impact of the COVID-19 Pandemic on Loneliness and Social Isolation: A Multi-Country Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 9982.	1.2	97
58	Association between Diabetes and Dental Caries in Spanish Adults: A Cross-Sectional Study Including 23,089 Adults. <i>Oral</i> , 2021, 1, 281-289.	0.6	1
59	Sleep problems and mild cognitive impairment among adults aged 50 years from low- and middle-income countries. <i>Experimental Gerontology</i> , 2021, 154, 111513.	1.2	9
60	Individual Characteristics Associated with Active Travel in Low and High Income Groups in the UK. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 10360.	1.2	0
61	Prevalence and correlates of multiple suicide attempts among adolescents aged 12–15 years from 61 countries in Africa, Asia, and the Americas. <i>Journal of Psychiatric Research</i> , 2021, 144, 45-53.	1.5	16
62	Objectively quantified physical activity and sedentary behaviour in a young UAE population. <i>BMJ Open Sport and Exercise Medicine</i> , 2021, 7, e000957.	1.4	16
63	Hand-Washing Practices among Adolescents Aged 12–15 Years from 80 Countries. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 138.	1.2	13
64	Alcohol use in self-isolation during the COVID-19 pandemic: A cross-sectional survey in Brazil. <i>Trends in Psychiatry and Psychotherapy</i> , 2021, , .	0.4	0
65	Investigating the physical activity, health, wellbeing, social and environmental effects of a new urban greenway: a natural experiment (the PARC study). <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2021, 18, 142.	2.0	14
66	Prevalence of erectile dysfunction in male survivors of cancer: a systematic review and meta-analysis of cross-sectional studies. <i>British Journal of General Practice</i> , 2021, 71, e372-e380.	0.7	8
67	The Mediating Role of Self-Regulation and Self-Efficacy on Physical Activity Change in Community-Dwelling Older Adults (≥65 Years): An Experimental Cross-Lagged Analysis Using Data From SITESS. <i>Journal of Aging and Physical Activity</i> , 2021, 29, 931-940.	0.5	8
68	What are the recommendations for returning athletes who have experienced long term COVID-19 symptoms?. <i>Annals of Medicine</i> , 2021, 53, 1935-1944.	1.5	20
69	Reply by Authors. <i>Journal of Urology</i> , 2021, 206, 1372-1372.	0.2	0
70	Correlates of Physical Activity among Adults with Sight Loss in High-Income-Countries: A Systematic Review. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 11763.	1.2	7
71	A study protocol for a randomised controlled feasibility trial of an intervention to increase activity and reduce sedentary behaviour in people with severe mental illness: Walking for Health (WORTH) Study. <i>Pilot and Feasibility Studies</i> , 2021, 7, 205.	0.5	1
72	The effect of different COVID-19 public health restrictions on mobility: A systematic review. <i>PLoS ONE</i> , 2021, 16, e0260919.	1.1	21

#	ARTICLE	IF	CITATIONS
73	Do skeletal muscle composition and gene expression as well as acute exercise-induced serum adaptations in older adults depend on fitness status?. <i>BMC Geriatrics</i> , 2021, 21, 697.	1.1	4
74	A unified approach to loneliness. <i>Lancet, The</i> , 2020, 395, 114.	6.3	75
75	Implementing community-based health promotion in socio-economically disadvantaged areas: a qualitative study. <i>Journal of Public Health</i> , 2020, 42, 839-847.	1.0	6
76	Health-Related Behaviors Among School-Aged Children and Adolescents During the Spanish Covid-19 Confinement. <i>Frontiers in Pediatrics</i> , 2020, 8, 573.	0.9	192
77	The effects of interventions with physical activity components on adolescent mental health: Systematic review and meta-analysis. <i>Mental Health and Physical Activity</i> , 2020, 19, 100359.	0.9	10
78	Prevalence and correlates of physical activity in a sample of UK adults observing social distancing during the COVID-19 pandemic. <i>BMJ Open Sport and Exercise Medicine</i> , 2020, 6, e000850.	1.4	78
79	Sedentary behaviours and cognitive function among community dwelling adults aged 50+ years: Results from the Irish longitudinal study of ageing. <i>Mental Health and Physical Activity</i> , 2020, 19, 100344.	0.9	5
80	Joint prevalence of physical activity and sitting time during COVID-19 among US adults in April 2020. <i>Preventive Medicine Reports</i> , 2020, 20, 101256.	0.8	43
81	The relationship between physical activity and mental health in a sample of the UK public: A cross-sectional study during the implementation of COVID-19 social distancing measures. <i>Mental Health and Physical Activity</i> , 2020, 19, 100345.	0.9	162
82	The association between screen time and mental health during COVID-19: A cross sectional study. <i>Psychiatry Research</i> , 2020, 292, 113333.	1.7	75
83	Associations of moderate to vigorous physical activity and sedentary behavior with depressive and anxiety symptoms in self-isolating people during the COVID-19 pandemic: A cross-sectional survey in Brazil. <i>Psychiatry Research</i> , 2020, 292, 113339.	1.7	176
84	Changes in Physical Activity and Sedentary Behavior in Response to COVID-19 and Their Associations with Mental Health in 3052 US Adults. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 6469.	1.2	441
85	Consensus statement: loneliness in older adults, the 21st century social determinant of health?. <i>BMJ Open</i> , 2020, 10, e034967.	0.8	71
86	Associations between obesity and ocular health in Spanish adults. <i>Lifestyle Medicine</i> , 2020, 1, e5.	0.3	1
87	Physical activity interventions for disease-related physical and mental health during and following treatment in people with non-advanced colorectal cancer. <i>The Cochrane Library</i> , 2020, 2020, CD012864.	1.5	31
88	Challenges in the Practice of Sexual Medicine in the Time of COVID-19 in the United Kingdom. <i>Journal of Sexual Medicine</i> , 2020, 17, 1229-1236.	0.3	154
89	Correlates of symptoms of anxiety and depression and mental wellbeing associated with COVID-19: a cross-sectional study of UK-based respondents. <i>Psychiatry Research</i> , 2020, 291, 113138.	1.7	290
90	COVID-19 Confinement and Health Risk Behaviors in Spain. <i>Frontiers in Psychology</i> , 2020, 11, 1426.	1.1	185

#	ARTICLE	IF	CITATIONS
91	The Association Between Sedentary Behavior and Sarcopenia Among Adults Aged ≥65 Years in Low- and Middle-Income Countries. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 1708.	1.2	47
92	Factors that influence participation in physical activity for anxiety or depression: a synthesis of qualitative evidence. <i>The Cochrane Library</i> , 2020, .	1.5	3
93	Sedentary behavior, physical activity, and mental health in older adults: An isotemporal substitution model. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2020, 30, 1957-1965.	1.3	17
94	The Association Between Physical Activity and Cataracts Among 17,777 People Aged 15–69 Years Residing in Spain. <i>Ophthalmic Epidemiology</i> , 2020, 27, 272-277.	0.8	14
95	Accelerometer-Measured Sedentary and Physical Activity Time and Their Correlates in European Older Adults: The SITLESS Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020, 75, 1754-1762.	1.7	42
96	The association between light intensity physical activity with gait speed in older adults (≥50 years). A longitudinal analysis using the English Longitudinal Study of Ageing (ELSA). <i>Aging Clinical and Experimental Research</i> , 2020, 32, 2279-2285.	1.4	11
97	Use of Corticosteroids in Coronavirus Disease 2019 Pneumonia: A Systematic Review of the Literature. <i>Frontiers in Medicine</i> , 2020, 7, 170.	1.2	141
98	The effectiveness and complexity of interventions targeting sedentary behaviour across the lifespan: a systematic review and meta-analysis. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020, 17, 53.	2.0	35
99	Consequences of physical inactivity in older adults: A systematic review of reviews and meta-analyses. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2020, 30, 816-827.	1.3	455
100	Is Sedentary Behavior or Physical Activity Associated With Loneliness in Older Adults? Results of the European-Wide SITLESS Study. <i>Journal of Aging and Physical Activity</i> , 2020, 28, 549-555.	0.5	17
101	Consequences of Choosing Different Settings When Processing Hip-Based Accelerometry Data From Older Adults: A Practical Approach Using Baseline Data From the SITLESS Study. <i>Journal for the Measurement of Physical Behaviour</i> , 2020, 3, 89-99.	0.5	7
102	Is There an Association Between Self-Reported Physical Activity and Self-Rated Vision Over Time? Results From the Irish Longitudinal Study of Ageing. <i>Journal of Aging and Physical Activity</i> , 2020, 28, 774-781.	0.5	6
103	Exercise referral schemes enhanced by self-management strategies to reduce sedentary behaviour and increase physical activity among community-dwelling older adults from four European countries: protocol for the process evaluation of the SITLESS randomised controlled trial. <i>BMJ Open</i> , 2019, 9, e027073.	0.8	8
104	Promoting physical activity among community groups of older women in socio-economically disadvantaged areas: randomised feasibility study. <i>Trials</i> , 2019, 20, 234.	0.7	10
105	Interventions promoting active transport to school in children: A systematic review and meta-analysis. <i>Preventive Medicine</i> , 2019, 123, 232-241.	1.6	45
106	Direct healthcare costs of sedentary behaviour in the UK. <i>Journal of Epidemiology and Community Health</i> , 2019, 73, 625-629.	2.0	56
107	Copenhagen Consensus statement 2019: physical activity and ageing. <i>British Journal of Sports Medicine</i> , 2019, 53, 856-858.	3.1	145
108	Effects of resistance training on self-reported disability in older adults with functional limitations or disability – a systematic review and meta-analysis. <i>European Review of Aging and Physical Activity</i> , 2019, 16, 24.	1.3	7

#	ARTICLE	IF	CITATIONS
109	A feasibility study of "The StepSmart Challenge"™ to promote physical activity in adolescents. Pilot and Feasibility Studies, 2019, 5, 132.	0.5	14
110	Consequences Of Physical Inactivity In Older People: An Umbrella Review Of Meta-analyses. Medicine and Science in Sports and Exercise, 2019, 51, 1005-1005.	0.2	0
111	Association of objective sedentary behaviour and self-rated health in English older adults. BMC Research Notes, 2019, 12, 12.	0.6	24
112	Changes in physical activity predict changes in a comprehensive model of balance in older community-dwelling adults. A longitudinal analysis of the TILDA study. Journal of Frailty, Sarcopenia and Falls, 2019, 4, 102-110.	0.4	3
113	Peer-led walking programme to increase physical activity in inactive 60- to 70-year-olds: Walk with Me pilot RCT. Public Health Research, 2019, 7, 1-124.	0.5	55
114	A loyalty scheme to encourage physical activity in office workers: a cluster RCT. Public Health Research, 2019, 7, 1-114.	0.5	6
115	Behavioural incentive interventions for health behaviour change in young people (5-18 years old): A systematic review and meta-analysis. Preventive Medicine, 2018, 110, 55-66.	1.6	30
116	The association between balance and free-living physical activity in an older community-dwelling adult population: a systematic review and meta-analysis. BMC Public Health, 2018, 18, 431.	1.2	16
117	Infographics: Winning road cycle races: a Team Sky perspective. British Journal of Sports Medicine, 2018, 52, 633-634.	3.1	0
118	Coproduction for feasibility and pilot randomised controlled trials: learning outcomes for community partners, service users and the research team. Research Involvement and Engagement, 2018, 4, 32.	1.1	34
119	Cost-effectiveness of exercise referral schemes enhanced by self-management strategies to battle sedentary behaviour in older adults: protocol for an economic evaluation alongside the SITLESS three-armed pragmatic randomised controlled trial. BMJ Open, 2018, 8, e022266.	0.8	9
120	Study protocol: healthy urban living and ageing in place (HULAP): an international, mixed methods study examining the associations between physical activity, built and social environments for older adults the UK and Brazil. BMC Public Health, 2018, 18, 1135.	1.2	8
121	Same old song and dance: an exploratory study of portrayal of physical activity in television programmes aimed at young adolescents. BMC Research Notes, 2018, 11, 458.	0.6	2
122	Walk with Me: a protocol for a pilot RCT of a peer-led walking programme to increase physical activity in inactive older adults. Pilot and Feasibility Studies, 2018, 4, 117.	0.5	6
123	Brief Standing Desk Intervention to Reduce Sedentary Behavior at a Physical Activity Conference in 2016. American Journal of Public Health, 2018, 108, 1197-1199.	1.5	2
124	The effect of community-based interventions for cardiovascular disease secondary prevention on behavioural risk factors. Preventive Medicine, 2018, 114, 24-38.	1.6	15
125	MobiQ: A modular Android application for collecting social interaction, repeated survey, GPS and photographic data. SoftwareX, 2018, 7, 143-149.	1.2	2
126	Exploring the use of a gamified intervention for encouraging physical activity in adolescents: a qualitative longitudinal study in Northern Ireland. BMJ Open, 2018, 8, e019663.	0.8	37

#	ARTICLE	IF	CITATIONS
127	Shared decision-making (SHARE-D) for healthy behaviour change: a feasibility study in general practice. <i>BJGP Open</i> , 2018, 2, bjgpopen18X101517.	0.9	11
128	Comparing accelerometer, pedometer and a questionnaire for measuring physical activity in bronchiectasis: a validity and feasibility study. <i>Respiratory Research</i> , 2017, 18, 16.	1.4	48
129	A comparison of road- and footpath-based walkability indices and their associations with active travel. <i>Journal of Transport and Health</i> , 2017, 6, 119-127.	1.1	17
130	Secondary prevention lifestyle interventions initiated within 90 days after TIA or "minor" stroke: a systematic review and meta-analysis of rehabilitation programmes. <i>British Journal of General Practice</i> , 2017, 67, e57-e66.	0.7	26
131	Biomarkers associated with sedentary behaviour in older adults: A systematic review. <i>Ageing Research Reviews</i> , 2017, 35, 87-111.	5.0	76
132	Pokémon GO or Pokémon Gone: How can cities respond to trends in technology linking people and space?. <i>Cities and Health</i> , 2017, 1, 89-94.	1.6	12
133	Time to "re-think" physical activity promotion for young people? Results from a repeated cross-sectional study. <i>BMC Public Health</i> , 2017, 17, 208.	1.2	5
134	The SITLESS project: exercise referral schemes enhanced by self-management strategies to battle sedentary behaviour in older adults: study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 221.	0.7	28
135	Stroke Prevention Rehabilitation Intervention Trial of Exercise (SPRITE) - a randomised feasibility study. <i>BMC Cardiovascular Disorders</i> , 2017, 17, 290.	0.7	23
136	The effectiveness of interventions aimed at increasing physical activity in adults with persistent musculoskeletal pain: a systematic review and meta-analysis. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 482.	0.8	49
137	Network methods to support user involvement in qualitative data analyses: an introduction to Participatory Theme Elicitation. <i>Trials</i> , 2017, 18, 559.	0.7	18
138	Statin prescription initiation and lifestyle behaviour: a primary care cohort study. <i>BMC Family Practice</i> , 2016, 17, 77.	2.9	8
139	Life-saving first aid tips in the palm of your hands – courtesy of the Red Cross. <i>British Journal of Sports Medicine</i> , 2016, 50, 1554-1555.	3.1	0
140	Behaviour change techniques in home-based cardiac rehabilitation: a systematic review. <i>British Journal of General Practice</i> , 2016, 66, e747-e757.	0.7	52
141	Effectiveness and cost-effectiveness of a physical activity loyalty scheme for behaviour change maintenance: a cluster randomised controlled trial. <i>BMC Public Health</i> , 2016, 16, 618.	1.2	13
142	Applying the Transtheoretical Model to Physical Activity Behavior in Individuals With Non-Cystic Fibrosis Bronchiectasis. <i>Respiratory Care</i> , 2016, 61, 68-77.	0.8	9
143	Connectivity and physical activity: using footpath networks to measure the walkability of built environments. <i>Environment and Planning B: Planning and Design</i> , 2016, 43, 130-151.	1.7	88
144	Correlates of sport participation in adults with long-standing illness or disability. <i>BMJ Open Sport and Exercise Medicine</i> , 2015, 1, e000003.	1.4	2

#	ARTICLE	IF	CITATIONS
145	Reading or listening to review summaries - which method will produce greater understanding of the key outcomes in a cochrane review?. <i>Trials</i> , 2015, 16, .	0.7	0
146	“They should stay at their desk until the work’s done”: a qualitative study examining perceptions of sedentary behaviour in a desk-based occupational setting. <i>BMC Research Notes</i> , 2015, 8, 683.	0.6	54
147	Individual factors and perceived community characteristics in relation to mental health and mental well-being. <i>BMC Public Health</i> , 2015, 15, 1237.	1.2	26
148	Systematic review of the use of behaviour change techniques (BCTs) in home-based cardiac rehabilitation programmes for patients with cardiovascular disease” protocol. <i>Systematic Reviews</i> , 2015, 4, 164.	2.5	2
149	“Hidden” Social Networks in Behavior Change Interventions. <i>American Journal of Public Health</i> , 2015, 105, 513-516.	1.5	50
150	Walking Exercise for Chronic Musculoskeletal Pain: Systematic Review and Meta-Analysis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2015, 96, 724-734.e3.	0.5	164
151	Addressing inequalities in physical activity participation: Implications for public health policy and practice. <i>Preventive Medicine</i> , 2015, 72, 64-69.	1.6	27
152	A review of behaviour change theories and techniques used in group based self-management programmes for chronic low back pain and arthritis. <i>Manual Therapy</i> , 2015, 20, 727-735.	1.6	67
153	Supervised walking in comparison with fitness training for chronic back pain in physiotherapy. <i>Pain</i> , 2015, 156, 131-147.	2.0	64
154	Failure of a numerical quality assessment scale to identify potential risk of bias in a systematic review: a comparison study. <i>BMC Research Notes</i> , 2015, 8, 224.	0.6	170
155	Sedentary behaviour and physical activity in bronchiectasis: a cross-sectional study. <i>BMC Pulmonary Medicine</i> , 2015, 15, 61.	0.8	42
156	Demand response to improved walking infrastructure: A study into the economics of walking and health behaviour change. <i>Social Science and Medicine</i> , 2015, 143, 107-116.	1.8	20
157	Individual Characteristics Associated with Mismatches between Self-Reported and Accelerometer-Measured Physical Activity. <i>PLoS ONE</i> , 2014, 9, e99636.	1.1	34
158	Validity of the Global Physical Activity Questionnaire (GPAQ) in assessing levels and change in moderate-vigorous physical activity and sedentary behaviour. <i>BMC Public Health</i> , 2014, 14, 1255.	1.2	362
159	Urban greenways have the potential to increase physical activity levels cost-effectively. <i>European Journal of Public Health</i> , 2014, 24, 190-195.	0.1	56
160	Could occupational physical activity mitigate the link between moderate kidney dysfunction and coronary heart disease?. <i>International Journal of Cardiology</i> , 2014, 177, 1036-1041.	0.8	2
161	The validation of Fitbit Zip’s physical activity monitor as a measure of free-living physical activity. <i>BMC Research Notes</i> , 2014, 7, 952.	0.6	151
162	A systematic review of interventions aimed at increasing physical activity in adults with chronic musculoskeletal pain” protocol. <i>Systematic Reviews</i> , 2014, 3, 106.	2.5	25

#	ARTICLE	IF	CITATIONS
163	Physical activity assessment in practice: a mixed methods study of GPPAQ use in primary care. BMC Family Practice, 2014, 15, 11.	2.9	33
164	Physical activity, sedentary behaviour and fetal macrosomia in uncomplicated pregnancies: A prospective cohort study. Midwifery, 2014, 30, 1202-1209.	1.0	16
165	Steps to a better Belfast: physical activity assessment and promotion in primary care. British Journal of Sports Medicine, 2014, 48, 1558-1563.	3.1	14
166	Identifying solutions to increase participation in physical activity interventions within a socio-economically disadvantaged community: a qualitative study. International Journal of Behavioral Nutrition and Physical Activity, 2014, 11, 68.	2.0	26
167	Exploring lay views on physical activity and their implications for public health policy. A case study from East Belfast. Social Science and Medicine, 2014, 114, 73-80.	1.8	11
168	Knowledge of UK physical activity guidelines: Implications for better targeted health promotion. Preventive Medicine, 2014, 65, 33-39.	1.6	30
169	A lesson in business: cost-effectiveness analysis of a novel financial incentive intervention for increasing physical activity in the workplace. BMC Public Health, 2013, 13, 953.	1.2	27
170	Physical activity and the rejuvenation of Connswater (PARC study): protocol for a natural experiment investigating the impact of urban regeneration on public health. BMC Public Health, 2013, 13, 774.	1.2	29
171	Physical Activity Loyalty Cards for Behavior Change. American Journal of Preventive Medicine, 2013, 45, 56-63.	1.6	44
172	Physiotherapy for Sleep Disturbance in People With Chronic Low Back Pain: Results of a Feasibility Randomized Controlled Trial. Archives of Physical Medicine and Rehabilitation, 2013, 94, 2083-2092.	0.5	62
173	A randomised control trial of experiential learning to promote physical activity. Education for Primary Care, 2013, 24, 427-435.	0.2	18
174	Pedometer-driven Walking for Chronic Low Back Pain. Clinical Journal of Pain, 2013, 29, 972-981.	0.8	71
175	Predicting Functional Recovery after Acute Ankle Sprain. PLoS ONE, 2013, 8, e72124.	1.1	37
176	Physical activity buddies: a network analysis of social aspects of physical activity in adults. Lancet, The, 2012, 380, S51.	6.3	4
177	Functional management of ankle sprains: what volume and intensity of walking is undertaken in the first week postinjury. British Journal of Sports Medicine, 2012, 46, 877-882.	3.1	17
178	An orientation free adaptive step detection algorithm using a smart phone in physical activity monitoring. Health and Technology, 2012, 2, 249-258.	2.1	11
179	The effectiveness of physical activity interventions in socio-economically disadvantaged communities: A systematic review. Preventive Medicine, 2012, 54, 371-380.	1.6	104
180	Epidemiology of Adolescent Rugby Injuries: A Systematic Review. Journal of Athletic Training, 2011, 46, 555-565.	0.9	69

#	ARTICLE	IF	CITATIONS
181	UNISTEP (University Students Exercise and Physical Activity) Study: A Pilot Study of the Effects of Accumulating 10,000 Steps on Health and Fitness Among University Students. <i>Journal of Physical Activity and Health</i> , 2011, 8, 663-667.	1.0	21
182	How many steps/day are enough? for adults. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2011, 8, 79.	2.0	733
183	How many steps/day are enough? For older adults and special populations. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2011, 8, 80.	2.0	734
184	Cardiac rehabilitation uptake following myocardial infarction: cross-sectional study in primary care. <i>British Journal of General Practice</i> , 2010, 60, 431-435.	0.7	14
185	Physiotherapy for sleep disturbance in chronic low back pain: a feasibility randomised controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2010, 11, 70.	0.8	13
186	Physical activity monitors: clinical and research applications. <i>Physical Therapy Reviews</i> , 2010, 15, 133-134.	0.3	1
187	Activity monitoring using an intelligent mobile phone. , 2010, , .		10
188	The Back 2 Activity Trial: education and advice versus education and advice plus a structured walking programme for chronic low back pain. <i>BMC Musculoskeletal Disorders</i> , 2010, 11, 163.	0.8	28
189	Effect of accelerated rehabilitation on function after ankle sprain: randomised controlled trial. <i>BMJ: British Medical Journal</i> , 2010, 340, c1964-c1964.	2.4	143
190	Perceptions of exercise among people who have not attended cardiac rehabilitation following myocardial infarction. <i>Journal of Health Psychology</i> , 2009, 14, 924-932.	1.3	22
191	A walking programme and a supervised exercise class versus usual physiotherapy for chronic low back pain: a single-blinded randomised controlled trial. (The Supervised Walking In comparison to) <i>Tj ETQq1 1 0.784314 rgBT2(Overlo</i>		
192	LETTER TO THE EDITOR. <i>Medical Teacher</i> , 2008, 30, 437-439.	1.0	1
193	Evaluating a community-based walking intervention for hypertensive older people in Taiwan: a randomized controlled trial. <i>Preventive Medicine</i> , 2007, 44, 466.	1.6	3
194	Randomised controlled trial of home-based walking programmes at and below current recommended levels of exercise in sedentary adults. <i>Journal of Epidemiology and Community Health</i> , 2007, 61, 778-783.	2.0	58
195	The PRICE study (Protection Rest Ice Compression Elevation): design of a randomised controlled trial comparing standard versus cryokinetic ice applications in the management of acute ankle sprain [ISRCTN13903946]. <i>BMC Musculoskeletal Disorders</i> , 2007, 8, 125.	0.8	76
196	Training effects of short bouts of stair climbing on cardiorespiratory fitness, blood lipids, and homocysteine in sedentary young women. <i>British Journal of Sports Medicine</i> , 2005, 39, 590-593.	3.1	138
197	Brisk walking, fitness, and cardiovascular risk: A randomized controlled trial in primary care. <i>Preventive Medicine</i> , 2005, 41, 622-628.	1.6	126
198	Physical Activity Promotion in Primary Care: Bridging the Gap Between Research and Practice. <i>American Journal of Preventive Medicine</i> , 2005, 29, 242.	1.6	2

#	ARTICLE	IF	CITATIONS
199	Will the new field hockey rules lead to more injuries?. British Journal of Sports Medicine, 2003, 37, 373-373.	3.1	3
200	Built environment interventions for increasing physical activity in adults and children. The Cochrane Library, 0, , .	1.5	4
201	Physical activity and exercise interventions for disease-related physical and mental health during and following treatment in people with non-advanced colorectal cancer. The Cochrane Library, 0, , .	1.5	14
202	Factors that influence participation in physical activity for people with bipolar disorder: a synthesis of qualitative evidence. The Cochrane Library, 0, , .	1.5	1
203	New Boundaries, New Uncertainties: COVID-19 as both Barrier and Gateway to Engagement with Online Mental Health Training and Support. , 0, , .		0
204	Development and modelling of a school-based mental health intervention: the co-production of the R.E.A.C.T. programme. Current Psychology, 0, , .	1.7	1
205	Inpatient care utilisation and expenditure associated with objective physical activity: econometric analysis of the UK Biobank. European Journal of Health Economics, 0, , .	1.4	1