

Alexander A Nekrasov

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2255953/alexander-a-nekrasov-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

72
papers

704
citations

14
h-index

23
g-index

75
ext. papers

795
ext. citations

3
avg, IF

3.71
L-index

#	Paper	IF	Citations
72	Poly(3,4-ethylenedioxythiophene) Electrosynthesis in the Presence of Mixtures of Flexible-Chain and Rigid-Chain Polyelectrolytes. <i>Polymers</i> , 2021 , 13,	4.5	3
71	Spectroelectrochemical investigation of electrodeposited polypyrrole complexes with sulfonated polyelectrolytes. <i>Electrochimica Acta</i> , 2021 , 382, 138307	6.7	3
70	Hole transporting electrodeposited PEDOT polyelectrolyte layers for perovskite solar cells. <i>Mendeleev Communications</i> , 2021 , 31, 454-455	1.9	0
69	Comparison of Optical Ammonia-Sensing Properties of Conducting Polymer Complexes with Polysulfonic Acids. <i>Chemosensors</i> , 2021 , 9, 206	4	1
68	Raman spectroelectrochemical study of pyrrole electropolymerization in the presence of sulfonated polyelectrolytes. <i>Electrochimica Acta</i> , 2021 , 390, 138869	6.7	0
67	Electrochemically-Obtained Polysulfonic-Acids Doped Polyaniline Films-A Comparative Study by Electrochemical, Microgravimetric and XPS Methods. <i>Polymers</i> , 2020 , 12,	4.5	4
66	The Synthesis of Polyaniline in Polyethylene Films with Grafted Sulfonated Polystyrene and Properties of These Films. <i>Protection of Metals and Physical Chemistry of Surfaces</i> , 2020 , 56, 725-733	0.9	1
65	Raman spectroelectrochemical monitoring of conducting polymer electrosynthesis on reflective metallic electrode: Effects due to double excitation of the electrode/film/solution interfaces. <i>Journal of Electroanalytical Chemistry</i> , 2020 , 873, 114415	4.1	2
64	Electrodeposition of thin films of polypyrrole-polyelectrolyte complexes and their ammonia-sensing properties. <i>Journal of Solid State Electrochemistry</i> , 2020 , 24, 3091-3103	2.6	8
63	Ink-Jet Printing of Polyaniline Layers for Perovskite Solar Cells. <i>Technical Physics Letters</i> , 2019 , 45, 858-861	1.7	3
62	Angular Dependence of Raman Spectra for Electroactive Polymer Films on a Platinum Electrode. <i>Russian Journal of Electrochemistry</i> , 2019 , 55, 175-183	1.2	5
61	Aging of Water-Soluble Formulations for Inkjet Printing of Functional Layers Based on Polyaniline. <i>Protection of Metals and Physical Chemistry of Surfaces</i> , 2019 , 55, 491-494	0.9	2
60	Electrochemical Polymerization of Pyrrole in the Presence of Sulfoacid Polyelectrolytes. <i>Russian Journal of Electrochemistry</i> , 2019 , 55, 1110-1117	1.2	2
59	Some Specific Features in the Applying the Method of Raman Spectroelectrochemistry while Studying Polyaniline Electrosynthesis in Polymeric-Acid Medium. <i>Russian Journal of Electrochemistry</i> , 2019 , 55, 1077-1085	1.2	2
58	Electrochemical polymerization process and excellent electrochromic properties of ferrocene-functionalized polytriphenylamine derivative. <i>Dyes and Pigments</i> , 2019 , 163, 433-440	4.6	15
57	Water-processable nanocomposite based on polyaniline and 2D molybdenum disulfide for NIR-transparent ambipolar transport layers. <i>Chemical Papers</i> , 2018 , 72, 1741-1752	1.9	5
56	A Water-Soluble Polyaniline Complex for Ink-Jet Printing of Optoelectronic Devices. <i>Technical Physics Letters</i> , 2018 , 44, 239-242	0.7	4

55	Graphene nanosheet/polyaniline composite for transparent hole transporting layer. <i>Journal of Industrial and Engineering Chemistry</i> , 2018 , 65, 309-317	6.3	11
54	Raman spectroelectrochemical study of electrodeposited polyaniline doped with polymeric sulfonic acids of different structures. <i>Chemical Papers</i> , 2017 , 71, 449-458	1.9	13
53	Ultraviolet-Visible-Near Infrared and Raman spectroelectrochemistry of poly(3,4-ethylenedioxythiophene) complexes with sulfonated polyelectrolytes. The role of inter- and intra-molecular interactions in polyelectrolyte. <i>Electrochimica Acta</i> , 2016 , 222, 409-420	6.7	17
52	A stable aqueous dispersion of polyaniline and polymeric acid. <i>Protection of Metals and Physical Chemistry of Surfaces</i> , 2016 , 52, 1005-1011	0.9	9
51	The effect of counterion in polymer sulfonates on the synthesis and properties of poly-3,4-ethylenedioxythiophene. <i>Russian Journal of Electrochemistry</i> , 2016 , 52, 1191-1201	1.2	5
50	The influence of polyacid nature on poly(3,4-ethylenedioxythiophene) electrosynthesis and its spectroelectrochemical properties. <i>Journal of Solid State Electrochemistry</i> , 2016 , 20, 2991-3001	2.6	9
49	The specific effect of graphene additives in polyaniline-based nanocomposite layers on performance characteristics of electroluminescent and photovoltaic devices. <i>High Energy Chemistry</i> , 2016 , 50, 134-138	0.9	13
48	Complexes of poly-3,4-ethylenedioxythiophene with polymeric sulfonic acids of different structures: Synthesis and optical and electric properties. <i>Protection of Metals and Physical Chemistry of Surfaces</i> , 2015 , 51, 390-395	0.9	1
47	On the nature of influence of polyelectrolyte molecular weight on aniline electropolymerization. <i>Journal of Solid State Electrochemistry</i> , 2015 , 19, 2643-2652	2.6	6
46	Templating effect of polymeric sulfonic acids on electropolymerization of aniline. <i>Electrochimica Acta</i> , 2014 , 122, 150-158	6.7	29
45	Physicochemical Properties of Chemically and Mechanochemically Prepared Interpolymer Complexes of Poly(3,4-Ethylenedioxythiophene) with Polyamidosulfonate Dopants. <i>Theoretical and Experimental Chemistry</i> , 2014 , 50, 21-28	1.3	3
44	Nanocomposite of Polyaniline with Partially Oxidized Graphene as the Transport Layer of Light-Emitting Polymer Diodes. <i>Theoretical and Experimental Chemistry</i> , 2014 , 50, 96-102	1.3	7
43	Effect of polymer sulfoacids with varying chain rigidity on the nucleation of their interpolymer complexes with polyaniline during electropolymerization on highly orientated pyrolytic graphite. <i>Russian Journal of Electrochemistry</i> , 2014 , 50, 1105-1117	1.2	3
42	Mechanochemical synthesis of polyaniline in the presence of polymeric sulfonic acids of different structure. <i>Synthetic Metals</i> , 2013 , 180, 64-72	3.6	8
41	Chemical polymerization of aniline in the presence of mixtures of polymeric sulfonic acids. <i>Polymer Science - Series B</i> , 2013 , 55, 187-194	0.8	
40	Preparation of polyaniline in the presence of polymeric sulfonic acids mixtures: the role of intermolecular interactions between polyacids. <i>Chemical Papers</i> , 2013 , 67,	1.9	2
39	The spectroelectrochemical behavior of films of polyaniline interpolymer complexes in the near infrared spectral region. <i>Russian Journal of Electrochemistry</i> , 2012 , 48, 197-204	1.2	6
38	Synthesis and luminescence properties of lithium, zinc and scandium 1-(2-pyridyl)naphtholates. <i>Organic Electronics</i> , 2012 , 13, 3203-3210	3.5	6

37	Nonadditive phenomena during polyaniline synthesis in the presence of mixtures of rigid-chain and flexible-chain polymer sulfoacids and their effect on properties of obtained interpolymer complexes. <i>Protection of Metals and Physical Chemistry of Surfaces</i> , 2011 , 47, 503-511	0.9	2
36	Spectroelectrochemical processes in polyaniline films prepared by different methods. <i>Russian Journal of Electrochemistry</i> , 2011 , 47, 1-14	1.2	5
35	Dominating influence of rigid-backbone polyacid matrix during electropolymerization of aniline in the presence of mixtures of poly(sulfonic acids). <i>Electrochimica Acta</i> , 2011 , 56, 3460-3467	6.7	10
34	Chemical synthesis of polyaniline in the presence of poly(amidosulfonic acids) with different rigidity of the polymer chain. <i>Polymer</i> , 2011 , 52, 2474-2484	3.9	44
33	Influence of structure of polyacid on synthesis and properties of interpolymer polyaniline complexes. <i>Protection of Metals and Physical Chemistry of Surfaces</i> , 2010 , 46, 540-545	0.9	5
32	Effect of matrix domination in PANI interpolymer complexes with polyamidosulfonic acids. <i>Journal of Solid State Electrochemistry</i> , 2010 , 14, 2011-2019	2.6	9
31	Electroactive films of interpolymer complexes of polyaniline with polyamidosulfonic acids: advantageous features in some possible applications. <i>Journal of Solid State Electrochemistry</i> , 2010 , 14, 1975-1984	2.6	20
30	Structure of supramolecular assemblies of ruthenium(II) complexes and nonlinear optical and photorefractive properties of polymer composites on their basis. <i>High Energy Chemistry</i> , 2009 , 43, 543-551	0.9	7
29	Photorefractive polymer composites based on ruthenium (II) tetra-15-crown-5-phthalocyanate axially coordinating ethylisonicotinate molecules photosensitive in telecommunication range. <i>Protection of Metals and Physical Chemistry of Surfaces</i> , 2009 , 45, 535-542	0.9	8
28	Peculiarities of polyaniline matrix synthesis in the presence of mixtures of different types of matrices and investigation of properties of formed interpolymer complexes. <i>Protection of Metals and Physical Chemistry of Surfaces</i> , 2009 , 45, 548-552	0.9	2
27	Electrochemical synthesis of polyaniline in the presence of poly(amidosulfonic acid)s with different rigidity of polymer backbone and characterization of the films obtained. <i>Electrochimica Acta</i> , 2008 , 53, 3789-3797	6.7	33
26	Electrochemical synthesis and spectroelectrochemical properties of nanostructured polyaniline layers in the presence of various polyamidosulfonic acids. <i>Protection of Metals</i> , 2008 , 44, 577-581		3
25	Nanoobjects of interpolymer complexes of polyaniline and PAMPSA in aqueous solutions. <i>Journal of Physics: Conference Series</i> , 2007 , 61, 359-363	0.3	4
24	Specific features characterizing electrochemical synthesis of polyaniline conducted in the presence of poly(2-acrylamido-2-methyl-1-propanesulfonic acid) and the spectroelectrochemical characteristics of the obtained films. <i>Russian Journal of Electrochemistry</i> , 2006 , 42, 1085-1092	1.2	11
23	Redox heterogeneity in polyaniline films: from molecular to macroscopic scale. <i>Synthetic Metals</i> , 2005 , 152, 153-156	3.6	30
22	Voltabsorptometric study of structural memory effects in polyaniline. <i>Electrochimica Acta</i> , 2005 , 50, 1605-1613	6.7	27
21	On the Role Played by Dimers of Radical Cations in the Process of Electrochemical Oxidation/Reduction of Polyaniline: The Data that Were Obtained Using the Method of Cyclic Voltabsorptometry in the Presence of Counteranions of a Diverse Nature. <i>Russian Journal of Electrochemistry</i> , 2004 , 40, 249-258	1.2	4
20	Template Synthesis of Polyaniline in the Presence of Poly-(2-acrylamido-2-methyl-1-propanesulfonic Acid). <i>Russian Journal of Electrochemistry</i> , 2004 , 40, 299-304	1.2	29

19	Self-Organization and Analysis of the Morphology of Vacuum Evaporated Polyaniline Films. <i>Russian Journal of Electrochemistry</i> , 2004 , 40, 349-351	1.2	
18	Electrochemical Synthesis of Poly-o-phenylenediamine and Its Spectroelectrochemical Properties. <i>Russian Journal of Electrochemistry</i> , 2004 , 40, 1214-1218	1.2	4
17	Multilevel redox heterogeneity in polyaniline films: from molecular to macroscopic scale. <i>Materials Science and Engineering C</i> , 2003 , 23, 953-957	8.3	4
16	Corona inhibition by photochemical dissolution of Al films by polymeric composition. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2001 , 138, 23-27	4.7	
15	A comparative voltabsorptometric study of polyaniline films prepared by different methods. <i>Electrochimica Acta</i> , 2001 , 46, 3301-3307	6.7	29
14	Effect of pH on the structure of absorption spectra of highly protonated polyaniline analyzed by the AlentsevBock method. <i>Electrochimica Acta</i> , 2001 , 46, 4051-4056	6.7	21
13	Formation of the heterogeneous structure of the vacuum deposited polyaniline films. <i>Synthetic Metals</i> , 2001 , 119, 375-376	3.6	5
12	Multilevel heterogeneity in electrochromic polyaniline films 2001 ,		2
11	Analysis of the structure of polyaniline absorption spectra based on spectroelectrochemical data. <i>Journal of Electroanalytical Chemistry</i> , 2000 , 482, 11-17	4.1	90
10	Isolation of individual components in the electronic absorption spectra of polyaniline from the spectroelectrochemical data. <i>Russian Journal of Electrochemistry</i> , 2000 , 36, 883-888	1.2	0
9	Spectroelectrochemical study of vacuum deposited polyaniline films subjected to postdeposition treatment by HNO ₃ . <i>Electrochimica Acta</i> , 1999 , 44, 2317-2326	6.7	9
8	On the Nature of Heterogeneity in Vacuum Deposited Polyaniline Films. <i>Materials Research Society Symposia Proceedings</i> , 1999 , 600, 221		5
7	Filament-like structure formation in vacuum thermally evaporated thin films of polyaniline during oxidation in nitric acid. <i>Mendeleev Communications</i> , 1998 , 8, 4-5	1.9	5
6	Electrochromic properties of vacuum-evaporated polyaniline films. <i>Synthetic Metals</i> , 1996 , 83, 249-251	3.6	17
5	Spectroelectrochemical, EPR and conductivity investigations of thin films of vacuum deposited polyaniline. <i>Electrochimica Acta</i> , 1996 , 41, 1811-1814	6.7	17
4	Electrochemical and chemical synthesis of polyaniline on the surface of vacuum deposited polyaniline films. <i>Journal of Electroanalytical Chemistry</i> , 1996 , 412, 133-137	4.1	9
3	Comparative spectroelectrochemical investigation of vacuum evaporated and electrochemically synthesized electrochromic polyaniline films ag]. <i>Journal of Electroanalytical Chemistry</i> , 1994 , 372, 57-61	4.1	12
2	Fractionating vacuum thermal deposition of polyaniline films. Effect of post-deposition acid-base treatment. <i>Synthetic Metals</i> , 1994 , 65, 71-76	3.6	14

- 1 Semiconductor Photoelectrochemical Photographic Device Based on Cadmium Selenide. *Journal of Photographic Science*, **1993**, 41, 43-47

o