

Anne Varenne

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2256031/anne-varenne-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

87
papers

1,765
citations

27
h-index

37
g-index

87
ext. papers

1,893
ext. citations

4.5
avg, IF

4.49
L-index

#	Paper	IF	Citations
87	Evaluation of chiral ionic liquids as additives to cyclodextrins for enantiomeric separations by capillary electrophoresis. <i>Journal of Chromatography A</i> , 2007 , 1155, 134-41	4.5	113
86	Determination of nanoparticle diffusion coefficients by Taylor dispersion analysis using a capillary electrophoresis instrument. <i>Journal of Chromatography A</i> , 2008 , 1204, 226-32	4.5	82
85	Microchip integrating magnetic nanoparticles for allergy diagnosis. <i>Lab on A Chip</i> , 2011 , 11, 4207-13	7.2	58
84	A new insight into suction and dilution effects in capillary electrophoresis coupled to mass spectrometry via an electrospray ionization interface. Part I-Suction effect. <i>Electrophoresis</i> , 2008 , 29, 1957-64	3.6	52
83	Interaction of fucoidan with the proteins of the complement classical pathway. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2003 , 1651, 5-16	4	51
82	Regioselective desulfation of sulfated L-fucopyranoside by a new sulfoesterase from the marine mollusk <i>Pecten maximus</i> : application to the structural study of algal fucoidan (<i>Ascophyllum nodosum</i>). <i>FEBS Journal</i> , 2001 , 268, 5617-26		51
81	A new application of bioorganometallics: the first simultaneous triple assay by the carbonylmetalloimmunoassay (CMIA) method. <i>Journal of Organometallic Chemistry</i> , 1999 , 589, 92-97	2.3	47
80	Charge-based characterization of nanometric cationic maghemite/silica core/shell particles by capillary zone electrophoresis. <i>Electrophoresis</i> , 2009 , 30, 2572-82	3.6	45
79	Frontal analysis capillary electrophoresis hyphenated to electrospray ionization mass spectrometry for the characterization of the antithrombin/heparin pentasaccharide complex. <i>Analytical Chemistry</i> , 2007 , 79, 4987-93	7.8	45
78	Transition metal carbonyl labeling of proteins. A novel approach to a solid-phase two-site immunoassay using Fourier transform infrared spectroscopy. <i>Bioconjugate Chemistry</i> , 1992 , 3, 471-6	6.3	44
77	New insight into suction and dilution effects in CE coupled to MS via an ESI interface. II--dilution effect. <i>Electrophoresis</i> , 2009 , 30, 1692-7	3.6	40
76	Field-amplified sample stacking for the detection of chemical warfare agent degradation products in low-conductivity matrices by capillary electrophoresis-mass spectrometry. <i>Journal of Chromatography A</i> , 2008 , 1178, 239-47	4.5	39
75	Production of specific antibodies and development of a non-isotopic immunoassay for carbamazepine by the carbonyl metallo-immunoassay (CMIA) method. <i>Journal of Immunological Methods</i> , 1995 , 186, 195-204	2.5	39
74	Recent strategies to improve resolution in capillary electrophoresis: A review. <i>Analytica Chimica Acta</i> , 2008 , 628, 9-23	6.6	38
73	Identification and determination of inorganic anions in real extracts from pre- and post-blast residues by capillary electrophoresis. <i>Journal of Chromatography A</i> , 2010 , 1217, 6971-8	4.5	37
72	Size-based characterization of nanometric cationic maghemite particles using capillary zone electrophoresis. <i>Electrophoresis</i> , 2008 , 29, 3768-78	3.6	34
71	Development and validation of a nonaqueous capillary electrophoretic method for the enantiomeric purity determination of a synthetic intermediate of new 3,4-dihydro-2,2-dimethyl-2H-1-benzopyrans using a single-isomer anionic cyclodextrin derivative and an ionic liquid. <i>Journal of Chromatography A</i> , 2010 , 1217, 7343-55	4.5	33

70	Nonaqueous capillary electrophoretic behavior of 2-aryl propionic acids in the presence of an achiral ionic liquid. A chemometric approach. <i>Journal of Chromatography A</i> , 2007 , 1138, 268-75	4.5	33
69	Separation and quantitation of milk whey proteins of close isoelectric points by on-line capillary isoelectric focusing--electrospray ionization mass spectrometry in glycerol-water media. <i>Journal of Chromatography A</i> , 2010 , 1217, 7293-301	4.5	32
68	Determination of trace cationic impurities in butylmethylimidazolium-based ionic liquids: from transient to comprehensive single-capillary counterflow isotachopheresis-zone electrophoresis. <i>Electrophoresis</i> , 2006 , 27, 4859-71	3.6	32
67	Determination of aqueous inclusion complexation constants and stoichiometry of alkyl(methyl)-methylimidazolium-based ionic liquid cations and neutral cyclodextrins by affinity capillary electrophoresis. <i>Journal of Separation Science</i> , 2007 , 30, 751-60	3.4	30
66	Clickable-Zwitterionic Copolymer Capped-Quantum Dots for in Vivo Fluorescence Tumor Imaging. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 17107-17116	9.5	29
65	Peak shape modeling by Haarhoff-Van der Linde function for the determination of correct migration times: a new insight into affinity capillary electrophoresis. <i>Electrophoresis</i> , 2005 , 26, 3094-104	3.6	28
64	Online CIEF-ESI-MS in glycerol-water media with a view to hydrophobic protein applications. <i>Electrophoresis</i> , 2009 , 30, 4040-8	3.6	27
63	Analysis of sub-ppb levels of Fe(II), Co(II), and Ni(II) by electrokinetic supercharging preconcentration, CZE separation, and in-capillary derivatization. <i>Electrophoresis</i> , 2007 , 28, 3767-76	3.6	27
62	Influence of electrolyte nature on the separation selectivity of amphetamines in nonaqueous capillary electrophoresis: protonation degree versus ion pairing effects. <i>Electrophoresis</i> , 2003 , 24, 1577-86	3.6	27
61	Evaluation of capillary isoelectric focusing in glycerol-water media with a view to hydrophobic protein applications. <i>Electrophoresis</i> , 2005 , 26, 3369-79	3.6	27
60	Magnetic core shell nanoparticles trapping in a microdevice generating high magnetic gradient. <i>Lab on A Chip</i> , 2011 , 11, 833-40	7.2	26
59	Interaction study of a lysozyme-binding aptamer with mono- and divalent cations by ACE. <i>Electrophoresis</i> , 2010 , 31, 546-55	3.6	26
58	Separation and identification of isomeric acidic degradation products of organophosphorus chemical warfare agents by capillary electrophoresis-ion trap mass spectrometry. <i>Journal of Chromatography A</i> , 2006 , 1137, 110-8	4.5	26
57	Electromigration separation methodologies for the characterization of nanoparticles and the evaluation of their behaviour in biological systems. <i>TrAC - Trends in Analytical Chemistry</i> , 2016 , 84, 121-130	14.6	25
56	Long-term toxicological effects of persistent luminescence nanoparticles after intravenous injection in mice. <i>International Journal of Pharmaceutics</i> , 2017 , 532, 686-695	6.5	24
55	Red blood cells decorated with functionalized core-shell magnetic nanoparticles: elucidation of the adsorption mechanism. <i>Chemical Communications</i> , 2013 , 49, 5393-5	5.8	23
54	A chemometric approach for optimizing protein covalent immobilization on magnetic core-shell nanoparticles in view of an alternative immunoassay. <i>Talanta</i> , 2010 , 81, 1703-10	6.2	23
53	Determination of binding parameters between lysozyme and its aptamer by frontal analysis continuous microchip electrophoresis (FACMCE). <i>Journal of Chromatography A</i> , 2011 , 1218, 4052-8	4.5	21

52	Capillary electrophoresis monitoring of halide impurities in ionic liquids. <i>Analyst, The</i> , 2004 , 129, 1257-61		21
51	Recent advances in the development of capillary electrophoresis methodologies for optimizing, controlling, and characterizing the synthesis, functionalization, and physicochemical, properties of nanoparticles. <i>Analytical and Bioanalytical Chemistry</i> , 2016 , 408, 2669-75	4.4	20
50	Functionalization and characterization of persistent luminescence nanoparticles by dynamic light scattering, laser Doppler and capillary electrophoresis. <i>Colloids and Surfaces B: Biointerfaces</i> , 2015 , 136, 272-81	6	18
49	Analysis of nerve agent degradation products in high-conductivity matrices by transient ITP preconcentration and CZE separation coupled to ESI-MS. <i>Electrophoresis</i> , 2009 , 30, 1522-30	3.6	18
48	Non-aqueous capillary electrophoresis of the positional isomers of a sulfated monosaccharide. <i>Journal of Chromatography A</i> , 2003 , 987, 467-76	4.5	18
47	Surface Functionalization by Plasma Treatment and Click Chemistry of a New Family of Fluorinated Polymeric Materials for Microfluidic Chips. <i>Plasma Processes and Polymers</i> , 2014 , 11, 518-523	3.4	17
46	Kinetic analyses and performance of a colloidal magnetic nanoparticle based immunoassay dedicated to allergy diagnosis. <i>Analytical and Bioanalytical Chemistry</i> , 2011 , 400, 3395-407	4.4	17
45	Separation of alpha-lactalbumin grafted- and non-grafted maghemite core/silica shell nanoparticles by capillary zone electrophoresis. <i>Electrophoresis</i> , 2010 , 31, 2754-61	3.6	17
44	On-line capillary isoelectric focusing hyphenated to native electrospray ionization mass spectrometry for the characterization of interferon- β and variants. <i>Analyst, The</i> , 2015 , 140, 543-50	5	16
43	Photo-stimulation of persistent luminescence nanoparticles enhances cancer cells death. <i>International Journal of Pharmaceutics</i> , 2017 , 532, 696-703	6.5	15
42	Capillary and Microchip Electrophoretic Analyses of Explosives and their Residues. <i>Separation and Purification Reviews</i> , 2010 , 39, 63-94	7.3	13
41	Simultaneous capillary electrophoretic analysis of inorganic anions and cations in post-blast extracts of acid-aluminum mixtures. <i>Journal of Separation Science</i> , 2010 , 33, 3177-83	3.4	13
40	Electrokinetic Hummel-Dreyer characterization of nanoparticle-plasma protein corona: The non-specific interactions between PEG-modified persistent luminescence nanoparticles and albumin. <i>Colloids and Surfaces B: Biointerfaces</i> , 2017 , 159, 437-444	6	12
39	Optimization of Two Fourier Transform Infrared Least-Squares Multivariate Analysis Methods for the Simultaneous Quantitation of Mixtures of Three Metal-Carbonyl Complexes in the Picomole Range. <i>Applied Spectroscopy</i> , 1998 , 52, 1383-1390	3.1	12
38	Colorimetric analysis of the decomposition of S-nitrosothiols on paper-based microfluidic devices. <i>Analyst, The</i> , 2016 , 141, 6314-6320	5	12
37	Surface Functionalization of COC Microfluidic Materials by Plasma and Click Chemistry Processes. <i>Plasma Processes and Polymers</i> , 2013 , 10, 959-969	3.4	11
36	Capillary electrophoresis of inorganic anions in hydro-organic media. Influence of ion-pairing and solvation phenomena. <i>Journal of Chromatography A</i> , 2004 , 1032, 149-58	4.5	11
35	Capillary electrophoresis profiles of fucoidan and heparin fractions: significance of mobility dispersity for their characterization. <i>Journal of Separation Science</i> , 2003 , 26, 1154-1162	3.4	11

34	Aptamer-conjugated nanoparticles: preservation of targeting functionality demonstrated by microchip electrophoresis in frontal mode. <i>Analytical Biochemistry</i> , 2013 , 435, 150-2	3.1	10
33	Determination of aggregation thresholds of UV absorbing anionic surfactants by frontal analysis continuous capillary electrophoresis. <i>Journal of Chromatography A</i> , 2004 , 1038, 275-82	4.5	9
32	Determination of the aggregation threshold of non-UV-absorbing, neutral or charged surfactants by frontal- and vacancy-frontal analysis continuous capillary electrophoresis. <i>Journal of Chromatography A</i> , 2004 , 1041, 219-26	4.5	9
31	Characterization of phthalocyanine functionalized quantum dots by dynamic light scattering, laser Doppler, and capillary electrophoresis. <i>Analytical and Bioanalytical Chemistry</i> , 2017 , 409, 1707-1715	4.4	8
30	Capillary electrophoresis with mass spectrometric detection for separation of S-nitrosoglutathione and its decomposition products: a deeper insight into the decomposition pathways. <i>Analytical and Bioanalytical Chemistry</i> , 2015 , 407, 6221-6	4.4	8
29	Electrokinetic characterization of superparamagnetic nanoparticle-aptamer conjugates: design of new highly specific probes for miniaturized molecular diagnostics. <i>Analytical and Bioanalytical Chemistry</i> , 2014 , 406, 1089-98	4.4	8
28	Capillary electrophoresis coupled to contactless conductivity detection for the analysis of S-nitrosothiols decomposition and reactivity. <i>Electrophoresis</i> , 2015 , 36, 1982-8	3.6	8
27	Single-run separation of cationic, anionic, and polyanionic compounds by CE-ESI-MS. <i>Electrophoresis</i> , 2007 , 28, 3070-7	3.6	8
26	Characterization of home-made graphite/PDMS microband electrodes for amperometric detection in an original reusable glass-NOA ⁺ -PDMS electrophoretic microdevice. <i>Electrochimica Acta</i> , 2020 , 329, 135164	6.7	8
25	A Comprehensive Study of Silanization and Co-Condensation for Straightforward Single-Step Covalent Neutral Capillary Coating. <i>Chromatographia</i> , 2015 , 78, 775-783	2.1	7
24	Electrochemically assisted micro localized grafting of aptamers in a microchannel engraved in fluorinated thermoplastic polymer Dyneon THV. <i>RSC Advances</i> , 2015 , 5, 11128-11131	3.7	7
23	Aptamer entrapment in microfluidic channel using one-step sol-gel process, in view of the integration of a new selective extraction phase for lab-on-a-chip. <i>Electrophoresis</i> , 2017 , 38, 2456-2461	3.6	6
22	Electrophoretic Methods for Characterizing Nanoparticles and Evaluating Their Bio-interactions for Their Further Use as Diagnostic, Imaging, or Therapeutic Tools 2018 , 397-421		6
21	Aptamer-Target Interaction: A Comprehensive Study by Microchip Electrophoresis in Frontal Mode. <i>Chromatographia</i> , 2013 , 76, 305-312	2.1	6
20	Quantitation of Cu ⁺ -catalyzed Decomposition of S-Nitrosoglutathione Using Saville and Electrochemical Detection: a Pronounced Effect of Glutathione and Copper Concentrations. <i>Electroanalysis</i> , 2015 , 27, 2857-2863	3	6
19	Synthesis, Characterization and Evaluation of Peptide Nanostructures for Biomedical Applications. <i>Molecules</i> , 2021 , 26,	4.8	6
18	Microchip electrophoresis and electrochemical detection: A review on a growing synergistic implementation. <i>Electrochimica Acta</i> , 2021 , 391, 138928	6.7	5
17	Two-step local functionalization of fluoropolymer Dyneon THV microfluidic materials by scanning electrochemical microscopy combined to click reaction. <i>Electrochemistry Communications</i> , 2015 , 60, 5-8	5.1	4

16	Online Capillary IsoElectric Focusing-ElectroSpray Ionization Mass Spectrometry (CIEF-ESI MS) in Glycerol-Water Media for the Separation and Characterization of Hydrophilic and Hydrophobic Proteins. <i>Methods in Molecular Biology</i> , 2016 , 1466, 57-66	1.4	4
15	Design, synthesis, and characterization of new cyclic d,l-β alternate amino acid peptides by capillary electrophoresis coupled to electrospray ionization mass spectrometry. <i>Analytical Biochemistry</i> , 2016 , 502, 8-15	3.1	4
14	Integrated microfluidic device for the separation, decomposition and detection of low molecular weight S-nitrosothiols. <i>Analyst, The</i> , 2018 , 144, 180-185	5	3
13	Surface functionalization of cyclic olefin copolymer by plasma-enhanced chemical vapor deposition using atmospheric pressure plasma jet for microfluidic applications. <i>Plasma Processes and Polymers</i> , 2019 , 16, 1800195	3.4	3
12	Multiple Zones Modification of Open Off-Stoichiometry Thiol-Ene Microchannel by Aptamers: A Methodological Study & A Proof of Concept. <i>Chemosensors</i> , 2020 , 8, 24	4	3
11	Cooperation increases between analytical sciences and recycling. <i>TrAC - Trends in Analytical Chemistry</i> , 2013 , 48, 22-29	14.6	3
10	Electrografting of aryl diazonium on thin layer platinum microbands: Towards customized surface functionalization within microsystems. <i>Electrochemistry Communications</i> , 2016 , 70, 78-81	5.1	3
9	Stereolithography based 3D-printed microfluidic device with integrated electrochemical detection. <i>Electrochimica Acta</i> , 2022 , 407, 139888	6.7	2
8	Superparamagnetic iron oxide nanoparticles functionalized with a binary alkoxy silane array and poly(4-vinylpyridine) for magnetic targeting and pH-responsive release of doxorubicin. <i>New Journal of Chemistry</i> , 2021 , 45, 3600-3609	3.6	2
7	Physicochemical Characterization of Phthalocyanine-Functionalized Quantum Dots by Capillary Electrophoresis Coupled to a LED Fluorescence Detector. <i>Methods in Molecular Biology</i> , 2019 , 2000, 373-385	1.4	1
6	Speciation and quantitation of precious metals in model acidic leach liquors, theoretical and practical aspects of recycling. <i>Analytical and Bioanalytical Chemistry</i> , 2020 , 412, 4595-4608	4.4	1
5	Electrokinetic elucidation of the interactions between persistent luminescent nanoprobe and the binary apolipoprotein-E/albumin protein system. <i>Analyst, The</i> , 2021 , 146, 5245-5254	5	1
4	A deep understanding of the self-assembly and colloidal stability of light and pH dual-responsive spiropyran random copolymer micelle-like nano-aggregates.. <i>Materials Today Communications</i> , 2022 , 103499	2.5	0
3	Determination of Critical Micelle Concentrations by Capillary Electrokinetic Techniques33-54		
2	Reversible microfluidics device for precious metal electrodeposition and depletion yield studies. <i>Electrochimica Acta</i> , 2020 , 352, 136474	6.7	
1	Characterization of New Cyclic D,L-β Alternate Amino Acid Peptides by Capillary Electrophoresis Coupled to Electrospray Ionization Mass Spectrometry. <i>Methods in Molecular Biology</i> , 2019 , 1855, 315-326	1.4	