

Maria Sterzynska

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2256621/publications.pdf>

Version: 2024-02-01

28
papers

181
citations

1163117

8
h-index

1199594

12
g-index

28
all docs

28
docs citations

28
times ranked

196
citing authors

#	ARTICLE	IF	CITATIONS
1	Collembola (Hexapoda) as Biological Drivers between Land and Sea. <i>Biology</i> , 2021, 10, 568.	2.8	1
2	Recovery in soil cover and vegetation structure after ancient landslide in mountain fens under <i>Caltho-Alnetum</i> community and response of soil microarthropods (Hexapoda: Collembola) to natural restoration process. <i>Journal of Soils and Sediments</i> , 2020, 20, 714-722.	3.0	3
3	Responses of soil microarthropod taxon (Hexapoda: Protura) to natural disturbances and management practices in forest-dominated subalpine lake catchment areas. <i>Scientific Reports</i> , 2020, 10, 5572.	3.3	6
4	Passive Restoration of the Mountain Fens of the <i>Caltho-Alnetum</i> Community in the Babia Góra National Park. <i>Geomatics and Environmental Engineering</i> , 2020, 14, 73-81.	1.2	1
5	The impact of restoration processes on the selected soil properties and organic matter transformation of mountain fens under <i>Caltho-Alnetum</i> community in the Babiogórski National Park in Outer Fylsch Carpathians, Poland. <i>Journal of Soils and Sediments</i> , 2018, 18, 2770-2776.	3.0	11
6	Divergence of soil microarthropod (Hexapoda: Collembola) recovery patterns during natural regeneration and regeneration by planting of windthrown pine forests. <i>Forest Ecology and Management</i> , 2018, 429, 414-424.	3.2	5
7	Urban springtail species richness decreases with increasing air pollution. <i>Ecological Indicators</i> , 2018, 94, 328-335.	6.3	16
8	Impact of plant invasion (<i>Solidago gigantea</i> L.) on soil mesofauna in a riparian wet meadows. <i>Pedobiologia</i> , 2017, 64, 1-7.	1.2	16
9	Diversity and distributional pattern of soil microarthropods (Protura) across a transitional zone in Ukraine. <i>Canadian Entomologist</i> , 2017, 149, 628-638.	0.8	4
10	Changes through time in soil Collembola communities exposed to urbanization. <i>Urban Ecosystems</i> , 2016, 19, 143-158.	2.4	15
11	Soil Fauna of Peat-Forming Wetlands in a Natural River Floodplain. <i>Wetlands</i> , 2015, 35, 815-829.	1.5	6
12	Contrasting responses of millipedes and terrestrial isopods to hydrologic regime changes in forested montane wetlands. <i>European Journal of Soil Biology</i> , 2015, 68, 33-41.	3.2	7
13	Effect of hydrologic regime and forest age on Collembola in riparian forests. <i>Applied Soil Ecology</i> , 2014, 75, 199-209.	4.3	26
14	Effect of Hydrologic Disturbance Regimes on Protura Variability in a River Floodplain. <i>Annales Zoologici Fennici</i> , 2012, 49, 309-320.	0.6	11
15	How does a strip of clearing affect the forest community of ants (Hymenoptera: Formicidae)? <i>Fragmenta Faunistica</i> , 2009, 53, 125-141.	0.0	3
16	Book review : Arthropoda of the Vesuvius National Park : Preliminary studies. <i>Fragmenta Faunistica</i> , 2009, 52, 61-63.	0.0	0
17	Collembola of North Bull Island – new records for the Irish coast. <i>Fragmenta Faunistica</i> , 2004, 47, 47-50.	0.0	1
18	The distribution and diversity of Collembola in saltmarsh habitats of the German North Sea – a preliminary study. <i>Pedobiologia</i> , 2000, 44, 402-412.	1.2	8

#	ARTICLE	IF	CITATIONS
19	Review of the faunistic study of the Biebrza National Park - bibliography. <i>Fragmenta Faunistica</i> , 1998, 41, 213-232.	0.0	0
20	Comparative analysis of dominant species in springtail communities (Hexapoda: Collembola) of urban greens in Moscow and Warsaw. <i>Fragmenta Faunistica</i> , 1997, 40, 15-26.	0.0	7
21	Faunistic investigations conducted in North Korea by researchers from the Institute of Zoology Polish Academy of Sciences from 1959 to 1990. <i>Fragmenta Faunistica</i> , 1997, 40, 247-253.	0.0	4
22	Effects of single trees on the community structure of soil-dwelling Collembola in urban and non-urban environments. <i>Fragmenta Faunistica</i> , 1995, 37, 413-426.	0.0	5
23	Protura of suboceanic and subcontinental (Peucedano-Pinetum and Leucobryo-Pinetum) pine forests in Poland. <i>Fragmenta Faunistica</i> , 1995, 38, 209-222.	0.0	2
24	Collembola in the process of secondary succession of the pine forests of Puszcza BiaÅowieska. <i>Fragmenta Faunistica</i> , 1995, 38, 353-364.	0.0	2
25	The faunal complex of Collembola in lowland subcontinental pine forests (Peucedano-Pinetum) of Poland. Byelorussia, Lithuania and Russia. <i>Fragmenta Faunistica</i> , 1995, 38, 145-152.	0.0	1
26	The influence of urbanization on the earthworm infection by monocystid gregarines. <i>Fragmenta Faunistica</i> , 1991, 35, 203-212.	0.0	6
27	Communities of Collembola in natural and transformed soils of linden-oak-hornbeam sites of the Mazovian Lowland. <i>Fragmenta Faunistica</i> , 1990, 34, 165-262.	0.0	14
28	Skoczogonki (Collembola). <i>Fragmenta Faunistica</i> , 1981, 26, 157-173.	0.0	0