
Samuel H Taylor

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2257387/publications.pdf Version: 2024-02-01



SAMILEL H TAVLOR

#	Article	IF	CITATIONS
1	Faster than expected Rubisco deactivation in shade reduces cowpea photosynthetic potential in variable light conditions. Nature Plants, 2022, 8, 118-124.	9.3	24
2	Phenotypic variation in photosynthetic traits in wheat grown under field versus glasshouse conditions. Journal of Experimental Botany, 2022, 73, 3221-3237.	4.8	9
3	Into the Shadows and Back into Sunlight: Photosynthesis in Fluctuating Light. Annual Review of Plant Biology, 2022, 73, 617-648.	18.7	66
4	Developmental and biophysical determinants of grass leaf size worldwide. Nature, 2021, 592, 242-247.	27.8	43
5	A reporting format for leaf-level gas exchange data and metadata. Ecological Informatics, 2021, 61, 101232.	5.2	22
6	During photosynthetic induction, biochemical and stomatal limitations differ between <i>Brassica</i> crops. Plant, Cell and Environment, 2020, 43, 2623-2636.	5.7	21
7	Life history is a key factor explaining functional trait diversity among subtropical grasses, and its influence differs between C3 and C4 species. Journal of Experimental Botany, 2019, 70, 1567-1580.	4.8	22
8	Phenotyping photosynthesis on the limit – a critical examination of RACiR. New Phytologist, 2019, 221, 621-624.	7.3	16
9	CO2 availability influences hydraulic function of C3 and C4 grass leaves. Journal of Experimental Botany, 2018, 69, 2731-2741.	4.8	21
10	Whole plant chamber to examine sensitivity of cereal gas exchange to changes in evaporative demand. Plant Methods, 2018, 14, 97.	4.3	21
11	Slow induction of photosynthesis on shade to sun transitions in wheat may cost at least 21% of productivity. Philosophical Transactions of the Royal Society B: Biological Sciences, 2017, 372, 20160543.	4.0	172
12	Temporal Shift of Circadian-Mediated Gene Expression and Carbon Fixation Contributes to Biomass Heterosis in Maize Hybrids. PLoS Genetics, 2016, 12, e1006197.	3.5	100
13	Promises and challenges of eco-physiological genomics in the field: tests of drought responses in switchgrass. Plant Physiology, 2016, 172, pp.00545.2016.	4.8	46
14	Minimal loss of genetic diversity and no inbreeding depression in blueflag iris (<i>Iris versicolor</i>) on islands in the Bay of Fundy. Botany, 2016, 94, 543-554.	1.0	6
15	QTL and Drought Effects on Leaf Physiology in Lowland Panicum virgatum. Bioenergy Research, 2016, 9, 1241-1259.	3.9	12
16	QTLs for Biomass and Developmental Traits in Switchgrass (Panicum virgatum). Bioenergy Research, 2015, 8, 1856-1867.	3.9	30
17	The genetics of divergence and reproductive isolation between ecotypes of <i>Panicum hallii</i> . New Phytologist, 2015, 205, 402-414.	7.3	65
18	Physiological advantages of C ₄ grasses in the field: a comparative experiment demonstrating the importance of drought. Global Change Biology, 2014, 20, 1992-2003.	9.5	93

SAMUEL H TAYLOR

#	Article	IF	CITATIONS
19	Genotypic variation in traits linked to climate and aboveground productivity in a widespread C ₄ grass: evidence for a functional trait syndrome. New Phytologist, 2013, 199, 966-980.	7.3	69
20	Plant growth rates and seed size: a reâ \in evaluation. Ecology, 2012, 93, 1283-1289.	3.2	54
21	Photosynthetic pathway and ecological adaptation explain stomatal trait diversity amongst grasses. New Phytologist, 2012, 193, 387-396.	7.3	145
22	Patterns in aphid honeydew production parallel diurnal shifts in phloem sap composition. Entomologia Experimentalis Et Applicata, 2012, 142, 121-129.	1.4	22
23	Drought limitation of photosynthesis differs between C ₃ and C ₄ grass species in a comparative experiment. Plant, Cell and Environment, 2011, 34, 65-75.	5.7	101
24	Ecophysiological traits in C ₃ and C ₄ grasses: a phylogenetically controlled screening experiment. New Phytologist, 2010, 185, 780-791.	7.3	196
25	Partitioning the Components of Relative Growth Rate: How Important Is Plant Size Variation?. American Naturalist, 2010, 176, E152-E161.	2.1	114