

# Jindřika Gatterová

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2258804/publications.pdf>

Version: 2024-02-01

27  
papers

1,933  
citations

471371

17  
h-index

642610

23  
g-index

27  
all docs

27  
docs citations

27  
times ranked

1878  
citing authors

#	ARTICLE	IF	CITATIONS
1	FRI0544â€¦Impact of Education in Musculoskeletal Ultrasonography: Good To Excellent Reliability Results in Modified US7 Scoring System after One Year of Continuing Education since Basic or Intermediate Level of Training. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 637.1-637.	0.5	0
2	AB0696â€¦Clinical Characteristics of Spondyloarthritis in The Czech Republic: A Single Centre Cohort. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 1142.2-1143.	0.5	0
3	Relation of ILâ€6, ILâ€13 and ILâ€15 gene polymorphisms to the rheumatoid factors, antiâ€CCP and other measures of rheumatoid arthritis activity. <i>International Journal of Immunogenetics</i> , 2014, 41, 34-40.	0.8	18
4	AB0708â€¦Differences in Localization and Activity of the Enteseal Involvement between Non-Radiographic and Radiographic Axial Spondyloarthritis by the Ultrasound Assessment. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 1038.2-1038.	0.5	0
5	Atypical Course of Rheumatoid Arthritis. , 2014, , 65-74.		0
6	Low circulating Dickkopf-1 and its link with severity of spinal involvement in diffuse idiopathic skeletal hyperostosis. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, 71-74.	0.5	55
7	Circulating cytokine pattern and factors describing rheumatoid arthritis: IL-15 as one of the biomarkers for RA?. <i>Biomarkers</i> , 2012, 17, 655-662.	0.9	9
8	RANTES, MCP-1 chemokines and factors describing rheumatoid arthritis. <i>Molecular Immunology</i> , 2012, 52, 273-278.	1.0	52
9	Pentosidine, an Advanced Glycation End-Product, May Reflect Clinical and Morphological Features of Hand Osteoarthritis. <i>Open Rheumatology Journal</i> , 2012, 6, 64-69.	0.1	6
10	Increased serum adiponectin levels in female patients with erosive compared with non-erosive osteoarthritis: Figure 1. <i>Annals of the Rheumatic Diseases</i> , 2009, 68, 295-296.	0.5	112
11	Serum hyaluronic acid as a potential marker with a predictive value for further radiographic progression of hand osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2009, 17, 1615-1619.	0.6	39
12	Association of the âˆ³1082 G/A promoter polymorphism of interleukin-10 gene with the autoantibodies production in patients with rheumatoid arthritis. <i>Clinical Rheumatology</i> , 2009, 28, 899-905.	1.0	11
13	Association of Polymorphisms in Interleukinâ€10 Gene Promoter with Autoantibody Production in Patients with Rheumatoid Arthritis. <i>Annals of the New York Academy of Sciences</i> , 2009, 1173, 501-508.	1.8	7
14	Total joint replacement after glucosamine sulphate treatment in knee osteoarthritis: results of a mean 8-year observation of patients from two previous 3-year, randomised, placebo-controlled trials. <i>Osteoarthritis and Cartilage</i> , 2008, 16, 254-260.	0.6	143
15	Association of the 5A/6A Promoter Polymorphism of the MMP-3 Gene with the Radiographic Progression of Rheumatoid Arthritis. <i>Annals of the New York Academy of Sciences</i> , 2007, 1110, 166-176.	1.8	11
16	Polymorphism in the tumor necrosis factor-Î± gene promoter is associated with severity of rheumatoid arthritis in the Czech population. <i>Clinical Rheumatology</i> , 2007, 27, 59-65.	1.0	39
17	Increased pentosidine, an advanced glycation end product, in serum and synovial fluid from patients with knee osteoarthritis and its relation with cartilage oligomeric matrix protein. <i>Annals of the Rheumatic Diseases</i> , 2005, 64, 886-890.	0.5	67
18	Hyaluronic acid levels may have predictive value for the progression of knee osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2004, 12, 277-283.	0.6	89

#	ARTICLE	IF	CITATIONS
19	Glucosamine sulfate reduces osteoarthritis progression in postmenopausal women with knee osteoarthritis: evidence from two 3-year studies. <i>Menopause</i> , 2004, 11, 138-143.	0.8	104
20	Autoantibodies can be prognostic markers of an erosive disease in early rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2003, 62, 427-430.	0.5	232
21	Glucosamine Sulfate Use and Delay of Progression of Knee Osteoarthritis. <i>Archives of Internal Medicine</i> , 2002, 162, 2113.	4.3	584
22	Serum levels of cartilage oligomeric matrix protein (COMP) correlate with radiographic progression of knee osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2002, 10, 707-713.	0.6	156
23	Seronegative Lyme Arthritis caused by <i>Borrelia garinii</i> . <i>Clinical Rheumatology</i> , 2002, 21, 330-334.	1.0	31
24	Serum cartilage oligomeric matrix protein reflects the presence of clinically diagnosed synovitis in patients with knee osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2001, 9, 612-618.	0.6	80
25	A 5-year randomized controlled, double-blind study of glycosaminoglycan polysulphuric acid complex (Rumalon®) as a structure modifying therapy in osteoarthritis of the hip and knee. <i>Osteoarthritis and Cartilage</i> , 2000, 8, 335-342.	0.6	63
26	Glycosaminoglycan polysulfuric acid (GAGPS) in osteoarthritis of the knee. <i>Osteoarthritis and Cartilage</i> , 1995, 3, 15-23.	0.6	22
27	Enthesopathy of the hip joint. <i>Clinical Rheumatology</i> , 1985, 4, 150-154.	1.0	3