Terri Voepel-Lewis

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/2259733/terri-voepel-lewis-publications-by-year.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

138
papers5,229
citations38
h-index69
g-index147
ext. papers6,069
ext. citations3
avg, IF5.54
L-index

#	Paper	IF	Citations
138	A High Psychological and Somatic Symptom Profile and Family Health Factors Predict New or Persistent Pain During Early Adolescence. <i>Clinical Journal of Pain</i> , 2021 , 37, 86-93	3.5	1
137	Effect of a brief scenario-tailored educational program on parentsQisk knowledge, perceptions, and decisions to administer prescribed opioids: a randomized controlled trial. <i>Pain</i> , 2021 , 162, 976-985	8	4
136	To relieve pain or avoid opioid-related risk? A comparison of parentsQanalgesic trade-off preferences and decision-making in 2019 versus 2013 in a single U.S. pediatric hospital. <i>Paediatric Anaesthesia</i> , 2021 , 31, 878-884	1.8	1
135	Optimizing scalable, technology-supported behavioral interventions to prevent opioid misuse among adolescents and young adults in the emergency department: A randomized controlled trial protocol. <i>Contemporary Clinical Trials</i> , 2021 , 108, 106523	2.3	1
134	Behavioral Intervention and Disposal of Leftover Opioids: A Randomized Trial. <i>Pediatrics</i> , 2020 , 145,	7.4	5
133	Parental Proxy PROMIS Pain Interference Scores are Only Modestly Concordant With Their Child@ Scores: An Effect of Child Catastrophizing. <i>Clinical Journal of Pain</i> , 2020 , 36, 1-7	3.5	2
132	Complications Associated With the Anesthesia Transport of Pediatric Patients: An Analysis of the Wake Up Safe Database. <i>Anesthesia and Analgesia</i> , 2020 , 131, 245-254	3.9	6
131	The relationship between parental factors, child symptom profile, and persistent postoperative pain interference and analgesic use in children. <i>Paediatric Anaesthesia</i> , 2020 , 30, 1340-1347	1.8	2
130	The Society for Pediatric Anesthesia recommendations for the use of opioids in children during the perioperative period. <i>Paediatric Anaesthesia</i> , 2019 , 29, 547-571	1.8	51
129	An interactive web-based educational program improves prescription opioid risk knowledge and perceptions among parents. <i>Pain Management</i> , 2019 , 9, 369-377	2.3	3
128	Can pain assessment tools accurately measure pain experience of disabled individuals?. <i>Developmental Medicine and Child Neurology</i> , 2019 , 61, 8-9	3.3	1
127	Authors Qeply to the letter to the editor by Sabour. European Journal of Pain, 2019, 23, 199-200	3.7	
126	Age-specific risk of substance use disorders associated with controlled medication use and misuse subtypes in the United States. <i>Addictive Behaviors</i> , 2019 , 90, 285-293	4.2	28
125	Effect of Preemptive Acetaminophen Administered Within 1 Hour of General Anesthesia on Gastric Residual Volume and pH in Children. <i>Journal of Perianesthesia Nursing</i> , 2019 , 34, 297-302	1.3	1
124	Disclosing Study Information to Children and Adolescents: Is What They Want, What Their Parents Think They Want?. <i>Academic Pediatrics</i> , 2018 , 18, 370-375	2.7	6
123	Can Texting Improve Preoperative and Postoperative Communication With Parents?. <i>Journal of Perianesthesia Nursing</i> , 2018 , 33, 237-239	1.3	
122	Persistent Opioid Use Among Pediatric Patients After Surgery 2018 , 60-68		

(2016-2018)

121	Interactive Anatomy-Augmented Virtual Simulation Training. <i>Clinical Simulation in Nursing</i> , 2018 , 15, 34-41	3	50
120	Effect of a Scenario-tailored Opioid Messaging Program on Parents Risk Perceptions and Opioid Decision-making. <i>Clinical Journal of Pain</i> , 2018 , 34, 497-504	3.5	12
119	Persistent Opioid Use Among Pediatric Patients After Surgery. <i>Pediatrics</i> , 2018 , 141,	7.4	213
118	A cluster of high psychological and somatic symptoms in children with idiopathic scoliosis predicts persistent pain and analgesic use 1 lear after spine fusion. <i>Paediatric Anaesthesia</i> , 2018 , 28, 873-880	1.8	15
117	Deliberative Prescription Opioid Misuse Among Adolescents and Emerging Adults: Opportunities for Targeted Interventions. <i>Journal of Adolescent Health</i> , 2018 , 63, 594-600	5.8	15
116	Propofol Drug Shortage Associated With Worse Postoperative Nausea and Vomiting Outcomes Despite a Mitigation Strategy. <i>AANA Journal</i> , 2018 , 86, 147-154	0.5	
115	Reply to Nielsen, Dominic; Visram, Anil, regarding their comment @omment on Tait AR, Bickham R, O@rien LM, Quinlan M, Voepel-Lewis T. The STBUR questionnaire for identifying children at risk for sleep-disordered breathing and postoperative opioid-related adverse events - potential	1.8	
114	confoundersQPaediatric Anaesthesia, 2017, 27, 326-327 Protecting Children From Perioperative Infection: Understanding the Risks. <i>Journal of Perianesthesia Nursing</i> , 2017, 32, 158-160	1.3	
113	A High Preoperative Pain and Symptom Profile Predicts Worse Pain Outcomes for Children After Spine Fusion Surgery. <i>Anesthesia and Analgesia</i> , 2017 , 124, 1594-1602	3.9	28
112	When the Worst Happens: Cardiac Arrest in the Pediatric PACU. <i>Journal of Perianesthesia Nursing</i> , 2017 , 32, 382-384	1.3	
111	Reflecting on Racial Disparities in Pediatric Care: Can Perianesthesia Care Nurses Make a Difference?. <i>Journal of Perianesthesia Nursing</i> , 2017 , 32, 668-670	1.3	
110	Inappropriate Opioid Dosing and Prescribing for Children: An Unintended Consequence of the Clinical Pain Score?. <i>JAMA Pediatrics</i> , 2017 , 171, 5-6	8.3	3
109	A retrospective comparison of intrathecal morphine and epidural hydromorphone for analgesia following posterior spinal fusion in adolescents with idiopathic scoliosis. <i>Paediatric Anaesthesia</i> , 2017 , 27, 91-97	1.8	21
108	ParentsQAnalgesic Trade-Off Dilemmas: How Analgesic Knowledge Influences Their Decisions to Give Opioids. <i>Clinical Journal of Pain</i> , 2016 , 32, 187-95	3.5	19
107	Evaluation of emergency pediatric tracheal intubation by pediatric anesthesiologists on inpatient units and the emergency department. <i>Paediatric Anaesthesia</i> , 2016 , 26, 384-91	1.8	10
106	The STBUR questionnaire for identifying children at risk for sleep-disordered breathing and postoperative opioid-related adverse events. <i>Paediatric Anaesthesia</i> , 2016 , 26, 759-66	1.8	17
105	New Era for an Age-Old Problem? Reducing Parental and Child Anxiety Through Technology. <i>Journal of Perianesthesia Nursing</i> , 2016 , 31, 552-554	1.3	3
104	Is Anesthesia Safe for My Child?. <i>Journal of Perianesthesia Nursing</i> , 2016 , 31, 184-7	1.3	

103	comment on Wtility of screening questionnaire, obesity, neck circumference, and sleep polysomnography to predict sleep-disordered breathing in children and adolescents. <i>Paediatric Anaesthesia</i> , 2016 , 26, 858	1.8	1
102	Childhood Accident Prevention: An Obligation for the Perioperative Nurse?. <i>Journal of Perianesthesia Nursing</i> , 2016 , 31, 360-1	1.3	
101	ParentsQreferences strongly influence their decisions to withhold prescribed opioids when faced with analgesic trade-off dilemmas for children: a prospective observational study. <i>International Journal of Nursing Studies</i> , 2015 , 52, 1343-53	5.8	22
100	Opioid-related adverse drug events: do parents recognize the signals?. <i>Clinical Journal of Pain</i> , 2015 , 31, 198-205	3.5	16
99	Sleep-Disordered BreathingNot Just for Grownups Anymore. <i>Journal of Perianesthesia Nursing</i> , 2015 , 30, 566-570	1.3	2
98	Parental Analgesic Knowledge and Decision Making for Children With and Without Obstructive Sleep Apnea After Tonsillectomy and Adenoidectomy. <i>Pain Management Nursing</i> , 2015 , 16, 881-9	2.5	4
97	A debate on the proposition that self-report is the gold standard in assessment of pediatric pain intensity. <i>Clinical Journal of Pain</i> , 2015 , 31, 707-12	3.5	42
96	Postoperative opioid-induced respiratory depression: a closed claims analysis. <i>Anesthesiology</i> , 2015 , 122, 659-65	4.3	2 80
95	A comparison of the postoperative pain experience in children with and without attention-deficit hyperactivity disorder (ADHD). <i>Paediatric Anaesthesia</i> , 2015 , 25, 1020-5	1.8	1
94	Survey research: it@just a few questions, right?. <i>Paediatric Anaesthesia</i> , 2015 , 25, 656-62	1.8	15
93	Pain outcomes in children who received intrathecal vs intravenous opioids for pain control following major urologic surgery: a retrospective review. <i>Paediatric Anaesthesia</i> , 2015 , 25, 1280-6	1.8	1
92	Reply to Engelhardt, Thomas; Wolf, Andy, regarding their comment Q urveys and allthe role of pediatric anesthetic societies <i>QPaediatric Anaesthesia</i> , 2015 , 25, 1173-4	1.8	
91	Urethrocutaneous fistula following hypospadias repair: regional anesthesia and other factors. <i>Paediatric Anaesthesia</i> , 2015 , 25, 1144-50	1.8	28
90	Leftover prescription opioids after minor procedures: an unwitting source for accidental overdose in children. <i>JAMA Pediatrics</i> , 2015 , 169, 497-8	8.3	56
89	Digital multimedia: a new approach for informed consent?. <i>JAMA - Journal of the American Medical Association</i> , 2015 , 313, 463-4	27.4	30
88	Using digital multimedia to improve parentsQand childrenQ understanding of clinical trials. <i>Archives of Disease in Childhood</i> , 2015 , 100, 589-93	2.2	21
87	What They Don@Know Can Hurt Them: Risky Analgesic Use in Children. <i>Journal of Perianesthesia Nursing</i> , 2015 , 30, 363-7	1.3	
86	Pain score guided morphine titration is risky and inappropriate. <i>Paediatric Anaesthesia</i> , 2014 , 24, 454-6	1.8	2

(2011-2014)

85	Enhancing patient understanding of medical procedures: evaluation of an interactive multimedia program with in-line exercises. <i>International Journal of Medical Informatics</i> , 2014 , 83, 376-84	5.3	25
84	Postsurgical behaviors in children with and without symptoms of sleep-disordered breathing. <i>Perioperative Medicine (London, England)</i> , 2014 , 3, 8	2.8	6
83	A retrospective description of anesthetic medication dosing in overweight and obese children. <i>Paediatric Anaesthesia</i> , 2014 , 24, 857-62	1.8	24
82	Resident characterization of better-than- and worse-than-average clinical teaching. <i>Anesthesiology</i> , 2014 , 120, 120-8	4.3	14
81	Pulse oximetry desaturation alarms on a general postoperative adult unit: a prospective observational study of nurse response time. <i>International Journal of Nursing Studies</i> , 2013 , 50, 1351-8	5.8	34
8o	Pediatric cardiopulmonary arrest in the postanesthesia care unit: analysis of data from the American Heart Association Get With The Guidelines-Resuscitation registry. <i>Paediatric Anaesthesia</i> , 2013 , 23, 517-23	1.8	18
79	Early adjuvant use of nonopioids associated with reduced odds of serious postoperative opioid adverse events and need for rescue in children. <i>Paediatric Anaesthesia</i> , 2013 , 23, 162-9	1.8	23
78	Do 10 million ANOVAs satisfy the quest for pain score meaning?. Pain, 2013, 154, 2581-2582	8	1
77	Nursing surveillance moderates the relationship between staffing levels and pediatric postoperative serious adverse events: a nested case-control study. <i>International Journal of Nursing Studies</i> , 2013 , 50, 905-13	5.8	13
76	How reliable are Qalid and reliable Quain scores in the pediatric clinical setting?. <i>Pain Management</i> , 2013 , 3, 343-50	2.3	4
75	The STBUR questionnaire for predicting perioperative respiratory adverse events in children at risk for sleep-disordered breathing. <i>Paediatric Anaesthesia</i> , 2013 , 23, 510-6	1.8	42
74	Empirical review supporting the application of the "pain assessment as a social transaction" model in pediatrics. <i>Journal of Pain and Symptom Management</i> , 2012 , 44, 446-57	4.8	22
73	Using animated computer-generated text and graphics to depict the risks and benefits of medical treatment. <i>American Journal of Medicine</i> , 2012 , 125, 1103-10	2.4	28
72	Evaluation of a prototype interactive consent program for pediatric clinical trials: a pilot study. Journal of the American Medical Informatics Association: JAMIA, 2012, 19, e43-5	8.6	17
71	Early postoperative outcomes in children after adenotonsillectomy. <i>Journal of Perianesthesia Nursing</i> , 2011 , 26, 89-95	1.3	17
70	Parental recall of anesthesia information: informing the practice of informed consent. <i>Anesthesia and Analgesia</i> , 2011 , 112, 918-23	3.9	28
69	Do 0-10 numeric rating scores translate into clinically meaningful pain measures for children?. <i>Anesthesia and Analgesia</i> , 2011 , 112, 415-21	3.9	109
68	Factors associated with acute kidney injury or failure in children undergoing cardiopulmonary bypass: a case-controlled study. <i>Paediatric Anaesthesia</i> , 2011 , 21, 880-6	1.8	44

67	The ongoing quandaries of behavioral pain assessment in children with neurocognitive impairment. <i>Developmental Medicine and Child Neurology</i> , 2011 , 53, 106-7	3.3	3
66	Efficacy and safety of aprotinin in neonatal congenital heart operations. <i>Annals of Thoracic Surgery</i> , 2011 , 92, 958-63	2.7	16
65	Bridging the gap between pain assessment and treatment: time for a new theoretical approach?. Western Journal of Nursing Research, 2011, 33, 846-51; author reply 852-7	2	4
64	Anesthesia induction, emergence, and postoperative behaviors in children with attention-deficit/hyperactivity disorders. <i>Paediatric Anaesthesia</i> , 2010 , 20, 323-9	1.8	22
63	Correspondence: Response to: comments on attention-deficit/hyperactivity disorders and anesthesia. <i>Paediatric Anaesthesia</i> , 2010 , 20, 897-898	1.8	
62	Effect of various risk/benefit trade-offs on parentsQunderstanding of a pediatric research study. <i>Pediatrics</i> , 2010 , 125, e1475-82	7.4	20
61	The effect of format on parentsQunderstanding of the risks and benefits of clinical research: a comparison between text, tables, and graphics. <i>Journal of Health Communication</i> , 2010 , 15, 487-501	2.5	128
60	Neck circumference as a screening measure for identifying children with high body mass index. <i>Pediatrics</i> , 2010 , 126, e306-10	7.4	102
59	Reliability and validity of the face, legs, activity, cry, consolability behavioral tool in assessing acute pain in critically ill patients. <i>American Journal of Critical Care</i> , 2010 , 19, 55-61; quiz 62	1.7	179
58	Hemodynamic changes in children with Down syndrome during and following inhalation induction of anesthesia with sevoflurane. <i>Journal of Clinical Anesthesia</i> , 2010 , 22, 592-7	1.9	33
57	Presenting research risks and benefits to parents: does format matter?. <i>Anesthesia and Analgesia</i> , 2010 , 111, 718-23	3.9	66
56	The incidence of intraoperative awareness in children: childhood awareness and recall evaluation. <i>Anesthesia and Analgesia</i> , 2009 , 109, 1421-7	3.9	24
55	How do pediatric anesthesiologists define intraoperative hypotension?. <i>Paediatric Anaesthesia</i> , 2009 , 19, 1048-53	1.8	90
54	Parental presence on emergence: effect on postanesthesia agitation and parent satisfaction. Journal of Perianesthesia Nursing, 2009 , 24, 216-21	1.3	20
53	Postoperative opioid usage in children receiving Remifentanil vs. sufentanil. <i>Acute Pain</i> , 2009 , 11, 107	-111	
52	A comparison of the clinical utility of pain assessment tools for children with cognitive impairment. <i>Anesthesia and Analgesia</i> , 2008 , 106, 72-8, table of contents	3.9	67
51	ParentsQunderstanding of information regarding their childQ postoperative pain management. <i>Clinical Journal of Pain</i> , 2008 , 24, 572-7	3.5	28
50	The prevalence of and risk factors for adverse events in children receiving patient-controlled analgesia by proxy or patient-controlled analgesia after surgery. <i>Anesthesia and Analgesia</i> , 2008 , 107, 70-5	3.9	73

(2003-2008)

49	The use of aprotinin in children undergoing operative repair of isolated atrial septal defects. <i>Paediatric Anaesthesia</i> , 2008 , 18, 145-50	1.8	5
48	Assessing parents preferences for the avoidance of undesirable anesthesia side effects in their children undergoing surgical procedures. <i>Paediatric Anaesthesia</i> , 2007 , 17, 1035-42	1.8	19
47	Children who refuse anesthesia or sedation: a survey of anesthesiologists. <i>Paediatric Anaesthesia</i> , 2007 , 17, 1134-42	1.8	23
46	Effect of age and sedative agent on the accuracy of bispectral index in detecting depth of sedation in children. <i>Pediatrics</i> , 2007 , 120, e461-70	7.4	51
45	Glycopyrrolate does not reduce the incidence of perioperative adverse events in children with upper respiratory tract infections. <i>Anesthesia and Analgesia</i> , 2007 , 104, 265-70	3.9	23
44	Presenting research information to children: a tale of two methods. <i>Anesthesia and Analgesia</i> , 2007 , 105, 358-64	3.9	33
43	Delayed postoperative agitation in a child after preoperative midazolam. <i>Journal of Perianesthesia Nursing</i> , 2007 , 22, 303-8	1.3	8
42	A comparison of observational and objective measures to differentiate depth of sedation in children from birth to 18 years of age. <i>Anesthesia and Analgesia</i> , 2006 , 102, 389-94	3.9	59
41	The revised FLACC observational pain tool: improved reliability and validity for pain assessment in children with cognitive impairment. <i>Paediatric Anaesthesia</i> , 2006 , 16, 258-65	1.8	301
40	Clonidine for the prevention of emergence agitation in young children: efficacy and recovery profile. <i>Paediatric Anaesthesia</i> , 2006 , 16, 554-9	1.8	59
39	Difficult pain assessment and lack of clinician knowledge are ongoing barriers to effective pain management in children with cognitive impairment. <i>Acute Pain</i> , 2005 , 7, 27-32		31
38	NursesQdiagnoses and treatment decisions regarding care of the agitated child. <i>Journal of Perianesthesia Nursing</i> , 2005 , 20, 239-48	1.3	17
37	Validity of parent ratings as proxy measures of pain in children with cognitive impairment. <i>Pain Management Nursing</i> , 2005 , 6, 168-74	2.5	71
36	Factors that influence parents@ssessments of the risks and benefits of research involving their children. <i>Pediatrics</i> , 2004 , 113, 727-32	7.4	58
35	Pentobarbital vs chloral hydrate for sedation of children undergoing MRI: efficacy and recovery characteristics. <i>Paediatric Anaesthesia</i> , 2004 , 14, 589-95	1.8	72
34	Pain assessment for the PACU nurse: science or art?. Journal of Perianesthesia Nursing, 2004, 19, 257-60	0 1.3	3
33	Can we improve the assessment of discharge readiness?: A comparative study of observational and objective measures of depth of sedation in children. <i>Anesthesiology</i> , 2004 , 100, 218-24	4.3	68
32	Behavioral pain assessment and the Face, Legs, Activity, Cry and Consolability instrument. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2003 , 3, 317-25	2.2	9

31	Risk factors for adverse postoperative outcomes in children presenting for cardiac surgery with upper respiratory tract infections. <i>Anesthesiology</i> , 2003 , 98, 628-32	4.3	52
30	Dolasetron for the prevention of postoperative vomiting in children undergoing strabismus surgery. <i>Paediatric Anaesthesia</i> , 2003 , 13, 522-6	1.8	17
29	A survey of obstetric complications and pregnancy outcomes in paediatric and nonpaediatric anaesthesiologists. <i>Paediatric Anaesthesia</i> , 2003 , 13, 490-5	1.8	20
28	A prospective cohort study of emergence agitation in the pediatric postanesthesia care unit. <i>Anesthesia and Analgesia</i> , 2003 , 96, 1625-1630	3.9	285
27	FLACC Behavioral Pain Assessment Scale: a comparison with the child@self-report. <i>Pediatric Nursing</i> , 2003 , 29, 195-8		90
26	Low-dose ketorolac improves analgesia and reduces morphine requirements following posterior spinal fusion in adolescents. <i>Canadian Journal of Anaesthesia</i> , 2002 , 49, 461-6	3	97
25	Priorities for disclosure of the elements of informed consent for research: a comparison between parents and investigators. <i>Paediatric Anaesthesia</i> , 2002 , 12, 332-6	1.8	36
24	The reliability and validity of the Face, Legs, Activity, Cry, Consolability observational tool as a measure of pain in children with cognitive impairment. <i>Anesthesia and Analgesia</i> , 2002 , 95, 1224-9, table of contents	3.9	189
23	Albumin versus crystalloid prime solution for cardiopulmonary bypass in young children. <i>Critical Care Medicine</i> , 2002 , 30, 2649-54	1.4	55
22	Obtaining Informed Consent. <i>Anesthesiology</i> , 2002 , 96, 1278-1278	4.3	1
21	Oral transmucosal midazolam premedication for preschool children. <i>Canadian Journal of Anaesthesia</i> , 2001 , 48, 191-5	3	26
20	Parents@references for participation in decisions made regarding their child@anaesthetic care. <i>Paediatric Anaesthesia</i> , 2001 , 11, 283-90	1.8	47
19	Pain management in children with and without cognitive impairment following spine fusion surgery. <i>Paediatric Anaesthesia</i> , 2001 , 11, 453-8	1.8	97
18	Prolonged recovery and delayed side effects of sedation for diagnostic imaging studies in children. <i>Pediatrics</i> , 2000 , 105, E42	7.4	151
17	False alarms and sensitivity of conventional pulse oximetry versus the Masimo SET technology in the pediatric postanesthesia care unit. <i>Anesthesia and Analgesia</i> , 2000 , 90, 1336-40	3.9	40
16	Sedation failures in children undergoing MRI and CT: is temperament a factor?. <i>Paediatric Anaesthesia</i> , 2000 , 10, 319-23	1.8	34
15	Sedation/Analgesia for diagnostic and therapeutic procedures in children. <i>Journal of Perianesthesia Nursing</i> , 2000 , 15, 415-22	1.3	12
14	Perioperative considerations for the child with an upper respiratory tract infection. <i>Journal of Perianesthesia Nursing</i> , 2000 , 15, 392-6	1.3	4

LIST OF PUBLICATIONS

13	Separation and induction behaviors in children: are parents good predictors?. <i>Journal of Perianesthesia Nursing</i> , 2000 , 15, 6-11	1.3	11
12	Compliance With Standard Guidelines for the Prevention of Occupational Transmission of Bloodborne and Airborne Pathogens: A Survey of Postanesthesia Nursing Practice. <i>Journal of Continuing Education in Nursing</i> , 2000 , 31, 38-44	0.9	18
11	Pain relief in children following outpatient surgery. <i>Journal of Clinical Anesthesia</i> , 1999 , 11, 187-91	1.9	31
10	The Effect of a Right-to-Left Intracardiac Shunt on the Rate of Rise of Arterial and End-Tidal Halothane in Children. <i>Anesthesia and Analgesia</i> , 1999 , 88, 759-762	3.9	22
9	A Comparison of Continuous Epidural Infusion and Intermittent Intravenous Bolus Doses of Morphine in Children Undergoing Selective Dorsal Rhizotomy. <i>Regional Anesthesia and Pain Medicine</i> , 1999 , 24, 438-443	3.4	22
8	Managing sedation in critically ill children. <i>Dimensions of Critical Care Nursing</i> , 1998 , 17, 298-305	1.9	1
7	Use of the Laryngeal Mask Airway in Children with Upper Respiratory Tract Infections. <i>Anesthesia and Analgesia</i> , 1998 , 86, 706-711	3.9	132
6	Factors That Influence Parents Decisions to Consent to Their Child Participation in Clinical Anesthesia Research. <i>Anesthesia and Analgesia</i> , 1998 , 86, 50-53	3.9	47
5	Adverse Events and Risk Factors Associated with the Sedation of Children by Nonanesthesiologists. <i>Anesthesia and Analgesia</i> , 1997 , 85, 1207-1213	3.9	215
4	Evaluation of a case management model for preanesthesia screening. <i>Journal of Perianesthesia Nursing</i> , 1997 , 12, 396-401	1.3	1
3	Cancellation of pediatric outpatient surgery: economic and emotional implications for patients and their families. <i>Journal of Clinical Anesthesia</i> , 1997 , 9, 213-9	1.9	138
2	Effects of anesthetic technique on side effects associated with fentanyl Oralet premedication. <i>Journal of Clinical Anesthesia</i> , 1997 , 9, 374-8	1.9	13
1	Should Pregnancy Testing Be Routine in Adolescent Patients Prior to Surgery?. <i>Anesthesia and Analgesia</i> , 1996 , 83, 854-858	3.9	30