

George R Dubyak

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2260406/george-r-dubyak-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

146
papers

10,302
citations

57
h-index

99
g-index

155
ext. papers

11,416
ext. citations

5.7
avg, IF

6.21
L-index

#	Paper	IF	Citations
146	Evidence that BCL-2 represses apoptosis by regulating endoplasmic reticulum-associated Ca ²⁺ fluxes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1994 , 91, 6569-73	11.5	540
145	Locally produced complement fragments C5a and C3a provide both costimulatory and survival signals to naive CD4+ T cells. <i>Immunity</i> , 2008 , 28, 425-35	32.3	437
144	Nonclassical IL-1 beta secretion stimulated by P2X7 receptors is dependent on inflammasome activation and correlated with exosome release in murine macrophages. <i>Journal of Immunology</i> , 2007 , 179, 1913-25	5.3	433
143	Pannexin-1 is required for ATP release during apoptosis but not for inflammasome activation. <i>Journal of Immunology</i> , 2011 , 186, 6553-61	5.3	278
142	Mechanisms of caspase-1 activation by P2X7 receptor-mediated K ⁺ release. <i>American Journal of Physiology - Cell Physiology</i> , 2004 , 286, C1100-8	5.4	267
141	Towards a revised nomenclature for P1 and P2 receptors. <i>Trends in Pharmacological Sciences</i> , 1997 , 18, 79-82	13.2	265
140	Differential requirement of P2X7 receptor and intracellular K ⁺ for caspase-1 activation induced by intracellular and extracellular bacteria. <i>Journal of Biological Chemistry</i> , 2007 , 282, 18810-8	5.4	261
139	Detection of local ATP release from activated platelets using cell surface-attached firefly luciferase. <i>American Journal of Physiology - Cell Physiology</i> , 1999 , 276, C267-78	5.4	253
138	Neutrophil P2X7 receptors mediate NLRP3 inflammasome-dependent IL-1 β secretion in response to ATP. <i>Nature Communications</i> , 2016 , 7, 10555	17.4	223
137	Intracellular calcium changes trigger connexin 32 hemichannel opening. <i>EMBO Journal</i> , 2006 , 25, 34-44	13	213
136	Isoquinolines as antagonists of the P2X7 nucleotide receptor: high selectivity for the human versus rat receptor homologues. <i>Molecular Pharmacology</i> , 1998 , 54, 22-32	4.3	186
135	Chemical disruption of the pyroptotic pore-forming protein gasdermin D inhibits inflammatory cell death and sepsis. <i>Science Immunology</i> , 2018 , 3,	28	184
134	Colocalization of ATP release sites and ecto-ATPase activity at the extracellular surface of human astrocytes. <i>Journal of Biological Chemistry</i> , 2003 , 278, 23331-42	5.4	169
133	Signal transduction by P2-purinergic receptors for extracellular ATP. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 1991 , 4, 295-300	5.7	169
132	Potentialiation of caspase-1 activation by the P2X7 receptor is dependent on TLR signals and requires NF-kappaB-driven protein synthesis. <i>Journal of Immunology</i> , 2005 , 175, 7611-22	5.3	167
131	K ⁺ efflux agonists induce NLRP3 inflammasome activation independently of Ca ²⁺ signaling. <i>Journal of Immunology</i> , 2015 , 194, 3937-52	5.3	157
130	Cutting edge: the nucleotide receptor P2X7 contains multiple protein- and lipid-interaction motifs including a potential binding site for bacterial lipopolysaccharide. <i>Journal of Immunology</i> , 2001 , 167, 1871-6	5.3	153

129	Antipyrylazo III, a "middle range" Ca ²⁺ metallochromic indicator. <i>Biochemistry</i> , 1978 , 17, 1378-86	3.2	153
128	Neutrophil IL-1 β processing induced by pneumolysin is mediated by the NLRP3/ASC inflammasome and caspase-1 activation and is dependent on K ⁺ efflux. <i>Journal of Immunology</i> , 2015 , 194, 1763-75	5.3	151
127	Cutting edge: human beta defensin 3--a novel antagonist of the HIV-1 coreceptor CXCR4. <i>Journal of Immunology</i> , 2006 , 177, 782-6	5.3	145
126	P2X7 receptor-dependent blebbing and the activation of Rho-effector kinases, caspases, and IL-1 beta release. <i>Journal of Immunology</i> , 2003 , 170, 5728-38	5.3	144
125	Stress-activated Protein Kinase/JNK Activation and Apoptotic Induction by the Macrophage P2X7 Nucleotide Receptor. <i>Journal of Biological Chemistry</i> , 2000 , 275, 26792-26798	5.4	142
124	Marek β disease virus (MDV) encodes an interleukin-8 homolog (vIL-8): characterization of the vIL-8 protein and a vIL-8 deletion mutant MDV. <i>Journal of Virology</i> , 2001 , 75, 5159-73	6.6	139
123	METALLOCHROMIC INDICATORS OF IONIZED CALCIUM. <i>Annals of the New York Academy of Sciences</i> , 1978 , 307, 86-112	6.5	138
122	P2X7 receptor regulation of non-classical secretion from immune effector cells. <i>Cellular Microbiology</i> , 2012 , 14, 1697-706	3.9	130
121	Caspase-8 as an Effector and Regulator of NLRP3 Inflammasome Signaling. <i>Journal of Biological Chemistry</i> , 2015 , 290, 20167-84	5.4	126
120	Calcium is a key signaling molecule in beta-lapachone-mediated cell death. <i>Journal of Biological Chemistry</i> , 2001 , 276, 19150-9	5.4	123
119	Maitotoxin and P2Z/P2X(7) purinergic receptor stimulation activate a common cytolytic pore. <i>American Journal of Physiology - Cell Physiology</i> , 1999 , 277, C766-76	5.4	122
118	Hyperammonemia-mediated autophagy in skeletal muscle contributes to sarcopenia of cirrhosis. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2012 , 303, E983-93	6	121
117	Modulation of P2X7 nucleotide receptor expression by pro- and anti-inflammatory stimuli in THP-1 monocytes. <i>Journal of Leukocyte Biology</i> , 1998 , 64, 265-73	6.5	119
116	Extracellular ATP activates polyphosphoinositide breakdown and Ca ²⁺ mobilization in Ehrlich ascites tumor cells. <i>Archives of Biochemistry and Biophysics</i> , 1986 , 245, 84-95	4.1	118
115	P2X7 receptor-stimulated secretion of MHC class II-containing exosomes requires the ASC/NLRP3 inflammasome but is independent of caspase-1. <i>Journal of Immunology</i> , 2009 , 182, 5052-62	5.3	113
114	Essential role for Ca ²⁺ in regulation of IL-1 β secretion by P2X7 nucleotide receptor in monocytes, macrophages, and HEK-293 cells. <i>American Journal of Physiology - Cell Physiology</i> , 2003 , 285, C286-99	5.4	106
113	Active Caspase-1 Induces Plasma Membrane Pores That Precede Pyroptotic Lysis and Are Blocked by Lanthanides. <i>Journal of Immunology</i> , 2016 , 197, 1353-67	5.3	106
112	N-GSDMD trafficking to neutrophil organelles facilitates IL-1 β release independently of plasma membrane pores and pyroptosis. <i>Nature Communications</i> , 2020 , 11, 2212	17.4	100

111	Extracellular pyrophosphate metabolism and calcification in vascular smooth muscle. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2011 , 301, H61-8	5.2	99
110	T cell-intrinsic ASC critically promotes T(H)17-mediated experimental autoimmune encephalomyelitis. <i>Nature Immunology</i> , 2016 , 17, 583-92	19.1	98
109	Regulation of P2X(7) nucleotide receptor function in human monocytes by extracellular ions and receptor density. <i>American Journal of Physiology - Cell Physiology</i> , 2001 , 280, C943-53	5.4	98
108	Oxidized ATP (oATP) attenuates proinflammatory signaling via P2 receptor-independent mechanisms. <i>British Journal of Pharmacology</i> , 2003 , 140, 507-19	8.6	97
107	Proapoptotic chemotherapeutic drugs induce noncanonical processing and release of IL-1 β via caspase-8 in dendritic cells. <i>Journal of Immunology</i> , 2013 , 191, 4789-803	5.3	91
106	Mycobacterium tuberculosis synergizes with ATP to induce release of microvesicles and exosomes containing major histocompatibility complex class II molecules capable of antigen presentation. <i>Infection and Immunity</i> , 2010 , 78, 5116-25	3.7	85
105	P2X7 receptors regulate multiple types of membrane trafficking responses and non-classical secretion pathways. <i>Purinergic Signalling</i> , 2009 , 5, 163-73	3.8	83
104	Inhibitory effects of chloride on the activation of caspase-1, IL-1 β secretion, and cytolysis by the P2X7 receptor. <i>Journal of Immunology</i> , 2005 , 175, 7623-34	5.3	82
103	Structure-activity relationships of pyridoxal phosphate derivatives as potent and selective antagonists of P2X1 receptors. <i>Journal of Medicinal Chemistry</i> , 2001 , 44, 340-9	8.3	77
102	Ion homeostasis, channels, and transporters: an update on cellular mechanisms. <i>American Journal of Physiology - Advances in Physiology Education</i> , 2004 , 28, 143-54	1.9	75
101	Mechanism of gasdermin D recognition by inflammatory caspases and their inhibition by a gasdermin D-derived peptide inhibitor. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, 6792-6797	11.5	73
100	Factor XII and uPAR upregulate neutrophil functions to influence wound healing. <i>Journal of Clinical Investigation</i> , 2018 , 128, 944-959	15.9	71
99	IKK β negatively regulates ASC-dependent inflammasome activation. <i>Nature Communications</i> , 2014 , 5, 4977	17.4	70
98	Go it alone no more--P2X7 joins the society of heteromeric ATP-gated receptor channels. <i>Molecular Pharmacology</i> , 2007 , 72, 1402-5	4.3	70
97	Oxytocin activates the inositol-phospholipid-protein kinase-C system and stimulates prostaglandin production in human amnion cells. <i>Endocrinology</i> , 1988 , 123, 1771-7	4.8	68
96	Stealth filaments: Polymer chain length and conformation affect the in vivo fate of PEGylated potato virus X. <i>Acta Biomaterialia</i> , 2015 , 19, 166-79	10.8	67
95	NLRP3 inflammasome signaling is activated by low-level lysosome disruption but inhibited by extensive lysosome disruption: roles for K ⁺ efflux and Ca ²⁺ influx. <i>American Journal of Physiology - Cell Physiology</i> , 2016 , 311, C83-C100	5.4	67
94	Mutation of a dibasic amino acid motif within the C terminus of the P2X7 nucleotide receptor results in trafficking defects and impaired function. <i>Journal of Immunology</i> , 2003 , 171, 1304-11	5.3	67

93	CD40 in Retinal Müller Cells Induces P2X7-Dependent Cytokine Expression in Macrophages/Microglia in Diabetic Mice and Development of Early Experimental Diabetic Retinopathy. <i>Diabetes</i> , 2017 , 66, 483-493	0.9	63
92	Role of Calcium in Glucocorticosteroid-Induced Apoptosis of Thymocytes and Lymphoma Cells: Resurrection of Old Theories by New Findings. <i>Blood</i> , 1998 , 91, 731-734	2.2	63
91	Chemotherapeutic drugs induce ATP release via caspase-gated pannexin-1 channels and a caspase/pannexin-1-independent mechanism. <i>Journal of Biological Chemistry</i> , 2014 , 289, 27246-27263	5.4	58
90	Methylene ATP analogs as modulators of extracellular ATP metabolism and accumulation. <i>British Journal of Pharmacology</i> , 2004 , 142, 1002-14	8.6	56
89	Regulation of vascular smooth muscle cell calcification by extracellular pyrophosphate homeostasis: synergistic modulation by cyclic AMP and hyperphosphatemia. <i>American Journal of Physiology - Cell Physiology</i> , 2010 , 298, C702-13	5.4	55
88	Down-regulation of P2U-purineric nucleotide receptor messenger RNA expression during in vitro differentiation of human myeloid leukocytes by phorbol esters or inflammatory activators. <i>Molecular Pharmacology</i> , 1997 , 51, 97-108	4.3	55
87	Knock-out mice reveal tissue-specific roles of P2Y receptor subtypes in different epithelia. <i>Molecular Pharmacology</i> , 2003 , 63, 773-6	4.3	55
86	Both sides now: multiple interactions of ATP with pannexin-1 hemichannels. Focus on "A permeant regulating its permeation pore: inhibition of pannexin 1 channels by ATP". <i>American Journal of Physiology - Cell Physiology</i> , 2009 , 296, C235-41	5.4	52
85	Decreased protein kinase C activity during cerebral ischemia and after reperfusion in the adult rat. <i>Journal of Neurochemistry</i> , 1990 , 55, 2001-7	6	52
84	Agonist-induced calcium transients in cultured smooth muscle cells: measurements with fura-2 loaded monolayers. <i>Biochemical and Biophysical Research Communications</i> , 1986 , 136, 927-34	3.4	48
83	Effects of 12-O-tetradecanoyl-phorbol-13-acetate on Myofibril integrity and Ca ²⁺ content in developing myotubes. <i>Developmental Biology</i> , 1982 , 89, 460-74	3.1	48
82	Rho-family GTPases modulate Ca(2+) -dependent ATP release from astrocytes. <i>American Journal of Physiology - Cell Physiology</i> , 2008 , 295, C231-41	5.4	47
81	Autocrine ATP release coupled to extracellular pyrophosphate accumulation in vascular smooth muscle cells. <i>American Journal of Physiology - Cell Physiology</i> , 2009 , 296, C828-39	5.4	46
80	Enhanced activation of Akt and extracellular-regulated kinase pathways by simultaneous occupancy of Gq-coupled 5-HT _{2A} receptors and Gs-coupled 5-HT _{7A} receptors in PC12 cells. <i>Journal of Neurochemistry</i> , 2005 , 92, 72-82	6	46
79	Calcium currents in the A7r5 smooth muscle-derived cell line. <i>Pflugers Archiv European Journal of Physiology</i> , 1990 , 417, 433-9	4.6	46
78	Differential regulation of P2X7 receptor activation by extracellular nicotinamide adenine dinucleotide and ecto-ADP-ribosyltransferases in murine macrophages and T cells. <i>Journal of Immunology</i> , 2009 , 183, 578-92	5.3	45
77	Differing caspase-1 activation states in monocyte versus macrophage models of IL-1 β processing and release. <i>Journal of Leukocyte Biology</i> , 2004 , 76, 676-84	6.5	45
76	Endotoxin activation of macrophages does not induce ATP release and autocrine stimulation of P2 nucleotide receptors. <i>Journal of Immunology</i> , 2000 , 165, 7189-98	5.3	45

75	Chronic treatment with P2-purinergic receptor agonists induces phenotypic modulation of the HL-60 and U937 human myelogenous leukemia cell lines. <i>Journal of Leukocyte Biology</i> , 1991 , 50, 109-22	6.5	45
74	Structures of the Gasdermin D C-Terminal Domains Reveal Mechanisms of Autoinhibition. <i>Structure</i> , 2018 , 26, 778-784.e3	5.2	43
73	Human epidermal keratinocytes undergo (-)-epigallocatechin-3-gallate-dependent differentiation but not apoptosis. <i>Carcinogenesis</i> , 2005 , 26, 1100-8	4.6	43
72	Stimulation of cytosolic free calcium and inositol phosphates by prostaglandins in cultured rat mesangial cells. <i>Biochemical and Biophysical Research Communications</i> , 1987 , 142, 579-86	3.4	42
71	TLR-stimulated IRAK1 activates caspase-8 inflammasome in microglia and promotes neuroinflammation. <i>Journal of Clinical Investigation</i> , 2018 , 128, 5399-5412	15.9	41
70	Maitotoxin Induces Biphasic Interleukin-1 β Secretion and Membrane Blebbing in Murine Macrophages. <i>Molecular Pharmacology</i> , 2004 , 66, 909-920	4.3	40
69	P2-purinergic receptors activate a guanine nucleotide-dependent phospholipase C in membranes from HL-60 cells. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1990 , 1053, 195-203	4.9	39
68	Purinergic signaling at immunological synapses. <i>Journal of the Autonomic Nervous System</i> , 2000 , 81, 64-8		38
67	Live-cell visualization of gasdermin D-driven pyroptotic cell death. <i>Journal of Biological Chemistry</i> , 2017 , 292, 14649-14658	5.4	35
66	The progressive ankylosis gene product ANK regulates extracellular ATP levels in primary articular chondrocytes. <i>Arthritis Research and Therapy</i> , 2013 , 15, R154	5.7	34
65	Activation of calcium mobilization and calcium influx by alpha 1-adrenergic receptors in a smooth muscle cell line. <i>Biochemical and Biophysical Research Communications</i> , 1985 , 130, 627-32	3.4	34
64	Phosphorus-31 nuclear magnetic resonance studies of single muscle cells isolated from barnacle depressor muscle. <i>Biochemistry</i> , 1983 , 22, 3531-6	3.2	33
63	Interactions between IFs, microtubules, and myofibrils in fibrogenic and myogenic cells. <i>Annals of the New York Academy of Sciences</i> , 1985 , 455, 106-25	6.5	32
62	Purinergic regulation of high-glucose-induced caspase-1 activation in the rat retinal Müller cell line rMC-1. <i>American Journal of Physiology - Cell Physiology</i> , 2011 , 301, C1213-23	5.4	30
61	Elevation of cytosolic free calcium by platelet-activating factor in cultured rat mesangial cells. <i>FASEB Journal</i> , 1987 , 1, 215-9	0.9	30
60	Extracellular osmolarity modulates G protein-coupled receptor-dependent ATP release from 1321N1 astrocytoma cells. <i>American Journal of Physiology - Cell Physiology</i> , 2010 , 298, C386-96	5.4	29
59	Epithelial-derived gasdermin D mediates nonlytic IL-1 β release during experimental colitis. <i>Journal of Clinical Investigation</i> , 2020 , 130, 4218-4234	15.9	29
58	Functional expression of the parathyroid cell calcium receptor in <i>Xenopus</i> oocytes. <i>FEBS Letters</i> , 1993 , 333, 132-6	3.8	28

57	Lipopolysaccharide, IFN-gamma, and IFN-beta induce expression of the thiol-sensitive ART2.1 Ecto-ADP-ribosyltransferase in murine macrophages. <i>Journal of Immunology</i> , 2007 , 179, 6215-27	5.3	27
56	ATP and control of intracellular growth of mycobacteria by T cells. <i>Infection and Immunity</i> , 2002 , 70, 6456-9	5.1	26
55	Sarcoplasmic Ca ²⁺ transients during the contractile cycle of single barnacle muscle fibres: measurements with arsenazo III-injected fibres. <i>Journal of Muscle Research and Cell Motility</i> , 1982 , 3, 87-112	3.5	25
54	Potent P2X Receptor Antagonists: Tyrosyl Derivatives Synthesized Using a Sequential Parallel Synthetic Approach. <i>Drug Development Research</i> , 2001 , 54, 75-87	5.1	22
53	Effect of atrial natriuretic factor on cytosolic free calcium in rat glomerular mesangial cells. <i>FEBS Letters</i> , 1987 , 224, 396-400	3.8	22
52	Modification of α -Defensin-2 by Dicarboxyls Methylglyoxal and Glyoxal Inhibits Antibacterial and Chemotactic Function In Vitro. <i>PLoS ONE</i> , 2015 , 10, e0130533	3.7	21
51	Nucleotide-binding oligomerization domain (NOD) signaling defects and cell death susceptibility cannot be uncoupled in X-linked inhibitor of apoptosis (XIAP)-driven inflammatory disease. <i>Journal of Biological Chemistry</i> , 2017 , 292, 9666-9679	5.4	20
50	Expression of multiple ATP receptor subtypes during the differentiation and inflammatory activation of myeloid leukocytes. <i>Drug Development Research</i> , 1996 , 39, 269-278	5.1	20
49	Adenosine triphosphate activates the phospholipase-C cascade system in human amnion cells without increasing prostaglandin production. <i>Endocrinology</i> , 1989 , 124, 2005-12	4.8	20
48	Activation of inositol phospholipid-specific phospholipase C by P2-purinergic receptors in human phagocytic leukocytes. Role of pertussis toxin-sensitive G proteins. <i>Annals of the New York Academy of Sciences</i> , 1990 , 603, 227-44; discussion 244-5	6.5	20
47	Basal and inducible expression of the thiol-sensitive ART2.1 ecto-ADP-ribosyltransferase in myeloid and lymphoid leukocytes. <i>Purinergic Signalling</i> , 2009 , 5, 369-83	3.8	19
46	Sulfated signal from ASJ sensory neurons modulates stomatin-dependent coordination in <i>Caenorhabditis elegans</i> . <i>Journal of Biological Chemistry</i> , 2006 , 281, 35989-96	5.4	19
45	Purinergic Receptors: Key Mediators of HIV-1 Infection and Inflammation. <i>Frontiers in Immunology</i> , 2015 , 6, 585	8.4	18
44	Reciprocal Changes in Phosphoenolpyruvate Carboxykinase and Pyruvate Kinase with Age Are a Determinant of Aging in <i>Caenorhabditis elegans</i> . <i>Journal of Biological Chemistry</i> , 2016 , 291, 1307-19	5.4	17
43	Activation of the inositol phospholipid signaling system by receptors for extracellular ATP in human neutrophils, monocytes, and neutrophil/monocyte progenitor cells. <i>Annals of the New York Academy of Sciences</i> , 1988 , 551, 218-37; discussion 237-8	6.5	17
42	Rapid effects of phorbol ester on platelet shape change, cytoskeleton and calcium transient. <i>FEBS Letters</i> , 1986 , 206, 273-8	3.8	17
41	The inflammatory effects of UDP-glucose in N9 microglia are not mediated by P2Y14 receptor activation. <i>Purinergic Signalling</i> , 2008 , 4, 73-8	3.8	16
40	Human α -defensin-3 structure motifs that are important in CXCR4 antagonism. <i>FEBS Journal</i> , 2013 , 280, 3365-75	5.7	15

39	Calcium-independent phospholipase A2 beta is dispensable in inflammasome activation and its inhibition by bromoenol lactone. <i>Journal of Innate Immunity</i> , 2009 , 1, 607-17	6.9	15
38	Human Defensin-3 Increases CD86 Expression on Monocytes by Activating the ATP-Gated Channel P2X7. <i>Journal of Immunology</i> , 2015 , 195, 4438-45	5.3	14
37	Inhibition of GTP gamma S-dependent phospholipase D and Rho membrane association by calphostin is independent of protein kinase C catalytic activity. <i>Archives of Biochemistry and Biophysics</i> , 1997 , 341, 129-39	4.1	14
36	Glucocorticoid uncoupling of angiotensin II-dependent phospholipase C activation in rat vascular smooth muscle cells. <i>Kidney International</i> , 1994 , 46, 675-82	9.9	14
35	Functionalized congeners of tyrosine-based P2X(7) receptor antagonists: probing multiple sites for linking and dimerization. <i>Bioconjugate Chemistry</i> , 2002 , 13, 1100-11	6.3	13
34	Attenuation of drug-stimulated topoisomerase II-DNA cleavable complex formation in wild-type HL-60 cells treated with an intracellular calcium buffer is correlated with decreased cytotoxicity and site-specific hypophosphorylation of topoisomerase IIalpha. <i>Biochemical Journal</i> , 1998 , 336 (Pt 3), 727-33	3.8	13
33	Ligation of CD40 in Human Müller Cells Induces P2X7 Receptor-Dependent Death of Retinal Endothelial Cells 2016 , 57, 6278-6286		13
32	Tumor cell resistance to topoisomerase II poisons: role for intracellular free calcium in the sensitization by inhibitors or calcium-calmodulin-dependent enzymes. <i>Biochemical Pharmacology</i> , 1998 , 56, 345-9	6	11
31	Chemotherapy engages multiple pathways leading to IL-1β production by myeloid leukocytes. <i>Oncotmmunology</i> , 2014 , 3, e27499	7.2	10
30	Inhibition of tension development and actomyosin ATPase activity in barnacle muscle by the Ca ²⁺ -indicator dye antipyrilazo III. <i>Journal of Muscle Research and Cell Motility</i> , 1985 , 6, 275-92	3.5	8
29	Wear Particle-induced Priming of the NLRP3 Inflammasome Depends on Adherent Pathogen-associated Molecular Patterns and Their Cognate Toll-like Receptors: An In Vitro Study. <i>Clinical Orthopaedics and Related Research</i> , 2018 , 476, 2442-2453	2.2	8
28	Up-regulated Ectonucleotidases in Fas-Associated Death Domain Protein- and Receptor-Interacting Protein Kinase 1-Deficient Jurkat Leukemia Cells Counteract Extracellular ATP/AMP Accumulation via Pannexin-1 Channels during Chemotherapeutic Drug-Induced Apoptosis. <i>Molecular Pharmacology</i> , 2017 , 92, 29-47	4.3	7
27	CD40 in Endothelial Cells Restricts Neural Tissue Invasion by Toxoplasma gondii. <i>Infection and Immunity</i> , 2019 , 87,	3.7	6
26	Luciferase-assisted detection of extracellular ATP and ATP metabolites during immunogenic death of cancer cells. <i>Methods in Enzymology</i> , 2019 , 629, 81-102	1.7	5
25	Charge of the mito brigade. Focus on "Changes in mitochondrial surface charge mediate recruitment of signaling molecules during apoptosis". <i>American Journal of Physiology - Cell Physiology</i> , 2011 , 300, C11-3	5.4	4
24	Thapsigargin suppresses phorbol ester-dependent human involucrin promoter activity by suppressing CCAAT-enhancer-binding protein [C/EBP] DNA binding. <i>Biochemical Journal</i> , 2000 , 350, 791	3.8	4
23	Cytosolic K ⁺ and extracellular Na ⁺ as regulators of NLRP3 inflammasome activation and the IL-1β secretion response of macrophages to crystalline stimuli. <i>FASEB Journal</i> , 2013 , 27, 138.8	0.9	4
22	Renal sugar transport in the winter flounder. IV. Effect of Ca ²⁺ on sugar transport in teased renal tubules. <i>Journal of Cellular Physiology</i> , 1977 , 93, 11-6	7	3

21	ATP Release Mechanisms 2006 , 99-158		2
20	ATP Release Mechanisms 2006 , 99-158		2
19	Measurements of intracellular free Ca ⁺⁺ . <i>Advances in Experimental Medicine and Biology</i> , 1982 , 151, 443-50		2
18	CD8 CD73 T cells in the tumor microenvironment of head and neck cancer patients are linked to diminished T cell infiltration and activation in tumor tissue. <i>European Journal of Immunology</i> , 2020 , 50, 2055-2066	6.1	1
17	Flow cytometric measurements of cytosolic [Ca ²⁺] in normal and leukemic progenitor cells. <i>Annals of the New York Academy of Sciences</i> , 1988 , 551, 273-6	6.5	1
16	The phlorizin effect on the transport of sugars at the antiluminal face of teased flounder tubules. <i>The Journal of Experimental Zoology</i> , 1977 , 199, 391-4		1
15	Gating of Pannexin 1-Mediated ATP Release Channels by Mechanical Stress Stimuli. <i>FASEB Journal</i> , 2011 , 25, 1007.3	0.9	1
14	Lysosomal disruption by orthopedic wear particles induces activation of the NLRP3 inflammasome and macrophage cell death by distinct mechanisms. <i>Journal of Orthopaedic Research</i> , 2021 , 39, 493-505	3.8	1
13	TH17 cells promote CNS inflammation by sensing danger signals via Mincle.. <i>Nature Communications</i> , 2022 , 13, 2406	17.4	1
12	P2Y Purinergic Receptors 2004 , 188-191		
11	LPS-Induced Expression of the Thiol-Sensitive Ecto-ADP-ribosyltransferase 2.1 in Murine Macrophages. <i>FASEB Journal</i> , 2007 , 21, A1345	0.9	
10	Extracellular NAD Induced, P2x7 Pore Dependant ATP Release From Mouse Thymocytes. <i>FASEB Journal</i> , 2007 , 21, A487	0.9	
9	Mechanism of gasdermin D recognition by inflammatory caspases and their inhibition by a gasdermin D-derived peptide inhibitor. <i>FASEB Journal</i> , 2019 , 33, 461.24	0.9	
8	Mechanisms of ATP release from 1321N1 cells. <i>FASEB Journal</i> , 2009 , 23, 816.2	0.9	
7	differential regulation of P2X7R activation by extracellular NAD in murine macrophages and T cells. <i>FASEB Journal</i> , 2009 , 23, 580.7	0.9	
6	Gating of Pannexin-1 Channels by P2X7R-Induced Inflammation or Apoptosis in Macrophages. <i>FASEB Journal</i> , 2011 , 25, 945.1	0.9	
5	Influence of Cellular Magnesium Concentration on Fibroblast Phenotype Differentiation. <i>FASEB Journal</i> , 2012 , 26, 866.1	0.9	
4	Pro-apoptotic agents induce ATP release from leukemia/lymphoma tumor cells via pannexin-1 dependent and pannexin-1-independent mechanism. <i>FASEB Journal</i> , 2013 , 27, 1105.24	0.9	

- 3 Prolonged NLRP3 inflammasome activation enhances the secretion of autophagy-derived vesicles containing LC3II in murine dendritic cells. *FASEB Journal*, **2013**, 27, 1086.7 0.9
- 2 GPCRs in innate and adaptive immune responses **2020**, 429-461
- 1 Receptors | P2Y Receptors **2021**, 217-220