Zhong-Lin Lu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/226186/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	[12]aneN ₃ -Conjugated AlEgens with two-photon imaging properties for synergistic gene/photodynamic therapy <i>in vitro</i> and <i>in vivo</i> . Journal of Materials Chemistry B, 2022, 10, 945-957.	2.9	8
2	H2O2-Responsive amphiphilic polymer with aggregation-induced emission (AIE) for DOX delivery and tumor therapy. Bioorganic Chemistry, 2022, 119, 105559.	2.0	8
3	៺于[12]aneN3的近红å¤AlE活性éžç—…æ⁻'基å›è¼2½ä¼2"çš"å•̂æ^åŠåŸºå›é€'逕 Scientia Sinica Chimica,	20022;,.	0
4	A NIR Aggregation-Induced Emission Fluoroamphiphile as Visually Trackable and Serum-Tolerant Nonviral Gene Carrier. Bioconjugate Chemistry, 2022, 33, 929-937.	1.8	12
5	Highly water-dispersible PCN nanosheets as light-controlled lysosome self-promoting escape type non-cationic gene carriers for tumor therapy. Journal of Materials Chemistry B, 2022, 10, 5430-5438.	2.9	6
6	Multifunctional amphiphilic peptide dendrimer as nonviral gene vectors for effective cancer therapy via combined gene/photodynamic therapies. Colloids and Surfaces B: Biointerfaces, 2022, 217, 112651.	2.5	6
7	Nitroreductase-responsive polymeric micelles based on 4-nitrobenzyl and AIE moieties for intracellular doxorubicin release. Polymer Chemistry, 2021, 12, 2618-2626.	1.9	14
8	Two-Photon Near-Infrared AIE Luminogens as Multifunctional Gene Carriers for Cancer Theranostics. ACS Applied Materials & Interfaces, 2021, 13, 23384-23395.	4.0	49
9	Reliable folding of hybrid tetrapeptides into short \hat{I}^2 -hairpins. Chinese Chemical Letters, 2021, , .	4.8	0
10	Lysosome-targeting BODIPY-derived Hantzsch ester for nitric oxide detection and imaging in live cells. Sensors and Actuators B: Chemical, 2021, 339, 129880.	4.0	26
11	Di[12]aneN ₃ -Functionalized Green Fluorescent Protein Chromophore for GFP Luminescence Simulation and Efficient Gene Transfection <i>In Vitro</i> and <i>In Vivo</i> . ACS Applied Bio Materials, 2021, 4, 7111-7122.	2.3	3
12	Integration of [12]aneN3 and Acenaphtho[1,2-b]quinoxaline as non-viral gene vectors with two-photon property for enhanced DNA/siRNA delivery and bioimaging. Bioorganic Chemistry, 2021, 113, 104983.	2.0	7
13	Degradable cationic polyesters via ring-opening copolymerization of valerolactones as nanocarriers for the gene delivery. Bioorganic Chemistry, 2021, 116, 105299.	2.0	4
14	An unnatural tripeptide structure containing intramolecular double H-bonds mimics a turn hairpin conformation. Organic and Biomolecular Chemistry, 2021, 19, 4359-4363.	1.5	2
15	Self-Assembly and Molecular Recognition in Water: Tubular Stacking and Guest-Templated Discrete Assembly of Water-Soluble, Shape-Persistent Macrocycles. Journal of the American Chemical Society, 2020, 142, 2915-2924.	6.6	44
16	[12]aneN3-based multifunctional compounds as fluorescent probes and nucleic acids delivering agents. Drug Delivery, 2020, 27, 66-80.	2.5	10
17	Dihydropyridine-coumarin-based fluorescent probe for imaging nitric oxide in living cells. Photochemical and Photobiological Sciences, 2020, 19, 1230-1235.	1.6	14
18	[12]aneN ₃ -Based Gemini-Type Amphiphiles with Two-Photon Absorption Properties for Enhanced Nonviral Gene Delivery and Bioimaging. ACS Applied Materials & Interfaces, 2020, 12, 40094-40107.	4.0	20

#	Article	IF	CITATIONS
19	Multiturn Hollow Helices: Synthesis and Folding of Long Aromatic Oligoamides. Organic Letters, 2020, 22, 6938-6942.	2.4	10
20	Fluorescent Nanoparticles for Targeted Tumor Imaging and DNA Tracking Gene Delivery <i>In Vitro</i> / <i>In Vivo</i> . ACS Omega, 2020, 5, 31700-31705.	1.6	6
21	Major Factors for the Persistent Folding of Hybrid α, β, γ-Hybrid Peptides Into Hairpins. Frontiers in Chemistry, 2020, 8, 530083.	1.8	2
22	Macrocyclic polyamine [12]aneN ₃ modified triphenylamine-pyrazine derivatives as efficient non-viral gene vectors with AIE and two-photon imaging properties. Journal of Materials Chemistry B, 2020, 8, 3869-3879.	2.9	12
23	Tumor Targeting Gene Vector for Visual Tracking of Bcl-2 siRNA Transfection and Anti-Tumor Therapy. ACS Applied Materials & Interfaces, 2020, 12, 10193-10201.	4.0	25
24	Reverse Turn Foldamers: An Expanded β-Turn Motif Reinforced by Double Hydrogen Bonds. Organic Letters, 2020, 22, 1003-1007.	2.4	9
25	Folding and Assembly of Short α, β, γ-Hybrid Peptides: Minor Variations in Sequence and Drastic Differences in Higher-Level Structures. Journal of the American Chemical Society, 2019, 141, 14239-14248.	6.6	18
26	Synthesis of Glutathione (GSH)â€Responsive Amphiphilic Duplexes and their Application in Gene Delivery. ChemPlusChem, 2019, 84, 1060-1069.	1.3	4
27	Combination of [12]aneN3 and Triphenylamine-Benzylideneimidazolone as Nonviral Gene Vectors with Two-Photon and AlE Properties. ACS Applied Materials & Interfaces, 2019, 11, 42975-42987.	4.0	31
28	Mitochondria targeting two-photon fluorescent molecules for gene transfection and biological tracking. Journal of Materials Chemistry B, 2019, 7, 4309-4318.	2.9	6
29	H ₂ O ₂ -responsive polymeric micelles with a benzil moiety for efficient DOX delivery and AIE imaging. Organic and Biomolecular Chemistry, 2019, 17, 5570-5577.	1.5	16
30	[12]aneN3-based single aliphatic chain modified cationic lipids as gene delivery vectors. Tetrahedron, 2019, 75, 658-664.	1.0	2
31	Cu-Catalyzed Redox-Neutral Ring Cleavage of Cycloketone <i>O</i> -Acyl Oximes: Chemodivergent Access to Distal Oxygenated Nitriles. Organic Letters, 2018, 20, 409-412.	2.4	100
32	Effective formation of stable and versatile double-stranded β-sheets templated by a hydrogen-bonded duplex. Chemical Communications, 2018, 54, 3719-3722.	2.2	4
33	Tetraphenylethylene-based gemini surfactant as nonviral gene delivery system: DNA complexation, gene transfection and cellular tracking. Journal of Photochemistry and Photobiology A: Chemistry, 2018, 355, 338-349.	2.0	12
34	Dihydropyridine-derived BODIPY probe for detecting exogenous and endogenous nitric oxide in mitochondria. Talanta, 2018, 176, 382-388.	2.9	28
35	Self-assembled aggregation-induced emission micelle (AIE micelle) as interfacial fluorescence probe for sequential recognition of Cu2+ and ATP in water. Sensors and Actuators B: Chemical, 2018, 255, 440-447.	4.0	68
36	Imaging nucleus viscosity and G-quadruplex DNA in living cells using a nucleus-targeting two-photon fluorescent probe. Analyst, The, 2018, 143, 5799-5804.	1.7	19

#	Article	IF	CITATIONS
37	[12]aneN3-based lipid with naphthalimide moiety for enhanced gene transfection efficiency. Bioorganic Chemistry, 2018, 79, 334-340.	2.0	21
38	Imaging viscosity and peroxynitrite by a mitochondria-targeting two-photon ratiometric fluorescent probe. Sensors and Actuators B: Chemical, 2018, 276, 238-246.	4.0	78
39	NO-Responsive vesicles as a drug delivery system. Chemical Communications, 2017, 53, 3535-3538.	2.2	8
40	Helical Folding of <i>Meta</i> -Connected Aromatic Oligoureas. Organic Letters, 2017, 19, 2666-2669.	2.4	11
41	Amphiphilic oligoamides as versatile, acid-responsive gelators. RSC Advances, 2017, 7, 22248-22255.	1.7	4
42	Aromatization of 9,10-Dihydroacridine Derivatives: Discovering a Highly Selective and Rapid-Responding Fluorescent Probe for Peroxynitrite. ACS Sensors, 2017, 2, 501-505.	4.0	48
43	Gemini-Type Tetraphenylethylene Amphiphiles Containing [12]aneN ₃ and Long Hydrocarbon Chains as Nonviral Gene Vectors and Gene Delivery Monitors. ACS Applied Materials & Interfaces, 2017, 9, 11546-11556.	4.0	42
44	Methods for the detection and determination of nitrite and nitrate: A review. Talanta, 2017, 165, 709-720.	2.9	336
45	Enforced Tubular Assembly of Electronically Different Hexakis(<i>m</i> -Phenylene Ethynylene) Macrocycles: Persistent Columnar Stacking Driven by Multiple Hydrogen-Bonding Interactions. Journal of the American Chemical Society, 2017, 139, 15950-15957.	6.6	39
46	Degradable polyesters via ring-opening polymerization of functional valerolactones for efficient gene delivery. Organic and Biomolecular Chemistry, 2017, 15, 6567-6574.	1.5	19
47	Aromatic oligureas as hosts for anions and cations. Chemical Communications, 2016, 52, 9905-9908.	2.2	10
48	[12]aneN ₃ Modified Tetraphenylethene Molecules as High-Performance Sensing, Condensing, and Delivering Agents toward DNAs. ACS Applied Materials & Interfaces, 2016, 8, 14367-14378.	4.0	33
49	Hexakis(m-phenylene ethynylene) Macrocycles with Multiple H-Bonding Side Chains and Modified Cavities: Altered Stacking Strength and Persistent Tubular Assembly. Organic Letters, 2016, 18, 2094-2097.	2.4	17
50	D–A–D type chromophores with aggregation-induced emission and two-photon absorption: synthesis, optical characteristics and cell imaging. Journal of Materials Chemistry C, 2016, 4, 5379-5389.	2.7	38
51	Dihydropyridine-based fluorescence probe for nitric oxide. RSC Advances, 2016, 6, 85698-85703.	1.7	14
52	Functional lipids based on [12]aneN ₃ and naphthalimide as efficient non-viral gene vectors. Organic and Biomolecular Chemistry, 2016, 14, 6346-6354.	1.5	21
53	Water-soluble Hantzsch ester as switch-on fluorescent probe for efficiently detecting nitric oxide. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2016, 169, 1-6.	2.0	22
54	A novel non-viral gene vector for hepatocyte-targeting and in situ monitoring of DNA delivery in single cells. RSC Advances, 2016, 6, 50053-50060.	1.7	7

Zhong-Lin Lu

#	Article	IF	CITATIONS
55	Persistent Organic Nanopores Amenable to Structural and Functional Tuning. Journal of the American Chemical Society, 2016, 138, 2749-2754.	6.6	77
56	Fluorescent sensors based on [12]aneN3-modified BODIPY: Discrimination of different biological thiols in aqueous solution and living cells. Bioorganic and Medicinal Chemistry, 2016, 24, 1550-1559.	1.4	16
57	1,8-Naphthalimide modified [12]aneN3 compounds as selective and sensitive probes for Cu2+ ions and ATP in aqueous solution and living cells. Talanta, 2016, 152, 438-446.	2.9	40
58	[12]aneN3-based BODIPY as a selective and sensitive off–on sensor for the sequential recognition of Cu2+ ions and ADP. Chinese Chemical Letters, 2015, 26, 894-898.	4.8	22
59	Synthesis of bifunctional molecules containing [12]aneN ₃ and coumarin moieties as effective DNA condensation agents and new non-viral gene vectors. Organic and Biomolecular Chemistry, 2015, 13, 4494-4505.	1.5	22
60	A naphthalimide-based [12]aneN ₃ compound as an effective and real-time fluorescence tracking non-viral gene vector. Chemical Communications, 2015, 51, 16695-16698.	2.2	30
61	Distinguish cancer cells based on targeting turn-on fluorescence imaging by folate functionalized green emitting carbon dots. Biosensors and Bioelectronics, 2015, 64, 119-125.	5.3	142
62	Syntheses of bifunctional molecules containing [12]aneN3 and carbazol moieties as effective DNA condensation agents. Science China Chemistry, 2014, 57, 296-306.	4.2	16
63	Synthesis and immobilization of oxime-derived palladacycles as effective and reusable catalysts for the degradation of phosphorothionate pesticides. Inorganic Chemistry Communication, 2013, 34, 19-22.	1.8	4
64	Special Issue on Clinical Vision Science. Preface. Seeing and Perceiving, 2012, 25, 397-398.	0.4	0
65	Controlling Ion-Sensing Specificity of N-Amidothioureas: From Anion-Selective Sensors to Highly Zn2+-Selective Sensors by Tuning Electronic Effects. Organic Letters, 2012, 14, 5070-5073.	2.4	18
66	Steric effects on the catalytic activities of zinc(ii) complexes containing [12]aneN3 ligating units in the cleavage of the RNA and DNA model phosphates. Organic and Biomolecular Chemistry, 2012, 10, 7714.	1.5	10
67	Click-reaction generated [12]aneN3-based fluorescent sensor for Zn(II) ions. Inorganic Chemistry Communication, 2012, 23, 67-69.	1.8	15
68	Effective and reversible DNA condensation induced by bifunctional molecules containing macrocyclic polyamines and naphthyl moieties. Bioorganic and Medicinal Chemistry, 2012, 20, 801-808.	1.4	25
69	Syntheses of [12]aneN3–oligopeptide conjugates as effective DNA condensation agents. Bioorganic and Medicinal Chemistry, 2012, 20, 2897-2904.	1.4	9
70	Synthesis of [12]aneN3–dipeptide conjugates as metal-free DNA nucleases. Bioorganic and Medicinal Chemistry Letters, 2012, 22, 2303-2307.	1.0	15
71	Intramolecular Pauson–Khand reaction catalyzed by oxime-derived palladacycles. Tetrahedron Letters, 2012, 53, 589-592.	0.7	10
72	Synthesis of mono- and di-[12]aneN3 ligands and study on the catalytic cleavage of RNA model 2-hydroxypropyl-p-nitrophenyl phosphate with their metal complexes. Organic and Biomolecular Chemistry, 2011, 9, 6788.	1.5	24

#	Article	IF	CITATIONS
73	Palladacycles with C,N-bidentate and N,C,N′-tridentate ligands: Structures, spectral study and catalytic methanolysis of P S pesticides. Journal of Organometallic Chemistry, 2010, 695, 2191-2200.	0.8	6
74	Mononuclear versus dinuclear palladacycles derived from 1,3-bis(N,N-dimethylaminomethyl)benzene: Structures and catalytic activity. Inorganic Chemistry Communication, 2010, 13, 814-817.	1.8	16
75	Efficient syntheses of artificial nucleases containing mono-, di- and tri-[12]aneN3 ligating units through click chemistry. Inorganic Chemistry Communication, 2010, 13, 1054-1056.	1.8	7
76	Dinuclear Zn(II) catalysts as biomimics of RNA and DNA phosphoryl transfer enzymes: changing the medium from water to alcohol provides enzymeâ€like rate enhancements. Journal of Physical Organic Chemistry, 2010, 23, 1-15.	0.9	55
77	(<i>S</i>)-4- <i>tert</i> -Butyl-2-phenyl-2-oxazoline derived palladacycles as efficient catalysts for the decomposition of P=S pesticides. Journal of Coordination Chemistry, 2010, 63, 2659-2672.	0.8	4
78	Substituted pyridine coordinated N,N-trans and N,N-cis cyclopalladated complexes of (S)-4-tert-butyl-2-phenyl-2-oxazoline: Crystal structures, spectral study and catalysis of the decomposition of PS pesticides. Polyhedron, 2009, 28, 2565-2570.	1.0	6
79	Synthesis, structures and catalytic properties of palladacycles derived from N,N-dimethylaminomethylferrocene. Inorganic Chemistry Communication, 2009, 12, 572-575.	1.8	4
80	Palladacycle complexes of (S)-4-iso-propyl-2-phenyl-2-oxazoline: Synthesis, crystal structures and catalytical methanolysis of pesticide. Inorganic Chemistry Communication, 2008, 11, 235-238.	1.8	4
81	O-(tert-Butyldimethylsilyl)tris(O-4-methylphenylsulfonyl)pentaerythritol. Acta Crystallographica Section E: Structure Reports Online, 2008, 64, o1472-o1473.	0.2	2
82	Rapid Three-Step Cleavage of RNA and DNA Model Systems Promoted by a Dinuclear Cu(II) Complex in Methanol. Energetic Origins of the Catalytic Efficacy. Journal of the American Chemical Society, 2007, 129, 11642-11652.	6.6	63
83	The Dinuclear Zn(II) Complex Catalyzed Cyclization of a Series of 2-Hydroxypropyl Aryl Phosphate RNA Models:  Progressive Change in Mechanism from Rate-Limiting PⰒO Bond Cleavage to Substrate Binding. Journal of the American Chemical Society, 2007, 129, 16238-16248.	6.6	70
84	Asymmetric Catalytic Intramolecular Pauson–Khand Reactions with Ir(phox) Catalysts. European Journal of Organic Chemistry, 2007, 2007, 4189-4192.	1.2	29
85	Combination of a Dinuclear Zn2+Complex and a Medium Effect Exerts a 1012-Fold Rate Enhancement of Cleavage of an RNA and DNA Model System. Journal of the American Chemical Society, 2006, 128, 16398-16405.	6.6	64
86	N-[(R)-1-Phenylethyl]thiobenzamide. Acta Crystallographica Section E: Structure Reports Online, 2006, 62, o1513-o1515.	0.2	2
87	(1-Methylimidazole-κN3)[tris(2-aminoethyl)amine-κ4N]copper(II) bis(perchlorate). Acta Crystallographica Section E: Structure Reports Online, 2006, 62, m1247-m1249.	0.2	1
88	Chloro[2-(dimethylamino)benzyl-κ2C1,N][4-(dimethylamino)pyridine-κN1]palladium(II). Acta Crystallographica Section E: Structure Reports Online, 2006, 62, m3225-m3227.	0.2	6
89	Combinatorial micro electrochemistry. Part 4: Cyclic voltammetric redox screening of homogeneous ruthenium(II) hydrogenation catalysts. Electrochemistry Communications, 2005, 7, 1013-1020.	2.3	25
90	An ortho-palladated dimethylbenzylamine complex as a highly efficient turnover catalyst for the decomposition of P insecticides. Mechanistic studies of the methanolysis of some P-containing phosphorothioate triesters. Organic and Biomolecular Chemistry, 2005, 3, 3379.	1.5	40

#	Article	IF	CITATIONS
91	A Chemically Modified Platinum Electrode as a Bidentate Diamine Ligand for Forming Well-Defined, Immobilized Bis(η1-P-ether phosphane)(diamine)ruthenium(II) Complexes. Angewandte Chemie - International Edition, 2004, 43, 2025-2028.	7.2	4
92	Applications of Sol—Gel-Processed Interphase Catalysts. ChemInform, 2003, 34, no.	0.1	0
93	Supported organometallic complexes. Part 37: synthesis and structures of diamine-bis(methoxyethyldimethylphosphine)ruthenium(II) complexes. Inorganic Chemistry Communication, 2003, 6, 365-369.	1.8	8
94	Title is missing!. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2003, 629, 1308-1315.	0.6	34
95	Applications of Solâ^'Gel-Processed Interphase Catalysts. Chemical Reviews, 2002, 102, 3543-3578.	23.0	267
96	Thermodynamic and Kinetic Studies on Complex-Formation Reactions of a Cobalt(II) Tripodal Tetraamine Complex. European Journal of Inorganic Chemistry, 2001, 2001, 503-510.	1.0	9
97	4,5-Diazafluoren-9-one benzoylhydrazone monohydrate. Acta Crystallographica Section C: Crystal Structure Communications, 2000, 56, 1017-1018.	0.4	4
98	4-Hydroxy-3-methoxybenzaldehyde 4,5-diazafluoren-9-ylidenehydrazone. Acta Crystallographica Section C: Crystal Structure Communications, 2000, 56, 1015-1016.	0.4	0
99	p-Methoxybenzaldehyde benzoylhydrazone monohydrate. Acta Crystallographica Section C: Crystal Structure Communications, 2000, 56, 1013-1014.	0.4	3
100	Bivalent transition metal complexes of 4,5-diazafluorene-9-one benzoylhydrazone (HL) and the characterization of weak interaction in CoL 2 (H 2 O) 2. Journal of Molecular Structure, 2000, 553, 91-99.	1.8	25
101	Chemistry of aroylhydrazones: bis-bipyridine ruthenium(II) complexes with aroylhydrazone ligands containing ferrocenyl moiety. Journal of Molecular Structure, 2000, 523, 133-141.	1.8	17
102	Chemistry of aroylhydrazones II Polyhedron, 2000, 19, 1295-1304.	1.0	23
103	Synthesis and formation of metal complexes of 4-alkynyl and 4-cyano-2,6-diisopropylphenylisocyanides. Inorganica Chimica Acta, 1999, 284, 205-214.	1.2	28
104	Title is missing!. Transition Metal Chemistry, 1998, 23, 631-634.	0.7	3
105	Photoinduced intramolecular electron transfer in Schiff-base bridged Ruthenium(II)-quencher molecules. Polyhedron, 1998, 17, 4131-4138.	1.0	7
106	A Sulfur-Capped Triangular Cobalt–Tributylphosphine–Aminobenzenethiolato Complex: Synthesis, Structure and Properties of Co3(μ3-S)(abt)3(PBun3)3. Bulletin of the Chemical Society of Japan, 1998, 71, 1805-1809.	2.0	5
107	Crystal structure of μ-hydroxo-bis[tris(2–aminoethyl)amine]dicopper(II) perchlorate. Transition Metal Chemistry, 1997, 23, 77-79.	0.7	5
108	Title is missing!. Transition Metal Chemistry, 1997, 22, 101-104.	0.7	3

#	Article	IF	CITATIONS
109	Synthesis and crystal structure of an imidazolate-bridged dicopper tris(2-aminoethyl)amine complex. Transition Metal Chemistry, 1997, 22, 549-552.	0.7	5
110	Crystal structure characterization of a polynuclear complex between copper(II), tris(2-aminoethyl)amine and ferrocyanide. Polyhedron, 1997, 16, 909-914.	1.0	24
111	Synthesis, crystal structure and equilibrium studies on bidentate amine adducts of bis(S-benzyl)-β-N-(4-dimethylaminobenzyl)methylendithiocarbazone nickel(II) complex. Polyhedron, 1997, 16, 2863-2869.	1.0	2
112	Synthesis, characterization and crystal structure of a novel tris(2-aminoethyl) amine copper(II) complex with an asymmetric coordinated 4,5-diazafluorene-9-hydrazine. Polyhedron, 1997, 16, 187-194.	1.0	11
113	Synthesis, Characterization, and Crystal Structure of a Novel Copper(II) Complex with an Asymmetric Coordinated 2,2â€~-Bipyridine Derivative: A Model for the Associative Complex in the Ligand-Substitution Reactions of [Cu(tren)L]2+?. Inorganic Chemistry, 1996, 35, 2253-2258.	1.9	64
114	Synthesis and spectral studies of some new palladium(II) and platinum(II) dithio complexes: The novel crystal structure of the palladium(II) dithiocarbimato complex. Polyhedron, 1996, 15, 1495-1502.	1.0	16
115	Synthesis, characterization and crystal structure of tris(2-aminoethyl)amine copper complex with 4-dimethylaminopyridine ligand. Polyhedron, 1996, 15, 1769-1774.	1.0	20
116	Crystal structure and spectroscopic studies on metal complexes containing ns donor ligands derived from S-benzyldithiocarbazate andp-dimethylaminobenzaldehyde. Polyhedron, 1996, 15, 2263-2271.	1.0	126
117	Synthesis, characterization and crystal structure of a tris(2-aminoethyl)amine copper complex with a imidazole coligand. Transition Metal Chemistry, 1996, 21, 193-196.	0.7	8
118	Preparation and characterization of metal complexes containing a NS donor ligand derived from S-benzyldithiocarbazate and p-nitrobenzaldehyde. X-ray crystal structure of the nickel(II) chelate. Transition Metal Chemistry, 1996, 21, 254-257.	0.7	16
119	A Novel Layered Mixed-Valence Vanadium Phenanthroline Complex: Hydrothermal Synthesis and Crystal Structure of [VIVVV2O7(phen)]n. Inorganic Chemistry, 1995, 34, 1-2.	1.9	43